### San Francisco Department of Public Health



Grant Colfax, MD Director of Health

City and County of San Francisco London N. Breed Mayor

### SAN FRANCISCO DEPARTMENT OF PUBLIC HEALTH

POLICY & PROCEDURE DETAIL

Policy & Procedure Title: DPH Overdose Prevention Policy	
Category: Client/Patient Services	
Effective Date: 12/10/2021	Last Reissue/Revision Date: 11/1/2024
<b>DPH Unit of Origin</b> : Office of Overdose Prevention, Population Behavioral Health	
Policy Contact:	
Jeff Hom, Director of Population Behavioral Health	
Eileen Loughran, Director   Office of Overdose Prevention   Population Behavioral Health	
Contact Email Address(es): <a href="mailto:Jeffrey.Hom@sfdph.org">Jeffrey.Hom@sfdph.org</a> ; <a href="mailto:Eileen.Loughran@sfdph.org">Eileen.Loughran@sfdph.org</a>	
Distribution: DPH-wide ☐ If n	ot DPH-wide, other distribution: Click here to enter text.
Public Interest: Yes No	
Repository: DPH P&P Library 🗵 If n	ot DPH P&P Library, other repository/library:

### **BACKGROUND**

The mission of the Department of Public Health (DPH) is to protect and promote the health of all San Franciscans. Clients served across DPH include people who use drugs who may be at risk for overdose. Whenever a client is suspected of overdosing, City emergency services are called. However, there are many interventions that may help prevent and assist during a potential opioid overdose<sup>1</sup> that staff can do while waiting for emergency services to arrive.

### **PURPOSE OF POLICY**

The purpose of this policy is to support the Department of Public Health's (DPH) compliance with local legislation, Ordinance <u>084-21</u> (Reference A). The legislation requires DPH to annually submit to the Board of Supervisors a departmental policy describing how the department and its grantees that provide

Overdose: Injury to the body (poisoning) that happens when a drug is taken in excessive amounts. An overdose can be fatal or nonfatal.

<sup>&</sup>lt;sup>1</sup> Commonly Used Terms, Opioid Basics, Centers for Disease Control and Prevention: https://www.cdc.gov/opioids/basics/terms.html

**Opioid:** Natural, synthetic, or semi-synthetic chemicals that interact with opioid receptors on nerve cells in the body and brain, and reduce the intensity of pain signals and feelings of pain. This class of drugs includes the illegal drug heroin, synthetic opioids such as fentanyl, and pain medications available legally by prescription, such as oxycodone, hydrocodone, codeine, morphine, and many others. Prescription opioids are generally safe when taken for a short time and as directed by a doctor, but because they produce euphoria in addition to pain relief, they can be misused and have addiction potential.

direct services to clients who use drugs will promote strategies to reduce drug overdoses ("Overdose Prevention Policy").

The DPH overdose prevention policy includes requirements for resource posting, staff overdose prevention training, and sets procedures to follow in the event of an overdose.

### **POLICY APPLICATION**

This Overdose Prevention Policy applies to all DPH branches, sections, and grantees that may engage with and/or provide direct services to clients who use drugs.

### **DPH Overdose Prevention Policy & Procedures**

DPH branches, sections, and grantees that engage with and/or provide direct services to clients who use drugs will adopt the following policy and adapt outlined procedures to follow in the event of an overdose.

### A. Drug Treatment and Harm Reduction Programs and Services

The Department of Public Health (DPH) has a long history of providing direct treatment services and supporting harm reduction as an effective strategy for overdose prevention. In 2000, the San Francisco Health Commission unanimously passed a resolution adopting a Harm Reduction Policy for Substance Abuse, STD and HIV treatment and prevention services, and/or programs that serve people who use drugs in their programs. The Guiding Principles of this policy are:

- Clients are responsive to culturally competent, non-judgmental services, delivered in a manner that demonstrates respect for individual dignity, personal strength, and selfdetermination.
- Service providers are responsible to the wider community for delivering interventions which attempt to reduce the economic, social and physical consequences of drug- and alcoholrelated harm and harms associated with other behaviors or practices that put individuals at risk.
- Because those engaged in unsafe health practices are often difficult to reach through traditional service venues, the service continuum must seek creative opportunities and develop new strategies to engage, motivate, and intervene with potential clients.
- Comprehensive treatments need to include strategies that reduce harm for those clients who are unable or unwilling to modify their unsafe behavior.
- Relapse or periods of return to unsafe health practices should not be equated with or conceptualized as "failure of treatment".
- Each program within a system of comprehensive services can be strengthened by working collaboratively with other programs in the system.
- People change in incremental ways and must be offered a range of treatment outcomes in a continuum of care from reducing unsafe practices to abstaining from dangerous behavior.

DPH supports a continuum of treatment services and recognizes that people have different needs and goals. What may work for one individual client, may not work for another. The continuum of services reflects the City and the Department's commitment to providing a rich array of evidencebased services to individuals wherever they are in their use of substances and stage of change. Information about how to access the continuum of services is available to DPH staff and grantees at the SF.gov Substance Use and Overdose Prevention Services webpage: https://sf.gov/substanceuse-and-overdose-prevention-services. It is DPH policy that all funded contractors and service providers who provide direct client services must assist clients in accessing substance use disorder (SUD) treatment by developing and implementing a written protocol regarding how staff will provide SUD treatment information, referrals, and/or connections for clients. At a minimum, these written protocols must include: treatment information, referrals to treatment, and training expectations. Additionally, it is DPH policy that all funded contractors and service providers who provide direct client services must attend the quarterly virtual SUD training series "Addressing Substance Use in San Francisco: Quarterly Information for Providers" held by DPH Behavioral Health Services on SUD treatment (Reference B: memo – Improving Referrals for Substance Use Services and Street Conditions Near Health Service Sites).

DPH will continue to support effective strategies to prevent overdose death.

### B. Resource Posting

DPH branches, sections, and grantees who engage with and/or provide direct services to people who use drugs will post up-to-date resources and make them accessible to clients. These resources are listed below and are also available on a public webpage (https://sf.gov/substance-use-servicesand-overdose-prevention) maintained by DPH.

- The location and schedule of syringe access and disposal services (printable PDF) i.
- ii. CBHS Naloxone availability (Attachment A: Free Narcan and Training Flyer)

Depending on the setting, the schedules may be posted or shared in several locations. Some examples include:

- Exam and counseling rooms,
- Lobbies and/or waiting areas,
- Employee shared spaces (e.g., break rooms, conference rooms),
- Restrooms,
- Employee workspaces,
- Laboratories/research spaces,
- Emails and program newsletters to clients and staff, and
- Schedules may be shared directly by outreach or field staff

DPH branches, sections, and grantees will each determine the appropriate locations for schedule posting and/or sharing with staff and clients.

### C. Overdose Prevention Training

The online overdose recognition and response training is a requirement for DPH staff and grantees who engage with and/or provide direct services to people who use drugs.

DPH branches, sections, and grantees with staff who directly engage with people who use drugs will ensure that all relevant staff are aware of the online overdose recognition and response training and take the training once per year. Additionally, DPH branches, sections, and grantees will ensure that new staff who directly engage with people who use drugs take the online overdose recognition and response training as part of their orientation.

- DPH Employees the online overdose recognition and response training is found in each employee's Employee Portal.
- DPH Contractors and/or Grantees the online overdose recognition and response training is available through the DPH Center for Learning and Innovation, Overdose Prevention Training Series (https://learnsfdph.org/programs/sfdph-overdose-prevention/).

New in 2024, staff and grantees who have taken the online overdose recognition and response training at least once before can fulfill the annual training requirement by taking an online refresher course on opioid overdose recognition and response. The refresher course is available through SF Learning (employee portal) and LearnSFDPH.org.

Additional overdose prevention trainings are provided by DPH's Office of Overdose Prevention (OOP). While not required per DPH's policy, DPH branches, sections, and grantees are encouraged to supplement the required online training with in-person trainings provided by the Office of Overdose Prevention.

DPH has developed training videos to support DPH staff and grantees. The videos are available at the DPH Substance use Services and Overdose Prevention Resources webpage: https://sf.gov/substance-use-services-and-overdose-prevention

- A step-by-step demonstration on how to use nasal naloxone for known or suspected opioid overdose.
- How to use a fentanyl test strip to test drugs for the presence of fentanyl.
  - En Español: Aprender cómo usar las tiras de Detección de Fentanilo
- A step-by-step demonstration on how to use intramuscular naloxone for opioid overdose.
- The range of substance use disorder treatment options in our system.
- A training on how to reduce stigma against people who use drugs.

### D. Onsite Overdose Response

DPH branches, sections, and grantees with staff who regularly engage with people who use drugs will maintain an onsite overdose response policy that describes the steps that will be taken in the event that an individual overdoses on property managed by the department or in the presence of department staff, or on property managed by grantees.

The following list describes steps that staff can take to respond to an overdose at a site managed by DPH or where DPH staff are present. These steps may be adapted for specific settings (e.g., hospital settings, outpatient clinic settings, workplaces, research settings, etc.).

- 1) Staff should continuously monitor clients moving throughout the site. Staff should continuously monitor bathroom usage to ensure safety.
- 2) If a client is unresponsive and/or unconscious, try to wake them by calling their name, if known, or yelling for them to respond. If they do not respond, try waking them with a painful stimulus (e.g., rubbing their sternum or tapping their foot with yours). Check breathing; if they are not breathing and are unresponsive immediately alert another staff member and engage EMS by calling 911.
  - a. Communicate to dispatch: "person is unresponsive and not breathing, possible overdose, please have naloxone/Narcan."
- 3) Staff will get the NALOXONE stored in the [stored in the secure, room temperature location noted in the program's overdose prevention plan]. Staff will administer one dose of nasal naloxone to the client.
  - a. Any staff member who has received training in overdose recognition, response and naloxone administration can attend to the client (Reference B).
- 4) If the client has a pulse, perform rescue breathing. For individuals without a pulse, perform CPR (rescue breathing + chest compressions). If available, an Ambu Bag (artificial breathing) or breathing shield can be used.
- 5) If there is no response to the naloxone from the client after 2-3 minutes, administer a second dose of naloxone in the opposite nostril and continue with rescue breathing while awaiting EMS.
- 6) EMS will either transport the client following a non-fatal overdose to the hospital or the client will refuse transport. If client stays at venue, continue to observe for re-sedation as long as possible.

Each onsite overdose response policy will include steps for a debrief session following an overdose episode. The session should be facilitated by site leadership and provide an opportunity for staff to discuss the steps that were taken, address any concerns, and identify areas of improvement for future response.

### E. <u>Identification of Overdose Prevention Champion</u> (DPH branches and sections only)

DPH branches and sections with staff who engage with people who use drugs and/or with grantees who manage property or provide direct services to people who use drugs will identify an Overdose Prevention Champion. The responsibilities of each Overdose Prevention Champion may include:

Providing support to individual branch, section, and/or grantees to comply with DPH's Overdose Prevention Policy (this includes sharing overdose prevention resources to staff and clients),

- Reminding branch staff and contracted providers about the overdose prevention training requirement and organizing supplemental overdose prevention trainings with the Office of Overdose Prevention,
- Attending DPH Overdose Prevention Champion meetings and participating in information sharing, and
- For DPH branches and sections with grantees who manage property or provide direct services to people who use drugs, the Overdose Prevention Champion will:
  - Ensure that the Overdose Prevention Policy components (section A-D above) are required components of DPH contracts.
  - Ensure that these required components are evaluated during annual contract monitoring, and grantees not meeting the requirements will have that noted in their annual monitoring report.

### **ATTACHMENTS**

A. Free Nasal Narcan and Training Flyer

### **REFERENCES**

- A. Administrative Code Departmental Overdose Prevention Policies
- B. Memo to DPH Funded Service Providers: Improving Referrals for Substance Use Services and Street Conditions Near Health Service Sites
- C. Legal References California Civil Code Section 1714.22

### ATTACHMENT A: FREE NASAL NARCAN AND TRAINING FLYER

# Concerned about overdose? Want a free nasal Narcan kit?



## Free Nasal Narcan and Training at CBHS Pharmacy

\*No Insurance Required

1380 Howard Street (at 10th Street)

Open Monday-Friday, 9:00 am - 6:30 pm and Saturday-Sunday 9:00 am - 12:00 pm and 1:00 pm - 4:00 pm

Thank you for caring for your community!



# Concerned about overdose? Want a free nasal Narcan kit?



## Free Nasal Narcan and Training at CBHS Pharmacy

\*No Insurance Required

1380 Howard Street (at 10th Street)

Open Monday-Friday, 9:00 am - 6:30 pm and Saturday-Sunday 9:00 am - 12:00 pm and 1:00 pm - 4:00 pm

Thank you for caring for your community!



# REFERENCE A - ADMINISTRATIVE CODE - DEPARTMENTAL OVERDOSE PREVENTION POLICIES

FILE NO. 210304

ORDINANCE NO. 084-21

**ENACTMENT DATE: 06/25/2021** 

[Administrative Code - Departmental Overdose Prevention Policies]

Ordinance amending the Administrative Code to require the Department of Public Health,
Department of Homelessness and Supportive Housing, Human Services Agency, and Department of
Emergency Management to develop and submit to the Board of Supervisors departmental overdose
prevention policies.

Be it ordained by the People of the City and County of San Francisco:

Section 1. Findings.

- (a) According to data from the Office of the Medical Examiner, the number of people who have died from drug overdoses in San Francisco has been rising at a staggering rate. In 2017, 222 people in San Francisco died from a drug overdose. In 2020, 697 people in San Francisco died from a drug overdose. This represents more than a tripling of the death rate in only three years, such that deaths from drug overdoses now average nearly two a day, and nearly 60 a month.
- (b) Fentanyl, which is estimated to be 50 to 100 times more potent than morphine, entered the San Francisco market around 2015, causing eleven deaths that year. In 2016, the number of fentanyl overdose deaths in San Francisco doubled, reaching a total of 22. In 2020, 502 people were reported to have died in San Francisco as a result of overdose from use of fentanyl. Thus, in five years, fentanyl overdose deaths in San Francisco increased by 4500%.
- (c) This is a public health crisis of major proportions that is out of control. The number of people who died from a drug overdose in San Francisco in 2020 was more than three times the number of people who died in San Francisco from COVID-19 that same year.
- (d) Based on data showing the addresses of fatal drug overdoses in San Francisco over the first eight months of 2020, 111 people died on sidewalks or alleys, or in parks or cars; 296 people were found dead in homes or hotels, many in supportive housing in the Tenderloin; and 60 people were pronounced dead at hospitals.
- (e) Consuming drugs alone while sheltering-in-place during the COVID-19 pandemic almost certainly amplified the overdose death risk of strong drugs; more than half of the 561 deaths from accidental overdoses during the period January October 2020 occurred indoors.

- (f) A 2019 study published in Drug and Alcohol Dependence surveyed overdose mortality among residents of single room occupancy (SRO) buildings in San Francisco during the period 2010 2017, and found that overdose mortality was substantially higher among SRO residents as compared to non-SRO residents, and that SRO residents were also more likely to die from overdosing at home than elsewhere.
- (g) A 2019 study published in the Journal of Urban Health examined the acceptability, feasibility, and implementation of the Tenant Overdose Response Organizers (TORO) program facilitated in ten SROs in Canada. That study concluded that the overdose response interventions used by the TORO program, including peer-led overdose prevention and response trainings, wall-mounted naloxone for emergency response, and peer-led support groups, are effective tools in addressing overdose risk in SROs. The study also concluded that tenants who had participated in the program and were taught about opioid overdoses were better able to respond to overdoses and contribute to wider community responses. This study helped inform the DOPE (Drug Overdose Prevention and Education) Project's SRO initiative in San Francisco.

Section 2. Chapter 15 of the Administrative Code is hereby amended by adding Section 15.17, to read as follows:

#### SEC. 15.17. DEPARTMENTAL OVERDOSE PREVENTION POLICIES.

By no later than December 31, 2021, and every year thereafter, the Department of Public Health, the Department of Homelessness and Supportive Housing, the Healthy Streets Operation Center through the Department of Emergency Management, and the Human Services Agency shall each submit to the Board of Supervisors a departmental policy describing how the department and its grantees that provide direct services to clients who use drugs will promote strategies to reduce drug overdoses ("Overdose Prevention Policy"), along with a resolution to accept transmission of the policy. Each departmental Overdose Prevention Policy shall, to the extent applicable to the department's activities:

- (a) Address how departmental programs will provide drug treatment and harm reduction programs and services;
- (b) Describe where the department will post the following materials to ensure that they are available and accessible to all clients:
- (1) Up-to-date information about the location and schedule of syringe access and disposal services; and
- (2) Up-to-date referral information about naloxone access and the schedule of overdose prevention and naloxone distribution services;
- (c) Include an onsite overdose response policy that describes the steps the department will take in the event that an individual overdoses on property managed by the department or in the presence of department personnel;
- (d) Ensure that department staff who work with people who use drugs receive training in overdose prevention strategies; and

(e) Describe the process by which the department will ensure that grantees that manage property on behalf of the department and/or provide direct services to people who use drugs implement overdose prevention policies that contain the information required in subsections (a)-(d) of this Section 15.17 as applied to the grantee.

Section 3. Effective Date.

This ordinance shall become effective 30 days after enactment. Enactment occurs when the Mayor signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's veto of the ordinance.

### REFERENCE B – MEMO TO DPH FUNDED SERVICE PROVIDERS



City and County of San Francisco London N. Breed Mayor

### San Francisco Department of Public Health

Grant Colfax, MD Director of Health

To: DPH Funded Service Providers

Date: February 8, 2024

Subject: Improving Referrals for Substance Use Services and Street Conditions Near Health Service Sites

Thank you for joining the San Francisco Department of Public Health (DPH) provider briefing held on February 8, 2024. DPH is fortunate to have a strong network of partners with whom we collaborate to bring high quality health care to people in San Francisco. This memo outlines the guidelines discussed at the briefing regarding substance use treatment referrals, and adherence to Good Neighbor practices for DPH-operated programs and funded contractors who provide direct client services, regardless of population and/or service type.

#### Improving Referrals for Substance Use Services

Nationally and locally, we are facing an unprecedented overdose crisis, primarily due to the increase of fentanyl in the drug supply. In 2024, the preliminary report from the Office of the Medical Examiner showed that 806 people died of an overdose in 2023, the highest annual recorded number of fatal overdoses in San Francisco history.

To reduce overdose deaths and improve the health of people who use drugs, it is critical that clients have access to information regarding comprehensive care and services. This includes agencies having core skills in areas such as overdose reversal, distribution of naloxone, and the referral and connection of clients to appropriate treatment and services. It is DPH's expectation that anyone seeking substance use treatment information will be able to easily obtain it when accessing any DPH-funded health service. Please find the new guidelines below.

All DPH funded contractors and service providers who provide direct client services must assist clients in accessing substance use disorder (SUD) treatment by:

- Developing and implementing a written protocol regarding how staff will provide SUD treatment
  information, referrals, and/or connections for clients. The policy must be submitted to a DPH Program
  Manager and include, at minimum (this does not supersede other contractual obligations that exceed
  these minimum requirements):
  - <u>Treatment Information</u>: At minimum, all agencies must have the DPH provided SUD treatment palm
    card in threshold languages available at service sites and/or with mobile service teams. This includes
    street outreach teams and pop-up sites. When possible, treatment information or how to obtain it will
    be prominently displayed in client areas. Each agency will have a protocol for monitoring and
    restocking DPH SUD treatment palm cards.
  - Referrals to Treatment: All staff that interact with clients will be able to provide SUD treatment information verbally and in written form to clients seeking treatment, which could include connecting the person to a dedicated treatment referral staff on-site during all operating hours.
  - <u>Training expectations</u>: All staff that interact with clients must be trained on the agency's SUD treatment referral policy annually and upon hire.

### San Francisco Department of Public Health



Grant Colfax, MD Director of Health

- Attending the virtual SUD training series "Addressing Substance Use in San Francisco: Quarterly
  Information for Providers," held by DPH Behavioral Health Services on SUD treatment. Agency reps are
  responsible for bringing back information to relevant agency staff.
  - Trainings will be held on the following Tuesdays from 9am 9:45am in 2024: March 12, June 11, September 10, and December 10.
  - o Please register for the March 12 training session here.
  - o Invitations to the virtual meeting will be sent to your agency's contact on file.

DPH SUD palm cards should be ordered using this <u>link</u>. All agencies should submit their initial order by Friday, February 16, 2023. Initial palm card distribution will be held on Thursday, February 22 and Tuesday, February 27 from 9am – 11am in the lobby of 1380 Howard St. This same <u>link</u> can be used to restock cards as your agency runs low.

#### Maintain Street Conditions Outside of Health Facilities

The conditions of our streets impact the health, wellbeing, and safety of neighbors, staff, and program participants. Additionally, poor conditions lead to greater resistance to the siting of new health programs throughout the City. The City is primarily responsible for street conditions, but every nonprofit and business has a role to play as well.

To support healthy communities, DPH-funded contractors and service providers who provide direct client services will **develop and adhere to a Good Neighbor policy.** Your DPH contract manager will work together with you to ensure that conditions around your sites, including mobile pop-up sites, are positively contributing to the community as a whole. Below are the new "Good Neighbor" guidelines for health sites.

An optional technical assistance workshop will be held virtually on Friday, February 23 from 1-2pm. Please find the link to register for the workshop here.

- · Health Facilities and Mobile Pop-Up Sites will maintain a positive relationship with the neighborhood by:
  - Collaborating with neighbors and relevant City agencies to ensure that neighborhood concerns about the facility are heard and addressed and that ongoing and significant issues are escalated to the DPH contract manager;
  - o Having a public phone line and/or email available for the community to report concerns;
  - Having management staff available to respond to neighbors as soon as possible and always within one business day;
  - Having a representative attend any appropriate neighborhood meetings;
  - Training appropriate staff on protocols regarding contacting law enforcement, San Francisco Homeless
    Outreach Team (SFHOT), Healthy Streets Operation Center (HSOC), 311, and/or crisis response teams
    as needed:
  - Minimizing the impact on the neighborhood of program guests entering, exiting, or waiting for services:
  - Actively discouraging loitering, excessive noise, and public drug use in the area immediately surrounding the program and coordinating with other service providers and City agencies, as necessary, to address this issue.

Thank you for your ongoing support of the San Francisco community.

## REFERENCE C - LEGAL REFERENCES - CALIFORNIA CIVIL CODE SECTION 1714.22 Legal/Liability:

Under California Law, staff who have received opioid overdose prevention and treatment training (meaning any training operated by a local health jurisdiction or that is registered by a local health jurisdiction to train individuals to prevent, recognize, and respond to an opiate overdose) are legally allowed to administer naloxone to a person who may be experiencing an opioid overdose. A person who is trained in overdose prevention strategies and administers naloxone shall not be held liable for civil action or be subject to criminal prosecution for possession or administration.

A prescriber may issue a standing order authorizing the administration of naloxone by any trained layperson to someone who may be experiencing an opioid overdose. If the program does not have an authorized prescriber (anyone who has prescribing privileges in the state of California), then they may work with a program that provides training and naloxone distribution to come provide training to staff.

Pursuant to Section 1714.22 of the California Civil Code:

For purposes of this section, the following definitions shall apply:

"Opioid antagonist" means naloxone hydrochloride that is approved by the federal Food and Drug Administration for the treatment of an opioid overdose.

"Opioid overdose prevention and treatment training program" means any program operated by a local health jurisdiction or that is registered by a local health jurisdiction to train individuals to prevent, recognize, and respond to an opiate overdose, and that provides, at a minimum, training in all of the following:

- (A) The causes of an opiate overdose.
- (B) Mouth to mouth resuscitation.
- (C) How to contact appropriate emergency medical services.
- (D) How to administer an opioid antagonist.
- (2) A licensed health care provider who is authorized by law to prescribe an opioid antagonist may issue standing orders for the administration of an opioid antagonist to a person at risk of an opioid-related overdose by a family member, friend, or other person in a position to assist a person experiencing or reasonably suspected of experiencing an opioid overdose.
- (d) (1) A person who is prescribed or possesses an opioid antagonist pursuant to a standing order shall receive the training provided by an opioid overdose prevention and treatment training program.
- (f) Notwithstanding any other law, a person who possesses or distributes an opioid antagonist pursuant to a prescription or standing order shall not be subject to professional review, be liable in a civil action, or be subject to criminal prosecution for this possession or distribution. Notwithstanding any other law,

a person not otherwise licensed to administer an opioid antagonist, but trained as required under paragraph (1) of subdivision (d), who acts with reasonable care in administering an opioid antagonist, in good faith and not for compensation, to a person who is experiencing or is suspected of experiencing an overdose shall not be subject to professional review, be liable in a civil action, or be subject to criminal prosecution for this administration.