1	[Planning,	Business an	d Tax Regulations	Codes - Family	Zoning Plan]
---	------------	-------------	-------------------	----------------	--------------

Ordinance amending the Planning Code to: 1) create the Housing Choice-San
Francisco Program to incent housing development through a local bonus program and
by adopting a Housing Sustainability District, 2) modify height and bulk limits to
provide for additional capacity in well-resourced neighborhoods, and to allow
additional height and bulk for projects using the local bonus program, 3) require only
buildings taller than 85 feet in certain Districts to reduce ground level wind currents, 4)
make conforming changes to the RH (Residential, House), RM (Residential, Mixed), and
RC (Residential-Commercial) District zoning tables to reflect the changes to density
controls, and parking requirements made in this Ordinance, 5) create the RTO-C
(Residential Transit Oriented-Commercial) District, 6) implement the Metropolitan
Transportation Commission's Transit-Oriented Communities Policy by making changes
to parking requirements, minimum residential densities, and minimum office
intensities, and requiring maximum dwelling unit sizes, 7) revise off-street parking and
curb cut obligations citywide, 8) create the Non-contiguous San Francisco Municipal
Transportation Agency Sites Special Use District, 9) permit certain Legacy Businesses
to relocate without a conditional use authorization and waive development impact fees
for those businesses, 10) make technical amendments to the Code to implement the
above changes, and 11) make conforming changes to zoning tables in various
Districts, including the Neighborhood Commercial District and Mixed Use Districts;
amending the Business and Tax Regulations Code regarding the Board of Appeals'
review of permits in the Housing Choice Program Housing Sustainability District;
amending the Local Coastal Program to implement the Housing Choice-San Francisco

1	Program and other associated changes in the City's Coastal Zone, and directing the
2	Planning Director to transmit the Ordinance to the Coastal Commission upon
3	enactment; affirming the Planning Department's determination under the California
4	Environmental Quality Act; making findings of consistency with the General Plan, and
5	the eight priority policies of Planning Code, Section 101.1; and making public
6	necessity, convenience, and welfare findings under Planning Code, Section 302.
-	

NOTE: Unchanged Code text and uncodified text are in plain Arial font.

Additions to Codes are in single-underline italics Times New Roman font.

Deletions to Codes are in strikethrough italics Times New Roman font.

Board amendment additions are in double-underlined Arial font.

Board amendment deletions are in strikethrough Arial font.

Asterisks (* * * *) indicate the omission of unchanged Code subsections or parts of tables.

Be it ordained by the People of the City and County of San Francisco:

Section 1. Environmental and Land Use Findings

- (a) On November 17, 2022, the Planning Commission, in Motion M-21206 certified the Final Environmental Impact Report (EIR) for the 2022 Housing Element of the San Francisco General Plan (Housing Element EIR), as in compliance with the California Environmental Quality Act (CEQA) (California Public Resources Code Section 21000 et seq), the CEQA Guidelines (14 Cal. Code Regs. Section 15000 et seq.), and Chapter 31 of the San Francisco Administrative Code. Copies of the Planning Commission Motion M-21206 and Housing Element EIR are on file with the Clerk of the Board of Supervisors in File No. 230001.
- (b) On December 15, 2022, at a duly noticed public hearing, the Planning Commission adopted findings under CEQA regarding the 2022 Housing Element's environmental impacts, the disposition of mitigation measures, and project alternatives, as well as a statement of

- overriding considerations (CEQA Findings) and adopted a mitigation monitoring reporting program (MMRP), by Resolution 21220.
 - (c) The Planning Commission then adopted the proposed 2022 Housing Element in Resolution 21221, finding in accordance with Planning Code Section 340 that the public necessity, convenience, and general welfare required the proposed amendments to the General Plan.
 - (d) On January 31, 2023, in Ordinance 010-23, the Board of Supervisors, adopted the 2022 Housing Element. That ordinance confirmed the certification of the Housing Element EIR and made certain environmental findings, including adoption of the MMRP and a Statement of Overriding Considerations.
 - (e). On ______, 2025, the Planning Department published an addendum to the Housing Element EIR, which concluded that no supplemental or subsequent environmental review is required for the Family Housing Rezoning Program, because the environmental impacts of these amendments were adequately identified and analyzed under CEQA in the Housing Element EIR, and the proposed amendments would not result in any new or more severe environmental impacts than were identified previously.
 - (f) The Board of Supervisors has reviewed and considered the Housing Element EIR and the Addendum, and concurs with the Planning Department's analysis and conclusions, finding that the addendum adequately identified and analyzed the environmental impacts of the Family Housing Rezoning Program, and that no additional environmental review is required under CEQA Section 21166 and CEQA Guideline Sections 15162-15164 for the following reasons:
 - (1) the Family Housing Rezoning Program would not involve new significant environmental effects or a substantial increase in the severity of significant effects previously identified in the Housing Element EIR;

1	(2) no substantial changes have occurred that would require major revisions to
2	the Final EIR due to the involvement of new environmental effects or a substantial increase in
3	the severity of effects identified in the Housing Element EIR; and
4	(3) no new information of substantial importance has become available which
5	would indicate that (i) the Family Housing Rezoning Program will have significant effects not
6	discussed in the Final EIR; (ii) significant environmental effects will be substantially more
7	severe; (iii) mitigation measure or alternatives found not feasible that would reduce one or
8	more significant effects have become feasible, or (iv) mitigation measures or alternatives that
9	are considerably different from those in the Housing Element EIR would substantially reduce
10	one or more significant effects on the environment. The Addendum is on file with the Clerk of
11	the Board of Supervisors in File No
12	(g) The Planning Department has determined that the amendments to the Local
13	Coastal Program are exempt from CEQA review under Public Resources Code Sections
14	21080.5 and 21080.9, and CEQA Guidelines Section 15265. Said determination is on file with
15	the Clerk of the Board of Supervisors in File No The Board affirms this determination
16	and incorporates the determination by reference.
17	(h) On, the Planning Commission, in Resolution No,
18	adopted findings that the actions contemplated in this ordinance are consistent, on balance,
19	with the City's General Plan and eight priority policies of Planning Code Section 101.1. The
20	Board adopts these findings as its own. A copy of said Resolution is on file with the Clerk of
21	the Board of Supervisors in File No, and is incorporated herein by reference.
22	(i) Pursuant to Planning Code Section 302, this Board finds that these Planning Code
23	amendments will serve the public necessity, convenience, and welfare for the reasons set
24	forth in Planning Commission Resolution No, and the Board adopts such reasons
25	

as its own. A copy of said resolution is on file with the Clerk of the Board of Supervisors in File No. _____ and is incorporated herein by reference.

- Section 2. Additional Findings.
- (a) This ordinance shall be known as the San Francisco Family Zoning Plan.
- (b) California faces a severe crisis of housing affordability and availability, which has prompted the Legislature to declare, in Section 65589.5 of the Government Code, that "California has a housing supply and affordability crisis of historic proportions. The consequences of failing to effectively and aggressively confront this crisis are hurting millions of Californians, robbing future generations of a chance to call California home, stifling economic opportunities for workers and businesses, worsening poverty and homelessness, and undermining the state's environmental and climate objectives."
- (c) Numerous factors have contributed to the high cost of housing in most of California's coastal cities and suburbs, including the dwindling supply and high cost of available land, and zoning regulations that restrict residential density, limit efficient land use, and create and reinforce inequitable patterns of discrimination and segregation.
- (d) This crisis of housing affordability and availability is particularly severe in San Francisco. The City has seen dramatic increases in both rent prices and home sale prices over recent years.
- (e) Limits on residential density can also contribute to the housing crisis by restricting the number of units per lot. The origins of density limits in San Francisco date back to the Cubic Air Ordinance, an 1870 anti-Chinese ordinance requiring 500 cubic feet of space for every person residing in a lodging. The City's first zoning law was passed in 1921 and largely reproduced the City's existing development pattern, limiting density in areas of the City that were already low-density. In the 1960s, the City underwent a rezoning process, though the

- existing development patterns were largely maintained, with the exception of downtown and neighborhoods significantly impacted by City planning redevelopment plans.
- (f) Starting in 1980, the Board of Supervisors, the Planning Commission, and the Planning Department responded to community concerns about neighborhood character by establishing and refining a set of new districts covering many of the City's neighborhood commercial streets. These districts imposed highly-detailed controls tailored to the specific character of each neighborhood. The 1987 Neighborhood Commercial Districts were based on the then-relatively new idea that the City should be more selective in its pursuit of economic growth. All of these Neighborhood Commercial District plans included numerical density limits for residential development.
- (g) By removing these numerical density limits from Neighborhood Commercial Districts and replacing them with form-based density, which allows the density to be determined by the buildable area of a building, this ordinance aims to increase housing supply and reduce the factors that have contributed to the lack of housing in San Francisco.
- (h) Under California Housing Element law, San Francisco must identify sites to accommodate its Regional Housing Needs Allocation (RHNA) goal of 82,069 new units in the next eight years. Because San Francisco does not currently have sufficient capacity to accommodate the RHNA goals, it must rezone sites to meet these goals, and must do so by January 31, 2026. Additional capacity will be created through amendments to the Planning Code and Zoning Maps. This ordinance implements commitments made in the City's 2022 Housing Element Update. The ordinance modifies zoning policies primarily in the well-resourced neighborhoods, which are sometimes referred to as Housing Opportunity Areas, are neighborhoods or areas with existing infrastructure, transit, businesses, well-performing public schools and lower levels of environmental pollution. The ordinance also aims to

- increase capacity for multi-family housing. The ordinance satisfies the City's obligation to rezone and address the RHNA shortfall of 36,200 housing units.
- (i) This ordinance, in Section 3, creates the Housing Choice-San Francisco (HC-SF) program which includes a local residential bonus program (Local Program), and a Housing Sustainability District (HSD). The bonus program is similar to state law programs (such as the State Density Bonus law), in that it allows additional residential development opportunities in certain circumstances. The HC-SF Program offers certain benefits compared to State Density Bonus law projects, however, by including more diverse affordable housing types and more predictable urban form.
- (j) State law allows local jurisdictions to create HSDs to encourage housing production on infill sites near public transportation. Housing projects that are compliant with applicable general plan and zoning standards are eligible for streamlined approval by the City. There must be an approved Environmental Impact Report (EIR) in the area to establish an HSD, and HSD projects must adopt and implement any applicable mitigation measures. The City certified the 2022 Housing Element Update EIR on December 15, 2022. As of May 2025, the City has one HSD, the Central SoMa Housing Sustainability District, codified in Planning Code 343. This ordinance creates the Housing Choice-San Francisco (HC-SF) HSD that would work in conjunction with the HC-SF Program described above.
- (k) This ordinance, in Section 4, makes changes to San Francisco's height and bulk requirements in the well-resourced neighborhoods, located primarily on the north and west sides of the City, which will create capacity to meet the City's RHNA obligation. The ordinance also creates a new R-4 Height and Bulk District, which will provide for form-based density, and increased height limits for projects using the HC-SF Program. The HC-SF HSD, mentioned above, would apply within the boundaries of the R-4 Height and Bulk District,

- except that it would not apply to any parcels zoned as Residential House (RH), or Residential
 Mixed (RM).
 - (I) This ordinance, in Section 5, modifies the Planning Code's wind reduction obligations by creating a new objective standard for projects greater than 85 feet in the C-3, Van Ness SUD, Folsom and Main Residential/Commercial SUD, Downtown Residential, and Central SoMa SUD.
 - (m) This ordinance, in Section 6, makes conforming changes to the RH (Residential, House), RM (Residential, Mixed), and RC (Residential-Commercial) Districts and Zoning Tables. The changes implement the changes reflected in other parts of this ordinance.
 - (n) This ordinance, in Section 7, makes changes to the Residential Transit Oriented (RTO) zoning districts. RTO districts are composed of multi-family moderate-density areas, primarily areas that are well served within short walking distance of transit and neighborhood commercial areas. The Planning Code currently identifies two types of RTO zoning districts: RTO and RTO-M (Mission) districts. This ordinance creates a third type of RTO district: RTO-C (Commercial), which is an RTO district where a greater number of ground floor non-residential uses are permitted to provide goods and services to residents and visitors, especially adjacent to existing NC districts and along transit corridors, though ground floor commercial uses are not required. In addition, the ordinance refers to the three types of RTO zoning districts individually as RTO-1, RTO-M, and RTO-C, and collectively, as RTO zoning districts.
 - (o) This ordinance, in Section 8, makes changes to implement the Metropolitan Transportation Commission's (MTC) Transit-Oriented Communities (TOC) Policy. The MTC endorsed the TOC Policy in MTC Resolution 4530 in September 2022, to support the region's transit investments by creating communities around transit stations and along transit corridors that not only enable transit ridership, but also are places where Bay Area residents of all

- abilities, income levels, and racial and ethnic backgrounds can live, work, and access services. The TOC Policy applies to the half-mile area around existing and planned fixed-guideway transit stops and stations (i.e., regional rail, commuter rail, light-rail transit, bus rapid transit, and ferries). MTC has indicated that subsequent One Bay Area Grant (OBAG) funding cycles will consider prioritizing investments in transit station areas that are subject to and compliant with the TOC Policy.
 - (p) The TOC Policy requirements consist of four elements: (1) minimum required and allowed residential and/or commercial office densities for new development; (2) policies focused on housing production, preservation and protection, and commercial anti-displacement and stabilization policies; (3) parking management; and (4) transit station access and circulation.
 - (q) Consistent with the TOC Policy, Planning Code Section 155.2 already requires one secure bike parking spot per Dwelling Unit, and one secure bike parking spot per 5,000 square feet of Occupied Floor Area for Office uses. This ordinance also creates minimum required and allowed residential densities and commercial development intensities for areas subject to the TOC Policy, and Housing Element law. It also modifies the parking requirements be consistent with the TOC Policy.
 - (r) The ordinance also specifies that projects proposing the demolition, merger, or reduction in number of Dwelling Units are subject to a maximum Dwelling Unit size of 4,000 square feet of Gross Floor Area, but allows projects to seek a conditional use authorization to exceed this objective standard.
 - (s) This ordinance, in Section 9, makes changes to off-street parking and curb cut requirements to clarify and simplify the requirements.
 - (t) This ordinance, in Section 10, creates the San Francisco Municipal Transportation Agency (SFMTA) Non-Contiguous Sites Special Use District (SUD) consistent with the

- SFMTA's Joint Development Program, approved by the SFMTA's Board of Directors on February 4, 2025 in Resolution No. 250204-010. The SUD is comprised of parcels owned by the SFMTA, most of which are currently used as parking lots. The SUD allows development of market-rate and affordable housing consistent with each parcel's surrounding zoning district, as well as other zoning modifications specific to the SUD.
 - (u) Increased residential development could result in displacement of existing businesses. The City's Legacy Business program, in Administrative Code Section 2A.242, offers certain benefits for qualifying businesses. This ordinance, in Section 11, makes changes to the Planning Code that permit Legacy Businesses to relocate within the City without having to obtain a conditional use authorization or pay development impact fees.
 - (v) This ordinance, in Section 12, includes miscellaneous definitional and other changes that are appurtenant to the rezoning program.
 - (w) This ordinance, in Section 13, amends the Neighborhood Commercial District and Mixed-Use District tables to conform to the amendments in Sections 3-12. Section 13 also implements other changes contemplated in the Housing Element, such as eliminating numeric density controls in zoning districts that are located in well-resourced areas.
 - (x) This ordinance, In Section 14, amends the Business and Tax Regulations Code to include the new HC-HSD streamlining requirements.
 - (y) The Board of Supervisors finds that the Planning Code amendments in this ordinance constitute amendments to the City's Local Coastal Program ("LCP"). The Board of Supervisors finds that the LCP amendment conforms with the applicable provisions of the Coastal Act of 1976, and that the amendments are consistent with and adequate to carry out the provisions of the City's certified LCP Land Use Plan—the Western Shoreline Area Plan. The Board further finds that the amendments will be implemented in full conformance with the

2	Area Plan are consistent with San Francisco's Housing Element's housing goals.
3	(z) The Board of Supervisors finds that promoting higher-density housing opportunities
4	in the Coastal Zone is consistent with the Coastal Act's goal of providing "new affordable
5	housing opportunities for persons of low and moderate income in the coastal zone." (Cal.
6	Pub. Resources Code, § 30604(g).) Further, providing these opportunities in the Coastal
7	Zone is consistent with the Housing Element's goal of creating new housing in well-resourced
8	neighborhoods. To that end, this ordinance amends the Implementation Program of the City's
9	certified LCP, including updating the use and development controls in the RH, RM, RTO-C,
10	NC-1, and NC-2 use districts that comprise the Coastal Zone. These amendments are
11	necessary to ensure housing opportunities in the Coastal Zone, and the City's approval of
12	these amendments satisfies the rezoning deadline in California Government Code Section
13	65583.
14	
15	Section 3. Housing Choice – San Francisco Program. Articles 2 and 3 of the Planning
16	Code are hereby amended by adding Sections 206.10, 334, and 344, to read, as follows:
17	SEC. 206.10 HOUSING CHOICE-SAN FRANCISCO PROGRAM.
18	(a) Purpose. This Section 206.10 sets forth the Housing Choice-San Francisco Program
19	(HC-SF Program). The HC-SF Program provides additional residential development capacity,
20	additional options for complying with the Inclusionary Housing Ordinance, modifications to certain
21	Planning Code and design standards, and an administrative or discretionary review process for
22	eligible residential projects that comply with the program.
23	(b) Applicability. An HC-SF Project under this Section 206.10 shall be a project that

Coastal Act's provisions, and acknowledges that the amendments in the Western Shoreline

24

25

complies with all of the following requirements:

1	(1) consists of new construction, an addition to an existing structure, or a conversion of
2	an existing structure, and results in a net increase in the number of Dwelling Units or Group Housing
3	bedrooms;
4	(2) contains two or more Dwelling Units or Group Housing bedrooms. Accessory
5	Dwelling Units shall not count towards the minimum number of required Dwelling Units, but an HC-
6	SF Project may contain ADUs;
7	(3) is located on a Lot in the R-4 Height and Bulk District;
8	(4) does not demolish a building that is designated as a landmark under Article 10, is
9	listed as a contributor to an historic district in Article 10, is listed as a Significant or Contributory
10	Building under Article 11, is listed in the California Register of Historical Resources, or is listed on the
11	National Register of Historic Places;
12	(5) does not receive any density or development bonuses or relief from applicable
13	Planning Code standards in any other State or local law or program, including but not limited to
14	California Government Code Sections 65915 et seq., Government Code sections 65912.113(e),
15	65912.114(f)(1), $65912.123(b)$, (c) , (d) , (e) , (i) , $(j)(1)$, and $(j)(3)$ and $65912.124(f)$, and Sections
16	65852.28(b)(2), 65913.4.5, and 66499.41, as may be updated from time to time; and Planning Code
17	Section 124(f), Section 202.2(f), Sections 206.3 to 206.9, inclusive, Section 207(c), Section 304, and
18	Section 328.
19	(6) complies with Objective Standards, except as otherwise modified by the HC-SF
20	Program in this Section 206.10, or through the modification process in Section 334;
21	(7) is a project in which at least two-thirds of the new or converted square footage is
22	designated for Residential Uses; or, a project with at least 50% new or converted square footage for
23	<u>Residential Uses if the project converts an existing non-residential use and does not expand that use by</u>
24	more than 25%. Basements shall not count in the calculation of square footage. For additions to

1	existing structures or conversions of existing buildings, only the net new or converted space shall be
2	considered in the calculation of square footage; and,
3	(8) is not located in a Special Use District that implements a Development Agreement
4	adopted under California Government Code 65864 et seq and/or Administrative Code Chapter 56.
5	(c) Inclusionary Housing Ordinance Alternatives. HC-SF Projects of 10 or more units shall
6	comply with Section 415 et seq, and if applicable Section 419 et seq, except as allowed by this
7	subsection (c). Projects that elect the off-site alternative in Section 415.5(g)(1)(B) or the Land
8	<u>Dedication Alternative in Section 419.5(a)(2) allowed in subsection (c)(2), shall provide the required</u>
9	units within the R-4 Height and Bulk District, or within one-half mile of the project. In addition to the
10	alternatives set forth in Section 415.3(g), HC-SF projects may satisfy the requirements of Section 415 et
11	seq. by choosing one of the following options:
12	(1) if the project is a Rental Project with 24 or fewer units, including any additional
13	units allowed by this Section 206.10, a project sponsor shall subject all units in the project to the San
14	Francisco Rent Stabilization and Arbitration Ordinance (Chapter 37 of the Administrative Code) for
15	the life of the project; or
16	(2) applicants shall comply with the Land Dedication Alternative requirements of
17	Section 419.5(a)(2), regardless of project location.
18	(d) Modified Development Standards. Notwithstanding any contrary provisions found in the
19	Planning Code, including any provision in a Special Use District not implementing a Development
20	Agreement adopted under California Government Code 65864 et seq. and/or Administrative Code
21	Chapter 56, or in any adopted Design Standard, the following development standards apply to eligible
22	HC-SF Projects. Projects may also seek additional modifications under Section 334.
23	(1) Standards Applicable to All Projects: All HC-SF Projects shall receive the
24	following zoning modifications:

1	(A) Form-Based residential density. An HC-SF Project shall be subject to
2	Form-Based Density limits. Floor Area Ratio requirements or limitations shall not apply to the
3	Residential Uses in an HC-SF Project.
4	(B) Dwelling Unit Mix. Section 207.6 and Section 207.7 shall not apply. HC-
5	SF Projects of five or more net new dwelling units shall include at least 25% of units as two bedrooms
6	or more; provided that the Dwelling Unit mix requirement in this subsection (d)(1)(B) shall not apply
7	to 100% Affordable Housing projects or Residential Uses listed in Section 207.7(b)(2). The Dwelling
8	Unit mix requirement may be modified pursuant to Section 334.
9	(C) Additional Height. The applicable height limit for an HC-SF Project shall
10	be the height pursuant to Section 263.19(b). Planning Code Section 261 shall not apply.
11	Notwithstanding any lower height limit in this Code, including Section 263.19, the height limit of an
12	HC-SF Project located on a Corner Lot or a Lot larger than 8,000 square feet shall be 65 feet, unless a
13	higher height limit is provided elsewhere in the Code.
14	(D) Ground Floor Setbacks on 19th Avenue. Projects on a lot with frontage on
15	19th Avenue may reduce the setback required under Section 131 and 132 if the proposed project
16	expands the publicly available sidewalk into the subject property and the resulting overall sidewalk
17	width is not less than 15 feet. In such cases, the setback and sidewalk shall have a minimum vertical
18	clearance of not less than 25 feet from grade, and the property owner shall record a Notice of Special
19	Restrictions allowing for public access to the expanded sidewalk for the life of the project.
20	(E) Rear yard and Lot Coverage. The rear yard requirements of Section 134
21	may be modified as follows:
22	(i) Except for large lots subject to Section 134(d)(6), or lots in
23	Residential Districts other than the Residential Transit Oriented-Commercial (RTO-C) district, the rear
24	yard shall be equal to at least 18% of the total depth of the lot, or 15 feet, whichever is greater;

1	(ii) Except for large lots subject to the lot coverage limits of Section
2	134(d)(6), in Neighborhood Commercial, Named Neighborhood Commercial, Commercial Districts,
3	Residential-Commercial (RC) and Residential Transit Oriented-Commercial (RTO-C) Districts, no
4	rear yard is required at the ground floor;
5	(iii) On Corner Lots, or Lots at the intersection of a Street and an Alley
6	of at least 25 feet in width, where a rear yard can meet the requirements of Section 134(h), the area of
7	the required open area shall be equal to 18% of the depth of the lot and a minimum of 15 feet in every
8	horizontal direction.
9	(iv) In C districts, other than on large lots subject to Section 134(d)(6),
10	lot coverage is limited to 82% at all levels containing Residential Uses. All other provisions of Section
11	<u>134(d)(6) shall apply.</u>
12	(F) Open Space: Open space requirements under Section 135 may be modified
13	as follows:
14	(i) Usable Open Space may be reduced to a minimum of 36 square feet
15	per Dwelling Unit.
16	(ii) Open space may be private or common space, or publicly accessible
17	on-site or off-site open space.
18	(iii) Any space provided as common usable open space shall have a
19	minimum horizontal dimension of 10 feet and a minimum area of 100 square feet.
20	(iv) Individual private residential usable space shall have a minimum
21	horizontal dimension of 3 feet and a minimum area of 27 square feet.
22	(v) On-Site Publicly Accessible Usable Open Space. The usable open
23	space requirement may be met with on-site publicly accessible usable open space including open space
24	otherwise required by Section 270.3. When on-site publicly accessible usable open space is provided,
25	the maintenance, information plaque, and liability provisions of Sections 270.3(e) shall apply.

1	(G) Dwelling Unit Exposure. The Dwelling Unit exposure requirements of
2	Section 140 shall apply. However, up to 30% of the units may instead face onto either a Yard or a
3	Court as defined below.
4	(i) Yards. For the purposes of this subsection $(d)(1)(G)$, a Yard is an
5	open space, other than a court as defined in subsection $(d)(1)(F)(ii)$, unobstructed from the ground to
6	the sky, on the lot on which a building is situated. Yards shall be not less than three feet in depth
7	extending the full lot length or depth, for buildings two stories or less above grade plane. For buildings
8	more than two stories above grade plane, the minimum depth extending the full lot length or depth of
9	the Yard shall be increased at the rate of one foot for each additional story. For buildings exceeding 14
10	stories above grade plane, the required depth extending the full lot length or depth of the Yard shall be
11	computed on the basis of 14 stories above grade plane.
12	(ii) Courts. For the purposes of this subsection $(d)(1)(G)$, a Court is an
13	open, uncovered space, unobstructed to the sky, bounded on three or more sides by exterior building
14	walls or other enclosing structures. Courts shall not be less than three feet in depth. Courts having
15	windows opening on opposite sides shall not be less than six feet in depth. Courts shall not be less than
16	10 feet in length unless bounded on one end by a public right-of-way or yard as defined in subsection
17	(d)(1)(F)(i). For buildings more than two stories above grade plane, the Court shall be increased one
18	foot in depth and two feet in length for each additional story. For buildings exceed 14 stories above
19	grade plane, the required dimensions shall be computed on the basis of 14 stories above grade plane.
20	(H) Non-Residential Use Size Limits. Non-residential uses in HC-SF projects
21	may exceed the non-residential use size limits in Section 121.2 without the need for a Conditional Use.
22	(I) Height Limits for Vertical Non-Habitable Architectural Elements. Vertical
23	Non-Habitable Architectural Elements may exceed height limits consistent with the requirements in
24	<u>Section 263.21(c).</u>
25	

1	(J) Development of Large Lots in Residential Transit Oriented Commercial
2	(RTO-C) Districts. Sections 121.1 and 303(r) shall not apply to HC-SF Projects on large lots in the
3	RTO-C Zoning District.
4	(K) Height Bonus for Micro-Retail and/or Community Benefit Uses. For
5	projects that include, at or above grade, (1) one or more Micro-Retail spaces, which shall mean space
6	for a Retail use measuring no less than 100 gross square feet and no greater than 1,000 gross square
7	feet; and/or (2) one or more Community Benefit Uses shall receive additional square footage and
8	height as set forth below. For the purposes of this subsection, Community Benefit Uses shall include:
9	Child Care Facility, Community Facility, Job Training, Public Facilities, Social Service or
10	Philanthropic Facility, Laundromat, Trade School, retail Grocery (General or Specialty), a Legacy
11	Business as defined in Administrative Code Section 2A.242 that meets the requirements of Section
12	202.17, and/or any Displaced Business as defined in subsection (d)(1)(K)(iii). Notwithstanding any
13	other provision of this Code, all such Community Benefit uses shall be principally permitted without
14	limit on use size. The following provisions apply to projects providing Micro-Retail space(s) and/or on-
15	site Community Benefit Use(s):
16	(i) For every square foot of Community Benefit Use(s), or every 1.5
17	square feet of Micro-Retail, the Project is allowed:
18	a. up to two square feet for other project use(s); and
19	b. up to a maximum of 10 feet total above the permitted height
20	limit to accommodate the additional square footage;
21	(ii) On-site Community Benefits Use(s), and Micro-Retail space must be
22	included in the project for a minimum of 30 years, and the use and space requirement shall be recorded
23	in a Notice of Special Restrictions. If the Community Benefits Use(s) is discontinued, it must be
24	replaced with another Community Benefits Use(s).

1	(iii) For purposes of this subsection $(d)(1)(K)$, a Displaced Business
2	means a commercial tenant whose lease expired and was not renewed, or was otherwise terminated by
3	the property owner and that was located on a site for which a Development Application has received a
4	Final Approval within three years prior to or subsequent to the expiration or termination of the lease.
5	(L) Maximum Dwelling Unit Size. Notwithstanding any other provision of this
6	Code, Section 207.10 shall apply.
7	(M) Reduction of Quantitative Objective Standards. Except for standards set
8	$\underline{forth\ in\ subsection\ (d)(1)(A)\ through\ (d)(1)(L)\ inclusive,\ standards\ ineligible\ for\ Major\ Modifications}$
9	under Section 334(d)(3), and maximum average floor plate requirements in Section 270(i), any
10	quantitative Objective Standard may be modified by up to 15% of the standard.
11	(2) Standards Applicable to 100% Affordable Projects.
12	(A) Definitions. A 100% Affordable HC Housing Project shall be an eligible
13	HC-SF Project where the principal use is housing comprised solely of housing that is restricted for a
14	minimum of 55 years or the Life of the Project, whichever is longer and consistent with any applicable
15	tax credit regulatory requirements, as affordable for "persons and families of low or moderate
16	income," as defined in California Health & Safety Code Section 50093.
17	(B) Additional Planning Code Modifications. In addition to the modifications
18	in subsection (d)(1), 100% Affordable HC-SF Housing Projects are entitled to the following Planning
19	Code modifications:
20	(i) Ground-floor ceiling height. Ground floor ceiling height
21	requirements in Section 145.1(c)(4) shall not apply.
22	(ii) Active use requirement. Active use requirements in Section
23	145.1(c)(3) shall be reduced by 20% of all the required dimensions.
24	

1	(iii) Curb cuts. Curb cut restrictions in Section 155(r) shall not apply.
2	However, where a site has two or more frontages, frontages with the fewest restrictions under Section
3	155(r) shall be prioritized for vehicular and loading access.
4	(iv) Height Bonus. Up to 20 feet of additional height is permitted above
5	the HC-SF height limit set forth in Section 263.19(b), and in subsection (d)(1)(C).
6	(3) Authorization. HC-SF Projects under this Section 206.10 shall be reviewed and
7	approved under the provisions set forth in Section 334, and any other required entitlement except for
8	Section 309 and Section 329. Approval procedures under Section 309 and Section 329 shall not apply.
9	
10	SEC. 334. HOUSING CHOICE-SAN FRANCISCO PROJECT AUTHORIZATION.
11	(a) Purpose and Applicability. The purpose of this Section 334 is to provide for the review and
12	approval of a Housing Choice San Francisco (HC-SF) project, as defined in Section 206.10.
13	(b) General Process.
14	(1) Application. An HC-SF Project shall apply through the Planning Department's
15	procedures for Development Applications and review. An HC-SF project application shall be submitted
16	with and processed concurrently with all other applications. The HC-SF project application shall be
17	submitted on a form prescribed by the Department, and shall include all of the following information:
18	(i) A full plan set, including a site plan, elevations, sections, and floor plans,
19	showing total number of units, and the number of and location of affordable units as applicable; and a
20	draft Regulatory Agreement, if the project elects to subject units to the Rent Stabilization Ordinance
21	<u>under Section 206.10(c)(1);</u>
22	(ii) Except as noted in subsection (iii), demonstration of compliance with the
23	Planning Code and provisions of the HC-SF Program, including any permitted zoning modifications;
24	(iii) Requested Major Modifications under subsection (d).
25	

1	(2) Procedures. The review of an HC-SF Project shall be conducted as part of, and
2	incorporated into, a Development Application. Where there is a conflict, the provisions of Section
3	206.10 shall govern. Unless modified by Section 206.10, if a project requires a conditional use
4	authorization, or any other entitlement that requires a public hearing before the Planning Commission
5	and/or the Historic Preservation Commission, the HC-SF project shall be reviewed by the Planning
6	Commission and/or the Historic Preservation Commission, as applicable.
7	(3) Discretionary Review. As long as the Planning Commission has delegated its
8	authority to the Planning Department to review applications for an HC-SF Project, the Planning
9	Commission shall not hold a public hearing for discretionary review of an HC-SF that is subject to this
10	Section 334.
11	(4) Regulatory Agreement for Projects Using Section 206.10(c)(1).
12	(A) Sponsors of HC-SF Projects that elect to comply with the provisions of
13	Section 206.10(c)(1) shall enter into a regulatory agreement with the City subjecting all units, except
14	for any units required to be Affordable Units as defined in Planning Code Section 401, to the
15	Residential Rent Stabilization and Arbitration Ordinance (Chapter 37 of the Administrative Code), as a
16	condition of approval ("Regulatory Agreement").
17	(B) The property owner and the Planning Director, or the Director's designee,
18	on behalf of the City, will execute the Regulatory Agreement, which is subject to review and approval
19	by the City Attorney's Office. The Regulatory Agreement shall be executed prior to the City's issuance
20	of the First Construction Document for the project, as defined in Section 107A.13.1 of the Building
21	Code. Following execution of the Regulatory Agreement by all parties and approval by the City
22	Attorney, the Regulatory Agreement or a memorandum thereof shall be recorded in the title records in
23	the Office of the Assessor-Recorder against the property and shall be binding on all future owners and
24	successors in interest.
25	(C) At a minimum, the Regulatory Agreement shall contain the following:

1	(i) A description of the total number of Dwelling Units approved,
2	including the number of units subject to the Rent Stabilization and Arbitration Ordinance and other
3	restricted units, if any, and the location, square footage of Dwelling Units, and number of bedrooms in
4	each unit;
5	(ii) A statement that the Dwelling Units are not subject to the Costa-
6	Hawkins Rental Housing Act (California Civil Code Section 1954.50 et seq.). Further, that under
7	Section 1954.52(b), the property owner has entered into and agreed to the terms of the agreement with
8	the City in consideration for an exception from residential density limits, or other direct financial
9	contribution or other forms of assistance specified in California Government Code Section 65915 et
10	<u>seq.;</u>
11	(iii) A description of the residential density exception or other direct
12	financial contribution or forms of assistance provided to the property owner; and
13	(iv) A description of the remedies for breach of the agreement and other
14	provisions to ensure implementation and compliance with the agreement; and,
15	(v) An agreement that any lease, sublease, or other agreement regarding
16	tenancy of units not subject to the Costa-Hawkins Rental Housing Act (California Civil Code Sections
17	1954.50 et seq.) shall include the following text: "This unit is a rental unit subject to the San Francisco
18	Residential Rent Stabilization and Arbitration Ordinance."
19	(5) Other Agreements. HC-SF Projects that provide on-site affordable units under
20	Section 415 et seq. or other state or local program that requires or allows the provision of on-site
21	affordable units, shall comply with any applicable recording or regulatory agreement requirement of
22	that state or local program.
23	(6) Timeline of Review. Unless the Environmental Review Officer determines that
24	compliance with the California Environmental Quality Act would take more than 180 days, review of
25	an HC-SF Project not seeking a modification under this Section 334 shall be completed within 90 days

1	of submittal of a complete Development Application if the project contains 150 or fewer Residential
2	Units, or within 180 days of submittal of a complete Development Application if the project contains
3	more than 150 Residential Units. Unless the Environmental Review Officer determines that compliance
4	with the California Environmental Quality Act would take more than 180 days, the Planning
5	Commission shall hold a public hearing for projects seeking a Major Modification within 180 days of
6	submittal of a complete project application.
7	(c) Administrative Review. The Planning Department shall administratively review an HC-SF
8	Project, unless the Project seeks a Major Modification pursuant to subsection (d), or any HC-SF
9	project that is a 100% Affordable HC-SF project. The Planning Department's determination regarding
10	an HC-SF Project under this subsection (c) shall not be appealable.
11	(d) Projects Seeking Major Modifications to Standards and Requirements. An HC-SF
12	Project may seek a Major Modification using the process in this subsection (d).
13	(1) Definition. A "Major Modification" means any deviation from any quantitative
14	standard in the Planning Code or any applicable Objective Standard not otherwise provided in Section
15	206.10(d). A project seeking a Major Modification to an Objective Standard shall not be considered
16	code compliant.
17	(2) Additional Modifications. HC-SF Projects seeking Major Modifications pursuant
18	to this subsection (d) may also pursue additional modifications that are not Major Modifications under
19	the provisions elsewhere in this Code.
20	(3) Exclusions. In no case may an HC-SF project receive a Major Modification or
21	other exception under any provision of this Code to the following requirements: maximum building
22	height under Sections 260, 263.19 or 260.10; maximum permitted accessory off-street parking amounts
23	under Section 151.1; wind controls under Section 148; minimum density under Section 207.10; Floor
24	Area Ratio requirements; any standard set forth in Articles 1.7, 3, 3.5, 4, 10, and 11 of the Planning
25	

1	Code; definitions; permitted land uses; the Transportation Demand Management Program under
2	Section 169; and any standard or provision adopted by the voters.
3	(4) Required Findings for Major Modifications. To grant a Major Modification, the
4	Planning Commission shall find: (a) that the proposed modification achieves equal or superior design
5	quality, and (b) the project would provide a significant community benefit by producing housing near
6	transit, or otherwise promote the general welfare.
7	(5) Conditions of Approval. The Planning Commission may adopt conditions of
8	approval for granted modification(s). Such conditions shall be limited to addressing the potential
9	impact of such granted modification(s).
10	(6) Process for Applicants Seeking Major Modifications.
11	(A) Decision. The Planning Commission, at a noticed public hearing, shall
12	review, and approve, disapprove, or approve with conditions, a request for a Major Modification. The
13	Planning Commission shall find that the proposed Major Modification(s) meet the criteria in
14	subsection (d)(4). As part of its review and decision, the Planning Commission may impose additional
15	conditions, requirements, modifications, and limitations on a proposed project in order to mitigate the
16	effect of the requested modification(s) and thereby achieve the objectives, policies, and intent of the
17	General Plan and/or applicable Objective Standards.
18	(B) Notification. Notice of a hearing required by subsection (6)(A) shall be
19	provided in accordance with Planning Code Section 333.
20	(e) Notification and Record of Decision. Notification and record of decision of an HC-SF
21	project shall be provided as set forth in the Planning Department procedures for review and approval
22	of Development Applications.
23	(f) Change of Conditions. Once a project is approved, a change in any condition previously
24	imposed by the Planning Commission shall require approval by the Planning Commission subject to
25	the procedures set forth in this Section 334.

1	
2	SEC. 344. HOUSING CHOICE HOUSING SUSTAINABILITY DISTRICT.
3	(a) Purpose. This Section 344 establishes the Housing Choice - San Francisco Housing
4	Sustainability District ("HSD") under California Government Code Sections 66200 et seq. The
5	purpose of the HSD is to encourage the development of on-site affordable housing in new residential
6	and mixed-use projects by providing a streamlined, ministerial approval process for such projects. This
7	Section 344 sets forth eligibility criteria, design review standards, and entitlement and approval
8	procedures for projects seeking approval pursuant to the HSD.
9	(b) Geography. The HSD shall be comprised of all parcels, other than those zoned as RH or
10	RM, in the R-4 Height and Bulk District.
11	(c) Relationship to Other Planning Code Provisions. Except as otherwise provided in this
12	Section 344, the Planning Code shall apply to projects approved pursuant to this Section 344. In the
13	event of a conflict between other provisions of the Planning Code and this Section 344, this Section
14	<u>shall control.</u>
15	(d) Eligibility. Projects seeking approval pursuant to this Section 344 shall meet all of the
16	following requirements:
17	(1) The project is located in a zoning district where Residential uses are principally
18	permitted.
19	(2) For Dwelling Unit projects, the project's residential density is no less than 50
20	Dwelling Units per acre, and no more than 1,000 Dwelling Units per acre.
21	(3) At least one-half of the project's Gross Floor Area is designated for Residential
22	uses. All proposed Non-Residential uses must be principally permitted in the underlying zoning district
23	and any applicable SUD(s). The project shall not include more than 24,999 square feet of Gross Floor
24	Area of Office use that would be subject to the annual limit on office development set forth in Sections
25	<u>321 et seq.</u>

1	(4) The project does not demolish a building that is designated as a landmark under
2	Article 10, is listed as a contributor to an historic district in Article 10, is listed as a Significant or
3	Contributory Building under Article 11, is listed in the California Register of Historical Resources, or
4	is listed on the National Register of Historic Places.
5	(5) Consistent with California Government Code Section 66201(f), the project shall
6	provide no less than 10% of dwelling units as units affordable to very low or low income households. A
7	project subject to Section 415 may apply any such affordable units towards its compliance with Section
8	415. Projects not subject to Section 415 shall enter into a regulatory agreement with the City to
9	restrict the affordability of any such units for no less than 55 years.
10	(6) The project does not demolish, remove, or convert to another use any existing
11	Dwelling Unit(s), or Residential Flat.
12	(7) The project complies with all applicable Planning Code requirements and any
13	adopted Objective Standards. Projects seeking approval pursuant to this Section 344 may not seek any
14	exceptions to height and bulk limits pursuant to Section 309(a)(17).
15	(8) The project sponsor complies with all applicable mitigation measures in the
16	Housing Element 2022 Update Environmental Impact Report ("Housing Element EIR").
17	(9) The project sponsor certifies that the project will comply with all applicable
18	requirements of California Government Code Section 66201(f)(4).
19	(10) The project complies with the requirement of Government Code Section
20	<u>66201(f)(5).</u>
21	(11) The project provides relocation assistance to any displaced residential tenants.
22	(12) A project is not deemed to be for residential use if it is infeasible for actual use as
23	a single or multifamily residence.
24	(e) Approving Authority. The Planning Department is the approving authority designated to
25	review permit applications for compliance with this Section 344.

1	(f) Application. In addition to any requirements under other provisions of this Code for
2	submittal of application materials, an application under this Section 344 shall be submitted to the
3	Department on a form prescribed by the Department and shall not be considered complete until the
4	project sponsor has provided all of the following:
5	(1) A full plan set, including site plan, elevations, sections, and floor plans, showing
6	total number of units, and number of and location of units affordable to very low or low income
7	<u>households;</u>
8	(2) All documentation required by the Planning Department and sufficient to support
9	determinations that:
10	(A) The project meets all applicable zoning and any Objective Standards.
11	(B) The project sponsor will implement any and all mitigation measures in the
12	Housing Element EIR that the Environmental Review Officer determines are applicable. The project
13	sponsor shall submit scope(s) of work for any studies required as part of any mitigation measure, and
14	the application shall not be deemed complete until such studies are completed to the satisfaction of the
15	Environmental Review Officer.
16	(C) The project will comply with subsections (d)(10) and (d)(11) of this Section
17	<u>344.</u>
18	(g) Decision and Hearing . The Department shall ministerially approve projects that meet all
19	the requirements in this Section 344, as follows:
20	(1) Hearing. The Planning Department shall conduct an informational public hearing
21	for all projects that are subject to this Section 344 within 100 days of receipt of a complete application,
22	as set forth in subsection (f).
23	(2) Decision. Within 120 days of receipt of a complete application, as set forth in
24	subsection (f), the Planning Director or the Director's designee shall issue a written decision
25	approving, disapproving, or approving subject to conditions, the project. The applicant and the

1	Department may mutually agree to extend this 120-day period. If no written decision is issued within
2	120 days of the Department's receipt of a complete application, or within the period mutually agreed
3	upon by the Department and applicant, the project shall be deemed approved. The Planning Director
4	or the Director's designee shall include any certifications required by California Government Code
5	Section 66205(e) in a copy of the written decision.
6	(3) Grounds for Permit Denial. The Department may deny an HSD project application
7	only for one or more of the following reasons:
8	(A) The proposed project does not fully comply with this Section 344, including
9	but not limited to meeting all adopted Objective Standards and/or implementing all mitigation
10	measures in the Housing Element EIR that the Department determines are applicable.
11	(B) The project sponsor has not submitted all of the information or paid any
12	application fee required by this Section 344 and necessary for an adequate and timely design review or
13	assessment of potential impacts on nearby properties.
14	(C) The Department determines, based upon substantial evidence in light of the
15	whole record of the public hearing on the project, that a physical condition on the site of development
16	that was not known and could not have been discovered with reasonable investigation at the time the
17	application was submitted would have a specific adverse impact upon the public health or safety and
18	that there is no feasible method to satisfactorily mitigate or avoid the specific adverse impact. As used
19	in this subsection $(g)(3)(C)$, "specific adverse impact" means a significant, quantifiable, direct, and
20	unavoidable impact based on identified objective written public health or safety standards, policies, or
21	conditions, in existence at the time the application was deemed complete.
22	(4) Appeal. The procedures for appeal to the Board of Appeals of a decision by the
23	Department under this Section 344 shall be as set forth in Section 8 of the Business and Tax
24	Regulations Code.
25	

1	(5) Discretionary Review. No requests for discretionary review shall be accepted by
2	the Planning Department for projects subject to this Section 344. As long as the Planning Commission
3	has delegated its authority to the Planning Department to review applications for projects subject to
4	this Section 344, the Planning Commission shall not hold a public hearing for discretionary review of
5	projects subject to this Section 344.
6	(6) Progress Requirement. Approval of a project pursuant to this Section 344 shall
7	expire if the project sponsor has not procured a building permit or site permit for construction of the
8	project within 30 months of the date of the Department's issuance of a written decision pursuant to
9	subsection (g)(2). If the Planning Director or the Director's designee finds that the project sponsor has
10	demonstrated good faith in its efforts to obtain the first site or building permit for the project, the
11	Planning Director or designee may extend the approval for the project for a maximum of six additional
12	months. Such deadline shall additionally be extended in the event of any appeal of such approval for
13	the duration of the appeal, and in the event of litigation seeking to invalidate the approval for the
14	duration of the litigation.
15	(h) Design Review Standards. Projects subject to this Section 344 shall be reviewed for
16	compliance with the design standards set forth in the Planning Code and any Objective Standards.
17	(i) District Affordability Requirement. At the request of the California Department of Housing
18	and Community Development, the Planning Department shall demonstrate that at least 20% of the
19	residential units constructed in the HSD during the life of the District and pursuant to this Section 344
20	will be affordable to very low, low, and moderate-income households and subject to a recorded
21	affordability restriction for at least 55 years.
22	(j) Monitoring and Enforcement. The Planning Department shall include, as conditions of
23	approval of all projects approved pursuant to this Section 344, monitoring and enforcement provisions
24	to ensure that the project meets all applicable labor and wage requirements and complies with all
25	identified applicable mitigation measures. Projects found to be in violation of any of these conditions

1	shall be subject to the Administrative Enforcement Procedures in Section 176 of this Code, including
2	initiation of abatement proceedings or referral to the City Attorney or District Attorney for prosecution,
3	if not corrected within 90 days of service of any notice of violation issued under Section 176(b)(1).
4	Conditions of approval shall include, but are not limited to:
5	(1) A project sponsor shall submit weekly reports to the Office of Labor Standards
6	Enforcement, certifying that a project approved pursuant to this Section 344 is complying with
7	subsections (d)(11) and (d)(12), if applicable to the project. Projects found to be in violation of
8	subsections (d)(11) and (d)(12) shall be subject to penalties pursuant to Section 1741 of the Labor
9	Code, in addition to any penalties assessed pursuant to Section 176 of this Code. All penalties shall be
10	paid prior to issuance of the project's First Certificate of Occupancy, as defined in Section 401 of this
11	<u>Code.</u>
12	(2) The Planning Department shall monitor compliance with the Housing Element EIR
13	mitigation measures for projects approved under the HSD.
14	(3) The Planning Department shall monitor and report the construction of affordable
15	housing units under the HSD in its annual Housing Inventory, which shall include the following
16	information:
17	(A) Number of projects approved pursuant to this Section 344.
18	(B) Number of projects under construction pursuant to approvals obtained under
19	this Section 344.
20	(C) Number of projects completed pursuant to approvals obtained under this
21	Section 344.
22	(D) Number of Dwelling Units or Group Housing beds within projects completed
23	pursuant to approvals obtained under this Section 344.
24	(E) Number of Dwelling Units affordable to very low, low, moderate, and middle
25	income households within projects completed pursuant to approvals obtained under this Section 344.

2	(1) This Section 344 shall become operative upon confirmation of approval by the
3	California Department of Housing and Community Development under California Government Code
4	Section 66202(c) ("Operative Date").
5	(2) This Section 344 shall expire by operation of law seven years from the Operative
6	Date, unless this Section 344 is renewed by ordinance pursuant to Government Code Section 66201(g),
7	in which case this Section 344 shall expire on the date specified in that ordinance ("Sunset Date").
8	Upon the expiration of this Section 344, the City Attorney shall cause this Section 344 to be removed
9	from the Planning Code. Pursuant to Government Code Section 66205(b), this Section 344 shall govern
10	the processing and review of any complete application submitted pursuant to this Section 344 prior to
11	the Sunset Date.
12	
13	Section 4. Height and Bulk Limits. Article 2.5 of the Planning Code is hereby amended
14	by revising Sections 260, 263.19, 263.20, and 270, and adding Sections 270.3 to read as
15	follows:
16	SEC. 260. HEIGHT LIMITS: MEASUREMENT.
17	(a) Method of Measurement. The limits upon the height of buildings and structures
18	shall be as specified on the Zoning Map, except as permitted by Section 206. In the
19	measurement of height, the following rules shall be applicable:
20	(1) The point above which such measurements shall be taken shall be as
21	specified as follows.
22	(A) In the case of either $\underline{subsection}(a)(1)(B)$ or (C) below, such point shall
23	be taken at the centerline of the building or, where the building steps laterally in relation to a
24	street that is the basis for height measurement, separate points shall be taken at the

(k) Operative and Sunset Dates.

1

25

centerline of each building step.

(B) Where the lot is level with or slopes downward from a street at the
centerline of the building or building step, such point shall be taken at curb level on such a
street. This point shall be used for height measurement only for a lot depth not extending
beyond a line 100 feet from and parallel to such street, or beyond a line equidistant between
such street and the street on the opposite side of the block, whichever depth is greater.
Measurement of height for any portion of the lot extending beyond such line shall be
considered in relation to the opposite (lower) end of the lot, and that portion shall be
considered an upward sloping lot in accordance with $\underline{s}_{\underline{s}}$ ubsection $\underline{(a)(1)}(C)$ below, whether or
not the lot also has frontage on a lower street.

- (C) Where the lot slopes upward from a street at the centerline of the building or building step, such point shall be taken at curb level for purposes of measuring the height of the closest part of the building within 10 feet of the property line of such street; at every other cross-section of the building, at right angles to the centerline of the building or building step, such point shall be taken as the average of the ground elevations at either side of the building or building step at that cross-section. The ground elevations used shall be either existing elevations or the elevations resulting from new grading operations encompassing an entire block. Elevations beneath the building shall be taken by projecting a straight line between ground elevations at the exterior walls at either side of the entire building in the same plane.
- (D) Where the lot has frontage on two or more streets, the owner may choose the street or streets from which the measurement of height is to be taken, within the scope of the rules stated above.

Where the height limits for buildings and structures are established by this Code, the upper points to be taken for measurement of height shall be as prescribed in the provisions relating to such height limits.

(2) The upper point to which such measurement shall be taken shall be the
highest point on the finished roof in the case of a flat roof, and the average height of the rise in
the case of a pitched or stepped roof, or similarly sculptured roof form, or any higher point of a
feature not exempted under \underline{s} ubsection (b) below. For any building taller than 550 feet in
height in the S-2 Bulk District, the height of the building shall be measured at the upper point
of all features of the building and exempted features in such cases shall be limited to only
those permitted in $\underline{s_s}$ ubsection (b)(1)(M) and which are permitted by the Planning Commission
according to the procedures of Section 309.
(3) In cases where the height limit is 65 feet or less and a street from which
height measurements are made slopes laterally along the lot, or the ground slopes laterally on
a lot that also slopes upward from the street, there shall be a maximum width for the portion of
the building or structure that may be measured from a single point at curb or ground level,
according to the definition of "height," as specified in the following table. These requirements
shall not apply to any property to which the bulk limitations in Section 270 of this Code are
applicable.
(4) The following requirements shall apply to all parcels within the R-4 Height and Bulk
District, at or below 85 feet. In cases where the height limit is 85 feet or less and a street from which
height measurements are made slopes laterally along the lot, or the ground slopes laterally on a lot
that also slopes upward from the street, there shall be a maximum width for the portion of the building
or structure that may be measured from a single point at curb or ground level, according to the

definition of "height" as specified in the following table. These requirements shall not apply to any

property to which the bulk limitations in Sections 270 through 270.3 of this Code are applicable.

TABLE 260-1

HEIGHT MEASUREMENT

ON LATERAL SLOPES WHERE
HEIGHT LIMIT IS 65 FEET OR LESS

	4	
	ı	
	ı	

Average Slope of Curb or Ground From Which	Maximum Width for Portion of
Height is Measured	Building that May Be Measured
	from a Single Point
5 <u>%</u> percent or less	No requirement
More than 5% percent but no more than 15%	65 feet
<i>percent</i>	
More than 15% percent but not more than 20%	55 feet
percent	
More than 20% percent but no more than 25%	45 feet
percent	
More than 25 <u>%</u> percent	35 feet

13 [image]

TABLE 260-2

HEIGHT MEASUREMENT

ON LATERAL SLOPES WHERE


HEIGHT LIMIT IS BETWEEN 65 AND 85 FEET

Average Slope of Curb or Ground From Which	Maximum Width for Portion of Building that May
Height is Measured	Be Measured from a Single Point
5% or less	No requirement
More than 5% but no more than 15%	<u>85 feet</u>
More than 15% but no more than 20%	<u>75 feet</u>
More than 20% but no more than 25%	<u>65 feet</u>
More than 25%	55 feet

1	(b) Exemptions. In addition to other height exceptions permitted by this Code, the
2	features listed in this subsection (b) shall be exempt from the height limits established by this
3	Code, in an amount up to but not exceeding that which is specified.
4	* * *
5	
6	SEC. 263.19. HEIGHT LIMITS: PERMITTED PODIUM AND TOWER HEIGHTS IN
7	THE R BULK DISTRICTS.
8	(a) This Section 263.19(a) shall apply to R Bulk Districts, except for the R-4 Height and Bulk
9	<u>District.</u>
10	$\frac{(a)(1)}{(a)}$ Intent. The general development concept for R Bulk Districts is of podium
11	buildings that vary from 65 to 170 feet in height depending on the district and location, with
12	adequately spaced slender towers up to 650 feet in height rising above the podium buildings.
13	$\frac{(b)}{(2)}$ Maximum Height Controls for Podiums and Towers. In the R bulk
14	districts, which include the R, R-2, and R-3 bulk districts as designated on Sectional Map No.
15	HT01, HT02, and HT07 of the Zoning Map, maximum permitted building heights for both
16	podiums and towers are expressed as two numbers separated by a slash. The number
17	preceding the slash represents the height limit for podium buildings. The number following the
18	slash represents the height limit for towers. No building may exceed the podium height limit
19	except for towers meeting the bulk and tower spacing controls established in Section 270(e)
20	and (f).
21	(c)(3) Maximum Height Controls for Podiums and Towers in the R-2 Bulk
22	District and the Van Ness & Market Residential Special Use District. In the R-2 bulk
23	district and within the Van Ness & Market Residential Special Use District, maximum
24	permitted building heights for both podiums and towers are expressed as two sets of numbers

separated by a double slash in the format described above, in subsection $\underline{(a)}(\underline{2b})$. Each set of

1	numbers represents the maximum neights for podium and tower applicable to the parcel and
2	as regulated per subsection $\underline{(a)}(\underline{2b})$ above as follows: The first set of numbers represents the
3	principally permitted height limits for the parcel, both for the podium and for the tower. The
4	second set of numbers after the double slash represents the maximum height limits for
5	podium and tower that can be granted by the Planning Commission for that parcel through an
6	exception pursuant to the procedures and findings of Section 309(a)(17).
7	(b) This Section 263.19(b) shall apply to the R-4 Height and Bulk District.
8	(1) Intent. The general development concept for the R-4 Height and Bulk District is for
9	buildings that vary in height depending on the location, and in some locations providing for adequately
10	spaced slender towers rising above the podiums of lower height(s). In addition to establishing bulk
11	controls for all buildings in the district as further described in Section 270(i), the R-4 district
12	implements the Housing Choice-San Francisco (HC-SF) program by providing for a secondary height
13	limit for projects using the HC-SF Program per Section 206.10.
14	(2) Maximum Height Controls for the HC-SF Program. In the R-4 Height and Bulk
15	District, as designated on Sectional Maps Nos. HT01, 02, 03, 04, 05, 06, 07, 11, 12, and 13 of the
16	Zoning Map, the permitted building heights are expressed as two sets of numbers separated by a double
17	slash. Preceding the double slash is the permitted building height limit for projects not using the HC-
18	SF Program. Following the double slash is the height limit for projects using the HC-SF Program per
19	Section 206.10. Where there is a set of two numbers separated by a single slash, the number preceding
20	the single slash is the maximum height for podium buildings and the number following the single slash
21	is the maximum tower height subject to the bulk and tower spacing controls of Section 270(i).
22	The following represents an example of height limits subject to both podium and tower controls,
23	and high limits for projects not using the HC-SF Program and projects using the HC-SF Program.
24	



SEC. 263.20. SPECIAL HEIGHT EXCEPTION: ADDITIONAL FIVE FEET HEIGHT FOR ACTIVE GROUND FLOOR USES IN CERTAIN DISTRICTS <u>AND ALL GROUND</u> <u>FLOOR USES IN THE R-4 HEIGHT AND BULK DISTRICT</u>.

(b) **Applicability.** The special height exception described in this $\pm S$ ection ± 263.20 shall only apply to projects that meet ± 100 of the following criteria:

- (1) project is located in a 30-X, 40-X, or-50-X Height and Bulk District, or in the <u>R-4 Height and Bulk District with a height limit of 40, 50, or 80 feet</u>, as designated on the Zoning Map;
 - (2) project is located in one of the following districts:
 - (A) in an NCT district as designated on the Zoning Map;
 - (B) in the Castro Street, Inner Clement Street, Outer Clement Street, Excelsion

Outer Mission Street, Irving Street, Japantown, Judah Street, Noriega Street, Taraval Street, and 24th

Street Noe Valley NCDs;

(C) on a NC-2 designated parcel on Balboa Street between 2nd Avenue and 8th

Avenue, and between 32nd Avenue and 39th Avenue;

1	(D) on a NC-1 designated parcel within the boundaries of Sargent Street to
2	Orizaba Avenue to Lobos Street to Plymouth Avenue to Farallones Street to San Jose Avenue to
3	Alemany Boulevard to 19th Avenue to Randolph Street to Monticello Street and back to Sargent Street
4	(E) on a NC-3 designated parcel fronting on Geary Boulevard from Masonic
5	Avenue to 28th Avenue, except for parcels on the north side of Geary Boulevard between Palm Avenue
6	and Parker Avenue; or
7	(F) on a parcel zoned NC-1 on Noriega, Irving, Taraval, or Judah Streets west
8	of 19th Avenue.
9	——————————————————————————————————————
10	defined by Section 145.1(b)(2) with clear ceiling heights in excess of ten feet from sidewalk
11	grade, or in the case of residential uses, such walk-up residential units are raised up from
12	sidewalk level <u>.</u> ;
13	(4) said ground floor commercial space, active use, or walk-up residential use is
14	primarily oriented along a right-of-way wider than 40 feet;
15	(5) said ground floor commercial space or active use occupies at least 50% of the
16	project's ground floor area; and
17	(6) except for projects located in NCT districts, the project sponsor has conclusively
18	demonstrated that the additional 5' increment allowed through Section 263.20 would not add new
19	shadow to any public open spaces.
20	* * * *
21	
22	SEC. 270. BULK LIMITS: MEASUREMENT.
23	(a) The limits upon the bulk of buildings and structures shall be as stated in this

Section 270 (including Sections 270.1, 270.2, and 270.3) and in Sections 271 and 272. The terms

Diagonal Dimension, Height, Length, and Plan Dimensions shall be as defined in this Code. In

24

1 each height and bulk district, the maximum plan dimensions shall be as specified in the 2 following table, at all horizontal cross-sections above the height indicated.

3

_				
4	TABLE 270			
5	BULK LIMITS			
6	District Symbol on Height Above Maximum Plan Dimensions (in feet)		nsions (in feet)	
7	Zoning Map	Which Maximum	Length	Diagonal
8		Dimensions Apply		Dimension
9		(in feet)		
10	* * * *			
11	R	This table not applicab	ole. But see Section 270	(e)
12	R-2	This table not applicab	ole. But see Section 270	(f)
13	<u>R-3</u>	This table not applicable	e. But see Section 270(g)	
14	<u>R-4</u>	This table not applicable	e. But see Section 270(i)	
15	V		110	140
16	* * * *			

17 18

(i) **R-4 Height and Bulk District.** In the R-4 Height and Bulk District, the bulk limitation are as follows:

20 21

22

23

19

(1) **Tower Bulk and Spacing.** In the R-4 Height and Bulk District, the otherwise applicable bulk controls for structures below a height of 85 feet or below a different height threshold where explicitly specified elsewhere in the Code ("Podium Height") shall govern, including, but not limited to, those found in the Citywide Design Standards. Portions of structures above the podium height shall comply with the bulk limitations described in subsection (i)(1)(A) and (B) below.

25

1	(A) Buildings between the Podium Height and 140 feet in height (exclusive of
2	permitted height exceptions) shall:
3	(i) Provide 15-foot setback(s) from any interior property line(s) for
4	portion(s) of the building above the Podium Height.
5	(ii) For portions of structures above the Podium Height, the average
6	floor plate shall not exceed 12,000 square feet.
7	(iii) For portions of structures above the Podium Height, a maximum
8	length of 130 feet and a maximum diagonal of 160 feet are permitted.
9	(iv) Building portions above the Podium Height and up to 140 feet must
10	maintain a 30-foot distance from other buildings above the Podium Height on any lot.
11	(B) Buildings above 140 feet in height (exclusive of permitted height exceptions)
12	<u>shall:</u>
13	(i) Provide 15-foot setback(s) from any interior property line(s) for
14	portion(s) of the building above the Podium Height.
15	(ii) For portions of structures above the Podium Height, the average
16	floor plate shall not exceed 12,000 square feet.
17	(iii) For portions of structures above the Podium Height, a maximum
18	length of 130 feet and a maximum diagonal of 160 feet are permitted.
19	(iv) Building portions above the Podium Height shall be separated by no
20	less than 115 feet from other buildings above 85 feet on any lot.
21	(v) For portions of buildings above the Podium Height, a maximum
22	unbroken wall width of 100 feet is permitted. For building masses above 85 feet in height and with a
23	plan length in excess of 100 feet, relief shall be provided through:
24	

1	a. a notch, defined as a building recess or volumetric reduction
2	that is provided at the indicated height and extending the full vertical height of the subject facade above
3	85-feet, of at least 10 feet by 10 feet; or
4	b. a change in plane of at least 10 feet.
5	(vi) The top one-third of a building above 85 feet shall be reduced in
6	both floor plate and the allowed maximum plan and diagonal dimensions set forth in subsection
7	(i)(1)(B) by 10% each.
8	
9	SEC. 270.3. SPECIAL BULK REQUIREMENTS: MID-BLOCK ALLEYS IN LARGE LOT
10	DEVELOPMENT OUTSIDE OF THE EASTERN NEIGHBORHOODS MIXED USE DISTRICTS,
11	SOUTH OF MARKET COMMERCIAL TRANSIT DISTRICT, FOLSOM STREET
12	NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT, REGIONAL COMMERCIAL
13	DISTRICT, C-3 AND DTR DISTRICTS.
14	(a) Findings. This Section 270.3 incorporates the findings in Section 270.2(a), and determines
15	that the conditions in Section 270.2 are applicable outside of the geographic area specified in Section
16	<u>270.2</u>
17	(b) Purpose. The mid-block alley requirements of this Section 270.3 are intended to ameliorate
18	the conditions and impacts described in the findings in Section 270.2(a) and make the subject areas
19	appropriate for a higher density of activity and population in areas being targeted for more intense
20	development. The horizontal mass reductions and mid-block alleys will ensure that block sizes for new
21	housing support walkable neighborhoods. To encourage pedestrian movement, walking to nearby
22	destinations including to and from transit, and neighborhood blocks with shortened distances to
23	facilitate this activity, the bulk limitations noted below will apply.
24	
25	

1	(c) Applicability. This Section 270.3 applies to all development lots not subject to the
2	requirements of Section 270.2, except development lots in PDR districts or that contain exclusively
3	government or Public Facilities, that:
4	(1) Are two acres or larger; and/or
5	(2) Have a frontage of 200 feet or greater on a single block face that is 400 feet or
6	greater.
7	(d) Requirements. New construction on development lots that meet the criteria in subsection
8	(c) above must be divided into smaller resultant lots and blocks in either one of the two following ways:
9	(1) Option 1. Lots shall be divided into resultant blocks such that:
10	(A) no block frontage exceeds a length of 300 feet between intersections;
11	(B) no block perimeter exceeds a total of 1,200 feet; and
12	(C) the resultant blocks shall be separated from each other by newly created
13	public street(s), alley(s), or publicly-accessible privately-owned street(s) or alley(s). Such street(s)
14	shall meet San Francisco street standards including the Better Streets Plan as codified in Section 138.1
15	and pursuant to Public Works Code requirements. If privately-owned street(s) or alley(s) are created,
16	they shall be maintained and must provide public access pursuant to the standards provided in
17	Planning Code Section 270.2(e).
18	(2) Option 2. Lots shall be divided into resultant blocks of not more than 400 feet in
19	length between intersections of streets or alleys per subsection $(d)(1)(C)$ above, that are bisected by
20	alleys or passageways, and that do not exceed a total block perimeter of 1,400 feet. Such mid-block
21	alleys or passageways shall meet the following conditions:
22	(A) Location. Be located as close to the middle portion of the subject block face,
23	defined as within 50 lateral feet from the block centerline, perpendicular to the subject frontage and
24	connecting to any existing adjacent streets and alleys. If the subject lot is not within the central portion
25	of the block, the passageway shall cross the subject lot at its centerline or within 50 lateral feet from

1	the lot centerline. For Development projects that include a Public Facility or are immediately abutting
2	a parcel containing a Public Facility, this locational requirement shall not apply.
3	(B) Hours of Operation. The passageway(s) must be open to the public 24
4	hours a day, seven days a week. Fences and/or gates that would prevent public access at any point
5	within the passageway(s) are prohibited.
6	(C) Width. The passageway(s) must maintain minimum width(s) of 20 feet
7	measured from building-to-building at any point.
8	(D) Walking Width. Have a minimum clear walking width of 10 feet free of any
9	obstructions in the case of a pedestrian-only right-of-way, and dual sidewalks each of not less than six
10	feet in width with not less than four feet minimum clear width in the case of an alley with vehicular
11	access.
12	(E) Open to the Sky. At least 60% of the passageway area must be open to the
13	sky. Obstructions permitted within setbacks pursuant to Planning Code Section 136, that do not conflict
14	with or obstruct the required walking width, may be located within the portion of the alley or
15	passageway that is required to be open to the sky. All portions of the alley or pathway not open to the
16	sky shall have a minimum clearance height from grade of 15 feet at all points. For Development
17	Projects that include a Public Facility or are immediately abutting a parcel containing to a Public
18	Facility, the required percent of the passageway area that must be open to the sky may be reduced to
19	<u>50%.</u>
20	(F) Topography. Changes in grade or steps are not permitted in an alley or
21	passageway unless required by the natural topography and average grade.
22	(G) Frontage. Alleys or passageways must be fronted by active ground-floor
23	uses, as defined in Section 145.1, for no less than 60% of their fronting length and in no case feature
24	more than 50 continuous feet of inactive use(s) in any segment. For development projects that include a
25	Public Facility or are immediately abutting a parcel containing a Public Facility, the required percent

1	for active ground-floor uses may be reduced to 40% and may be unevenly distributed between the
2	alley's or passageway's two sides.
3	(H) Visual access. Alleys or passageways must be configured to allow clear
4	visual access from one end of the passageway through the development lot to its opposite end.
5	(e) Additional Requirements for Private Passageways and Alleys.
6	(1) Maintenance. Mid-block passageways and alleys required under this Section 270.3
7	shall be maintained at no public expense unless a publicly-accepted street or alley is created pursuant
8	to subsection (d)(1) above. The owner of the property on which the alley or passageway is located shall
9	maintain it by keeping the area clean and free of litter and by keeping it in an acceptable state of
10	repair. Conditions intended to assure continued maintenance of the right-of-way for the actual lifetime
11	of the building giving rise to the open space requirement may be imposed.
12	(2) Informational Plaque. Prior to issuance of a permit of occupancy, a plaque shall be
13	placed in a publicly conspicuous location for pedestrian viewing. The plaque shall state the right of the
14	public to pass through the alley and stating the name and address of the owner or owner's agent
15	responsible for maintenance. The plaque shall be of no less than 24 inches by 36 inches in size.
16	(3) Property owners providing a pathway or alley under this Section 270.3 shall hold
17	harmless the City and County of San Francisco, its officers, agents, and employees, from any damage
18	or injury caused by the design, construction, or maintenance of the right-of-way, and are solely liable
19	for any damage or loss occasioned by any act or neglect in respect to the design, construction, or
20	maintenance of the right-of-way.
21	(f) Any non-vehicular portions of such a passageway or alley, including sidewalks or other
22	walking areas, seating areas, or landscaping, may count toward any open space requirements of this
23	Code which permit publicly-accessible open space, provided that such space meets the standards of
24	Section 135.

1	Section 5. Wind Controls. Articles 1, and 2 of the Planning Code are hereby amended
2	by revising Sections 148, 243, 249.1, and 249.78, to read as follows:
3	SEC. 148. REDUCTION OF GROUND-LEVEL WIND CURRENTS FOR BUILDINGS
4	$\underline{TALLER\ THAN\ 85\ FEET}$ IN $C ext{-}3\ \underline{CERTAIN}$ DISTRICTS.
5	(a) Applicability. In the C-3 Districts, Van Ness Special Use District, Folsom and Main
6	Residential/Commercial Special Use District, Downtown Residential (DTR) Districts, and Central
7	SoMa Special Use District, this Section 148 shall apply to new buildings taller than 85 feet in Height,
8	vertical additions of more than 30 feet resulting in a total building height greater than 85 feet, or
9	vertical additions of more than 30 feet to an existing building that is taller than 85 feet. Building height
10	for the purpose of applicability of this Section shall be calculated pursuant to the provisions of Sections
11	260 and 263.21.
12	(b) Definitions.
13	"Equivalent Wind Speed" means an hourly average wind speed adjusted to incorporate the
14	effects of gustiness or turbulence on pedestrians, pursuant to the methodology adopted by the Planning
15	Commission, as amended from time to time.
16	"Nine-Hour Hazard Criterion" means a ground-level equivalent wind speed of 26 miles per
17	hour for nine or more hours per year.
18	(c) Controls for Hazardous Winds. Projects shall not result in any net new locations that
19	exceed the Nine-Hour Hazard Criterion.
20	(d) Wind-reducing Features. All wind-reducing features necessary to meet the requirements
21	of this Section 148 shall be identified on the approved project plan set.
22	(e) Maintenance of Wind-reducing Features. All wind-reducing features necessary to meet the
23	requirements of this Section 148 must be maintained for the life of the project. The Zoning
24	Administrator may approve, including after installation, substitution of alternate wind-reducing
25	features that would have an equal or superior effect on reducing ground-level winds at the subject

1 location, provided that such features do not conflict with or increase noncompliance with other 2 provisions of the Planning Code or other adopted Citywide Design Standards. 3 (a) Requirement and Exception. In C-3 Districts, buildings and additions to existing buildings shall be shaped, or other wind-baffling measures shall be adopted, so that the developments will not 4 5 cause ground-level wind currents to exceed, more than 10 percent of the time year round, between 7:00 6 a.m. and 6:00 p.m., the comfort level of 11 m.p.h. equivalent wind speed in areas of substantial pedestrian use and seven m.p.h. equivalent wind speed in public seating areas. 7 8 When preexisting ambient wind speeds exceed the comfort level, or when a proposed 9 building or addition may cause ambient wind speeds to exceed the comfort level, the building shall be 10 designed to reduce the ambient wind speeds to meet the requirements. An exception may be granted, in accordance with the provisions of Section 309, allowing the building or addition to add to the amount 11 12 of time that the comfort level is exceeded by the least practical amount if (1) it can be shown that a 13 building or addition cannot be shaped and other wind-baffling measures cannot be adopted to meet the 14 foregoing requirements without creating an unattractive and ungainly building form and without 15 unduly restricting the development potential of the building site in question, and (2) it is concluded 16 that, because of the limited amount by which the comfort level is exceeded, the limited location in which 17 the comfort level is exceeded, or the limited time during which the comfort level is exceeded, the 18 addition is insubstantial. No exception shall be granted and no building or addition shall be permitted that causes 19 20 equivalent wind speeds to reach or exceed the hazard level of 26 miles per hour for a single hour of the 21 year. (b) Definition. The term "equivalent wind speed" shall mean an hourly mean wind speed 22

adjusted to incorporate the effects of gustiness or turbulence on pedestrians.

by the Office of Environmental Review of the Planning Department.

(c) Guidelines. Procedures and Methodologies for implementing this Section shall be specified

23

24

1	
2	SEC. 243. VAN NESS SPECIAL USE DISTRICT.
3	* * * *
4	(c) Controls. All provisions of the Planning Code applicable to an RC-4 District shall
5	apply except as otherwise provided in this Section 243.
6	* * * *
7	(15) Wind Standards. Wind standards shall apply pursuant to Section 148. Reduction
8	of Ground Level Wind Currents.
9	(A) New buildings and additions to existing buildings shall be shaped, or other
10	wind baffling measures shall be adopted, so that the development will not cause year-round ground
11	level wind currents to exceed, more than 10 percent of the time, between 7:00 a.m. and 6:00 p.m., the
12	comfort level of 11 m.p.h. equivalent wind speed in areas of pedestrian use and seven m.p.h. equivalent
13	wind speed in public seating areas. When pre-existing ambient wind speeds exceed the comfort levels
14	specified above, the building shall be designed to reduce the ambient wind speeds in efforts to meet the
15	goals of this requirement.
16	(B) An exception to this requirement may be permitted but only if and to the
17	extent that the project sponsor demonstrates that the building or addition cannot be shaped or wind
18	baffling measures cannot be adopted without unduly restricting the development potential of the
19	building site in question.
20	(i) The exception may permit the building or addition to increase the
21	time that the comfort level is exceeded, but only to the extent necessary to avoid undue restriction of the
22	development potential of the site.
23	(ii) Notwithstanding the above, no exception shall be allowed and no
24	building or addition shall be permitted that causes equivalent wind speeds to reach or exceed the
25	hazard level of 26 m.p.h. for a single hour of the year. For the purposes of this Section, the term

1	"equivalent wind speed" shall mean an hourly wind speed adjusted to incorporate the effects of
2	gustiness or turbulence on pedestrians.
3	* * * *
4	
5	SEC. 249.1. FOLSOM AND MAIN RESIDENTIAL/COMMERCIAL SPECIAL USE
6	DISTRICT.
7	* * * *
8	(b) Controls. The following zoning controls are applicable in the
9	Residential/Commercial Special Use District.
10	(1) Wind Standards. Wind standards shall apply pursuant to Section 148. Reduction of
11	Ground-Level Wind Currents.
12	(A) Requirement. New buildings and additions to existing buildings shall be
13	shaped, or other wind-baffling measures shall be adopted, so that the developments will not cause
14	ground-level wind currents to exceed, more than 10 percent of the time year-round, between 7:00 a.m.
15	and 6:00 p.m., the comfort level of 11 m.p.h. equivalent wind speed in areas of substantial pedestrian
16	use and seven m.p.h. equivalent wind speed in public seating areas. The term "equivalent wind speed"
17	shall mean an hourly mean wind speed adjusted to incorporate the effects of gustiness or turbulence on
18	pedestrians.
19	When preexisting ambient wind speeds exceed the comfort level, or when a proposed
20	building or addition may cause ambient wind speeds to exceed the comfort level, the building shall be
21	designed to reduce the ambient wind speeds to meet the requirements. The provisions of this Section
22	249.1(b)(3) shall not apply to any buildings or additions to existing buildings for which a draft EIR has
23	been published prior to January 1, 1985.
24	(B) Exception. The Zoning Administrator may allow the building or addition to
25	add to the amount of time the comfort level is exceeded by the least practical amount if (1) it can be

1	shown that a building or addition cannot be shaped and other wind-baffling measures cannot be
2	adopted to meet the foregoing requirements without creating an unattractive and ungainly building
3	form and without unduly restricting the development potential of the building site in question, and (2) is
4	is concluded that, because of the limited amount by which the comfort level is exceeded, the limited
5	location in which the comfort level is exceeded, or the limited time during which the comfort level is
6	exceeded, the addition is insubstantial.
7	The Zoning Administrator shall not grant an exception and no building or addition
8	shall be permitted that causes equivalent wind speeds to reach or exceed the hazard level of 26 miles
9	per hour for a single hour of the year.
10	(C) Procedures. Procedures and methodologies for implementing this Section
11	shall be specified by the Office of Environmental Review of the Planning Department.
12	* * * *
13	
14	SEC. 249.78. CENTRAL SOMA SPECIAL USE DISTRICT.
15	* * * *
16	(d) Urban Design and Density Controls.
17	* * * *
18	(9) Wind Standards. Wind standards shall apply pursuant to Section 148.
19	(A) Applicability. This subsection shall apply to new buildings above 85 feet in
20	Height and additions to existing buildings that result in a building above 85 feet in Height.
21	(B) Definitions.
22	"Comfort Level" means ground-level equivalent wind speeds of 11 miles per hour in
23	areas of substantial pedestrian use and seven miles per hour in public seating areas between 7:00 a.m.
24	and 6:00 p.m. when occurring for more than 15 percent of the time year round.
25	

1	"Equivalent Wind Speed" means an hourly mean wind speed adjusted to incorporate the
2	effects of gustiness or turbulence on pedestrians.
3	"Nine-Hour Hazard Criterion" means a ground-level equivalent wind speed of 26 miles
4	per hour for more than nine hours per year per test location.
5	"One-Hour Hazard Criterion" means a ground-level equivalent wind speed of 26 miles
6	per hour for more than one hour per year per test location.
7	"Substantial Increase" means an increase in wind speeds of more than six miles per
8	hour for more than 15 percent of the time year round.
9	(C) Controls for Wind Comfort.
10	(i) Projects may not result in wind speeds that exceed the Comfort Level
11	at any location.
12	(ii) Projects may not cause a Substantial Increase in wind speed at any
13	location where the existing or resulting wind speed exceeds the Comfort Level.
14	(iii) Pursuant to Section 329, the Planning Commission may grant an
15	exception to the standards of subsections (i) and (ii) above as applied to a project if it finds that the
16	project meets the following criteria:
17	(aa) It has undertaken all feasible measures to reduce wind
18	speeds through such means as building sculpting and appurtenances, permanent wind baffling
19	measures, and landscaping; and
20	(bb) Reducing wind speeds further would substantially detract
21	from the building design or unduly restrict the square footage of the project.
22	(D) Controls for Hazardous Winds.
23	(i) Projects shall not result in net new locations with an exceedance of
24	the One-Hour Hazard Criterion, except as allowed by the Planning Commission based on criteria
25	described in subsection (ii) below.

1	(ii) Pursuant to Section 329, the Planning Commission may grant an
2	exception to the standard of subsection (i) above as applied to a proposed project if it finds that the
3	proposed project meets all of the following criteria:
4	(aa) The project with wind reduction measures does not result
5	in net new locations with an exceedance of the Nine-Hour Hazard Criterion;
6	(bb) The project has undertaken all feasible measures to reduce
7	hazardous wind speeds, such as building sculpting and appurtenances, permanent wind baffling
8	measures, and landscaping; and
9	(cc) Meeting the requirements of subsection (i) would detract
10	from the building design or unduly restrict the square footage of the project.
11	(iii) No exception shall be granted and no building or addition shall be
12	permitted for any project that causes net new locations with an exceedance in the Nine-Hour Hazard
13	Criterion.
14	(E) Guidelines. Procedures and methodologies for implementing this
15	subsection shall be issued by the Department.
16	* * * *
17	Section 6. Residential Districts. Article 2 of the Planning Code is hereby amended by
18	revising Sections 209, 209.1, 209.2, and 209.3, to read as follows:
19	
20	SEC. 209. DESCRIPTION AND PURPOSE OF RESIDENTIAL AND RESIDENTIAL-
21	COMMERCIAL DISTRICTS.
22	The following statements of description and purpose outline the main functions of the
23	Residential and Residential-Commercial (Residential) Districts in the zoning plan for San
24	Francisco, supplementing the statements of purpose contained in Section 101 of this Code.

1	(a) Purpose. These districts are established for purposes of implementing the
2	Residence element and other elements of the General Plan, according to the objectives,
3	principles and policies stated therein. Among these purposes are the following:
4	(1) Preservation, improvement and maintenance of the existing housing stock
5	through protection of neighborhood environments and encouragement of sound ownership
6	practices and rehabilitation efforts;
7	(2) Recognition and protection of the architectural characteristics and <u>urban</u>
8	patterns densities of existing residential areas;
9	(3) Maximizing of housing choice by assuring the availability of quality owner
10	and rental housing of various kinds, suitable for a whole range of household types, lifestyles
11	and economic levels;
12	(4) Encouragement of residential development that will meet outstanding
13	community needs, provide adequate indoor and outdoor spaces for its occupants, and relate
14	well to the character and scale of existing neighborhoods and structures; and
15	(5) Promotion of balanced and convenient neighborhoods having appropriate
16	public improvements and services, suitable nonresidential activities that are compatible with
17	housing and meet the needs of residents, and other amenities that contribute to the livability
18	of residential areas.
19	(b) Uses and Features Permitted in Residential and Residential-Commercial
20	Districts. The uses and features permitted in Residential and Residential-Commercial
21	Districts are listed in the Zoning Control Tables in Sections 209.1 through 209.4.
22	
23	SEC. 209.1. RH (RESIDENTIAL, HOUSE) DISTRICTS.
24	These Districts are intended to recognize, protect, conserve, and enhance areas
25	characterized by dwellings in the form of houses and small multi-family buildings, usually with

one, two, or three units with separate entrances, and limited scale in terms of building width and height, and characterized by rear yards and a pattern of mid-block open spaces. Such areas tend to have similarity of building styles and predominantly contain large units suitable for family occupancy, considerable open space, and limited nonresidential uses. *In all RH Districts, multi-family buildings with four or more units are permitted under various provisions of this Code.* The RH Districts are composed of five separate classes of districts, as follows:

RH-1(D) Districts: One-Family (Detached Dwellings). These Districts are characterized by lots of greater width and area than in other parts of the City, and by single-family houses with side yards. The structures are relatively large, but rarely exceed 35 feet in height. Ground level open space and landscaping at the front and rear are usually abundant. Much of the development has been in sizable tracts with similarities of building style and narrow streets following the contours of hills. *In some cases private covenants have controlled the nature of development and helped to maintain the street areas.*

RH-1 Districts: One-Family. These Districts <u>arehave been</u> occupied almost entirely by single-family houses on lots 25 feet in width, without side yards. Floor sizes and building styles vary, but tend to be uniform within tracts developed in distinct time periods. Though built on separate lots, the structures have the appearance of small-scale row housing, rarely exceeding 35 feet in height. Front setbacks are common, and ground level open space is generous. *In most cases the single-family character of these Districts has been maintained for a considerable time.*

RH-1(S) Districts: One-Family with Minor Second Unit. These Districts are similar in character to RH-1 Districts, except that a small second dwelling unit has been installed in many structures, usually by conversion of a ground-story space formerly part of the main unit or devoted to storage. The second unit remains subordinate to the owner's unit, and may

house one or two persons related to the owner or be rented to others. Despite these conversions, the structures retain the appearance of single-family dwellings.

RH-2 Districts: Two-Family. These Districts are devoted to have been historically developed with one-family and two-family houses, with the latter commonly consisting of two large flats, one occupied by the owner and the other available for rental. Structures are finely scaled and usually do not exceed 25 feet in width or 40 feet in height. Building styles are often more varied than in historically single-family areas, but certain streets and tracts are quite uniform. Considerable ground-level open space is available, and it frequently is private for each unit. The Districts may have easy access to shopping facilities and transit lines. In some cases, Group Housing and institutions are found in these areas, although nonresidential uses tend to be quite limited.

RH-3 Districts: Three-Family. These Districts have many similarities to RH-2 Districts, but structures with three units are common in addition to one-family and two-family houses. The predominant form *ishas historically been* large flats rather than apartments, with lots 25 feet wide, a fine or moderate scale, and separate entrances for each unit. Building styles tend to be varied but complementary to one another. Outdoor space is available at ground level, and also on decks and balconies for individual units. Nonresidential uses are more common in these areas than in RH-2 Districts.

Table 209.1

ZONING CONTROL TABLE FOR RH DISTRICTS

Zoning Category	§	RH-1(D)	RH	RH-	RH-2	RH-3		
	Reference		-1	1(S				
	s)				
BUILDING STANDARDS								

Massing and Setbacks

1					
1	Height and Bulk	§§ 102,	No portion	No portion of a Dwelling may be	Varies,
2	Limits	105, 106,	of a	taller than Varies, but generally	but
3		250-252,	Dwelling	40 feet. Structures with uses	generally
4		253, 260,	may be	other than Dwellings may be	40 feet.
5		261, 261.1,	taller than	constructed to the prescribed	Height
6		<u>263.19,</u>	35 feet.	height limit.	sculpting
7		270, <u>270.3,</u>	Structures	Per § 261 the height limit may	on Alleys
8		271. See	with uses	be decreased based on the	per §
9		also Height	other than	slope of the lot.	261.1.
10		and Bulk	Dwellings		
11		District	may be		
12		Maps.	constructe		
13			d to the		
14			prescribed		
15			height limit,		
16			which is		
17			generally		
18			40 feet.		
19			Per § 261		
20			the height		
21			limit may		
22			be		
23			decreased		
24			or		
25			increased		

1			based on					
2			the slope					
3			of the lot.					
4	Front Setback	§§ 130,	Required. Ba	ased on the front setback of the adjacent				
5		131, 132	property with	the shortest front setback or if subject				
6			property has	a Legislated Setback. When front setback				
7			is based on a	adjacent properties, in no case shall the				
8			required sett	pack be greater than 10 feet.				
9	Rear Yard	§§ 130,	30% of lot de	epth, but in no case less than 15 feet.				
10		134						
11	Side Yard	§§ 130,	Required	Not Required				
12		133	for Lots 28					
13			feet and					
14			wider.					
15			Width of					
16			side					
17			setback					
18			depends					
19			on width of					
20			lot.					
21	<i>Residential</i> -Design	§ 311	Subject to the	e Residential Design Guidelines and				
22	Guidelines and		<u>Citywide Design Standards and any o. Other applicable</u>					
23	<u>Standards</u>		design guidelines that have been approved by the					
24			Planning Cor	mmission <i>-may also apply</i> .				
25	Street Frontage and	d Public Real	m					

F 10 4 1	0.400		A. I	00/ (5	. 0 . 1					
	§ 132									
Landscaping and		permeable	permeable so as to increase storm water infiltration and							
Permeability		20% of Front Setback shall be unpaved and devoted to								
Requirements		plant material.								
Streetscape and	§ 138.1	Required.								
Pedestrian										
Improvements										
(Street Trees)										
Street Frontage	§ 144	§ 144 app	lies gener	ally. Addit	ional requir	ements apply				
Requirements		to Limited	Commerc	cial Uses,	as specified	d in § 186.				
Street Frontage,	§ 155(r)	As specified in § 155(r)								
Parking and										
Loading Access										
Restrictions										
Miscellaneous										
Planned Unit	§ 304	С	С	С	С	С				
Development										
Awning	§ 136.1	<u>N</u> P(1)	<u>N</u> P(1)	<u>N</u> P(1)	<u>N</u> P(1)	<u>N</u> P(1)				
Canopy or	§ 136.1	NP <u>(2)</u>	<u>NP(2)</u>	NP <u>(2)</u>	NP <u>(2)</u>	NP <u>(2)</u>				
Marquee										
Signs	§ 606	As permitt	ed by Sect	tion § 606	<u>.</u>					
Housing Choice-SF	<u>§ 206.10</u>	Form-base	d density, a	udditional l	height, and o	ther zoning				
		modifications for eligible projects in the R-4 Height and Bulk								
		<u>District.</u>								
RESIDENTIAL STA	NDARDS AN									
	Requirements Streetscape and Pedestrian Improvements (Street Trees) Street Frontage Requirements Street Frontage, Parking and Loading Access Restrictions Miscellaneous Planned Unit Development Awning Canopy or Marquee Signs Housing Choice-SF	Landscaping and Permeability Requirements Streetscape and \$ 138.1 Pedestrian Improvements (Street Trees) Street Frontage \$ 144 Requirements Street Frontage, \$ 155(r) Parking and Loading Access Restrictions Miscellaneous Planned Unit \$ 304 Development Awning \$ 136.1 Canopy or \$ 136.1 Marquee Signs \$ 606 Housing Choice-SF \$ 206.10	Landscaping and Permeability Requirements Streetscape and Ş 138.1 Required. Pedestrian Improvements (Street Trees) Street Frontage Ş 144 Ş 144 app Requirements Street Frontage, Parking and Loading Access Restrictions Miscellaneous Planned Unit Ş 304 C Development Awning Ş 136.1 NP(1) Canopy or Ş 136.1 NP(2) Marquee Signs Ş 606 As permitt Housing Choice-SF Ş 206.10 Form-bases modification	Landscaping and Permeability 20% of Front Setback 2	Landscaping and Permeability 20% of Front Setback shall be plant material. Streetscape and Pedestrian Improvements (Street Trees) Street Frontage \$ 144 \$ 144 applies generally. Addit to Limited Commercial Uses, As specified in § 155(r) Parking and Loading Access Restrictions Miscellaneous Planned Unit \$ 304 C C C C C Development Awning \$ 136.1 NP(1) NP(1) NP(1) NP(1) Canopy or \$ 136.1 NP(2) NP(2) NP(2) Marquee Signs \$ 606 As permitted by Section § 606, Mostrict.	Landscaping and Permeability Requirements Streetscape and Pedestrian Improvements (Street Trees) Street Frontage Requirements Street Frontage, Parking and Loading Access Restrictions Planned Unit Pedesons Awning \$ 136.1 NP(1) NP(1) NP(1) NP(1) NP(1) Canopy or \$ 136.1 NP(2) NP(2) NP(2) NP(2) Marquee Signs \$ 206.10 Form-based density, additional height, and of modifications for eligible projects in the R-4 District.				

1	Development Stand	dards						
2	Usable Open	§§ 135,	At least	At least	At least	At least	At least	
3	Space	136	300	300	300	125	100	
4	[Per Dwelling Unit]		square	square	square	square	square	
5			feet if	feet if	feet for the	feet if	feet if	
6			private,	private,	first unit	private,	private,	
7			and 400	and 400	and 100	and 166	and 133	
8			square	square	for the	square	square	
9			feet if	feet if	minor	feet if	feet if	
10			common.	common	second	common	common	
11					unit if			
12					private,			
13					and 400			
14					square			
15					feet for the			
16					first unit			
17					and 133			
18					square			
19					feet for the			
20					second			
21					unit if			
22					common.			
23	Parking	§§ 151,	None required. Maximum permitted per § 151.					
24	Requirements	161						

1	Residential	§ 317	C for Remo	val of	one c	or me	ere Re	side.	ntial Units	or	
2	Conversion,		<i>Unauthorize</i>	ed Un	its.						
3	Demolition, or										
4	Merger <u>of Dwelling</u>										
5	<u>Units, including</u>										
6	<u>Residential Flats</u>										
7	Use Characteristics	5									
8	Intermediate	§§ 102,	P(9)	P(9))	P(9))	P(9	9)	Р	(9)
9	Length Occupancy	202.10									
10	Single Room	§ 102	Р	Р		Р		Р		Р	
11	Occupancy										
12	Student Housing	§ 102	Р	Р		Р	P P				
13	Residential Uses										
14	Residential Density,	§§ 102,	P up to one	Э	P up	o to	P up)	P up to		P up to
15	Dwelling Units	207	<i>One</i> -unit pe	er	one		to tw	0	two units	6	three
16	Density, General		lot, or one	unit	unit		units	5	per lot, c	r	units per
17	(6)(11)		per 3,000		per	lot,	per l	ot,	up to on	е	lot, or up
18			square fee	t of	or u	р	if the)	unit per		to one
19			lot area, wi	th	to o	ne	seco	n	1,500		unit per
20			no more th	an	unit		d un	it	square		1,000
21			three units	per	per		is 60	00	feet of lo	t	square
22			lot.		3,00	00	sq. f	t.	area.		feet of lot
23					squa	are	or				area.
24					feet	of	less,				
25							or up)			

i						-		
1				lot	to one			
2				area.	unit			
3					per			
4					3,000			
5					square			
6					feet of			
7					lot			
8					area,			
9					with			
10					no			
11					more			
12					than			
13					three			
14					units			
15					per lot.			
16	Minimum Dwelling	<u>§ 207.9</u>	Varies depending	on projec	t location, l	but generally	v ranges	
17	Unit Densities, if		between 50 and 1	00 dwellir	ig units per	acre.		
18	<u>Applicable</u>							
19	Maximum Dwelling	<u>§§ 207.10,</u>	P up to 4,000 squ	are feet o <u>f</u>	Gross Floo	or Area or a	<u>n</u>	
20	<u>Unit Size</u>	<u>317</u>	equivalent Floor	Area Ratio	o for any ind	dividual Dw	elling Unit	
21			of 1.2:1. C for D	welling Ui	nits that exc	eed the grea	<u>iter of those</u>	
22			thresholds.					
23	Senior Housing	§§102,	P up to twice the number of dwelling units otherwise					
24	<u>Density</u>	202.2(f) <u>.</u>	permitted as a p	orincipal u	ise in the c	district and i	meeting	
25		<u>207</u>	all the requirem	ents of §	202.2(f)(1)).		

		C up to twice the number of dwelling units otherwise permitted as a principal use in the district and meeting all requirements of <i>Section</i> -§ 202.2(f)(1) except for § 202.2(f)(1)(D)(iv), related to location.						
Residential Density,	§208	NP(10)	NP	NP	P, up to	P, up to		
Group Housing			(10)	(10)	one	one		
<u>Density</u>					bedroom	bedroom		
					for every	for every		
					415	275		
					square	square		
					feet of lot	feet of lot		
					area.	area.		
Homeless Shelter	§§ 102,	Р	Р	Р	Р	Р		
	208							
NON-RESIDENTIAL	STANDARD	S AND USES	T	1				
Floor Area Ratio	§§ 102,	1.8 to 1	1.8 to	1.8 to	1.8 to 1	1.8 to 1		
	123, 124		1	1				
Off-Street Parking	§§ 150,	None required.	Maximun	n permitte	ed per § 151.			
	151, 161							
Limited	§§ 186,	Continuing non	conformir	ng uses a	re permitted	, subject to		
Commercial Uses	186.3	the requiremen	ts of § 18	6. Limited	d Commercia	al Uses		
		may be condition	nally per	mitted in	historic build	lings		
		subject to § 186	S.3.					

1	Limited Corner	§ 231	P on a Corner Lot, with no part of the use extending						
2	Commercial Uses		more than 50 feet in depth from said corner; NP if the						
3			LCCU would require the Residential Conversion of a						
4			Residential Unit or Unauthorized Unit under Planning						
5			Code Section 3	17, unles	s the spa	ce proposed	for		
6			conversion is or	ccupied b	y a garag	je or storage	space		
7			located in the B	asement	or First S	itory.			
8	Commercial Use Cl	haracteristics	5						
9	Drive-up Facility	§ 102	NP						
10	Formula Retail	§ 102,	NP						
11		303.1							
12	Hours of Operation	§§ 102,	For Limited Corner Commercial Uses under § 231 and						
13		186, 231	Limited Comme	rcial Use	s under §	186: P 6:00	a.m. to		
14			10:00 p.m.; NP	10:00 p.r	n. to 6:00	a.m.			
15	Maritime Use	§ 102	NP						
16	Open Air Sales	§ 102	NP						
17	Outdoor Activity	§§ 102,	P if located in fr	ont of bui	ilding; NP	if elsewhere	э.		
18	Area	145.2, 186,							
19		202.2, 231							
20	Walk-up Facility	§ 102	NP						
21	Agricultural Use Ca	tegory							
22	Agricultural Uses*	§§ 102,	С	С	С	С	С		
23		202.2(c)							
24	Agriculture,	§§ 102,	NP	NP	NP	NP	NP		
25	Industrial	202.2(c)							
		·		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	·	·		

,		T	1	,	1	_				
1	Agriculture,	§§ 102,	Р	Р	Р	Р	Р			
2	Neighborhood	202.2(c)								
3	Automotive Use Category									
4	Automotive Uses*	§ 102	NP	NP	NP	NP	NP			
5	Parking Garage,	§ 102	С	С	С	С	С			
6	Private									
7	Parking Lot,	§ 102	С	С	С	С	С			
8	Private									
9	Parking Lot, Public	§§ 102,	NP	NP	NP	NP	NP			
10		142, 156								
11	Entertainment, Arts	s and Recrea	tion Use Catego	ory						
12	Entertainment,	§ 102	NP	NP	NP	NP	NP			
13	Arts and									
14	Recreation Uses*									
15	Open Recreation	§ 102	С	С	С	С	С			
16	Area									
17	Passive Outdoor	§ 102	Р	Р	Р	Р	Р			
18	Recreation									
19	Industrial Use Cate	gory								
20	Industrial Uses*	§ 102	NP	NP	NP	NP	NP			
21	Institutional Use Ca	ategory								
22	Institutional	§ 102	NP	NP	NP	NP	NP			
23	Uses*									
24	Child Care Facility	§ 102	Р	Р	Р	Р	Р			
		•	•	•	•	•				

Community Facility	§ 102	С	С	С	С	С		
Hospital	§ 102	С	С	С	С	С		
Post-Secondary	§ 102	С	С	С	С	С		
Ed. Institution								
Public Facilities	§ 102	Р	Р	Р	Р	Р		
Religious Institution	§ 102	С	С	С	С	С		
Residential Care	§ 102	Р	Р	Р	Р	Р		
Facility								
School	§ 102	С	С	С	С	С		
Sales and Service Category								
Retail Sales and	§ 102	NP	NP	NP	NP	NP		
Service Uses*								
Hotel	§ 102	NP	NP	NP	C(4)	C(4)		
Mortuary	§ 102	C(5)	C(5)	C(5)	C(5)	C(5)		
Non-Retail Sales	§ 102	NP	NP	NP	NP	NP		
and Service Uses								
Utility and Infrastru	icture Use Ca	ategory						
Utility and	§ 102	NP	NP	NP	NP	NP		
Infrastructure*								
Internet Service	§ 102	С	С	С	С	С		
Exchange								
Utility Installation	§ 102	С	С	С	С	С		

		1	1		l	T				
1	Wireless	§ 102	C or P (7)	C or P	C or P	C or P (7)	C or P			
2	Telecommunication	1		(7)	(7)		(7)			
3	s Services Facility	Services Facility								
4	* Not listed below.									
5	(1) <u>P if requi</u>	red as a wind m	itigation feature. A	dditionally	<u>,</u> P for Lii	mited Comm	ercial Uses			
6	and Limited Corner	Commercial Us	ses per <u>§Section</u> 1	36.1 <i>-only</i>	, otherwise	e NP .				
7	(2) [Note Del	eted] Canopy is	P if required as a	wind mitig	gation feat	ure.				
8	(4) C for five	or fewer gues	t rooms or suites	of rooms	; NP for s	six or more g	uest rooms.			
9	(5) Must be	located on a la	ndmark site, and	where th	e site is v	vithin a Heigl	nt and Bulk			
10	District of 40 feet or	less, and wher	e a columbarium	use has	lawfully a	nd continuou	ısly			
11	operated since the ti	me of designa	tion.							
12	(6) Construc	tion of Access	ory Dwelling Unit	s may be	permitted	d pursuant to	Sections			
13	207.1 and 207.2.									
14	(7) C if a Ma	cro WTS Facil	ity; P if a Micro W	/TS Facili	ty.					
15	(8) [Note ex	oired.]								
16	(9) NP for b	uildings with th	ree or fewer Dwe	lling Unit	s; C for bu	uildings with	10 or more			
17	Dwelling Units.									
18	(10) Group I	Housing permit	ted at one room	per 415 s	q. ft. of lo	t area accord	ding to the			
19	provisions in Plannir	ng Code Section	n 207(c)(8).							
20	(11) P for up	to four dwellin	ng units per lot, ex	xcluding (Corner Lo	ts, and P for	up to six			
21	dwelling units in Cor	ner Lots, pursu	uant to Section 20	07(c)(8).						
22										
23	SEC. 209.2. I	RM (RESIDEN	TIAL, MIXED) DI	STRICTS	5.					
24	* * * *									
25	Table 209.2									

ZONING CONTROL TABLE FOR RM DISTRICTS

,						1				
2	Zoning Category	§	RM-1	RM-2	RM-3	RM-4				
3		References								
4	BUILDING STANDA	RDS								
5	Massing and Setbacks									
6	Height and Bulk	§§ 102, 105,	Varies,. See I	Height and B	ulk Map and re	eferenced				
7	Limits	106, 250-	sections. Hei	ght sculpting	on Alleys per	§ 261.1.				
8		252, 253,								
9		260, 261.1-,								
10		<u>263.19,</u> 27 0,								
11		<u>270.3,</u> 271								
12	Front Setback	§§ 130, 131,	Based on the front setback of the adjacent property							
13		132	with the short	est front setb	ack or if subje	ct property				
14			has a Legisla	ted Setback.	When front se	tback is				
15			based on adja	acent propert	ies, in no case	shall the				
16			required setba	ack be greate	er than 10 feet					
17	Rear Yard	§§ 130, 134	30% of lot dep	pth but in	25% of lot de	pth, but in no				
18			no case less	than 15	case less tha	n 15 feet.				
19			feet.							
20	Side Yard	§§ 130, 133	Not Required							
21	<i>Residential</i> -Design	§ 311	Subject to the	e Residential	Design Guidel	ines <u>and</u>				
22	Guidelines and		Citywide Desig	gn Standards a	<i>any <mark>. O</mark>o</i> the	r design				
23	<u>Standards</u>		guidelines tha	at have been	approved by t	he Planning				
24			Commission-	may also apply	y .					
25	Street Frontage and	l Public Realm								
	·	·			-					

Front Setback	§ 132	At least 50% of Front Setback shall be permeable so					
Landscaping and		as to increase	e stormwater i	nfiltration and	20% of		
Permeability		Front Setback	shall be unpa	aved and dev	oted to plant		
Requirements		material.					
Streetscape and	§ 138.1	Required.					
Pedestrian							
Improvements							
(Street Trees)							
Street Frontage	§ 144	§ 144 applies generally. Additional requirements					
Requirements		apply to Limited Commercial Uses, as specified in §					
		186.					
Moderation of	§ 144.1	Stepping of the front of the buildings required when					
Building Frontage		lot width is greater than 35 feet.					
Street Frontage,	§ 155(r)	As specified in § 155(r).					
Parking and Loading							
Access Restrictions							
Miscellaneous							
Planned Unit	§ 304	С	С	С	С		
Development							
Awning	§ 136.1	<u>N</u> P(1)	<u>N</u> P(1)	<u>N</u> P(1)	<u>N</u> P(1)		
Canopy or Marquee	§ 136.1	NP <u>(2)</u>	NP <u>(2)</u>	NP <u>(2)</u>	NP <u>(2)</u>		
Signs	§ 606	As permitted	by Section § 60	06.			
Housing Choice-SF	<u>§ 206.10</u>	Form-based de	ensity, additiona	al height, and o	ther zoning		
		modifications for eligible projects in the R-4 Height and					
		Bulk District.					
	Landscaping and Permeability Requirements Streetscape and Pedestrian Improvements (Street Trees) Street Frontage Requirements Moderation of Building Frontage Street Frontage, Parking and Loading Access Restrictions Miscellaneous Planned Unit Development Awning Canopy or Marquee Signs	Landscaping and Permeability Requirements Streetscape and § 138.1 Pedestrian Improvements (Street Trees) Street Frontage § 144 Requirements Moderation of § 144.1 Building Frontage Street Frontage, § 155(r) Parking and Loading Access Restrictions Miscellaneous Planned Unit § 304 Development Awning § 136.1 Canopy or Marquee § 136.1 Signs § 606	Landscaping and Permeability Front Setback Requirements material. Streetscape and § 138.1 Required. Pedestrian Improvements (Street Trees) Street Frontage § 144 § 144 applies apply to Limit 186. Moderation of § 144.1 Stepping of the lot width is greated by the second sec	Landscaping and Permeability Front Setback shall be unported and permeability Requirements material. Streetscape and § 138.1 Required. Pedestrian Improvements (Street Trees) Street Frontage § 144 § 144 applies generally. Adaptive apply to Limited Commercial 186. Moderation of § 144.1 Stepping of the front of the lot width is greater than 35. Street Frontage, § 155(r) As specified in § 155(r). Parking and Loading Access Restrictions Miscellaneous Planned Unit § 304 C C Development Awning § 136.1 NP(1) NP(1) Canopy or Marquee § 136.1 NP(2) NP(2) Signs § 606 As permitted by Section § 606 Housing Choice-SF § 206.10 Form-based density, additional modifications for eligible projection.	Landscaping and Permeability Requirements Streetscape and Ş 138.1 Required. Street Frontage Requirements Street Frontage S 144.1 Stepping of the front of the buildings required lot width is greater than 35 feet. Street Frontage, Parking and Loading Access Restrictions Miscellaneous Planned Unit S 304 C C C C C Development Awning S 136.1 NP(1) NP(1) NP(1) Canopy or Marquee S 136.1 NP(2) NP(2) NP(2) Signs S 606 As permitted by Section 8 In the R-4 In the R-4 In the Requirements of the Register of the Section 1 of the buildings required lot width is greater than 35 feet.		

1	RESIDENTIAL STANDARDS AND USES								
2	Development Standards								
3	* * * *								
4	Usable Open Space	§§ 135, 136	At least	At least	t 80	At le	ast 60	At I	east 36
5	[Per Dwelling Unit]		100 square	square	feet	squa	re feet	squ	uare feet
6			feet if	if privat	æ,	if priv	vate	if p	rivate,
7			private,	and 10	6	and a	80	and	d 48
8			and 133	square	feet	squa	re feet	squ	uare feet
9			square feet	per		per		per	
10			per	Dwellin	g	Dwe	lling	Dw	elling
11			Dwelling	Unit if		Unit	if	Uni	it if
12			Unit if	commo	n.	comi	mon.	cor	nmon.
13			common.						
14	Parking	§§ 151,	None requi	ed. Maxir	num p	ermit	ted per §	} 15′	1.
15	Requirements	§155, 161							
16	Residential	§ 317	C for Remov	al of one o	r more	e Resia	lential Ur	rits o) r
17	Conversion,		<i>Unauthorize</i>	d Units.					
18	Demolition, or								
19	Merger of Dwelling								
20	Units, including								
21	Residential Flats								
22	* * * *								
23	Use Characteristics		,		_			1	
24	Intermediate Length	§§ 102,	P(10)	P(10)	P(10))	P(10)		P(10)
25	Occupancy	202.10							

i		T	1				T		
1	Single Room	§ 102	Р	Р		Р		Р	Р
2	Occupancy								
3	Student Housing	§ 102	Р	Р		Р		Р	Р
4	Residential Uses								
5	Residential Density,	§ 207	P if 3 units		P if 3 un	rits	P if 3	units	P if 3 units
6	Dwelling Units		per lot or a	ŧ	per lot c	or at	per l	ot or at	per lot or at
7	<u>Density, General</u> (7)		least one ur	rit	least on	e	least	one	least one
8			per 1067		unit per	800	unit j	per 533	unit per 267
9			square feet	of	square j	leet	square feet		square feet
10			lot area,		of lot area,		of lot area,		of lot area,
11			whichever i	is	whichever is		whichever is		whichever is
12			greater.		greater.	-	greater.		greater.
13			Total		Total		Total		Total
14			maximum		maxim	um	max	imum	maximum
15			permitted		permitt	ed	pern	nitted	permitted
16			density is		density	is	dens	sity is	density is
17			one unit pe	er	one un	it	one	unit	one unit
18			800 square	е	per 600)	per 4	400	per 200
19			feet of lot		square	feet	squa	are feet	square feet
20			area. (11)		of lot a	rea.	of lo	t area	of lot area.
21					(11)		(11)		(8) , (11)
22	Minimum Dwelling	<u>§ 207.9</u>	Varies depe	endir	ng on pr	oject le	ocatio.	n, but gen	nerally ranges
23	<u>Unit Densities</u>		between 50 and 100 dwelling units per acre.						
24									

1	Maximum Dwelling	<u>§§ 207.10,</u>	P up to 4,000	P up to 4,000 square feet of Gross Floor Area or an					
2	<u>Unit Size</u>	<u>317</u>	equivalent F	equivalent Floor Area Ratio for any individual Dwelling					
3			<i>Unit of 1.2:1</i>	. C for Dwelling	g Units that exc	eed the			
4			greater of th	ose thresholds.					
5	Senior Housing	§§102,	P up to twic	e the number of	of dwelling unit	ts otherwise			
6	<u>Density</u>	202.2(f) <u>, 207</u>	permitted a	s a Principal U	se in the distri	ct and			
7			meeting all	the requiremer	nts of § 202.2(1	f)(1).			
8									
9			C up to twice	e the number	of dwelling uni	ts otherwise			
10			permitted a	s a Principal U	se in the distri	ct and			
11			meeting all	meeting all requirements of Section § 202.2(f)(1)					
12			except for §	202.2(f)(1)(D)	(iv), related to	location.			
13	Residential Density,	§208	P (6), Up to	P (6), Up to	P (6), Up to	P (6), Up			
14	Group Housing		one	one	one	to one			
15	<u>Density</u>		bedroom fo	r bedroom	bedroom	bedroom			
16			every 275	for every	for every	for every			
17			square feet	210 square	140 square	70 square			
18			of lot area.	feet of lot	feet of lot	feet of lot			
19				area.	area.	area.			
20									
21	Homeless Shelter	§§ 102, 208	Р	Р	Р	Р			
22	NON-RESIDENTIAL	STANDARDS	AND USES						
23	Floor Area Ratio	§§ 102,	1.8 to 1	1.8 to 1	3.6 to 1	4.8 to 1			
24		123, 124							

t, with no tending
tending
tending
tending
et in
,
orner;
ould
ential
r
t under
ection
pace
ersion is
age or
ated in
First
rmercial
subject
cial Uses
ngs

1	Formula Retail	§ 102,	NP					
2		303.1						
3	Hours of Operation	§§ 102,	For Limited C	orner Comme	rcial Uses unde	er § 231 and		
4		186, 231	Limited Com	nercial Uses u	nder § 186: P	6:00 a.m. to		
5			10:00 p.m.; N	IP 10:00 p.m. t	o 6:00 a.m.			
6	Maritime Use	§ 102	NP					
7	Open Air Sales	§ 102	NP					
8	Outdoor Activity	§§ 102,	P if located in	front of building	ng; NP if elsew	here.		
9	Area	145.2, 186,						
10		202.2, 231						
11	Walk-up Facility	§ 102	NP		Р			
12	Agricultural Use Car	tegory						
13	Agricultural Uses*	§§ 102,	С	С	С	С		
14		202.2(c)						
15	Agriculture,	§§ 102,	NP	NP	NP	NP		
16	Industrial	202.2(c)						
17	Agriculture,	§§ 102,	Р	Р	Р	Р		
18	Neighborhood	202.2(c)						
19	Automotive Use Cat	egory						
20	Automotive Uses*	§ 102	NP	NP	NP	NP		
21	Parking Garage,	§ 102	С	С	С	С		
22	Private							
23	Parking Lot, Private	§ 102	С	С	С	С		
24	Entertainment, Arts and Recreation Use Category							
	L							

Entertainment,	§ 102	NP	NP	NP	NP			
Arts and								
Recreation Uses*								
Open Recreation	§ 102	С	С	С	С			
Area								
Passive Outdoor	§ 102	Р	Р	Р	Р			
Recreation								
Industrial Use Categ	jory							
Industrial Uses*	§ 102	NP	NP	NP	NP			
Institutional Use Car	tegory							
Institutional Uses*	§ 102	NP	NP	NP	NP			
Child Care Facility	§ 102	Р	Р	Р	Р			
Community Facility	§ 102	С	С	С	С			
Hospital	§ 102	С	С	С	С			
Post-Secondary Ed.	§ 102	С	С	С	С			
Institution								
Public Facilities	§ 102	Р	Р	Р	Р			
Religious Institution	§ 102	С	С	С	С			
Residential Care	§ 102	Р	Р	Р	Р			
Facility								
School	§ 102	С	С	С	С			
Sales and Service C	Sales and Service Category							
Retail Sales and	§ 102	NP	NP	NP	NP			
Service Uses*								

1	Hotel	§ 102	C(4)	C(4)	C(4)	C(4)
2	Mortuary	§ 102	C(5)	C(5)	C(5)	C(5)
3	Non-Retail Sales	§ 102	NP	NP	NP	NP
4	and Service Uses					
5	Utility and Infrastruc	ture Use Cat	egory			
6	Utility and	§ 102	NP	NP	NP	NP
7	Infrastructure*					
8	Internet Service	§ 102	С	С	С	С
9	Exchange					
10	Utility Installation	§ 102	С	С	С	С
11	Wireless	§ 102	C or P (9)			
12	Telecommunications					
13	Services Facility					

- * Not listed below.
- (1) <u>P if required as a wind mitigation feature. Additionally,</u> P for Limited Commercial Uses and Limited Corner Commercial Uses per § 136.1 <u>only, otherwise NP</u>.
 - (2) [Note Deleted] Canopy is P if required as a wind mitigation feature.
 - (3) [Note Deleted]
- (4) C for 5 or fewer guest rooms or suites of rooms; NP for 6 or more guest rooms; provided, however, that a total of up to 47 Tourist Hotel rooms are Principally Permitted on Block 0976, Lot 001, subject to the provisions of Ordinance No. 251-22.
- (5) Must be located on a landmark site, and where the site is within a Height and Bulk District of 40 feet or less, and where a columbarium use has lawfully and continuously operated since the time of designation.

15

16

17

18

19

20

21

22

23

- (6) C required if the Group Housing is affiliated with and operated by a Hospital or an Institutional Educational Use as defined in Section 102.
 - (7) Construction of Accessory Dwelling Units may be permitted pursuant to Sections 207.1 and 207.2.
 - (8) For purposes of this calculation, a Dwelling Unit in this <u>dD</u>istrict containing no more than 500 square feet of net floor area and consisting of not more than one habitable room in addition to a kitchen and a bathroom may be counted as equal to three-quarters of a Dwelling Unit.
 - (9) C if a Macro WTS Facility; P if a Micro WTS Facility.
 - (10) NP for buildings with three or fewer Dwelling Units; C for buildings with 10 or more Dwelling Units.
 - (11) [Note Deleted] NP if less than minimum density as set forth in the table. Expansions of existing single-family residential buildings may not exceed more than 25% of Gross Floor Area over 10 years, or result in a building over 3,000 square feet. In new construction, no unit may be smaller than one-third the Gross Floor Area of the largest unit in the building.

SEC. 209.3. RC (RESIDENTIAL-COMMERCIAL) DISTRICTS.

These Districts are intended to recognize, protect, conserve, and enhance areas characterized by structures combining Residential uses with neighborhood-serving Commercial uses. The predominant Residential uses are preserved, while provision is made for supporting Commercial uses, usually in or below the ground story, that meet the frequent needs of nearby residents without generating excessive vehicular traffic. The compact, walkable, transit-oriented and mixed-use nature of these Districts is recognized by no offstreet parking requirements. The RC Districts are composed of two separate districts, as follows:

RC-3 Districts: Medium Density. These Districts provide for <u>Residential Usesa mixture of medium density Dwellings similar to those in RM-3 Districts</u>, with supporting Commercial <u>#U</u>ses.

Open spaces are required for Dwellings in the same manner as in RM-3 Districts, except that rear yards need not be at ground level and front setback areas are not required.

RC-4 Districts: High Density. These Districts provide for <u>Residential Uses</u>, a mixture of high-density Dwellings similar to those in RM-4 Districts—with supporting Commercial uses. Open spaces are required for Dwellings in the same manner as in RM-4 Districts, except that rear yards need not be at ground level and front setback areas are not required.

* * * *

Table 209.3

ZONING CONTROL TABLE FOR RESIDENTIAL-COMMERCIAL DISTRICTS

Zoning Category	§ References	RC-3	RC-4
BUILDING STANDAR	RDS		
Massing and Setbac	ks		
Height and Bulk	§§ 102, 105,	Varies,. See Height and B	ulk Maps. Height sculpting
Limits	106, 250-	on Alleys per § 261.1.	
	252, 260-,		
	261.1-,		
	<u>263.19,</u> 270,		
	<u>270.3,</u> 271		
* * * *			
<i>Residential</i> Design	§ 311	Subject to the Residential	Design Guidelines and
Guidelines and		Citywide Design Standards of	<i>and any. Oo</i> ther design
<u>Standards</u>		guidelines that have been	approved by the Planning
		Commission may also app	oly.

1	Street Frontage and	Public Pealm		
2	* * * *	done Realin		
3	Street Frontage,	§ 155(r)	As specified in § 155(r).	As specified in § 155(r).
4	Parking and Loading			Curb cuts are NP on The
5	Access Restrictions			Embarcadero between
6				King and Jefferson Streets,
7				and on Broadway between
8				Mason and The
9				Embarcadero.
10	Miscellaneous			
11	* * * *			
12	Signs	§ 607.1	Per § 607.1.	Per § 607.1.
13	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, addition	nal height, and other zoning
14			modifications for eligible pro	ojects in the R-4 Height and
15			Bulk District.	
16	RESIDENTIAL STAN	DARDS AND US	SES	
17	Development Standa	rds		
18	* * * *			
19	Residential	§ 317	C for Removal of one or mor	re Residential Units or
20	Conversion,		Unauthorized Units.	
21	Demolition, or			
22	Merger of Dwelling			
23	Units, including			
24	Residential Flats			
25	* * * *			

1	Residential Uses			
2	Residential Density,	§ 207	Form-Based Density	Form-Based Density
3	Dwelling Units		applies within the R-4	applies within the R-4
4	Density, General (7)		Height and Bulk District (§	Height and Bulk District (§
5	(13)		263.19). Outside the R-4	263.19). Outside the R-4
6			Height and Bulk District, P	Height and Bulk District, P
7			if 3 units per lot, or at least	if 3 units per lot or at least
8			one unit per 533 square	one unit per 267 square
9			feet of lot area, whichever	feet of lot area, whichever
10			is greater. T total	<i>is greater. T</i> total
11			maximum permitted	maximum permitted
12			density is one unit per	density is one unit per
13			400 square feet of lot	200 square feet of lot
14			area. (13)	area. No density limits in
15				the Van Ness SUD (§
16				243). (8) , (13)
17				
18	Minimum Dwelling	<u>§ 207.9</u>	Varies depending on project	location, but generally
19	<u>Unit Densities</u>		ranges between 50 and 100 a	lwelling units per acre.
20				
21	Maximum Dwelling	§§ 207.10, 317	P up to 4,000 square feet of C	Gross Floor Area or an
22	<u>Unit Size</u>		equivalent Floor Area Ratio	for any individual Dwelling
23			Unit of 1.2:1. C for Dwelling	g Units that exceed the
24			greater of those thresholds.	

Senior Housing	§§102,	Form-Based Density applies	within the R-4 Height and
<u>Density</u>	202.2(f) <u>, 207</u>	Bulk District (§ 263.19). Out	side the R-4 Height and Bulk
		District, P up to twice the r	number of dwelling units
		otherwise permitted as a p	orincipal use in the district
		and meeting all the require	ements of § 202.2(f)(1).
		C up to twice the number	of dwelling units otherwise
		permitted as a principal us	se in the district and
		meeting all requirements of	of <i>Section</i> § 202.2(f)(1),
		except for § 202.2(f)(1)(D)(iv), related to location.
		C up to twice the number	of dwelling units otherwise
		permitted as a Principal U	se in the district and
		meeting all requirements of	of <i>Section</i> § 202.2(f)(1)
		except for § 202.2(f)(1)(D)	(iv), related to location.
Residential Density,	§208	Form-Based Density	Form-Based Density
Group Housing		applies within the R-4	applies within the R-4
<u>Density</u>		Height and Bulk District (§	Height and Bulk District (§
		263.19). Outside the R-4	263.19). Outside the R-4
		Height and Bulk District, P	Height and Bulk District, P
		up to one bedroom for	up to one bedroom for
		every 140 square feet of	every 70 square feet of
		lot area. (9)	lot area. (9)
* * * *			
NON-RESIDENTIAL	STANDARDS A	ND USES	
Development Standa	ards		

1	Floor Area Ratio	§§ 102, 123,	3.6 to 1. For Office Uses	4.8 to 1. Other FAR
2		124 <u>, 207.9</u>	minimum intensities may	controls apply in the Van
3			apply pursuant to § 207.9.	Ness SUD; § 243(c)(1).
4				For Office Uses minimum
5				intensities may apply
6				pursuant to § 207.9.
7	* * * *			
8	* * * *			

- (7) Construction of Accessory Dwelling Units may be *permitted P* pursuant to Sections 207.1 and 207.2.
- (8) For purposes of this calculation, a Dwelling Unit in this $d\underline{D}$ istrict containing no more than 500 square feet of net floor area and consisting of not more than one habitable room in addition to a kitchen and a bathroom may be counted as equal to three-quarters of a Dwelling Unit.
- (9) <u>Within the Priority Equity Geographies SUD</u>, C required if the Group Housing is affiliated with and operated by a Hospital or an Institutional Educational Use as defined in Section 102.

18 * * * *

(13) [Note Deleted] NP if less than minimum density as set forth in the table. Expansions of existing single-family residential buildings may not exceed more than 25% of Gross Floor Area over 10 years, or result in a building over 3,000 square feet. In new construction, no unit may be smaller than one-third the Gross Floor Area of the largest unit in the building.

Section 7. Residential, Transit Oriented (RTO) Districts. Articles 1, 2, 3 and 6 of the Planning Code are hereby amended by revising Sections 121.2, 124, 132, 134, 135, 144, 186, 186.3, 201, 207.6, 207.7, 208, 209.4, 231, 303, 304, 603, 606, and 607.1, to read as follows:

SEC. 121.2. NON-RESIDENTIAL USE SIZE LIMITS IN NEIGHBORHOOD COMMERCIAL, AND NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICTS, AND THE RTO-C DISTRICT.

(a) In order to protect and maintain a scale of development appropriate to each district, Non-Residential Uses of the same size or larger than the square footage stated in the table below may be permitted only as Conditional Uses. The use area shall be measured as the Gross Floor Area for each individual Non-Residential Use.

District	Use Size Limits
* * *	* * * *
Taraval Street	4,000 sq. ft.
Residential Transit Oriented, Community	5,000 sq. ft., unless such use is part of a project
Districts (RTO-C)	in which at least 2/3 of the floor area is for
	Residential Uses.
* * * *	* * * *

SEC. 124. BASIC FLOOR AREA RATIO.

(a) Except as provided in subsections (b), (c), (d), (e), (k), and (l) of this Section 124, the basic Floor Area Ratio limits specified in the Zoning Control Table for the district in which

the lot is located, or in Table 124 below, shall apply to each building or development in the districts indicated.

TABLE 124 BASIC FLOOR AREA RATIO LIMITS	
District	Basic Floor Area Ratio Limit
RED, RED-MX	1.0 to 1
Pacific	1.5 to 1
* * * * RTO , <i>RTO-M-</i> * * * * *	1.8 to 1
* * * *	

(b) In R, RC, NC, and Mixed Use Districts, <u>F</u>floor <u>A</u>area <u>R</u>ratio limits shall not apply to <u>dwellings or to other rResidential aU</u>ses. <u>However, projects proposing new construction of a</u> <u>Dwelling Unit that would exceed the maximum dwelling unit size described in Section 207.10 may require a Conditional Use Authorization by the Planning Commission as set forth in Section 207.10. In Chinatown Mixed Use Districts, the above floor area ratio limits shall not apply to institutions, and mezzanine commercial space shall not be calculated as part of the floor area ratio.</u>

20 * * *

SEC. 132. FRONT SETBACK AREAS IN RTO, RH, AND RM DISTRICTS AND FOR REQUIRED SETBACKS FOR <u>PROJECTS IN NC AND RTO-C DISTRICTS, AND</u> PLANNED UNIT DEVELOPMENTS.

1	The following requirements for minimum front setback areas shall apply to every
2	building in all RH, RTO, and RM Districts, in order to relate the setbacks provided to the
3	existing front setbacks of adjacent buildings. Buildings in RTO Districts which have more than 75
4	feet of street frontage are additionally subject to the Ground Floor Residential Design Guidelines, as
5	adopted and periodically amended by the Planning Commission. Planned Unit Developments or
6	PUDs, as defined in Section 304, shall also provide landscaping in required setbacks in
7	accord with Section 132(g).
8	* * * *
9	(c) Applicability to Special Lot Situations.
10	* * * *
11	(3) Lots Abutting RC, C, M, and P Districts. In the case of any lot that abuts
12	property in an RC, C, M, or P District, any property in such district shall be disregarded, and
13	the required setback for the subject lot shall be equal to the front setback of the adjacent
14	building in the RH, RTO, or RM District.
15	* * * *
16	(e) Required Front Setbacks and Sidewalk Widths in RTO-C and NC Districts.
17	(1) Applicability. This subsection (e) applies to projects located in RTO-C and
18	Neighborhood Commercial (NC) Districts that meet any of the following criteria:
19	(A) Have a street frontage of 50 feet or more;
20	(B) Are located on a Corner Lot; or
21	(C) Are adjacent to a building with a front setback consistent with the
22	requirements of this subsection.
23	(2) Setback Requirement. Where the sidewalk does not meet the recommended width
24	required by the Better Streets Plan, a front setback shall be provided to widen the publicly accessible
25	sidewalk. The setback must be wide enough so that, when combined with the existing sidewalk, the total

1	distance from the curb to the building frontage meets or exceeds the recommended width under the
2	Better Streets Plan. If a greater front setback is required under Section 132 or any other provision of
3	this Code, the greater requirement shall apply. This setback is required only up to 15 feet above street
4	grade.
5	* * * *
6	(h) Permeable Surfaces. The front setback area shall be at least 50% permeable so
7	as to increase stormwater infiltration. The Permeable Surface may be inclusive of the area
8	counted towards the landscaping requirement; provided, however, that turf pavers or similar
9	planted hardscapes shall be counted only toward the Permeable Surface requirement and not
10	the landscape requirement.
11	(1) The Zoning Administrator, after consultation with the Director of Public
12	Works, may waive the Permeable Surface requirement if the site does not qualify as a
13	suitable location pursuant to Department of Public Works rules and regulations.
14	(2) If the site receives stormwater run-off from outside the lot boundaries, the
15	Zoning Administrator, after consultation with the General Manager of the Public Utilities
16	Commission, may modify the Permeable Surface requirement to include alternative
17	management strategies, such as bio-retention or other strategies, pursuant to Public Utilities
18	Commission rules and regulations.
19	(3) If a portion of the front setback is designed as a publicly-accessible sidewalk
20	extension to satisfy the Better Streets Standard width standards under subsection (e), then the
21	provisions of this subsection (h) do not apply.
22	* * * *
23	
24	
25	

1	SEC. 134. REAR YARDS IN R, RC, <u>RTO,</u> NC, M, CMUO, MUG, MUO, MUR, RED,
2	RED-MX, SPD, UMU, AND WMUG DISTRICTS; AND LOT COVERAGE REQUIREMENTS
3	IN C DISTRICTS.
4	* * * *
5	(b) Applicability. The rear yard requirements established by this Section 134 shall
6	apply to every building in the districts listed below, except NC-S Districts, where no rear yard is
7	required. To the extent that these provisions are inconsistent with any Special Use District or
8	Residential Character District, the provisions of the Special Use District or Residential
9	Character District shall apply.
10	(c) Basic Requirements. The basic rear yard requirements shall be as follows for the
11	districts indicated:
12	(1) In RH, RM-1, RM-2, RTO-1, and RTO-M Zoning Districts, the basic rear
13	yard shall be equal to 30% of the total depth of the lot on which the building is situated, but in
14	no case less than 15 feet.
15	* * * *
16	(d) Rear Yard Location Requirements.
17	(1) RH, RM, RTO-1, RTO-M, NC-1, NCT-1, Inner Sunset, Outer Clement
18	Street, Cole Valley, Haight Street, Lakeside Village, Sacramento Street, 24th Street-Noe
19	Valley, Pacific Avenue, and West Portal Avenue NC Districts. Rear yards shall be
20	provided at grade level and at each succeeding level or story of the building.
21	(2) <u>RTO-C, NC-S,</u> NC-2, NCT-2, Ocean Avenue, Inner Balboa Street, Outer
22	Balboa Street, Castro Street, Cortland Avenue, Divisadero Street NCT, Excelsior-Outer
23	Mission Street, Inner Clement Street, Upper Fillmore Street, Lower Haight Street, Judah
24	Street, Noriega Street, North Beach, San Bruno Avenue, Taraval Street, Inner Taraval

Street, Irving Street, Union Street, Valencia Street, 24th Street-Mission, Glen Park, and

1 Folsom Street NC Districts, and the Regional Commercial District and Folsom Street Districts.

Rear yards shall be provided at the second story, and at each succeeding story of the building, and at the First Story if it contains a Dwelling Unit.

* * * *

(6H) Lot Coverage in C Districts. Lot coverage is limited to 80% at all levels containing residential uses, except that on levels that include only lobbies and circulation areas and on levels in which all residential uses, including circulation areas, are within 40 horizontal feet from a property line fronting a street or alley, up to 100% lot coverage may occur. The unbuilt portion of the lot shall be open to the sky except for those obstructions permitted in yards pursuant to subsections (1) through (23) of Section 136(c). Where the adjacent properties have an existing rear yard, the unbuilt area of the new project shall be designed to adjoin that rear yard. In accordance with Section 210.5, lot coverage requirements shall not be applicable for Commercial to Residential Adaptive Reuse projects.

* * * *

(f) Second Building on Corner Lots and Through Lots in RH, RTO, RTO-M, RM-1, and RM-2 Districts. Where a lot is a Corner Lot, or is a through lot having both its front and its rear lot line along Streets, Alleys, or a Street and an Alley, the subject lot may have two buildings, each fronting at one end of the lot, provided that all the other requirements of this Code are met. In such cases, the rear yard required by this Section 134 for the subject lot shall be located in the central portion of the lot, between the two buildings on such lot. In no case shall the total minimum rear yard for the subject lot be thus reduced to less than a depth equal to 30% of the total depth of the subject lot or to less than 15 feet, whichever is greater; provided, however, that the Zoning Administrator may reduce the total depth to 20% pursuant to Section 307(I) of this Code if the reduction is for the sole purpose of constructing an Accessory Dwelling Unit under Section 207.1, and provided further that the reduction/waiver is

1	in consideration of the property owner entering into a Regulatory Agreement pursuant to
2	Section 207.1 subjecting the ADU to the San Francisco Rent Stabilization and Arbitration
3	Ordinance. For buildings fronting on a Narrow Street as defined in Section 261.1 of this Code
4	the additional height limits of Section 261.1 shall apply. Furthermore, in all cases in which this
5	subsection (f) is applied, the requirements of Section 132 of this Code for front setback areas
6	shall be applicable along both Street or Alley frontages of the subject through lot.

(1) Lot Coverage for Large Lots. This subsection (1) shall apply to all districts except C-3 districts. In lieu of rear yard and lot coverage controls described in this Section 134, where a development lot is two acres or greater, the allowed lot coverage for any project containing residential uses shall be limited to 60% of lot area at street grade and above with a corresponding requirement of 40% unbuilt area in Residential Districts other than RTO-C, and in all other districts 65% lot coverage from the second story and above with 35% lot area unbuilt. Obstructions permitted in setbacks and yards per Section 136 are permitted in the unbuilt area. New rights-of-way, pedestrian passageways or any portion of the site provided for publicly-accessible circulation or open space, including but not limited to any such space provided pursuant to Planning Code Sections 270.2, 270.3, or elsewhere in this Code, may count toward the required unbuilt area.

18

19

20

8

9

10

11

12

13

14

15

16

17

SEC. 135. USABLE OPEN SPACE FOR DWELLING UNITS AND GROUP HOUSING, R, NC, MIXED USE, C, AND M DISTRICTS.

22

23

24

25

* * * * 21

> (d) **Amount Required.** Usable open space shall be provided for each building in the amounts specified herein and in Tables 135A and B for the district in which the building is located; provided, however, that (i) in the Downtown Residential (DTR) Districts, open space shall be provided in the amounts specified in Section 825, and (ii) in accordance with Section

1 210.5, usable open space shall not be required for Commercial to Residential Adaptive Reuse 2 projects. 3 (6) Efficiency Dwelling Units With Reduced Square Footage. Common usable open 4 5 space shall be the preferred method of meeting the open space requirement for Efficiency Dwelling 6 Units with reduced square footage, as defined in Section 318 of this Code. Private open space shall not 7 be credited toward satisfaction of the open space requirement for such units unless the Zoning 8 Administrator determines that the provision of common open space is infeasible or undesirable, in whole or in part, due to 9 10 (A) site constraints, (B) the special needs of anticipated residents, or 11 12 (C) conflicts with other applicable policies and regulations, including but not limited to 13 standards for the treatment of historic properties, the Americans with Disabilities Act, or the Building 14 Code. (7) Homeless Shelters. Homeless Shelters, as defined in Section 102 of this 15 Code, are exempt from the open space requirements described in this Section 135. 16 17

TABLE 135A					
MINIMUM USABLE OPEN SPACE FOR DWELLING UNITS AND GROUP HOUSING OUTSIDE THE EASTERN NEIGHBORHOODS MIXED USE DISTRICT					
District Square Feet of Usable Open Space Required for Each Dwelling Unit If All Open Space That Private May Be Substituted for Private					
* * * *					
RM-1, RC-1, <i>RTO</i> , RTO-M	100	1.33			
RM-2, RC-2, SPD <u>, <i>RTO-1</i></u>	80	1.33			

18

19

20

21

22

23

24

RM-3, RC-3, RED <u>, <i>RTO-C</i></u>	60	1.33
* * * *		

3 * * *

(e) **Slope.** The slope of any area credited as either private or common usable open space shall not exceed 15% five percent.

* * * *

SEC. 144. STREET FRONTAGES IN RH, RTO, RTO-M, AND RM DISTRICTS.

(a) **Purpose.** This Section <u>144</u> is enacted to assure that in RH, RM, <u>and</u> RTO <u>and</u> RTO-M Districts the ground story of dwellings as viewed from the street is compatible with the scale and character of the existing street frontage, visually interesting and attractive in relation to the pattern of the neighborhood, and so designed that adequate areas are provided for front landscaping, street trees and on-street parking between driveways. The design of ground story frontages subject to this Section <u>144</u> shall also be reviewed for consistency with applicable design guidelines, including the Ground Floor Residential Design Guidelines.

(b) Controls.

(1) Entrances to Off-Street Parking. Except as otherwise provided herein, in the case of every dwelling in such districts no more than one-third of the width of the ground story along the front lot line, or along a street side lot line, or along a building wall that is set back from any such lot line, shall be devoted to entrances to off-street parking, except that in no event shall a lot be limited by this requirement to a single such entrance of less than 10 ten feet in width, or to a single such entrance of less than 8 eight feet in RTO and RTO-M

dDistricts. In addition, no entrance to off-street parking on any lot shall be wider than 20 feet, and where two or more separate entrances are provided there shall be a minimum separation between such entrances of six feet. Lots in RTO and RTO-M districts are limited to a total of 20

1	feet per block frontage devoted to entrances to off-street parking. Street-facing garage
2	structures and garage doors may not extend closer to the street than a primary building
3	facade unless the garage structure and garage door are consistent with the features listed in
4	Section 136 of this Code. Entrances to off-street parking shall be located at least six feet from
5	a lot corner located at the intersection of two public rights-of-way.
6	* * * *
7	
8	SEC. 186. EXEMPTION OF LIMITED COMMERCIAL AND INDUSTRIAL
9	NONCONFORMING USES IN RH, RM, RTO <u>-1, RTO-M</u> , AND RED DISTRICTS.
10	* * * *
11	(a) Exemption from Termination Provisions. The following nonconforming uses in
12	R Districts shall be exempt from the termination provisions of Section 185, provided such uses
13	comply with all the conditions specified in subsection (b) below:
14	* * * *
15	(4) In the RED Districts, any nonconforming use that is Arts Activities, Business
16	Service, Catering, Design Professional, Light Manufacturing, Personal Service, Trade Office,
17	Trade Shop, Wholesale Sales,, or Wholesale Storage, use.
18	(b) Conditions on Limited Nonconforming Uses. The limited nonconforming uses
19	described above shall meet the following conditions:
20	* * * *
21	(3) The hours during which the use is open to the public shall be limited to the
22	period between 6:00 a.m. and 10:00 p.m., however, in RED, RTO-1, and RTO-M Districts
23	only, the Planning Commission may extend the hours of operation to 12:00 a.m. through
24	Conditional Use authorization, as outlined in Section 303 of this Code;
25	* * *

SEC. 186.3. NON-RESIDENTIAL USES IN LANDMARK BUILDINGS IN RH, RM, RTO-1, AND RTO-M DISTRICTS.

Any use listed as a Principal or Conditional Use permitted on the ground floor in an NC-1 District, when located in a structure on a landmark site designated pursuant to Article 10 of this Code, is permitted with Conditional Use authorization pursuant to Section 303 of this Code, provided that no Conditional Use shall be authorized under this *provision Section 186.3* unless (1) such authorization conforms to the applicable provisions of Section 303 of this Code, and (2) the specific use so authorized is essential to the feasibility of retaining and preserving the landmark.

SEC. 201. CLASSES OF USE DISTRICTS.

Residential Districts					
	(Defined in Sec. 209.1-209.4)				
* * * *	* * * *				
RTO-1 Residential, Transit-Oriented Neighborhood Districts (Defined Sec. 209.4)					
RTO-C	Residential, Transit-Oriented, Commercial Districts (Defined in Sec. 209.4)				
RTO-M	Residential, Transit-Oriented. – Mission Neighborhood Districts (Defined in Sec. 209.4)				

22 * * * *

In addition to the classes of use districts in the above table, the following terms shall apply:

25 * * * *

1	"RTO District" shall mean any RTO <u>-1, RTO-C,</u> or RTO-M District;
2	* * * *
3	
4	SEC. 207.6. REQUIRED MINIMUM DWELLING UNIT MIX IN RTO-1, RTO-M, RCD,
5	NCT, DTR, EASTERN NEIGHBORHOODS MIXED USE DISTRICTS, THE VAN NESS &
6	MARKET RESIDENTIAL SPECIAL USE DISTRICT, AND THE POLK STREET AND
7	PACIFIC AVENUE NEIGHBORHOOD COMMERCIAL DISTRICTS.
8	(a) Purpose. In order to foster flexible and creative infill development while
9	maintaining the character of the district, dwelling unit density is not controlled by lot area in
10	RTO-1, RTO-M, NCT, and Eastern Neighborhoods Mixed Use Districts but rather by the
11	physical constraints of this Code (such as height, bulk, setbacks, open space, and dwelling
12	unit exposure). However, to ensure an adequate supply of family-sized units in existing and
13	new housing stock, new residential construction must include a minimum percentage of units
14	of at least two bedrooms. In the Pacific Avenue and Polk Street Neighborhood Commercial
15	Districts, and the Van Ness & Market Residential Special Use District, a dwelling unit mix
16	requirement addresses the need for family-sized housing production in these districts.
17	(b) Applicability.
18	(1) This Section <u>207.6</u> shall apply in the RTO <u>-1, RTO-M</u> , RCD, NCT, DTR,
19	Eastern Neighborhoods Mixed Use Districts, the Van Ness & Market Residential Special Use
20	District, and the Pacific Avenue and Polk Street NCDs.
21	* * * *
22	(c) Controls. For all RTO-1, RTO-M, RCD and NCT districts, as well as DTR,
23	Eastern Neighborhoods Mixed Use Districts, the Van Ness & Market Residential Special Use
24	District, and the Pacific Avenue and Polk Street NCDs, one of the following three must apply:

1	(1) no less than 40% of the total number of proposed Dwelling Units shall
2	contain at least two bedrooms. Any fraction resulting from this calculation shall be rounded to
3	the nearest whole number of Dwelling Units, or
4	(2) no less than 30% of the total number of proposed Dwelling Units shall
5	contain at least three bedrooms. Any fraction resulting from this calculation shall be rounded
6	to the nearest whole number of Dwelling Units, or
7	(3) no less than 35% of the total number of proposed Dwelling Units shall
8	contain at least two or three bedrooms with at least 10% of the total number of proposed
9	Dwelling Units containing three bedrooms. Any fraction resulting from this calculation shall be
10	rounded to the nearest whole number of Dwelling Units.
11	(d) Modifications.
12	(1) In NCT, RCD, RTO-1, RTO-M and the Pacific Avenue and Polk Street NC
13	Districts, these requirements may be waived or modified with Conditional Use Authorization.
14	In addition to those conditions set forth in Section 303, the Planning Commission shall
15	consider the following criteria:
16	(A) The project demonstrates a need or mission to serve unique
17	populations, or
18	(B) The project site or existing building(s), if any, feature physical
19	constraints that make it unreasonable to fulfill these requirements.
20	(2) In Eastern Neighborhoods Mixed Use Districts, these requirements may be
21	waived in return for provision of family-sized affordable units, pursuant to Section 419 et seq.
22	To receive this waiver, 100% percent of the total number of inclusionary units required under
23	Section 415 et seq. or Section 419 et seq. shall contain at least two bedrooms. Also in
24	Eastern Neighborhoods Mixed Use Districts, these requirements may be waived or modified

1	through the Variance process set forth in Section 305, or in the case of projects subject to
2	Section 329, through the procedures of that section.
3	(3) In DTR Districts, these requirements may be modified per the procedures of
4	Section 309.1.
5	(4) In the Van Ness & Market Residential Special Use District, these
6	requirements may only be modified pursuant to the procedures of Section 309, regardless of
7	the underlying zoning district.
8	* * * *
9	
10	SEC. 207.7. REQUIRED MINIMUM DWELLING UNIT MIX.
11	(a) Purpose. To ensure an adequate supply of family-sized units in new housing
12	stock, new residential construction must include a minimum percentage of units of at least two
13	and three bedrooms.
14	(b) Applicability.
15	(1) This Section 207.7 shall apply to all applications for building permits and/or
16	Planning Commission entitlements that propose the creation of 10 or more Dwelling Units in
17	all districts that allow residential uses, unless that project is located in the RTO-1, RTO-M,
18	RCD, NCT, DTR, and Eastern Neighborhoods Mixed Use Districts, or in an area or Special
19	Use District with higher specific bedroom mix requirements, or is a HOME SF project subject
20	to the requirements of Planning Code Section 206.3.
21	* * * *
22	
23	SEC. 208. DENSITY LIMITATIONS FOR GROUP HOUSING OR HOMELESS
24	SHELTERS.

The density limitations for Group Housing or Homeless Shelters, as described in Sections 102 and 890.88(b) and (c) of this Code, shall be as follows:

(a) For Group Housing, the maximum number of Bedrooms on each Lot shall be as specified in the Zoning Control Table for the District in which the Lot is located, except that in RTO, *RTO-M*, RCD, UMU, MUG, WMUG, MUR, MUO, CMUO, WMUO, RED, RED-MX, SPD, DTR, and all NCT Districts the density of Group Housing shall not be limited by lot area, and except that for Lots in NC Districts, the group housing density shall not exceed the number of Bedrooms permitted in the nearest R District provided that the maximum density not be less than the amount permitted by the ratio specified for the NC District in which the lot is located. For Homeless Shelters, the maximum number of beds on each lot shall be regulated pursuant to the requirements of the Standards of Care for City Shelters contained in Administrative Code, Chapter 20, Article XIII, in addition to the applicable requirements of the Building Code and Fire Code.

* * * *

SEC. 209.4. RTO (RESIDENTIAL TRANSIT ORIENTED) DISTRICTS.

TheseRTO (Residential Transit Oriented) Districts, inclusive of RTO-1, RTO-M, and RTO-C Districts, are intended to recognize, protect, conserve, and enhance areas characterized by a mixture of houses and apartment buildings, covering a range of densities and building forms. RTO-1 (Residential, Transit -Oriented Neighborhood) and RTO-M (Residential Transit Oriented, Mission) Districts are composed of multi-family moderate-density areas, primarily areas formerly designated RM and RH-3₇. RTO-C (Residential Transit Oriented, Commercial) permits neighborhood-serving uses at limited sizes along with housing. RTO Districts and are well served within short walking distance, generally less than one-quarter mile, of transit and neighborhood commercial areas. Transit available on nearby streets is frequent and/or

Districts, Lelimited small-scale neighborhood-oriented retail and services isare common and permitted throughout the neighborhood on Corner Lots only to provide goods and services to residents within walking distance, but the delistricts are otherwise residential. In RTO-1 and RTO-M Districts, Oonly retail compatible with housing, generally those permitted in NC-1 Districts, is permitted and auto-oriented uses are not permitted: He with the service of operation are restricted and off-street parking is not permitted for these very locally-oriented uses. In the RTO-C District, a greater amount and wider range of non-residential uses are permitted and not limited to corners, to provide goods and services to residents and visitors, especially adjacent to existing NC Districts and along transit corridors, though ground floor commercial uses are not required.

Areas of these districts off of major commercial or transit streets are largely characterized by aA fine-grain pattern of 25-foot to 35-foot building widths, with some larger and wider structures on major streets-is prevalent, and structures typically range from two to five stories in height. While some one- and two-family structures are present, the character of the District is primarily of structures with three or more units of a range of sizes and types suitable for a variety of households. Buildings are moderately scaled and segmented, and units or groups of units have separate entrances directly from the street. The overall residential density is regulated by the permitted and required height, bulk, setbacks, and open space of each parcel, along with residential design guidelines. Except in the RTO-1 District, housing density is generally limited not by lot area, but by the regulations on the built envelope of buildings, including height, bulk, setbacks, and lot coverage, and standards for Residential Uses, including open space and exposure, and urban design standards.

Because of the high availability of transit service and the proximity of retail and services within walking distance, many households do not own cars; it is common that not every Dwelling Unit has a parking space and overall off-street residential parking is limited. Open space is

provided on site, in the form of rear yards, decks, balconies, roof-decks, and courtyards, and is augmented by nearby public parks, plazas, and enhanced streetscapes.

3

4

Table 209.4

5 **ZONING CONTROL TABLE FOR RTO DISTRICTS**

Zoning Category	§ References	RTO <u>-1</u>	RTO-M	RTO-C		
BUILDING STANDA	BUILDING STANDARDS					
Massing and Setba	cks					
Height and Bulk	§§ 102, 105,	Varies. See Heigh	t and Bulk Map an	d referenced		
Limits	106, 250-	sections.				
	252, 260,					
	261.1, <u>263.19,</u>					
	270, <u>270.3,</u>					
	271					
Front Building	§ 132	Required. Based on average of adjacent properties or if				
Setback		subject property has a Legislated Setback. When front				
		setback is based on adjacent properties, in no case shall				
		the required setback be greater than 15 feet.				
		Required. Based on the front setback of the adjacent				
		property with the shortest front setback or if subject				
		property has a Legi.	slated Setback. Whe	n front setback is		
		based on adjacent p	roperties, in no case	e shall the		
		required setback be	greater than 10 feet	: <u>*</u>		

-				
		For RTO-C Districts, regardless of the o	lepth of setback	
		required by § 132, where the sidewalk does not meet the		
		recommended width required by the Better Streets Plan, a		
		front setback shall be provided so that, when combined		
		with the existing sidewalk, the total dista	unce from the	
		curb to the building frontage meets or ex	xceeds the	
		required recommended width under the	Better Streets	
		Plan. This setback is required only up to	15 feet above	
		street grade.		
Rear Yard	§§ 130, 134	30% of lot depth but in no case	25% of the total	
		less than 15 feet.	depth of the lot	
			on which the	
			building is	
			situated, but in	
			no case less than	
			<u>15 feet.</u>	
Side Yard	§ 133	Not Required.		
<i>Residential</i> Design	§ 311	Subject to the Residential Design Gu	uidelines <u>.</u>	
Guidelines and		Citywide Design Standards, and any Oo	ther design	
<u>Standards</u>		guidelines that have been approved by the Planning		
		Commission may also apply.		
Street Frontage and	Public Realm			
Front Setback	§ 132	Generally Rrequired. At least 50% of Front Setback		
Landscaping and		shall be permeable so as to increase storm water		
		infiltration and 20% of Front Setback	shall be	
	Side Yard **Residential**Design Guidelines**_and **Standards** **Street Frontage and** Front Setback	Side Yard § 133 **Residential**Design § 311 Guidelines**and** **Standards** Street Frontage and Public Realm* Front Setback § 132	recommended width required by the Bet front setback shall be provided so that, with the existing sidewalk, the total distance curb to the building frontage meets or exequired recommended width under the Plan. This setback is required only up to street grade. Rear Yard §§ 130, 134 30% of lot depth but in no case less than 15 feet. Side Yard § 133 Not Required. Residential Design § 311 Subject to the Residential Design Guidelines and Citywide Design Standards, and any Quidelines that have been approved Commission-may also apply. Street Frontage and Public Realm Front Setback § 132 Generally Rrequired. At least 50% of	

			T		
1	Permeability		unpaved and devo	oted to plant mater	ial. <i>Not required</i>
2	Requirements		where front setback is used to expand adjacent sidewalk		
3			to meet Better Streets Plan recommended dimensions.		
4	Streetscape and	§ 138.1	Required.		
5	Pedestrian				
6	Improvements				
7	(Street Trees)				
8	Street Frontage	§§ 144, 186,	Controls of § 144	apply to residentia	I frontages.
9	Requirements	231	Additional controls	apply to Limited (Commercial
10			Uses per §§ 186 a	and 231.	
11	Street Frontage,	§ 155(r)	As specified in § 1	55(r) curb cuts are	restricted on
12	Parking and Loading		certain specified streets and on Transit Preferential,		
13	Access Restrictions		Neighborhood Commercial Streets or official City bicycle		
14			routes or bicycle lanes.		
15	Miscellaneous				
16	Large Project	§ 303(r)	New buildings or s	significant enlarger	ment of existing
17	Review		buildings on lots o	f 10,000 sq. ft. or l	arger requires
18			C. New public righ	its-of-way may be	required for
19			sites larger than 1	/2 acre.	
20	Planned Unit	§ 304	С	С	<u>C</u>
21	Development				
22	Awning	§§ 136, 136.1	<u>N</u> P(1)	<u>N</u> P(1)	<u>P</u>
23	Canopy or Marquee	§§ 136, 136.1	NP <u>(2)</u>	NP <u>(2)</u>	<u>NP(2)</u>
24	Signs	§§ 606, 607.1	As permitted by Section § 606. As permitted by		
25					controls of the

1					<u>nearest NC</u>
2					<u>District</u>
3					described in §
4					<u>607.1.</u>
5	Housing Choice-SF	<u>§ 206.10</u>	Form-based density	, additional height, c	and other zoning
6			modifications for el	igible projects in the	R-4 Height and
7			Bulk District.		
8	RESIDENTIAL STAN	DARDS AND U	SES		
9	Development Standa	ards			
10	Usable Open Space	§§ 135, 136	At least <u>100</u> 80	<u>At least 100</u>	At least 60
11	[Per Dwelling Unit]		square feet if	square feet if	square feet if
12			private, and 133	private, and 133	private, and 80
13			106 square feet	square feet per	square feet per
14			per Dwelling	Dwelling Unit if	Dwelling Unit if
15			Unit if common.	common.	<u>common.</u>
16	Parking	§§ 150, 151.1	None required. Ma	aximum permitted	per § 151.1.
17	Requirements				
18	Residential	§ 317	C for Removal of or	ne or more Residenti	al Units or
19	Conversion,		Unauthorized Units	-	
20	Demolition, or				
21	Merger of Dwelling				
22	Units, including				
23	Residential Flats				
24	Dwelling Unit	§ 207.8	Р	Р	<u>P</u>
25	Division				

1	Required Dwelling	§ 207.6	No less than 40 percent of the total	No less than 40
2	Unit Mix		number of proposed dwelling units	percent of the
3			shall contain at least two bedrooms;	total number of
4			or no less than 30 percent of the total	proposed
5			number of proposed dwelling units	dwelling units
6			shall contain at least three bedrooms.	shall contain at
7				least two
8				bedrooms; or no
9				less than 30
10				percent of the
11				total number of
12				proposed
13				dwelling units
14				shall contain at
15				least three
16				bedrooms.
17	<u>Dwelling Unit Mix</u>	<u>§§ 207.6, 207.7</u>	Generally required for creation of five	<u>Generally</u>
18			or more Dwelling Units per § 207.6.	required for
19			No less than 40% of the total number	<u>creation of 10 or</u>
20			of proposed dwelling units shall	more Dwelling
21			contain at least two bedrooms; or no	<u>Units. No less</u>
22			less than 30% of the total number of	than 25% of the
23			proposed dwelling units shall contain	total number of
24			at least three bedrooms.	<u>proposed</u>
25				<u>Dwelling Units</u>

			Γ		T
1					shall contain at
2					<u>least two</u>
3					Bedrooms, and
4					no less than 10%
5					of the total
6					number of
7					<u>proposed</u>
8					<u>Dwelling Units</u>
9					shall contain at
10					<u>least three</u>
11					<u>Bedrooms.</u>
12	Use Characteristics				
13	Intermediate Length	§§ 102,	P(10)	P(10)	<u>P(10)</u>
14	Occupancy	202.10			
15	Single Room	§ 102	Р	Р	<u>P</u>
16	Occupancy				
17	Student Housing	§ 102	Р	Р	<u>P</u>
18	Residential Uses				
19	Residential Density,	§ 207	P if at least one	No density limit.	Form-Based
20	Dwelling Units		unit per 800	Density is	Density.
21	Density, General (7)		square feet of lot	regulated by the	
22			area (8).	permitted height	
23			Maximum	and bulk, and	
24			density as of	required	
25			right is one unit	setbacks,	

1			per 600 square	exposure, and		
2			feet of lot area.	open space of		
3			C above, per	each parcel,		
4			criteria of §	along with		
5			207(a). (11) (8)	<i>Residential</i>		
6				Design		
7				Guidelines.		
8				<u>Form-Based</u>		
9				<u>Density.</u>		
10						
11						
12	Minimum Dwelling	<u>§ 207.9</u>	Varies depending on project location, but generally			
13	Unit Densities, If		ranges between 50 and 100 dwelling units per acre.			
14	<u>Applicable</u>					
15	Maximum Dwelling	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an			
16	<u>Unit Size</u>		equivalent Floor Area Ratio for any individual Dwelling			
17			<u>Unit of 1.2:1. C for</u>	Dwelling Units that	exceed the	
18			greater of those thre	esholds.		
19	Senior Housing	§§102,	<u>Form-Based</u>	No density limit.	<u>Form-Based</u>	
20	<u>Density</u>	202.2(f) <u>.</u>	Density applies	Density is	<u>Density.</u>	
21		<u>207.9</u>	within the R-4	regulated by the		
22			Height and Bulk	permitted height		
23			<u>District</u>	and bulk, and		
24			<u>(§ 263.19).</u>	required		
25			Outside the R-4	setbacks,		

.=				
1		Height and Bulk	exposure, and	
2		<u>District,</u> P up to	open space of	
3		twice the	each parcel,	
4		number of	along with	
5		dwelling units	Residential	
6		otherwise	Design	
7		permitted as a	Guidelines. Form-	
8		principal use in	Based Density.	
9		the district; C,		
10		required to exceed		
11		that density limit.		
12		density not limited		
13		by lot area, but by		
14		the applicable		
15		requirements and		
16		<i>limitations</i>		
17		elsewhere in this		
18		Code, including		
19		but not limited to		
20		height, bulk,		
21		setbacks, open		
22		space, exposure,		
23		unit mix, and		
24		relevant design		
25		guidelines.		

		1		1	
1					
2	Residential Density,	§ 208	No density limit. De	ensity is regulated by	the permitted
3	Group Housing		height and bulk, and required setbacks, exposure, and		
4	<u>Density</u>		open space of each parcel, along with Residential Design		
5			Guidelines. Form-Based Density.		
6	Homeless Shelter	§§ 102, 208	Р	Р	<u>P</u>
7	NON-RESIDENTIAL	STANDARDS A	ND USES		
8	Development Standa	ards			
9	Floor Area Ratio	§§ 102, 123,	1.8 to 1	1.8 to 1	<u>1.8 to 1. For</u>
10		124 <u>, 207.9</u>			Office Uses
11					<u>minimum</u>
12					intensities may
13					apply pursuant
14					to § 207.9.
15	<u>Use Size</u>	<u>§ 102</u>	<u>N/A</u>	<u>N/A</u>	<u>P: up to 4,999</u>
16					gross square
17					feet per lot.
18					<u>P: Non-</u>
19					Residential use
20					of any size that
21					is part of a
22					project where at
23					least 2/3 of the
24					<u>floor area</u>
25					<u>contains</u>

		T			T 1
1					<u>Residential</u>
2					<u>uses.</u>
3					<u>C: 5,000 gross</u>
4					square feet and
5					above per lot,
6					except as
7					provided above.
8	Off-Street Parking	§§ 150, 151.1	None required. Ma	aximum permitted	per § 151.1.
9	Limited Corner	§ 231	P on a Corner	P on a Corner	<u>N/A</u>
10	Commercial Uses		Lot, with no part	Lot, with no part	
11			of the use	of the use	
12			extending more	extending more	
13			than 50 feet in	than 100 feet in	
14			depth from said	depth from said	
15			corner	corner	
16	Limited Commercial	§§ 186, 209	Continuing nonco	nforming uses	<u>N/A</u>
17	Uses		are permitted, sub	eject to the	
18			requirements of §	186.	
19	Commercial Use Cha	aracteristics			
20	Hours of Operation	§§ 102, 186,	For Limited Corne	er Commercial	<u>P 6:00 a.m. to</u>
21		231	Uses under § 231	and limited	2:00 a.m.; C
22			commercial uses	under § 186: P	2:00 a.m. to
23			6:00 a.m. to 10:00 p.m.; C 10:00		<u>6:00 a.m.</u>
24			p.m. to 12:00 a.m.; NP 12:00 a.m.		
25			to 6:00 a.m.		

1	Formula Retail	§§ 102, 303.1	<u>NP(3)</u>	<u>NP(3)</u>	<u>C</u>
2			P if located in front of building; P if elsewhere and		
	Outdoor Activity	§§ 102,	_		
3	Area	145.2, 186,	compliant with § 202.2(a)(7); NP otherwise.		
4		202.2, 231			
5	Agricultural Use Cat	egory			
6	Agricultural Uses*	§§ 102,	С	С	<u>C</u>
7		202.2(c)			
8	Agriculture,	§§ 102,	Р	Р	<u>P</u>
9	Neighborhood	202.2(c)			
10	Automotive Use Cate	egory			
11	Automotive Uses*	§ 102	NP	NP	<u>NP</u>
12	Electric Vehicle	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>NP</u>
13	Charging Location				
14	Parking Garage,	§ 102	С	С	<u>C</u>
15	Private				
16	Parking Garage,	<u>§ 102</u>	<u>C</u>	<u>C</u>	<u>C</u>
17	<u>Public</u>				
18	Parking Lot, Private	§§ 102, 144,	С	С	<u>C</u>
19		155(r), 158.1			
20	Parking Lot, Public	<u>§§ 102, 144,</u>	<u>C</u>	<u>C</u>	<u>C</u>
21		155(r), 158.1			
22	Entertainment, Arts	and Recreation	Use Category		
23	Entertainment, Arts	§ 102	NP	NP	<u>P</u>
24	and Recreation				
25	Uses*				

Entertainment,	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>C</u>		
<u>Nighttime</u>						
Movie Theater	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>C</u>		
Open Recreation	§ 102	С	С	<u>C</u>		
Area						
Passive Outdoor	§ 102	Р	Р	<u>P</u>		
Recreation						
Industrial Use Categ	gory		ļ.			
Industrial Uses*	§ 102	NP	NP	<u>NP</u>		
Institutional Use Ca	tegory					
Institutional Uses*	§ 102	NP	NP	<u>P</u>		
<u>Childcare</u> Child Care	§ 102	Р	Р	<u>P</u>		
Facility						
Community Facility	§ 102	Р	Р	<u>P</u>		
Hospital	§ 102	С	С	<u>C</u>		
Post-Secondary Ed.	§ 102	С	С	<u>P</u>		
Institution						
Public Facilities	§ 102	Р	Р	<u>P</u>		
Religious Institution	§ 102	С	С	<u>P</u>		
Residential Care	§ 102	Р	Р	<u>P</u>		
Facility						
School	§ 102	С	С	<u>P</u>		
Sales and Service C	Sales and Service Category					

Retail Sales and Service Uses*	§ 102	NP	NP	<u>P</u>		
<u>Flexible Retail</u>	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>P</u>		
Hotel	§ 102	C(4)	C(4)	<u>C</u>		
Mobile Food Facility	§ 102	P(5)	P(5)	<u>P</u>		
Services, Retail	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>P</u>		
<u>Professional</u>						
Mortuary	§ 102	C(6)	C(6)	<u>P</u>		
Non-Retail Sales	§ 102	NP	NP	<u>C</u>		
and Service*						
Service, Non-Retail	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>C</u>		
<u>Professional</u>						
Utility and Infrastructure Use Category						
Utility and	§ 102	NP	NP	<u>C</u>		
Infrastructure*						
Internet Service	§ 102	С	С	<u>C</u>		
Exchange						
<u>Power Plant</u>	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>NP</u>		
Public Utilities Yard	<u>§ 102</u>	<u>NP</u>	<u>NP</u>	<u>NP</u>		
Utility Installation	§ 102	С	С	<u>C</u>		
Wireless	§ 102	C or P (9)	C or P (9)	<u>C or P (9)</u>		
Telecommunications						
Services Facility						

^{*} Not listed below.

1	(1) Pif required as a wind mitigation feature. Additionally, P for Limited Commercial Uses		
2	and Limited Corner Commercial Uses per § 136.1 only, otherwise NP.		
3	(2) [Note Deleted] Canopy is P if required as a wind mitigation feature.		
4	(3) [Note Deleted] C for Limited Commercial Uses per § 303.1.		
5	* * * *		
6	(7) Construction of Accessory Dwelling Units may be permitted pursuant to Sections		
7	207.1 and 207.2.		
8	(8) With Conditional Use authorization, fFor purposes of this calculation, a Dwelling Unit		
9	in this $\frac{dD}{dD}$ is trict containing no more than 500 square feet of net floor area and consisting of not		
10	more than one habitable room in addition to a kitchen and a bathroom may be counted as		
11	equal to three-quarters of a Dwelling Unit.		
12	(9) C if a Macro WTS Facility; P if a Micro WTS Facility.		
13	(10) NP for buildings with three or fewer Dwelling Units; C for buildings with 10 or		
14	more Dwelling Units.		
15	(11) [Note Deleted] NP if less than minimum density as set forth in the table. Expansions of		
16	existing single-family residential buildings may not exceed more than 25% of Gross Floor Area over 10		
17	years, or result in a building over 3,000 square feet. In new construction, no unit may be smaller than		
18	one-third the Gross Floor Area of the largest unit in the building.		
19			
20	SEC 231 LIMITED CORNER COMMERCIAL USES IN RH. RTO-1. RTO-M. AND RM.		

SEC. 231. LIMITED CORNER COMMERCIAL USES IN RH, RTO-1, RTO-M, AND RN DISTRICTS.

(a) **Purpose.** Corner stores enhance and support the character and traditional pattern of development in San Francisco. These small neighborhood-oriented establishments provide convenience goods and services on a retail basis to meet the frequent and recurring needs of neighborhood residents within a short walking distance of their homes. These uses tend to be

21

22

23

24

1	small in scale, to serve primarily walk-in trade, and cause minimum interference with nearby		
2	streets and properties. These uses are permitted only on the ground floor of corner buildings,		
3	and their intensity and operating hours are limited to ensure compatibility with the		
4	predominantly residential character of the district. Accessory off-street parking is prohibited for		
5	these uses to maintain the local neighborhood walk-in character of the uses.		
6	(b) Location. Uses permitted under this <u>Section 231</u> must be located:		
7	(1) completely within an RH, RTO-1, RTO-M, or RM District;		
8	(2) on or below the ground floor;		
9	(3) in RH, RM-1, RM-2, and RTO-1, and RTO-M Districts, on a Corner Lot, with		
10	no part of the use extending more than 50 feet in depth from said corner, as illustrated in		
11	Figure 231-: and		
12	(4) in a space that would not require the Residential Conversion of a		
13	Residential Unit or Unauthorized Unit under Planning Code Section 317, unless the space		
14	proposed for conversion is occupied by a garage or storage space located in the Basement or		
15	First Story-: and		
16	[Figure 231 remains]		
17	(5) in RM-3, RM-4, and RTO-M Districts, on a Corner Lot, with no part of the		
18	use extending more than 100 feet in depth from said corner.		
19	* * * *		
20	(d) Use Size. In any RH, RM-1, or RM-2 District, the use size shall comply with the		
21	use size limitations of a Neighborhood Commercial District or Special Use District located		
22	within one-quarter mile of the use, up to a maximum of 1,200 square feet of Occupied Floor		
23	Area of commercial area. In any RM-3 or RM-4 District, the use size shall comply with the use		
24	size limitations of a Neighborhood Commercial District or Special Use District located within		

one-quarter mile of the use, up to a maximum of 2,500 square feet of Commercial Use. No

- more than 1,200 square feet of Occupied Floor Area of commercial area in a RTO-1 District or in a RH, RM-1, or RM-2 District if the use is more than one-quarter mile from a Neighborhood Commercial District or Special Use District, and no more than 2,500 occupied square feet of Commercial Use in a RTO-M District or in a RM-3 or RM-4 District if the use is more than one-quarter mile from a Neighborhood Commercial District or Special Use District shall be allowed per Corner Lot, subject to the following exception. On lots which occupy more than one corner on a given block, an additional 1,200 square feet of Occupied Floor Area of Commercial Use shall be allowed per additional corner, so long as the commercial space is distributed equitably throughout appropriate parts of the parcel or project.
- (e) **Formula Retail Uses.** All uses meeting the definition of "formula retail" use per Section 303.1 shall not be permitted except by Conditional Use through the procedures of Section 303 for RTO and RTO-M Districts and shall not be permitted in RH and RM Districts.

* * * *

(k) **Outdoor Activity Area.** An Outdoor Activity Area is principally permitted if it is located at the front of the building. An Outdoor Activity Area that is not at the front of the building is principally permitted in RTO-1 and RTO-M Districts only if it complies with the operating restrictions in Section 202.2(a)(7) and shall not be permitted in RH or RM Districts.

SEC. 303. CONDITIONAL USES.

19 * * *

(r) **Development of Large Lots in RTO**-1 and RTO-M Districts. In order to promote, protect, and maintain a scale of development that is appropriate to each district and compatible with adjacent buildings, new construction or significant enlargement of existing buildings on lots of the same size or larger than the square footage stated in Table 209.4 under Large Project Review shall be permitted only as Conditional Uses subject to the provisions set forth in this Section 303 of this Code.

1	* * * *	
2		
3	SEC. 303.1. FORMULA RETAIL USES.	
4	* * * *	
5	(e) Conditional Use Authorization Required. A Conditional Use Authorization shall be	
6	required for a Formula Retail use in the following zoning districts unless explicitly exempted:	
7	* * *	
8	(8) Limited Commercial Uses in RTO-1, RTO-M, and RED Districts, as	
9	permitted by Sections 186, 186.3, and 231;	
10	* * *	
11	(9) Third Street Formula Retail Restricted Use District, as defined in Section	
12	786; <i>and</i>	
13	(10) Central SoMa Special Use District as defined in Section 848, except for	
14	those uses not permitted pursuant to subsection (f) below-; and	
15	(11) RTO-C District, as defined in Section 209.4.	
16	* * * *	
17		
18	SEC. 304. PLANNED UNIT DEVELOPMENTS.	
19	* * * *	
20	(d) Criteria and Limitations. The proposed development must meet the criteria	
21	applicable to conditional uses as stated in Section 303(c) and elsewhere in this Code. In	
22	addition, it shall:	
23	* * * *	
24	(5) In R Districts, include Commercial Uses only to the extent that such uses	
25	are necessary to serve residents of the immediate vicinity, subject to the limitations for NC-1	

Districts under this Code, and in RTO-1 and RTO-M Districts include Commercial Uses only according to the provisions of Section 231 of this Code;

3 * * * *

1

2

4

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

SEC. 603. EXEMPTED SIGNS.

* * * *

Two General Advertising Signs each not exceeding 24 square feet in area on either a transit shelter or associated advertising kiosk furnished by contract with the Municipal Transportation Agency or predecessor agency for the Municipal Railway in RTO, RTO-M, RM-2, RM-3, RM-4, RC, NC, C, M, PDR, Eastern Neighborhoods Mixed Use Districts, and in those P Districts where such Signs would not adversely affect the character, harmony, or visual integrity of the district as determined by the Planning Commission; eight General Advertising Signs each not exceeding 24 square feet in area on transit shelters located on publicly owned property on a high level Municipal Railway boarding platform in an RH-1D District adjacent to a C-2 District, provided that such advertising signs solely face the C-2 District; up to three double-sided General Advertising Signs each not exceeding 24 square feet in area on or adjacent to transit shelters on publicly owned high level Municipal Railway boarding platforms along The Embarcadero south of the Ferry Building, up to six double-sided panels at 2nd and King Streets, and up to four double-sided panels at 4th and King Streets; up to two double-sided panels not exceeding 24 square feet in area on each low-level boarding platform at the following E-Line stops: Folsom Street and The Embarcadero, Brannan Street and The Embarcadero, 2nd and King Streets, and 4th and King Streets; and a total of 71 double-sided General Advertising Signs each not exceeding 24 square feet in area on or adjacent to transit shelters on 28 publicly owned high level Municipal Railway boarding platforms serving the Third Street Light Rail Line. Each advertising sign on a low-level or high-

2	obstruction of public views from pedestrian walkways and/or public open space.		
3	Notwithstanding the above, no Sign shall be placed on any transit shelter or		
4	associated advertising kiosk located on any sidewalk which shares a common boundary with		
5	any property under the jurisdiction of the Recreation and Park Commission, with the exception		
6	of Justin Herman Plaza; on any sidewalk on Zoo Road; on Skyline Boulevard between Sloat		
7	Boulevard and John Muir Drive; on John Muir Drive between Skyline Boulevard and Lake		
8	Merced Boulevard; or on Lake Merced Boulevard on the side of Harding Park Municipal Golf		
9	Course, or on any sidewalk on Sunset Boulevard between Lincoln Way and Lake Merced		
10	Boulevard; on any sidewalk on Legion of Honor Drive; or in the Civic Center Special Sign		
11	Districts as established in Section 608.3 of this Code.		
12	The provisions of this subsection (c) shall be subject to the authority of the Port		
13	Commission under Sections 4.114 and B3.581 of the City Charter and under State law.		
14	* * * *		
15			
16	SEC. 606. RESIDENTIAL AND RESIDENTIAL ENCLAVE DISTRICTS.		
17	Signs in Residential and Residential Enclave Districts, excluding the Residential Transit		
18	Oriented-Commercial (RTO-C) District, and other than those signs exempted by Section 603 of		
19	this Code, shall conform to the following provisions:		
20	* * * *		
21			
22	SEC. 607.1. NEIGHBORHOOD COMMERCIAL AND RESIDENTIAL-COMMERCIAL		
23	DISTRICTS, AND RESIDENTIAL TRANSIT ORIENTED-COMMERCIAL DISTRICTS.		
24	* * * *		

level boarding platform shall be designed and sited in such a manner as to minimize

25

- (a) **Purposes and Findings.** In addition to the purposes stated in Sections 101 and 601 of this Code, the following purposes apply to Neighborhood Commercial and Residential-Commercial Districts. These purposes constitute findings that form a basis for regulations and provide guidance for their application.
- (1) As Neighborhood Commercial, and Residential-Commercial, and Residential Transit Oriented-Commercial Districts change, they need to maintain their attractiveness to residents, customers and potential new businesses alike. Physical amenities and a pleasant appearance will profit both existing and new enterprises.
- (2) The character of signs and other features projecting from buildings is an important part of the visual appeal of a street and the general quality and economic stability of the area. Opportunities exist to relate these signs and projections more effectively to street design and building design. These regulations establish a framework that will contribute toward a coherent appearance of Neighborhood Commercial and Residential-Commercial Districts.
- (3) Neighborhood Commercial, and Residential-Commercial, and Residential

 Transit Oriented-Commercial

 Districts are typically mixed use areas with commercial units on the ground or lower stories and residential uses on upper stories. Although signs are essential to a vital commercial district, they should not be allowed to interfere with or diminish the livability of residential units within a Neighborhood Commercial District or in adjacent residential districts.
- (4) The scale of most Neighborhood Commercial and Residential-Commercial Districts as characterized by building height, bulk, and appearance, and the width of streets and sidewalks differs from that of other commercial and industrial districts. Sign sizes should relate and be compatible with the surrounding district scale.

1	(5) Signs controls in Residential Transit Oriented-Commercial Districts are determined		
2	by the sign controls of the nearest Neighborhood Commercial District described in this Section 607.1.		
3	* * * *		
4			
5	Section 8. Transit Orient	ed Communities and Parking. Articles 1.5 and 2 of the	
6	Planning Code are hereby ame	nded by deleting Section 151 in its entirety, revising Sections	
7	151.1, 153, 154, 155, and 161,	and adding Sections 207.9 and 207.10, to read as follows:	
8	SEC. 151. SCHEDULE O	F REQUIRED OFF-STREET PARKING SPACES.	
9	(a) Applicability. Off-stree	t parking spaces shall be provided in the minimum quantities	
10	specified in Table 151, except as otherwise provided in Section 151.1 and Section 161 of this Code.		
11	Where the building or lot contains uses in more than one of the categories listed, parking requirements		
12	shall be calculated in the manner provided in Section 153 of this Code. Where off-street parking is		
13	provided which exceeds certain amounts in relation to the quantities specified in Table 151, as set forth		
14	in subsection (c), such parking shall be classified not as accessory parking but as either a Principal or		
15	a Conditional Use, depending upor	the use provisions applicable to the district in which the parking is	
16	located. In considering an applicat	ion for a Conditional Use for any such parking, due to the amount	
17	being provided, the Planning Com	nission shall consider the criteria set forth in Section 303(t) or	
18	303(u) of this Code. Minimum off-s	street parking requirements shall be reduced, to the extent needed,	
19	when such reduction is part of a Development Project's compliance with the Transportation Demand		
20	Management Program set forth in Section 169 of this Code.		
21	(b) Minimum Parking Required.		
22	<i>Table 151</i>		
23	OFF-STREET PARKING SPACES REQUIRED		
24			
25	Use or Activity	Number of Off-Street Parking Spaces Required	

Dwelling	None required. P up to 1.5 parking spaces for each Dwelling Unit.	
Dwelling, in the Telegraph Hill - North Beach Residential Special Use District	None required. P up to 0.5 parking spaces for each Dwelling Unit, subject to the controls and procedures of Section 249.49(c) and Section 155(t); NP above preceding ratio.	
Dwelling, in the Polk Street Neighborhood Commercial District	None required. P up to 0.5 parking spaces for each Dwelling Unit; NP above preceding ratio.	
Dwelling, in the Pacific Avenue Neighborhood Commercial District	None required. P up to 0.5 parking spaces for each Dwelling Unit; C up to one car for each Dwelling Unit; NP above preceding ratios.	
Group Housing of any kind	None required.	
NON-RESIDENTIAL USES		
Agricultural Use Category		
Agricultural Uses*	None required	
Greenhouse	None required. Maximum 1.5 parking spaces for each 4,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.	
Automotive Use Category		
Automotive Uses	None required.	
Entertainment, Arts and Recreation Use Category		
Entertainment, Arts and Recreation Uses*	None required. Maximum 1.5 parking spaces for each 200 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,00 square feet.	
Arts Activities, except theater or auditorium spaces	None required. Maximum 1.5 parking spaces for each 2,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 7,500 square feet.	
Sports Stadium	None required. Maximum 1.5 parking spaces for each 15 seats.	
None required. Maximum 1.5 parking spaces for each 8 seats up to 1,000 seats where the number of seats exceeds 50 seats, plus 1.5 parking spaces for each 10 seats in excess of 1,000.		
Industrial Use Category		
Industrial Uses*	None required. Maximum 1.5 parking spaces for each 2,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 10,000 square feet.	

Live/Work Units	None required. Maximum 1.5 parking spaces for each 2,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 7,500 square feet, except in RH or RM Districts, within which the requirement shall be one space for each Live/Work Unit.
Institutional Uses Category	
Institutional Uses*	None required.
Child Care Facility	None required. Maximum 1.5 parking spaces for each 25 children to be accommodated at any one time, where the number of such children exceeds 24.
Hospital	None required. Maximum 1.5 parking spaces for each 8 beds excluding bassinets or for each 2,400 square feet of Occupied Floor Area devoted to sleeping rooms, whichever results in the greater requirement, provided that these requirements shall not apply if the calculated number of spaces is no more than two.
Post-Secondary Educational Institution	None required. Maximum 1.5 parking spaces for each two classrooms.
Religious Institution	None required. Maximum 1.5 parking spaces for each 20 seats by which the number of seats in the main auditorium exceeds 200.
Residential Care Facility	None required. Maximum in RH-1 and RH-2 Districts, 1.5 parking spaces for each 10 beds where the number of beds exceeds nine.
School	None required. Maximum 1.5 parking spaces for each six classrooms.
Trade School	None required. Maximum 1.5 parking spaces for each two classrooms.
Sales and Service Category	
Retail Sales and Services*	None required. Maximum 1.5 parking spaces for each 500 square feet of Occupied Floor Area up to 20,000 where the Occupied Floor Area exceeds 5,000 square feet, plus 1.5 spaces for each 250 square feet of Occupied Floor Area in excess of 20,000.
Eating and Drinking Uses	None required. Maximum 1.5 parking spaces for each 200 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.
Health Services	None required. Maximum 1.5 parking spaces for each 300 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.
Hotel in NC Districts	None required. Maximum 1.2 parking spaces for each guest bedroom.
Hotel in districts other than NC	None required. Maximum 1.5 parking spaces for each 16 guest bedrooms where the number of guest bedrooms exceeds 23, plus one for the manager's Dwelling Unit, if any.

Mortuary	<u>Eight</u>
Motel	None required. Maximum 1.5 parking spaces for each guest unit, plus one for the manager's Dwelling Unit, if any.
Retail space devoted to the handling of bulky merchandise such as motor vehicles, machinery or furniture	None required. Maximum 1.5 parking spaces for each 1,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.
Retail Greenhouse or plant nursery	None required. Maximum 1.5 parking spaces for each 4,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.
Self Storage	None required. Maximum 1.5 parking spaces for every three self- storage units.
Non-Retail Sales and Services*	None required. Maximum 1.5 parking spaces for each 1,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.
Commercial Storage or Wholesale Storage	None required. Maximum 1.5 parking spaces for each 2,000 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 10,000 square feet.
Office	None required. Maximum 1.5 parking spaces for each 500 square feet of Occupied Floor Area, where the Occupied Floor Area exceeds 5,000 square feet.
Utility and Infrastructure Category	
Utility and infrastructure uses	None required.

* Not listed below

(c) Where no parking is required for a use by this Section 151, the maximum permitted shall be one space per 2,000 square feet of Occupied Floor Area of use, three spaces where the use or activity has zero Occupied Floor Area or the maximum specified elsewhere in this Section.

SEC. 151.1. SCHEDULE OF PERMITTED <u>ACCESSORY</u> OFF-STREET PARKING SPACES <u>IN SPECIFIED DISTRICTS</u>.

(a) **Applicability.** *Unless otherwise specified in a Special Use District, this Section 151.1 shall apply. This Section 151.1 shall apply only to NCT, RC, RCD, RTO, Mixed Use, M-1, PDR-1-D,*

1	PDR-1-G, and C-3 Districts, and to the Broadway, Excelsior Outer Mission Street, Japantown, North		
2	Beach, Polk, and Pacific Avenue Neighborhood Commercial Districts.		
3	(b) Off-street Accessory Parking. Off-street accessory parking shall not be required for any		
4	use, and the quantities of off-street parking specified in Tables 151.1-1 and 151.1-2 shall serve as the		
5	maximum amount of off-street parking that may be provided as accessory to the uses specified. In		
6	addition:		
7	(1) Accessory off-street parking spaces shall be permitted up to quantities specified in		
8	Tables 151.1-1 and 151.1-2, except where provision of such parking would conflict with other		
9	provisions of this Code, including but not limited to Sections 144, 145.1, 145.4, and 155(r), in which		
10	case the Code Sections other than this Section 151.1 shall apply.		
11	(2) Where a building or lot contains more than one use, the applicable accessory		
12	parking limit shall be calculated in the manner provided in Section 153 of this Code.		
13	(3) Where the amount of off-street parking exceeds the quantities specified in Tables		
14	151.1-1 and 151.1-2, such parking shall be considered a separate use requiring a separate entitlement		
15	and not considered an accessory use, unless it is existing non-conforming accessory parking that may		
16	only be expanded or intensified pursuant to Section 150(e).		
17	(4) Off-street parking shall be reduced, if required for a Development Project to comply		
18	with the Transportation Demand Management Program set forth in Section 169 of this Code.		
19	(b) Controls. Off-street accessory parking shall not be required for any use, and the quantities		
20	of off-street parking specified in Table 151.1 shall serve as the maximum amount of off-street parking		
21	that may be provided as accessory to the uses specified. Variances from accessory off-street parking		
22	limits, as described in this Section 151.1, may not be granted. Where off-street parking is provided that		
23	exceeds the quantities specified in Table 151.1 or as explicitly permitted by this Section, such parking		
24	shall be classified not as accessory parking but as either a principally permitted or Conditional Use,		
25	depending upon the use provisions applicable to the district in which the parking is located. In		

1	considering an application for a Conditional Use for any such parking due to the amount being		
2	provided, the Planning Commission shall consider the criteria set forth in Sections 303(t) or 303(u) of		
3	this Code.		
4	(c) Definition. Where a number or ratio of spaces are described in Table \underline{s} 151.1- \underline{l} or		
5	151.1-2, such number or ratio shall refer to the total number of parked ears vehicles		
6	accommodated in the project-proposal, regardless of the arrangement of parking, and shall		
7	include all spaces accessed by mechanical means, valet, or non-independently accessible		
8	means. For the purposes of determining the total number of <i>cars vehicles</i> parked, the area of		
9	an individual parking space, except for those spaces specifically designated for persons with		
10	physical disabilities, may not exceed 185 square feet, including spaces in tandem, or in		
11	parking lifts, elevators, or other means of vertical stacking. Any off-street surface area		
12	accessible to motor vehicles with a width of 7.5 feet and a length of 17 feet (127.5 square		
13	feet) not otherwise designated on plans as a parking space may be considered and counted		
14	as an off-street parking space at the discretion of the Zoning Administrator if the Zoning		
15	Administrator, in considering the possibility for tandem and valet arrangements, determines		
16	that such area is likely to be used for parking a vehicle on a regular basis and that such area		
17	is not necessary for the exclusive purpose of vehicular circulation to the parking or loading		
18	facilities otherwise permitted.		
19	(d) Car-Share Parking. Any off-street parking space dedicated for use as a car-share		
20	parking space, as defined in Section 166, shall not be credited count toward the total parking		
21	permitted as accessory in this Section 151.1.		

23 **Table 151.1**-1

OFF-STREET PARKING PERMITTED AS ACCESSORY

25

Use or Activity	Number of Off-Street <i>Car Vehicle</i> Parking Spaces or Space Devoted to Off-Street <i>Car Vehicle</i> Parking Permitted
RESIDENTIAL USES	
Dwelling (in all Districts unless specified otherwise below)	P up to 2.0 parking spaces on Lots with one Dwelling Unit; P up to 3.0 parking spaces on Lots with two Dwelling Units; P up to 1.0 parking space for each Dwelling Unit for Lots with three or more Dwelling Units; NP above preceding ratio.
Dwelling, in the Telegraph Hill - North Beach Residential Special Use District	P up to 0.5 parking space for each Dwelling Unit, subject to the controls and procedures of Section 249.49(c) and Section 155(t); NP above preceding ratio.
Dwelling, in the Polk Street Neighborhood Commercial District	P up to 0.5 parking space for each Dwelling Unit; NP above preceding ratio.
Dwelling, in the Pacific Avenue Neighborhood Commercial District	P up to 0.5 parking space for each Dwelling Unit; C above 0.5 and up to 1.0 parking space for each Dwelling Unit; NP above preceding ratios.
Dwelling Units in RH-DTR Districts	P up to one car for each two Dwelling Units; C up to one car for each Dwelling Unit, subject to the criteria and procedures of Section 151.1(e); NP above one space per unit.
Dwelling Units in SB-DTR Districts, except as specified below	P up to <u>0.375 parking space for each Dwelling</u> <u>Unit one car for each four Dwelling Units</u> ; C <u>above 0.375 and</u> up to 0.75 <u>cars parking space</u> for each Dwelling Unit, subject to the criteria and procedures of Section 151.1(e); NP above 0.75 <u>cars parking space</u> for each Dwelling Unit.
Dwelling Units in SB-DTR Districts with at least 2 bedrooms and at least 1,000 square feet of Occupied Floor Area	P up to <u>0.375 parking space</u> one car for each four Dwelling Units; C <u>above 0.375 and</u> up to <u>1.0</u> one car parking space for each Dwelling Unit, subject to the criteria and procedures of Section 151.1(e); NP above <u>1.0</u> one car parking space for each Dwelling Unit.
Dwelling Units in C-3 and RH-DTR Districts	P up to <u>0.375 parking space</u> one car for each two Dwelling Units; C <u>above 0.375 and</u> up to 0.75 cars parking space for each Dwelling Unit, subject to the criteria and procedures of Section 151.1(e); NP above three cars for each four <u>0.75 parking space for each</u> Dwelling Units.

	Dwelling Units in the Van Ness &	P up to one car 0.25 parking space for each four
	Market Residential Special Use District	Dwelling Unit _s ; NP above <u>0</u> .25 <i>ears parking</i>
2		space for each Dwelling Unit.
3	MUG outside of the Central SoMa SUD,	P up to one car 0.25 parking space for each four Dwelling or SRO Units; C above 0.25 and up to
4		0.75 <i>cars parking space</i> for each Dwelling Unit, subject to the criteria, <i>and</i> conditions, and
5		procedures of Section 151.1(e) or (f); NP above 0.75 <i>cars parking spaces</i> for each
6		Dwelling <i>or SRO</i> Unit.
	· · · · · · · · · · · · · · · · · · ·	P up to <i>one car</i> <u>0.25 parking space</u> for each <i>four</i> Dwelling Units; C <u>above 0.25 and</u> up to <u>1.0</u> one
8	MUO, WMUO, and SPD Districts with at least two bedrooms and at least 1,000	car parking space for each Dwelling Unit, subject to the criteria and conditions and
9	square feet of Occupied Floor Area	procedures of Section 151.1(e) or (f); NP above 1.0 one car parking space
10		Dwelling Unit.
11		P up to one car 0.5 parking space for each two Dwelling or SRO Units; C above 0.5 and up to
12	Districts, except as specified below	0.75 cars parking space for each Dwelling Unit, subject to the criteria and procedures of
13		Section 151.1(e); NP above 0.75 <i>cars parking space</i> for each Dwelling Unit.
14	Dwelling Units and SRO Units in the	P up to 0.5 parking spaces for each Dwelling
15	• •	Unit, subject to the controls and procedures of
16		Section 249.49(c) and Sections 155(r) and 155(t); NP above <i>preceding ratio</i> .
17	Dwelling Units and SRO Units in the	P up to 0.5 parking space for each Dwelling Unit; C above 0.5 and up to 0.75 ears parking
18	Neighborhood Commercial Districts	spaces for each Dwelling Unit; NP above 0.75 ears parking space for each Dwelling Unit,
19	Telegraph Hill - North Beach Residential	subject to the controls and procedures of
20	•	Sections 155(r), 155(t), and Section 151.1(e). <i>NP above preceding ratio</i> .
21	Dwelling Units in the Glen Park NCT District	P up to 0.5 parking space for each Dwelling Unit; C above 0.5 and up to 1.0 parking space for each
22		Dwelling Unit, subject to the criteria and
23		procedures of Section 151.1(e); NP above 1.0 parking space for each Dwelling Unit.
24		P up to one car 1.0 parking space for each
25		Dwelling U _H nit; NP above 1.0 parking space for each Dwelling Unit.

Neighborhood Commercial District	
Dwelling Units in the Japantown NC District	P up to 0.75 <i>cars parking space</i> for each Dwelling Unit,; C <i>above 0.75 and</i> up to 1.0 <i>can parking space</i> for each Dwelling Unit, subject the criteria and procedures of Section 151.1(e); NP above <i>1.0 parking space for each Dwelling Unit</i> .
Dwelling Units with in the Central SoMa SUD	P up to one car 0.25 parking space for each for Dwelling Units; C above 0.25 and up to 0.5 cars parking space for each Dwelling Unit. NE above 0.5 parking space for each Dwelling Unit
Dwelling Units in RTO Districts.	P up to 1.0 parking space for each Dwelling University NP above 1.0 parking space for each Dwelling Unit. For Lots east of Divisadero and Castro Streets in RTO Districts, P up to 0.75 parking spaces for each Dwelling Unit; C above 0.75 and up to 1.0 parking space for each Dwelling Unit, subject to the criteria and procedures of Section 151.1(e) or (f). NP above 1.0 parking space for each Dwelling Unit.
Dwelling Units in <i>RTO</i> , RED and RED-MX Districts, except as specified below	P up to three cars 0.75 parking spaces for each four Dwelling Units; C above 0.75 and up to 1.00 one car parking space for each Dwelling Unit, subject to the criteria and procedures of Section 151.1(e) or (f); NP above 1.00 one car parking space for each Dwelling Unit.
Dwelling Units in UMU Districts, except as specified below	P up to 0.75 <i>cars parking spaces</i> for each Dwelling Unit; NP above 0.75 parking spaces each Dwelling Unit.
Dwelling Units in UMU District with at least 2 bedrooms and at least 1,000 square feet of occupied floor area	P up to 1.0 car parking space for each Dwellin Unit and subject to the conditions of Section 151.1(e); NP above 1.0 parking space for each Dwelling Unit.
Group Housing of any kind	P up to <u>1.0</u> one car parking space for each threbedrooms or for each six beds, whichever results in the greater number of parking space requirement, plus <u>1.0</u> one parking space for the manager's Dwelling Unit if any; NP above preceding ratios.

1 2	All non-residential uses in C-3 Districts	Not to exceed 7% of Occupied Floor Area of such uses, except not to exceed 3.5% of Occupied Floor Area in the C-3-O(SD) District, and subject to the pricing conditions of	
3		Section 155(g).	
4	NON-RESIDENTIAL USES IN DISTRIC	TS OTHER THAN C-3	
5 6	Non-residential, non-office uses in PDR- 1-D, PDR-1-G, and UMU Districts	P up to 50% greater than indicated for the uses specified below. <i>NP above preceding ratio</i> .	
7	Agricultural Use Category		
8	<u>Greenhouse</u>	P up to 1.5 parking spaces for each 4,000 square feet of Occupied Floor Area. NP above preceding ratio.	
9	Entertainment, Arts, and Recreation U		
		P up to 1.5 parking spaces for each 200 square feet of Occupied Floor Area. NP above preceding ratio.	
12 13	·	P up to one car for each 200 square feet of Occupied Floor Area.	
14 15		P up to 1.5 parking spaces for each 2,000 square feet of Occupied Floor Area. NP above preceding ratio.	
16 17	Sports Stadium	P up to 1.0 parking space one car for each 15 seats. NP above preceding ratio.	
18 19	Theater or auditorium	P up to 1.0 one car parking space for each eight 8 seats up to 1,000 seats, plus one 1.0 parking space for each 10 seats in excess of 1,000. NP above preceding ratio.	
20	Industrial Uses Category		
21 22		P up to one car 1.0 parking space for each 1,500 square feet of Occupied Floor Area. NP above preceding ratio.	
23	Small Enterprise Workspace	P up to <i>one car</i> 1.0 parking space for each 1,500	
24	·	square feet of Occupied Floor Area. <u>NP above</u> <u>preceding ratio.</u>	
25			

<u>Live/Work Units</u>	P up to 1.5 parking spaces for each 2,000 square feet of Occupied Floor Area, except in RH or RM Districts, within which the requirement shall be 1.0 parking space for each Live/Work Unit. NP above preceding ratio.
Institutional Uses Category	1
Institutional Uses*	P up to <i>one car</i> 1.0 parking space per 1,500 square feet of Occupied Floor Area. NP above preceding ratio.
Child Care Facility	P up to one car 1.0 parking space for each 25 children to be accommodated at any one time. NP above preceding ratio.
Hospital	P up to one car 1.0 parking space for each 8 guest beds excluding bassinets or for each 2,400 square feet of Occupied Floor Area devoted to sleeping rooms, whichever results in the lesser requirement. NP above preceding ratio.
Post-Secondary Educational Institution	P up to <i>one car</i> <u>1.0 parking space</u> for each <u>two 2</u> classrooms. <u>NP above preceding ratio.</u>
Religious Institution	P up to <i>one car</i> 1.0 parking space for each 20 seats. NP above preceding ratio.
Residential Care Facility	P up to <i>one car</i> 1.0 parking space for each 10 beds. NP above preceding ratio.
School	P up to <i>one car</i> <u>1.0 parking space</u> for each <u>six</u> <u>6</u> classrooms. <u>NP above preceding ratio.</u>
Trade School	P up to <i>one car</i> 1.0 parking space for each two 2 classrooms. NP above preceding ratio.
Sales and Services Category	
Retail Sales and Services*	P up to one car 1.0 parking space for each 500 square feet of Occupied Floor Area. up to 20,000 square feet, plus one car for each 250 square feet of Occupied Floor Area in excess of 20,000. NP above preceding ratio.

All retail in the Eastern Neighborhoods Mixed Use Districts where any portion of the parcel is within the Central SoMa Special Use District or is less than one-quarter 1/4 mile from Market, Mission, 3rd Streets and 4th Street north of Berry Street, except grocery stores of over 20,000 gross square feet. General Grocery uses with over 20,000 square feet of Occupied Floor Area of Square feet of Occupied Floor Area of Square feet of Occupied Floor Area of Square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area, and subject to the conditions and criteria of Section 303(u)(2). NP above preceding ratio. Health Service Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. P up to one car 1.0 parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. None permitted. ATO-1, RTO-M and RM districts authorized under Section 231.	1		P up to <u>1.25 parking spaces</u> one car for each <u>500</u> 200 square feet of Occupied Floor Area. <u>NP</u>	
Mixed Use Districts where any portion of the parcel is within the Central SoMa Special Use District or is less than one-quarter 1/4 mile from Market, Mission, 3rd Streets and 4th Street north of Berry Street, except grocery stores of over 20,000 gross square feet. 8 General Grocery uses with over 20,000 square feet of Occupied Floor Area square feet of Occupied Floor Area square feet of Occupied Floor Area square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one-ear 1.0 parking space per 250 square feet of Occupied Floor Area, square feet of Occupied Floor Area, square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one-ear 1.0 parking space per 250 square feet of Occupied Floor Area, square feet of Occupied Floor Area, and subject to the conditions and criteria of Section 303(u)(2). NP above preceding ratio. Health Service Pup to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Pup to 1.0 one parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for each 16 gquest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio.	2			
the parcel is within the Central SoMa Special Use Districts of is less than one-quarter 1-4 mile from Market, Mission, 3rd Streets and 4th Street north of Berry Street, except grocery stores of over 20,000 gross square feet. General Grocery uses with over 20,000 square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 500 square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area, and subject to the conditions and criteria of Section 303(t)(2). NP above preceding ratio. Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. P up to one car 1.0 parking space for each 16 quest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary P up to 5.0 parking spaces, five cars. NP above preceding ratio. P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	0	_		
Street, except grocery stores of over 20,000 gross square feet.		the parcel is within the Central SoMa	•	
Street, except grocery stores of over 20,000 gross square feet. General Grocery uses with over 20,000 square feet of Occupied Floor Area square feet of Occupied Floor Area subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area for that area in excess of 20,000 square feet, subject to the conditions and criteria of Section 303(t)(2). NP above preceding ratio. Health Service Pup to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC Pup to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts Pup to 1.2 parking spaces for each guest bedroom NP above preceding ratio. None permitted. Pup to 5.0 parking space, five cars. NP above preceding ratio. Pup to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio.	5	<u>quarter</u> 1/4 mile from Market, Mission,		
General Grocery uses with over 20,000 square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area for that area in excess of 20,000 square feet, subject to the conditions and criteria of Section 303(t)(2). NP above preceding ratio. Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. P up to one car 1.0 parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. P up to one car 1.0 parking space for each 16 quest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH, RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary P up to 5.0 parking spaces, five cars. NP above preceding ratio. P up to 1.0 parking space one car for each quest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	6			
square feet of Occupied Floor Area square feet of Occupied Floor Area, and subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area for that area in excess of 20,000 square feet, subject to the conditions and criteria of Section 303(t)(2). NP above preceding ratio. Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. None permitted. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary P up to 5.0 parking spaces. five cars. NP above preceding ratio. P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	00 000			
subject to the conditions of Section 303(u)(2). C up to one car 1.0 parking space per 250 square feet of Occupied Floor Area for that area in excess of 20,000 square feet, subject to the conditions and criteria of Section 303(t)(2). NP above preceding ratio. Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. None permitted. P up to 5.0 parking spaces. five cars. NP above preceding ratio. Mortuary P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio.		· · · · · · · · · · · · · · · · · · ·		
square feet of Occupied Floor Area for that area in excess of 20,000 square feet, subject to the conditions and criteria of Section 303(t)(2) NP above preceding ratio. Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. Area in excess of 20,000 square feet, subject to the conditions and criteria of Section 303(t)(2) NP above preceding ratio. P up to 1.0 parking space for each 300 square feet of Occupied Floor Area in Section 303(t)(2) NP above preceding ratio. P up to 1.0 parking spaces, five cars. NP above preceding ratio. P up to 5.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above		·	subject to the conditions of Section 303(u)(2).	
the conditions and criteria of Section 303(t)(2) NP above preceding ratio. Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary P up to 5.0 parking spaces. five cars. NP above preceding ratio. P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	10		square feet of Occupied Floor Area <i>for that</i>	
Health Service P up to 1.0 one parking space for each 300 square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. None permitted. None permitted. P up to 5.0 parking spaces. five cars. NP above preceding ratio. Mortuary P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	11		the conditions and criteria of Section 303(t)(2).	
square feet of Occupied Floor Area. NP above preceding ratio. Hotels in Districts other than NC P up to one car 1.0 parking space for each 16 guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. None permitted. None permitted. P up to 5.0 parking spaces. five cars. NP above preceding ratio. P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	. —			
guest bedrooms, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts Pup to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH., None permitted. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary Pup to 5.0 parking spaces. five cars. NP above preceding ratio. Pup to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	10		square feet of Occupied Floor Area. NP above	
the manager's Dwelling Unit, if any. NP above preceding ratio. Hotels in NC Districts P up to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH. None permitted. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary P up to 5.0 parking spaces. five cars. NP above preceding ratio. P up to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	15	Hotels in Districts other than NC		
Hotels in NC Districts Pup to 1.2 parking spaces for each guest bedroom NP above preceding ratio. Limited Corner Commercial Uses in RH, None permitted. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary Pup to 5.0 parking spaces. five cars. NP above preceding ratio. Pup to 1.0 parking space one car for each guest unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	16		the manager's Dwelling Unit, if any. <u>NP above</u>	
Limited Corner Commercial Uses in <i>RH</i> . None permitted. RTO-1, RTO-M and RM districts authorized under Section 231. Mortuary P up to 5.0 parking spaces. five cars. NP above preceding ratio. P up to 1.0 parking space one car for each gues unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above	17			
Limited Corner Commercial Uses in <u>RH</u> , None permitted. 20 <u>RTO-1</u> , RTO- <u>M</u> and RM districts authorized under Section 231. 21 P up to <u>5.0 parking spaces</u> . <u>five cars</u> . <u>NP above preceding ratio</u> . 23 Motel 24 P up to <u>1.0 parking space</u> one car for each guest unit, plus one <u>1.0 parking space</u> for the manager's Dwelling Unit, if any. <u>NP above</u>				
authorized under Section 231. P up to <u>5.0 parking spaces. five cars. NP above preceding ratio.</u> Motel P up to <u>1.0 parking space one car</u> for each gues unit, plus <u>one 1.0 parking space</u> for the manager's Dwelling Unit, if any. <u>NP above</u>			None permitted.	
P up to <u>5.0 parking spaces</u> . <u>five cars</u> . <u>NP above preceding ratio</u> . 23 Motel P up to <u>1.0 parking space</u> <u>one car</u> for each gues unit, plus <u>one 1.0 parking space</u> for the manager's Dwelling Unit, if any. <u>NP above</u>				
unit, plus one 1.0 parking space for the manager's Dwelling Unit, if any. NP above				
	24		manager's Dwelling Unit, if any. <u>NP above</u>	

Retail <u>Greenhouse or</u> plant nursery Retail space devoted to the handling of bulky merchandise such as motor vehicles, machinery, or furniture	P up to one car 1.0 parking space for each 4,000 square feet of Occupied Floor Area. Such uses exceeding 20,000 square feet shall be subject to the conditions of Section 303(u)(2). NP above preceding ratio. P up to one car 1.0 parking space for each 1,000 square feet of Occupied Floor Area. Such uses exceeding 20,000 square feet shall be subject to the conditions of
Self-Storage	Section 303(u)(2). <u>NP above preceding ratio.</u> P up to <u>one car 1.0 parking space</u> for each <u>three</u> <u>3</u> self-storage units. <u>NP above preceding ratio.</u>
Non-Retail Sales and Services*	P up to one car 1.0 parking space per 1,500 square feet of Occupied Floor Area. NP above preceding ratio.
Commercial Storage or Wholesale Storage	P up to <i>one car</i> 1.0 parking space for each 2,000 square feet of Occupied Floor Area. NP above preceding ratio.
Office (unless otherwise specified below)	P up to 1.25 parking spaces for each 500 square feet of Occupied Floor Area. NP above preceding ratio.
Office uses in DTR, SPD, MUG, WMUG, MUR, WMUO, and MUO Districts	P up to 7% of the Occupied Floor Area of such uses and subject to the pricing conditions of Section 155(g); NP above <i>preceding ratio</i> .
Office uses in the Central SoMa Special Use District	P up to one car 1.0 parking space per 3,500 square feet of Occupied Floor Area. NP above preceding ratio.
Office uses in Chinatown Mixed Use Districts	P up to 7% of the Occupied Floor Area of such uses; NP above <i>preceding ratio</i> .
Office uses in M-1, UMU, SALI, PDR-1-D, and PDR-1-G Districts, except as specified below	P up to one car 1.0 parking space per 1,000 square feet of Occupied Floor Area and subject to the pricing conditions of Section 155(g); NP above preceding ratio.

1 2 3	D, and PDR-1-G Districts where the	P up to <i>one car</i> 1.0 parking space per 500 square feet of Occupied Floor Area; NP above preceding ratio.
4	Utility and Infrastructure Uses Catego	ry
5 6		P up to <i>one car</i> 1.0 parking space per 1,500 square feet of Occupied Floor Area. NP above <i>preceding ratio</i> .
7	* Not listed below (e) Non-Residential Uses. Unless of	herwise specified in Tables 151.1-1 or 151.1-2, or
9	elsewhere in this Section 151.1, the maximum shall be one of the following:	n accessory parking permitted for non-residential us
1 2	(1) One parking space per 2,0	000 square feet of Occupied Floor Area of use; or ere the use or activity has no Occupied Floor Area.
3 4	(<u>fe</u>) Excess Residential Parking	. Any request for accessory residential parking,
15		Tables 151.1-1 and 151.1-2, shall be reviewed by the second that the request does not exceed the

- (fe) Excess Residential Parking. Any request for accessory residential parking, in excess of what is principally permitted in Tables 151.1-1 and 151.1-2, shall be reviewed by the Planning Commission as a Conditional Use, provided that the request does not exceed the maximum amount stated in Tables 151.1-1 and 151.1-2. In MUG, WMUG, MUR, MUO, RED, RED-MX, and SPD Districts, any project subject to Section 329 and that requests residential accessory parking in excess of that which is principally permitted in Tables 151.1-1 and 151.1-2, but which does not exceed the maximum amount stated in Tables 151.1-1 and 151.1-2, shall be reviewed by the Planning Commission according to the procedures of Section 329. Projects that are not subject to Section 329 shall be reviewed under the procedures detailed in subsection (g) below.
- (fg) Small Residential Projects in MUG, WMUG, MUR, MUO, CMUO, WMUO, RED, RED-MX, and SPD Districts. Any project that is not subject to the requirements of Section

1	329 and that requests residential accessory parking in excess of what is principally permitted
2	in Table \underline{s} 151.1 $\underline{-1}$ and $\underline{151.1-2}$ shall be reviewed by the Zoning Administrator subject to Section
3	307(i). The Zoning Administrator may grant parking in excess of what is principally permitted
4	in Tables 151.1-1 and 151.1-2, not to exceed the maximum amount stated in Tables 151.1-1
5	and 151.1-2, only if the Zoning Administrator determines that:
6	(1) all the following conditions have been met:
7	(A) Vehicle movement on or around the project does not unduly impact
8	pedestrian spaces or movement, transit service, bicycle movement, or the overall traffic
9	movement in the district;
10	(B) Accommodating excess accessory parking does not degrade the
11	overall urban design quality of the project proposal;
12	(C) All above-grade parking is architecturally screened and lined with
13	active uses according to the standards of Section 145.1, and the project sponsor is not
14	requesting any exceptions or variances requiring such treatments elsewhere in this Code; and
15	(D) Excess accessory parking does not diminish the quality and viability
16	of existing or planned streetscape enhancements;
17	(2) parking is not accessed from any protected Transit or Pedestrian Street
18	described in Section 155(r), and
19	(3) where more than 10 spaces are proposed at least half of them, rounded
20	down to the nearest whole number, are stored and accessed by mechanical stackers or lifts,
21	valet, or other space-efficient means that reduces space used for parking and maneuvering,
22	and maximizes other uses.
23	(g) Excess Parking for Non-Residential Uses greater than 20,000 square feet. Where
24	permitted by Table 151.1 for a Non-Residential Use greater than 20,000 square feet, any request for

accessory parking in excess of what is principally permitted in Table 151.1, but which does not exceed

the maximum amount stated in Table 151.1, shall be reviewed by the Planning Commission as a
 Conditional Use.

(h) Transit-Oriented Communities Parking Limits. Consistent with the Transit-Oriented

Communities Policies of the Metropolitan Transportation Commission, this Section 151.1 implements

the maximum parking limits based on the presence of certain transit services within one-half mile of the development. Notwithstanding the provisions of Table 151.1-2, if any portion of the subject development falls within the geographic areas listed in Table 151.1-2, the lower of the maximum limits in either Table 151.1-1 or Table 151.1-2 shall apply as the maximum amount of parking.

9

10

11

3

4

5

6

7

8

MAXIMUM PARKING LIMITS FOR TRANSIT STATION AREAS

Table 151.1-2

12	<u>Geographic Area</u>	Maximum Residential Parking	Maximum Parking for Non-
13		per Dwelling Unit *	Retail Sales and Service Uses
14			(including all Office and
15			<u>Laboratory uses) and Retail</u>
16			Sales and Service Uses, except
17			for any use also classified as a
18			Production, Distribution, and
19			Repair Use.
20	<u>Transit-Oriented Communities</u>	0.375 parking space for each	0.25 parking spaces per 1,000
21	Tier 1: Sites within a half-mile	Dwelling Unit.	square feet of Occupied Floor
22	of Embarcadero, Montgomery,		<u>Area.</u>
23	Powell, or Civic Center BART		
24	stations; and Salesforce		
25	Transbay Transit Center.**		

1	<u>Transit-Oriented Communities</u>	0.5 parking spaces for each	1.6 parking spaces per 1,000
2	Tier 2: Sites within a half-mile	Dwelling Unit.	square feet of Occupied Floor
3	of 16th Street, 24th Street, Glen		<u>Area.</u>
4	Park, or Balboa Park BART		
5	stations.**		
6	<u>Transit-Oriented Communities</u>	1.0 parking space for each	2.5 parking spaces per 1,000
7	Tier 3: Sites within a half-mile	<u>Dwelling Unit.</u>	square feet of Occupied Floor
8	of all Muni rail stops on the F,		Area.
9	<u>J, K, L, M, N, or T lines;</u>		
10	Caltrain Stations; and Van Ness		
11	Bus Rapid Transit Stops (i.e.,		
12	stops on Van Ness Avenue		
13	between and including Market		
14	Street and Union Street).**		
15	Transit-Oriented Communities	1.0 parking space for each	2.5 parking spaces per 1,000
16	Tier 4: Sites within a half-mile	Dwelling Unit.	square feet of Occupied Floor
17	of all ferry terminals, including		Area.
18	the Ferry Building, 16 th		
19	Street/Mission Bay, and		
20	<u>Treasure Island.**</u>		

* Refer to Table 151.1-1 for maximum parking limits applicable to Group Housing, including

Group Housing projects in Transit Station Areas.

** As used in Table 151.1-2, the distance of one-half mile shall be measured in accordance with the methodology established by the Metropolitan Transportation Commission.

21

22

23

24

SEC. 153. RULES FOR CALCULATION OF REQUIRED PARKING SPACES.

- (a) In the calculation of off-street parking, freight loading spaces, and bicycle parking spaces *permitted or* required under Sections 151.1, 152, 152.1, 155.2, 155.3, and 155.4 of this Code, *or pursuant to any Special Use District*, the following rules shall apply:
- (1) In the case of mixed uses in the same structure, on the same lot, or in the same development, or more than one type of activity involved in the same use, the total requirements for permitted off-street parking and requirements for loading spaces shall be the sum of the requirements for the various uses or activities computed separately, including fractional values.
- (2) Where an initial quantity of floor area, rooms, seats, or other form of measurement is exempted from off-street parking or loading requirements, such exemption shall apply only once to the aggregate of that form of measurement. If the initial exempted quantity is exceeded, for either a structure or a lot or a development, the requirement shall apply to the entire such structure, lot, or development, unless the contrary is specifically stated in this Code. In combining the requirements for use categories in mixed use buildings, all exemptions for initial quantities of square footage for the uses in question shall be disregarded, excepting the exemption for the initial quantity which is the least among all the uses in question.
- (3) Where a structure or use is divided by a zoning district boundary line, the requirements as to quantity of off-street parking and loading spaces and permitted off-street parking shall be calculated in proportion to the amount of such structure or use located in each zoning district.
- (4) Where seats are used as the form of measurement, each 22 inches of space on benches, pews and similar seating facilities shall be considered one seat.

(5) When the calculation of the required number of off-street parking or required
freight loading or permitted off-street parking spaces results in a fractional number, a fraction of
42-one-half or more shall be adjusted to the next higher whole number of spaces, and a fraction
of less than one-half 1/2 may shall be disregarded, except where the number of permitted spaces is
less than one, in which case one parking space shall be permitted.

- (6) In C-3, MUG, MUR, MUO, CMUO, and UMU <u>Districts</u>, substitution of two service vehicle spaces for each required off-street freight loading space may be made. provided that a minimum of 50% percent of the required number of spaces are provided for freight loading. Where the 50% percent allowable substitution results in a fraction, the fraction shall be disregarded.
- (b) The requirements for off-street parking and loading and permitted off-street parking for any use not specifically mentioned in Sections 151.1 and 152 shall be the same as for a use specified which is similar, as determined by the Zoning Administrator.
- (c) For all uses and all districts covered by Section 151.1, the rules of calculation established by subsection (a) of this Section 153 shall apply to the determination of maximum permitted spaces al-allowed by Section 151.1.

SEC. 154. DIMENSIONS FOR OFF-STREET PARKING, FREIGHT LOADING, AND SERVICE VEHICLE SPACES.

- (a) **Parking Spaces.** Required parking spaces may be either independently accessible or space-efficient as described in Section 154(a)(4) and 154(a)(5), except as required elsewhere in the Building Code for spaces specifically designated for persons with physical disabilities. Space-efficient parking is encouraged.
- (1) Each independently accessible off-street parking space shall have a minimum measuring an area of 144 square feet (8 feet by 18 feet) shall count as for a standard space and

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- measuring 112.5 square feet for shall count as a compact space (7.5 feet by 15 feet), except for the types of parking spaces authorized by subsection Paragraph (a)(4) below and spaces specifically designated for persons with physical disabilities, the requirements for which are set forth in the Building Code. Every required parking space shall be of usable shape. The area of any such space shall be exclusive of driveways, aisles, and maneuvering areas. The parking space requirements for the Bernal Heights Special Use District are set forth in Section 242.
 - (2) Any ratio of standard spaces to compact spaces may be permitted, so long as compact car spaces are specifically marked and identified as a compact space. *Special provisions relating to the Bernal Heights Special Use District are set forth in Section 242*.
 - (3) Off-street parking spaces in DTR, C-3, RTO, NCT, Eastern Neighborhoods Mixed Use, PDR-1-D, and PDR-1-G Districts shall have no *minimum defined* area or dimension requirements, except as required elsewhere in the Building Code for spaces specifically designated for persons with physical disabilities. For all uses in all Districts, *for which there is no minimum off-street parking requirement, per Section 151.1*, refer to *Sections 153 and* 151.1(c) for rules regarding calculation of parking spaces.
 - (4) <u>Permitted off-street parking Parking</u> spaces in mechanical parking structures that allow a vehicle to be accessed without having to move another vehicle under its own power shall be deemed to be independently accessible. Parking spaces that are accessed by a valet attendant and are subject to such conditions as may be imposed by the Zoning Administrator to insure the availability of attendant service at the time the vehicle may reasonably be needed or desired by the user <u>for whom the space is required</u>, shall be deemed to be independently accessible. Any conditions imposed by the Zoning Administrator pursuant to this Section 154 shall be recorded as a Notice of Special Restriction.
 - (5) Space-efficient parking is parking in which vehicles are stored and accessed by valet, mechanical stackers or lifts, certain tandem spaces, or other space-efficient means.

1	Tandem spaces shall-only count towards satisfying the parking requirement toward permitted off-
2	street parking spaces if no more than one car needs to be moved to access the desired parking
3	space. Space-efficient parking is encouraged, and may be used to satisfy minimum-parking
4	requirements so long as the project sponsor can demonstrate that all required parking can be
5	accommodated by the means chosen.

* * * *

SEC. 155. GENERAL STANDARDS AS TO LOCATION AND ARRANGEMENT OF OFF-STREET PARKING, FREIGHT LOADING, AND SERVICE VEHICLE FACILITIES.

Required off-street parking and freight loading facilities shall meet the following standards as to location and arrangement. Facilities which are not required but are actually provided shall also meet the following standards unless such standards are stated to be applicable solely to required facilities. In application of the standards of this Code for off-street parking and loading, reference may be made to provisions of other portions of the Municipal Code concerning off-street parking and loading facilities, and to standards of the Better Streets Plan and the Bureau of Engineering of the Department of Public Works. Final authority for the application of such standards under this Code, and for adoption of regulations and interpretations in furtherance of the stated provisions of this Code shall, however, rest with the Planning Department.

* * * *

(u) Driveway and Loading Operations Plan (DLOP) in the Central SoMa Special Use District and Van Ness & Market Residential Special Use District.

(1) **Purpose.** The purpose of a Driveway and Loading Operations Plan (DLOP) is to reduce potential conflicts between driveway and loading operations, including passenger and freight loading activities, and pedestrians, bicycles, and vehicles, to maximize reliance of

1	on-site loading spaces to accommodate new loading demand, and to ensure that off-site
2	loading activity is considered in the design of new buildings.

- (2) **Applicability.** Development projects of more than 100,000 net new <u>G</u>gross square feet <u>Floor Area in the Central SoMa Special Use District and Van Ness & Market Residential</u> <u>Special Use District</u>.
- (3) **Requirement.** Applicable projects shall prepare a DLOP for review and approval by the Planning Department, in consultation with the San Francisco Municipal Transportation Agency. The DLOP shall be written in accordance with any guidelines issued by the Planning Department.

SEC. 161. EXEMPTIONS AND EXCEPTIONS FROM OFF-STREET PARKING, FREIGHT LOADING, AND SERVICE VEHICLE REQUIREMENTS.

The following exemptions shall apply to the requirements for off-street parking and loading spaces set forth in Sections 151.1 through 155 of this Code. These provisions, as exemptions, shall be narrowly construed. Reductions or waivers by the Zoning Administrator permitted by this Section 161 shall be conducted pursuant to the procedures of Section 307(h)(2). Where exceptions in this Section 161 require approval by the Zoning Administrator, the Zoning Administrator shall consider the criteria of Section 307(i).

- (a) Topography. No off-street parking shall be required for a one-family or two-family dwelling where the lot on which such dwelling is located is entirely inaccessible by automobile because of topographic conditions.
- (ba) Parking or Loading Across Very Wide Sidewalks. No off-street parking or loading shall be required where access to the lot cannot be provided other than by means of a driveway across a sidewalk 25 feet or more in width from the curb to the front lot line which would cause serious disruption to pedestrian traffic.

$(e\underline{b})$ Joint Use of Off-Street Parking. Joint use of the same off-street parking spaces
to meet the requirements of this Code for two or more structures or uses is may be permitted,
where the normal hours of operation of such structures or uses are such as to assure the feasibility of
such joint use of parking and where the total quantity of spaces provided is at least equal to the total of
the required spaces for the structures or uses in operation at any given time.

- (d) Exceptions to Improve Conformity with Setbacks, Yards, Open Space, and Other

 Requirements of the Code. The Zoning Administrator may reduce or waive the off-street parking

 requirement for existing buildings if removal of parking and associated structures increases conformity

 with required front setbacks, side yards, and rear yards, increases conformity with open space or street

 frontage requirements, reduces or eliminates any nonconforming encroachment onto public rights of
 way or other public property or easement, and/or reduces or eliminates any other code nonconformity.
- (ec) Freight Loading and Service Vehicle Spaces. In recognition of the fact that site constraints may make provision of required freight loading and service vehicle spaces impractical or undesirable, a reduction in or waiver of the provision of freight loading and service vehicle spaces for uses may be permitted, by the Zoning Administrator in all dDistricts, or in accordance with the provisions of Section 309 of this Code in C-3 Districts. In considering any such reduction or waiver, the following criteria shall be considered:
- (1) Provision of freight loading and service vehicle spaces cannot be accomplished underground because site constraints will not permit ramps, elevators, turntables and maneuvering areas with reasonable safety;
- (2) Provision of the required number of freight loading and service vehicle spaces on-site would result in the use of an unreasonable percentage of ground-floor area, and thereby preclude more desirable use of the ground floor for retail, pedestrian circulation or open space uses;

- (3) A jointly used underground facility with access to a number of separate buildings and meeting the collective needs for freight loading and service vehicles for all uses in the buildings involved, cannot be provided; and
- (4) Spaces for delivery functions can be provided at the adjacent curb without adverse effect on pedestrian circulation, transit operations or general traffic circulation, and off-street space permanently reserved for service vehicles is provided either on-site or in the immediate vicinity of the building.
- (gd) **Historic Buildings.** There shall be no minimum off-street parking or loading requirements for any principal or Conditional Use located in (1) a landmark building designated per Article 10 of this Code, (2) a contributing building located within a designated historic district per Article 10, (3) any building designated Category I-IV per Article 11 of this Code, or (4) buildings listed on the National Register and/or California Register.
- (he) Landmark and Significant Trees. The required off-street parking and loading may be reduced or waived if the Zoning Administrator determines that provision of required off-street parking or loading would result in the loss of or damage to a designated Landmark Tree or Significant Tree, as defined in the Public Works Code. The Zoning Administrator's decision shall be governed by Section 307(i) and shall require either (1) the recommendation of the Department of Public Works Bureau of Urban Forestry, or its successor agency, or (2) the recommendation of a certified arborist as documented in the subject tree's required tree protection plan.
- (if) **Geologic Hazards.** No off-street parking or loading shall be required where the Planning Department finds that required parking or loading cannot practically be provided without compromising the earthquake safety or geologic stability of a building and/or neighboring structures and properties.

1	(jg) Protected Street Frontages and Transit Stops. No off-street $parking or$ loading is		
2	required on any lot whose sole feasible automobile access is across a protected street		
3	frontage identified in Section 155(r).		
4	$(k\underline{h})$ Curbside Transit Lanes and Bikeways. No off-street parking or loading is		
5	required on any lot whose sole feasible automobile access is across a curbside transit lane or		
6	bikeway.		
7			
8	SEC. 207.9. MINIMUM DWELLING UNIT DENSITIES AND MINIMUM OFFICE		
9	<u>INTENSITIES.</u>		
10	(a) Purpose. This Section 207.9 establishes minimum residential and commercial density		
11	standards in Transit-Oriented Communities, as identified by the Metropolitan Transit Commission, and		
12	implements the City's Housing Element obligations pursuant to Government Code 65583. Consistent		
13	with the Transit-Oriented Communities Policies of the Metropolitan Transportation Commission, this		
14	Section establishes the minimum Dwelling Unit densities for residential development and minimum		
15	intensities for Office use.		
16	(b) Minimum Dwelling Unit Density.		
17	(1) Applicability. This Section 207.9 applies to all projects proposing new construction		
18	of one or more Residential Buildings on sites that do not already contain Residential uses unless such		
19	uses are demolished, and that are located in the geographic areas or satisfy the applicability criteria		
20	described in Table 207.9. These minimum residential densities shall apply only in zoning Districts		
21	where Residential uses are permitted. Changes of use of existing building space to Residential use,		
22	additions of Residential use to existing structures, and additions of Residential or Office uses to lots		
23	where such uses are already existing, and that are not proposed for demolition, are not subject to the		
24	requirements of this Section.		

1	(2) Minimum Densities. New construction proposing Dwelling Units on sites within
2	the geographic areas described in Table 207.9 must provide at least the number of Dwelling Units
3	specified in Table 207.9. Sites that meet more than one applicable Tier requirement in Table 207.9
4	shall comply with the higher minimum density. Fractions of units shall be rounded per Section
5	207(b)(1). For purposes of this Section 207.9, Accessory Dwelling Units shall count toward any
6	minimum density requirement.
7	(3) Exception for Projects with Non-Code Complying Minimum Densities. Projects
8	that fail to comply with the minimum Dwelling Unit densities in this Section 207.9 shall be considered
9	non-code-compliant. The Planning Commission may grant an exception to this objective standard
10	upon approval of a Conditional Use Authorization pursuant to Section 303.
11	(c) Minimum Office Intensity.
12	(1) Applicability. This subsection (c) applies to all projects proposing new construction
13	of Office use on sites that do not already contain Office uses, and that are located in the geographic
14	areas or satisfy the applicability criteria described in Table 207.9; provided that the minimum Office
15	intensities in this subsection (c) shall not exceed the amount of permissible Office use allowed in the
16	District. These minimum densities shall only apply in Districts where Office uses are permitted.
17	Changes of use of existing building space to Office use, additions of Office use to existing structures,
18	and additions of Office uses to Lots where such uses are already existing, and that are not proposed for
19	demolition are not subject to the requirements of this Section 207.9.
20	(2) Minimum Intensity. New construction proposing Office use on sites within the
21	geographic areas described in Table 207.9 must comply with the FAR requirements in Table 207.9.
22	
23	<u>Table 207.9</u>
24	MINIMUM DENSITIES REQUIRED FOR RESIDENTIAL DEVELOPMENT
25	AND MINIMUM INTENSITIES FOR OFFICE USE

1

•			
2	<u>Applicability</u>	Minimum Dwelling Unit	Minimum Intensity for
3		<u>Density</u>	Office Use
4	Transit-Oriented Communities	100 units per acre	Floor Area Ratio 4:1
5	Tier 1: Sites within a half-mile		
6	of Embarcadero, Montgomery,		
7	Powell, or Civic Center BART		
8	stations; and Salesforce		
9	Transbay Transit Center.*		
10	Transit-Oriented Communities	75 units per acre	Floor Area Ratio 3:1
11	Tier 2: Sites within a half-mile		
12	of 16th Street, 24th Street, Glen		
13	Park, or Balboa Park BART		
14	stations.*		
15	Transit-Oriented Communities	50 units per acre	Floor Area Ratio 2:1
16	Tier 3: Sites within a half-mile		
17	of all Muni rail stops on the F,		
18	J, K, L, M, N, or T lines;		
19	Caltrain Stations; and Van Ness		
20	Bus Rapid Transit Stops (i.e.		
21	stops on Van Ness Avenue		
22	between and including Market		
23	Street and Union Street).*		
24	Transit-Oriented Communities	50 units per acre	Floor Area Ratio 1:1
25	Tier 4: Sites within a half-mile		

1	of all ferry terminals, including		
2	the Ferry Building, 16 th		
3	Street/Mission Bay, and		
4	Treasure Island; and all other		
5	locations subject to the		
6	applicability of Section 207.9.*		
7	Sites identified as Reused Sites	50 units per acre	<u>N/A</u>
8	in the 2022 Housing Element		
9	<u>Update.**</u>		
10			
11	Sites identified as Appropriate	50 units per acre	<u>N/A</u>
12	for Very Low Income or Low		
13	Income Households in the 2022		
14	Housing Element Update.***		
15	* As used in Table 207.9, the dista	nce of one-half mile shall be mea	sured in accordance with

* As used in Table 207.9, the distance of one-half mile shall be measured in accordance with the methodology established by the Metropolitan Transportation Commission.

** Housing Projects in which at least 20% of the units are set aside to households with incomes at 80% of Area Median Income or lower on sites in this category shall be approved consistent with California Government Code Section 65583.2(c) and (i).

*** Housing Projects in which at least 20% of the units are set aside to households with incomes at 80% of Area Median Income or lower on sites in this category shall be approved consistent with California Government Code Section 65583.2(h) and (i).

(d) Gross Floor Area. For purposes of determining the Gross Floor Area of a development Lot subject to this Section 207.9, the calculation shall exclude Gross Floor Area to be dedicated for publicly accessible streets. In instances where portions of a Lot are unbuildable due to topographic or

16

17

18

19

20

21

22

23

24

1	geologic conditions, a development is proposed on only a portion of the Lot, or the Lot is otherwise		
2	constrained, the Zoning Administrator is authorized to determine that a smaller portion of a Lot shall		
3	serve as the development Lot.		
4	(e) Mixed-uses. For purposes of determining minimum Residential Density and Office Intensity		
5	as long as one of the land uses satisfies the minimum Residential Density and/or Office Intensity the		
6	respective land uses are prorated to comply individually.		
7	(f) Conditional Use Authorizations for Projects that Fail to Comply with this Section.		
8	Projects that fail to comply with the objective standards in this Section 207.9 shall be considered non-		
9	code-compliant. If not otherwise prohibited by the Code, a project may not comply with the minimum		
10	Residential Density and Office Intensity, if the Planning Commission approves a Conditional Use		
11	Authorization.		
12			
13	SEC. 207.10. MAXIMUM DWELLING UNIT SIZE.		
14	(a) Purpose. To encourage new infill multi-family housing, limit the proliferation and		
15	expansion of large houses that do not increase the housing stock of moderately-priced units, support		
16	the preservation of existing housing that serves lower- and middle-income households, and encourage		
17	maximizing residential density, this Section 207.10 sets forth citywide maximum Dwelling Unit sizes.		
18	(b) Applicability. This Section 207.10 applies to any project to construct Dwelling Units for		
19	which a Development Application is filed after January 31, 2026, for one or more of the following:		
20	(1) construction of new Dwelling Unit(s), including the construction of a Dwelling Unit		
21	where an existing unit is proposed for demolition as defined in Section 317(b)(2);		
22	(2) merger of two or more Dwelling Units as defined in Section 317(b)(7); or		
23	(3) reduction in the number of existing Dwelling Units.		
24	(c) Requirements. Any project that meets one or more of the criteria in subsection (b) shall be		
25	restricted to a maximum Dwelling Unit size of 4,000 square feet of Gross Floor Area or an equivalent		

1	Floor Area Ratio for any individual Dwelling Unit of 1.2:1, whichever is greater, except in the
2	following conditions:
3	(1) any new construction project of four to nine Dwelling Units, where not more than
4	one Dwelling Unit exceeds 4,000 square feet of Gross Floor Area; or
5	(2) any new construction project of 10 or more Dwelling Units, where not more than
6	10% of such units exceed 4,000 square feet of Gross Floor Area.
7	(d) Conditional Use Authorizations for Projects that Fail to Comply with this Section.
8	Projects that fail to comply with the objective standards in this Section 207.10 shall be considered non-
9	code-compliant. If not otherwise prohibited by the Code, a project may exceed the maximum Dwelling
10	Unit size, without satisfying the conditions in subsection (c), if the Planning Commission approves a
11	Conditional Use Authorization for the larger Dwelling Unit(s).
12	(e) Conditional Use Criteria. In addition to the criteria outlined in Planning Code Section
13	303(c), in acting upon an application for Conditional Use Authorization, the Planning Commission
14	shall consider whether facts are presented to establish based on the record before the Commission, that
15	all of the following criteria are met:
16	(1) the proposed project meets applicable Residential Design Guidelines, Citywide
17	Design Standards, and other applicable adopted guidelines or standards;
18	(2) the proposed project does not propose to reduce the size of any other existing
19	Dwelling Unit or negatively impact the characteristics of a Residential Flat, as set forth in Section
20	<u>317(g);</u>
21	(3) the proposed project increases the number of Dwelling Units on the Lot and, if
22	applicable, meets the applicable minimum density requirement under Section 207.9; and
23	(4) the proposed project will not have specific adverse impacts on a Historic Building
24	as defined in Planning Code Section 102 or would render the property ineligible for historic
25	designation as an individual or contributing resource.

1	(f) Calculation of Gross Floor Area. For the purposes of this Section 207.10, the following
2	shall apply in the calculation of a Dwelling Unit's total Gross Floor Area:
3	(1) Gross Floor Area shall have the meaning set forth in Planning Code Section 401;
4	(2) Shared spaces and common areas in multi-unit buildings shall not be included;
5	(3) Storage areas, sheds, or other enclosed areas on the property that are accessory to
6	and assigned to a specific Dwelling Unit but not contiguous with and directly accessible from the unit
7	shall not be included; and
8	(4) Gross Floor Area shall include (A) all expansions of the Residential Building for
9	which a building permit was issued within the previous 10 years, and (B) any Gross Floor Area
10	resulting from construction performed without a validly issued permit regardless of the date of
11	construction.
12	
13	
14	Section 9. Off-Street Parking and Curb Cuts. Article 1 and Article 2 of the Planning
15	Code are hereby amended by revising Sections 155, 249.49, and 249.71, to read as follows
16	SEC. 155. GENERAL STANDARDS AS TO LOCATION AND ARRANGEMENT OF
17	OFF-STREET PARKING, FREIGHT LOADING, AND SERVICE VEHICLE FACILITIES.
18	* * * *
19	(r) Protected Pedestrian-, Cycling-, and Transit-Oriented Street Frontages. In
20	order to <u>protect and improve</u> <u>preserve the</u> pedestrian <u>and bicycle safety and transit service, character</u>
21	of certain districts and to minimize delays to transit, service, garage entries, driveways, or other
22	vehicular access to off-street parking or loading via curb cuts on development lots shall be
23	regulated as set forth in this subsection (r). <u>However, Tthese limitations</u> do-shall not apply to the
24	creation of new publicly-accessible Streets and Alleys. Any lot where the only whose sole feasible
25	vehicular access is via a protected street frontage described in this subsection (r) shall be

1	exempt <i>ed</i> from any off-street <i>parking or</i> -loading requirement found elsewhere in this Code,
2	unless a curb cut is otherwise authorized.
3	(1) Curb Cuts Not Permitted. No new or expanded curb cuts shall be permitted on the
4	frontages listed in Table 155(r)(1) below:
5	
6	TABLE 155(r)(1). PROHIBITED STREET FRONTAGES
7	2nd Street from Market to Townsend Streets
8	3rd Street in the UMU District for 100 feet north and south of Mariposa Street and 100 feet north
9	and south of 20th Street
10	3rd Street from Folsom Street to Townsend Street
11	4th Street from Folsom Street to Townsend Street
12	6th Street from Folsom Street to Brannan Street
13	6th Street for its entirety within the SoMa NCT District
14	9th Avenue from Lincoln Way to Judah Street in the Inner Sunset NC District
15	16th Street between Kansas and Mississippi Streets in the UMU and PDR-1-D Districts
16	16th Street between Guerrero and Capp Streets within the Valencia Street NCT and Mission Street
17	NCT Districts
18	17th Street in the Castro Street NC District
19	18th Street in the Castro Street NC District
20	22nd Street between 3rd Street and Minnesota Streets within the NCT-2 District
21	24th Street in the 24th Street - Noe Valley NC District east of Castro Street
22	24th Street for the entirety of the 24th Street-Mission NCT District
23	All Alleys within the North Beach NCD and the Telegraph Hill-North Beach Residential SUD
24	All Alleys in the Chinatown Mixed Use Districts
25	AMPARICAN IN THE CHIMINOTH MARKE CHE DIMINED

1	Balboa Street from 35th Avenue to 38th Avenue
2	Brannan Street from 2nd Street to 6th Street
3	Broadway between Van Ness Avenue and Larkin Street
4	Broadway from the Embarcadero on the east to Polk Street on the west
5	Buchanan Street from Post Street to Sutter Street
6	Bush Street between Van Ness Avenue and Larkin Street
7	California Street between Van Ness Avenue and Hyde Street
8	Carl Street in the Cole Valley NC District
9	Castro Street in the Castro Street NC District
10	Chenery Street within the Glen Park NCT District
11	Chestnut Street from Divisadero Street to Fillmore Street
12	Church Street in the Upper Market Street NCT and NCT-3 Districts
13	Clement Street from Arguello Boulevard to Park Presidio Boulevard
14	Cole Street in the Cole Valley NC District
15	Columbus Avenue between Washington and North Point Streets
16	Destination Alleyways, as designated in the Downtown Streetscape Plan
17	Diamond Street within the Glen Park NCT District
18	Divisadero from Page to Oak Streets, from Fell to Grove Streets, and from Geary to Pine Streets
19	Ecker Alley in its entirety
20	Fillmore Street in the Upper Fillmore NC District
21	Folsom Street from 2nd Street to 13th Street
22	Folsom Street, from Second Street to The Embarcadero, except as permitted pursuant to Section 827
23	Geneva Avenue from I-280 to San Jose Avenue within the NCT-2 District
24	Grant Avenue between Columbus Avenue and Filbert Street
25	

	Green Street between Grant Avenue and Columbus/Stockton
	Haight Street in the Lower Haight NC District and Haight Street NC District
1	Hayes Street from Franklin Street to Laguna Street
į	Howard Street from 5th Street to 13th Street
1	Hyde Street between California Street and Pine Street
1	Irving Street from 19th Avenue to 25th Avenue
1	Irving Street from 6th Avenue to 10th Avenue in the Inner Sunset NC District
1	Market Street for its entirety from The Embarcadero to Castro Street
1	Mission Street for the entirety of the Mission Street NCT District
1	Mission Street from The Embarcadero to Annie Street and from 10th Street to Division Street
Ī	Natoma Street from 300 feet westerly of 1st Street to 2nd Street
(Ocean Avenue from Junipero Serra Boulevard to Lagunitas Drive in the Lakeside Village NC
1	<u>District</u>
(Ocean Avenue within the Ocean Avenue NCT District
(Octavia Street from Hayes Street to Fell Street
1	Parnassus Avenue in the Cole Valley NC District
1	Pine Street between Van Ness Avenue and Larkin Street
1	Polk Street between Filbert Street and Golden Gate Avenue
1	Post Street, on the north side from Webster Street to Laguna Street and on the south side from
1	Fillmore Street to Webster Street
Ļ	Shaw Alley in its entirety
-	Taraval Street from 19th Avenue to 22nd Avenue
, <u>-</u>	The Embarcadero (the western/inland side) between King and Jefferson Streets
,	The Embarcadero in the DTR Districts

1	Townsend Street from 2nd Street to 6th Street, except as permitted pursuant to Section 329(e)(3)(B)
2	Union Street from Fillmore Street to Octavia Street
3	Valencia Street between 15th and 23rd Streets in the Valencia Street NCT District
4	Van Ness Avenue from Hayes Street to Mission Street
5	(2) Protected Street Features. No new or expanded curb cuts shall be permitted within
6	the following street features:
7	(A) An adjacent on-street curbside striped bus stop (e.g., curbside bus stop
8	zones with striping or red curb) that has been approved by the San Francisco Municipal
9	Transportation Agency (SFMTA) Board of Directors;
10	(B) A transit bulb-out, as defined in the Better Streets Plan; or
11	(C) A transit boarding island, as defined in the Better Streets Plan, if vehicles
12	accessing the curb cut would be required to cross over the boarding island.
13	(3) Corner Lots in the SALI District. For corner lots in the SALI District, no new curb
14	cut shall be permitted, nor any existing curb cut expanded, on any Street or Alley identified as an Alley
15	in the Western SoMa Area Plan of the General Plan if any property on the same block with frontage
16	along that Street or Alley is designated as a RED or RED-MX District.
17	(4) Curb Cuts Requiring Planning Commission Approval. In all zoning districts
18	except RH, M, NC-S, P, PDR, and SALI, no new or expanded curb cuts shall be permitted on the
19	frontages listed in Table 155(r)(4), unless approved by the Planning Commission through a
20	Conditional Use Authorization pursuant to Planning Code Section 303. However, if the new or
21	expanded curb cut is part of a project that requires Planning Commission approval under a separate
22	section, such as Section 309 or 329, then the Planning Commission shall consider the curb cut as part
23	of that approval. Regardless of the type of approval, in order to approve such a curb cut, the Planning
24	Commission must make the findings required by Section 303(y). For projects within the C-3-0(SD) and

1 <u>the Central SoMa Special Use District, in no case shall such curb cut approval be granted where the</u>

2 proposed accessory parking would be greater than the amount principally permitted.

(A) Protected Streets. Planning Commission approval is required for any new or

expanded curb cut that directly fronts any of the streets listed in Table 155(r)(4) below.

5

3

6	Table 155(r)(4). PLANNING COMMISSION APPROVAL OF CURB CUTS
7	1st Street from Market to Folsom Street
8	5th Street from Howard Street to Townsend Street
9	16th Street in the RTO Districts
10	Beale Street from Market Street to Folsom Street
11	Bryant Street from 2nd Street to 6th Street
12	California Street in its entirety
13	Church Street in the RTO Districts
14	Dolores Street from Market Street to 16th Street
15	Duboce Street from Noe Street to Market Street
16	Fillmore Street from Hermann Street to Duboce Avenue
17	Folsom Street in the C-3 Districts
18	Fremont Street from Market Street to Folsom Street
19	Geary Street in the C-3 Districts
20	Grant Avenue from Market Street to Sacramento Street
21	Harrison Street from 2nd Street to 6th Street
22	Mission Street in the C-3 Districts
23	Montgomery Street from Market Street to Columbus Avenue
24	Noe Street from Duboce Avenue to Market Street
25	

1	Octavia Street from Fell Street to Market Street
2	Powell Street in the C-3 Districts
3	Stockton Street in the C-3 Districts
4	The Embarcadero (eastern/water side) between Townsend and Taylor Streets
5	West Portal Avenue in the West Portal NC District
6	(B) Protected Street Types with Alternative Frontage. Planning Commission
7	approval is required for any new or expanded curb cut that directly fronts any of the following when an
8	alternative street frontage is available:
9	(i) Transit Preferential Streets designated in the Transportation Element,
10	(ii) Neighborhood Commercial Streets or Commercial Throughways
11	defined by the Better Streets Plan; or
12	(iii) Bicycle routes or lanes as adopted by SFMTA Board of Directors.
13	On such bicycle routes or lanes where the bicycle facility is only on one side of the street, the curb cut
14	restriction shall apply to the side of the street with the bicycle facility, and shall not apply to the
15	opposite side of the street.
16	(C) Protected Street Types with No Alternative Frontage. A new or expanded
17	curb cut on street types listed in subsection $(r)(4)(B)$ where no alternative frontage exists shall still
18	require Planning Commission approval. However, in such cases the Planning Commission shall not
19	make the findings of Section 303(y) and instead must find that the final design minimizes negative
20	impacts to transit movement and to the safety of pedestrians and bicyclists to the fullest extent feasible.
21	(5) Existing Curb Cuts. Existing curb cuts on frontages listed in subsections (r)(1)-
22	(r)(4) shall not be retained as part of a project that involves new construction, a building alteration
23	that increases the Gross Floor Area of a structure by 20% or more, or a change of use affecting more
24	than 50% of the structure's Gross Floor Area. However, the Planning Commission may allow retention
25	or relocation of up to one existing curb cut along any of the site's frontages, through Conditional Use

1	authorization or other applicable discretionary Planning Commission approval, provided that no
2	existing curb cut shall be maintained if it is located in or affects a protected transit stop feature
3	pursuant to subsection (r)(2), and no existing curb cut may be relocated to newly affect such features.
4	In granting such approval, the Planning Commission must make the additional findings required under
5	Planning Code Section 303(y) and must also find that (1) the project represents an increase in
6	residential density and/or non-residential intensity that is appropriate to the site, such as its proximity
7	to transit or its location within a mixed-use area; and (2) the proposed curb cut is necessary to support
8	the project's scale and function, while being sited and designed to minimize to the fullest extent feasible
9	negative impacts on pedestrian activity, street-level commercial activity, the movement of transit
10	vehicles and passengers, and bicycle facilities.
11	(6) Sites owned by the City and County of San Francisco under the jurisdiction of the
12	SFMTA are not subject to the provisions of this Section 155(r).
13	(1) Folsom Street, from Second Street to The Embarcadero, not permitted except as set
14	forth in Section 827.
15	— (2) Not permitted:
16	(A) The entire portion of Market Street from The Embarcadero to Castro Street,
17	(B) Hayes Street from Franklin Street to Laguna Street, and Church Street in the NCT-3
18	and Upper Market NCT Districts,
19	(C) Van Ness Avenue from Hayes Street to Mission Street,
20	(D) Mission Street from The Embarcadero to Annie Street and from 10th Street to
21	Division Street,
22	(E) Octavia Street from Hayes Street to Fell Street,
23	(F) Embarcadero in the DTR Districts,
24	(G) 22nd Street between 3rd Street and Minnesota Streets within the NCT-2 District,
25	(H) Valencia Street between 15th and 23rd Streets in the Valencia Street NCT District,

1	——————————————————————————————————————
2	(J) 24th Street for the entirety of the 24th Street-Mission NCT,
3	(K) 16th Street between Guerrero and Capp Streets within the Valencia Street NCT and
4	Mission Street NCT Districts,
5	(L) 16th Street between Kansas and Mississippi Streets in the UMU and PDR-1-D
6	Districts,
7	(M) 6th Street for its entirety within the SoMa NCT District,
8	(N) 3rd Street, in the UMU districts for 100 feet north and south of Mariposa and 100
9	feet north and south of 20th Streets,
10	(O) Ocean Avenue within the Ocean Avenue NCT District,
11	(P) Geneva Avenue from I-280 to San Jose Avenue within the NCT-2 District,
12	(Q) Columbus Avenue between Washington and North Point Streets,
13	(R) Broadway from the Embarcadero on the east to Polk Street on the west,
14	(S) All alleyways in the Chinatown Mixed Use Districts,
15	(T) Diamond Street within the Glen Park NCT District,
16	(U) Chenery Street within the Glen Park NCT District,
17	(V) Natoma Street from 300 feet westerly of 1st Street to 2nd Street,
18	(W) Ecker Alley in its entirety,
19	——————————————————————————————————————
20	(Y) 2nd Street from Market to Townsend Streets,
21	(Z) Destination Alleyways, as designated in the Downtown Streetscape Plan,
22	(AA) The western (inland) side of the Embarcadero between Townsend and Jefferson
23	Streets,
24	(BB) Post Street, on the north side from Webster Street to Laguna Street and on the south
25	side from Fillmore Street to Webster Street.

1	(CC) Buchanan Street from Post Street to Sutter Street,
2	(DD) Grant Avenue between Columbus Avenue and Filbert Street,
3	(EE) Green Street between Grant Avenue and Columbus/Stockton,
4	(FF) All Alleys within the North Beach NCD and the Telegraph Hill-North Beach
5	Residential SUD,
6	(GG)1 Polk Street between Filbert Street and Golden Gate Avenue,
7	(HH) California Street between Van Ness Avenue and Hyde Street,
8	(II) Hyde Street between California Street and Pine Street,
9	(JJ) Broadway between Van Ness Avenue and Larkin Street,
10	(KK) Bush Street between Van Ness Avenue and Larkin Street,
11	(LL) Pine Street between Van Ness Avenue and Larkin Street, and
12	(MM) Howard Street from 5th Street to 13th Street,
13	(NN) Folsom Street from 2nd Street to 13th Street,
14	(OO) Brannan Street from 2nd Street to 6th Street,
15	(PP) Townsend Street from 2nd Street to 6th Street, except as permitted pursuant to
16	Section $329(e)(3)(B)$,
17	(QQ) 3rd Street from Folsom Street to Townsend Street,
18	(RR) 4th Street from Folsom Street to Townsend Street, and
19	(SS) 6th Street from Folsom Street to Brannan Street.
20	(TT) No curb cut shall be permitted that directly fronts an adjacent on-street striped bus
21	stop (e.g., bus stop zones with striping or red curb) that has been approved by the San Francisco
22	Municipal Transportation Agency (SFMTA) Board of Directors, transit bulb-out as defined in the
23	Better Streets Plan, or on street frontage directly adjacent to a transit boarding island as defined in the
24	Better Streets Plan if vehicles accessing the curb cut would be required to cross over the boarding
25	island

——————————————————————————————————————
exception. In the C-3-O(SD) and the Central SoMa Special Use Districts, the Planning Commission
may grant permission for a new curb cut or an expansion of an existing one as an exception pursuant to
Sections 309 or 329 in lieu of a Conditional Use authorization as long as the Commission makes the
findings required under Section 303(y) and where the amount of parking proposed does not exceed the
amounts permitted as accessory according to Section 151.1. In addition, in the MUG, WMUG, MUR,
MUO, RED, RED-MX, and SPD Districts, the Planning Commission may grant permission for a new
curb cut or an expansion of an existing one as an exception pursuant to Section 329 in lieu of a
Conditional Use authorization as long as the Commission makes the findings required under Section
303(y). A Planning Commission Conditional Use authorization subject to the additional findings under
Section 303(y) is required to allow a new curb cut or expansion of an existing one on any other
restricted street identified in this subsection 155(r)(3).
(A) Except as provided in Section 155(r), in all zoning districts except RH, M, NC-S, P,
PDR, and SALI, no curb cuts accessing off-street parking or loading shall be created or expanded on
street frontages identified along any Transit Preferential Street as designated in the Transportation
Element of the General Plan, or Neighborhood Commercial Street and Commercial Throughways as
defined in the Better Streets Plan, or any SFMTA Board of Directors adopted bicycle routes or lanes,
where an alternative frontage is available. On such bicycles routes or lanes where the bicycle facility is
only on one side of the street, the curb cut restriction shall apply to the side of the street with the
bicycle facility, and shall not apply to the opposite side of the street.
(B) The entire portion of California Street,
(C) Folsom Street, Geary Street, Mission Street, Powell Street and Stockton Street in the
C-3 Districts,
(D) Grant Avenue from Market Street to Sacramento Street,
— (E) Montgomery Street from Market Street to Columbus Avenue,

1	— (F) Church Street and 16th Street in the RTO District,
2	(G) Duboce Street from Noe Street to Market Street,
3	(H) Octavia Street from Fell Street to Market Street,
4	(I) 1st, Fremont and Beale Streets from Market to Folsom Street,
5	(J) The eastern (water) side of The Embarcadero between Townsend and Taylor Streets,
6	(K) Fillmore Street from Hermann Street to Duboce Avenue,
7	(L) Noe Street from Duboce Avenue to Market Street, and
8	(M) Dolores Street from Market Street to 16th Street.
9	(N) Harrison Street from 2nd Street to 6th Street,
10	(O) Bryant Street from 2nd Street to 6th Street, and
11	(P) 5th Street from Howard Street to Townsend Street.
12	(4) In all zoning districts except RH, M, NC-S, P, PDR, and SALI, where an alternative
13	frontage is not available, parking or loading access along any Transit Preferential Street as designated
14	in the Transportation Element of the General Plan, or Neighborhood Commercial Street or
15	Commercial Throughways defined in the Better Streets Plan, or any SFMTA Board of Directors
16	adopted bicycle routes or lanes, may be allowed on streets not listed in subsection $(r)(2)$ above as an
17	exception in the manner provided in Section 309 for C-3-O(SD) Districts, Section 329 for Mixed-Use
18	Districts, and in Section 303 for all other Districts in cases where the Planning Commission can
19	determine that the final design of the parking access minimizes negative impacts to transit movement
20	and to the safety of pedestrians and bicyclists to the fullest extent feasible.
21	(5) Corner lots in the SALI District. For corner lots in the SALI District, no new curb
22	cut shall be permitted, nor any existing curb cut expanded, on any Street or Alley identified as an alley
23	in the Western SoMa Area Plan of the General Plan if any property on the same block with frontage
24	along that Street or Alley is designated as a RED or RED-MX District.

(6) A "development lot" shall mean any lot containing a proposal for new
construction, building alterations which would increase the gross square footage of a structure by 20
percent or more, or change of use of more than 50 percent of the gross floor area of a structure
containing parking. Pre-existing access to off-street parking and loading on development lots that
violates the restrictions of this Section 155(r) may not be maintained.

* * *

(t) Garage Additions in the North Beach Neighborhood Commercial District, North Beach-Telegraph Hill Residential Special Use District, and Chinatown Mixed Use Districts. Notwithstanding any other provision of this Code to the contrary, a mandatory discretionary review hearing by the Planning Commission is required in order to install a garage in an existing or proposed structure of two units or more in the North Beach NCD, the North Beach-Telegraph Hill Residential SUD, and the Chinatown Mixed Use Districts.

In order to approve the installation of any garage in these districts, the City shall find that: (1) the proposed garage opening/addition of off-street parking will not cause the elimination or reduction of ground-story retail or commercial space; (2) the proposed garage opening/addition of off-street parking will not eliminate or decrease the square footage of any #Dwelling #Unit, (3) the building has not had two or more evictions with each eviction associated with a separate #Dwelling Unit(s) within the past 10 ten years, and (4) the garage would not front on an Alley pursuant to Section 155(r)(2)(1) of this Code or on a public right-of-way narrower than 41 feet, and (5) the proposed garage/addition of off-street parking is consistent with the Priority Policies of Section 101.1 of this Code. Prior to the issuance of notification under Section 311 or 312 of this Code, the Department shall require a signed affidavit by the project sponsor attesting to (1), (2), and (3) above, which the Department shall independently verify, and the Department shall determine whether the project complies with subsection (4) above. If the project sponsor does not provide such signed affidavit, or the

1	garage would front on an Alley or on a public right-of-way narrower than 41 feet, the
2	Department shall disapprove the application and no Planning Commission hearing shall be
3	required.
4	* * * *
5	
6	SEC. 249.49. TELEGRAPH HILL – NORTH BEACH RESIDENTIAL SPECIAL USE
7	DISTRICT.
8	* * * *
9	(c) Controls.
10	* * * *
11	(2) Installation of a Parking Garage. Installation of a garage in an existing or
12	proposed residential building of two or more units requires a mandatory discretionary review
13	hearing by the Planning Commission. In order to approve the installation of any garage in
14	these districts, the Commission shall find that: (1) the proposed garage opening/addition of
15	off-street parking will not cause the elimination or reduction of ground-story retail or
16	commercial space; (2) the proposed garage opening/addition of off-street parking will not
17	eliminate or decrease the square footage of any dwelling unit; (3) the building has not had two
18	or more evictions within the past 10 years, with each eviction associated with a separate
19	unit(s), (4) the garage would not front on an Alley pursuant to Section $155(r)\frac{(2)(1)}{(2)}$ of this Code
20	or on a public right-of-way narrower than 41 feet, and (5) the proposed garage opening/
21	addition of off-street parking is consistent with the Priority Policies of Section 101.1 of this
22	Code.
23	* * * *

SEC. 249.71. YERBA BUENA CENTER MIXED-USE SPECIAL USE DISTRICT.

24

1	* * * *
2	(c) Use Controls. The following provisions shall apply to the special use district:
3	* * * *
4	(8) Protected Street Frontages.
5	(A) Section $155(r)\frac{(3)(4)(A)-(B)}{(B)}$ shall not apply within the special use
6	district.
7	(B) For the purposes of Section $155(r)(4)(C)$, the project does not have
8	alternative frontage to Third Street and Mission Street, and therefore curb cuts accessing off-
9	street parking or loading off Third Street and Mission Street may be permitted as an exception
10	pursuant to Section 309 and Section 155(r)(4)(C).
11	* * * *
12	Section 10. San Francisco Municipal Transportation Agency Special Use District.
13	Article 2 of the Planning Code is hereby amended by adding Section 249.11, to read as
14	follows:
15	SEC. 249.11 NON-CONTIGUOUS SAN FRANCISCO MUNICIPAL TRANSPORTATION
16	AGENCY SITES SPECIAL USE DISTRICT.
17	(a) Purpose. There shall be a non-contiguous Special Use District ("SUD") for sites owned by
18	the City and County of San Francisco and under the jurisdiction of the San Francisco Municipal
19	<u>Transportation Agency (SFMTA) to enable SFMTA to use the sites for transportation and other Public</u>
20	uses as well as uses permitted by the underlying zoning district. This SUD also enables mixed-use
21	residential development with characteristics not accommodated by underlying zoning.
22	(b) Applicability. The provisions in this Section 249.11 shall apply to the following Assessor's
23	Block/Lots: 0019/001; 0490/009, 010, 011, 012, 013; 0635/009, 009A; 0669/012; 1072/001; 1439/035,
24	036, 045, 048, 049; 1440/028, 029, 030; 1453/020; 1526/002, 028, 028A; 1596/044, 045; 1730/050;
25	1763/044; 2647/034, 017; 2864/050; 2979A/002, 034; 2988A/007; 3582/087; 6507/023; 6972/036;

1	7225/013; 7226/016. Notwithstanding Planning Code Section 206.10, which prohibits projects within
2	SUDs that implement Development Agreements from using the HC-SF Program, residential
3	development projects within this SUD may use the HC-SF Program even when such development is
4	associated with a Development Agreement, Project Agreement or other similar agreement.
5	(c) General Controls.
6	(1) Permitted Uses. In addition to any uses permitted by the zoning district in which the
7	lot is located, uses permitted under Section 211.1 shall be principally permitted and uses conditionally
8	permitted under 211.2 shall be conditionally permitted. Where there is a conflict between land use
9	controls in the underlying zoning district and those in Sections 211.1 or 211.2, the more permissive
10	control shall apply.
11	(2) Residential Density. Maximum residential density limits or Floor Area Ratio limits
12	shall not apply to Residential Uses in the SUD. Form Based density shall apply to Residential Uses in
13	the SUD.
14	(3) Measurement of Height. Notwithstanding Planning Code Section 260(a) regarding
15	Method of Measurement, the height of a structure containing a Public Facility may be measured from
16	the centerline of such structure along any frontage for that structure's entire depth.
17	(4) Bulk and Lot Coverage. For Development projects that are in height districts that
18	allow heights of 400 feet or greater, and are using the HC-SF Program in Section 206.10, the following
19	bulk controls and lot coverage provisions shall apply:
20	(A) Notwithstanding Sections 270(i)(1)(A)(i) and 270(i)(1)(B)(i) no setbacks are
21	required for interior property lines abutting lots with a Public Facility.
22	(B) Below a height of 85 feet, no rear yard or lot coverage limits shall apply.
23	For portions of a building between 85 feet in height and 120 feet in height, the bulk controls of Section
24	270(i) shall not apply; rather, for a lot that does not include a Public Facility, the lot coverage shall be
25	limited to 60% of the lot area.

1	(C) For portions of a building above 120 feet in height (herein "above the
2	podium"), building mass may be provided in up to two towers that meet the bulk limits of Section
3	270(i)(1). However, the following exceptions to Section 270(i)(1) shall apply:
4	(i) Tower separation may be reduced to not less than 50 feet if the height
5	of the shorter tower above the podium is no taller than one-half the height of the taller tower above the
6	podium.
7	(ii) A tower's average floorplate above the podium shall be no larger
8	than 14,000 square feet.
9	(iii) If there are two towers, one of the towers shall not be taller than 360
10	<u>feet.</u>
11	(iv) The combined maximum gross floor area of two towers, measured
12	for floors between 120 feet and 360 feet in height shall be limited to 576,000 square feet.
13	(v) The average floorplate for the top 1/3 portion of a tower above the
14	podium shall be reduced in square footage by 10% from the average floorplate of the lower 2/3 portion
15	of the tower, and the allowed maximum dimensions in Section 270(i)(B) for such top $1/3$ portion of the
16	tower shall be reduced by 5% from the lower 2/3 portion of the tower.
17	(vi) The standards in this subsection (c)(4)(C) are not eligible for the
18	reduction or modification of standards in Section 206.10(d)(1)(M).
19	(5) Open Space. Section 135 shall apply, except as follows:
20	(A) On-Site Publicly Accessible Usable Open Space. The usable open space
21	requirement may be met for projects subject to the SUD with on-site publicly accessible usable open
22	space, including open space otherwise required by Planning Code Section 270.3. When on-site
23	publicly accessible usable open space is provided, the maintenance, information plaque, and liability
24	provisions of Section 270.3(e) shall apply.

1	(B) Off-Site Publicly Accessible Usable Open Space. When additional off-site
2	improvements are made to meet the usable open space requirement, including improvements on
3	adjacent sidewalks and public rights-of-way, such open space improvements shall comply with all
4	applicable regulations of the San Francisco Municipal Transportation Agency, San Francisco Art
5	Commission, the Department of Public Works, the Bureau of Light, Heat and Power of the Public
6	Utility Commission, or any other public agency, as applicable. The property owner shall maintain all
7	such improvements and meet the liability provisions of Section 270.3(e) for the life of the project.
8	(6) Development Impact Fees. For a development project on land subject to the SUD:
9	(A) With the recommendation of the SFMTA Board of Directors, the Board of
10	Supervisors may waive all or a portion of any applicable Transportation Sustainability Fee under
11	Section 411A, and all or a portion of any applicable Jobs-Housing Linkage Program requirements
12	under Section 413.
13	(B) The provisions of Section 415 et seq., as amended or replaced from time to
14	time, shall apply. Notwithstanding Section 415.6(h)(1), a development project may receive development
15	subsidies if the development provides the same number of on-site affordable units as required by the
16	applicable on-site affordable housing requirement in Section 415 et seq., or any temporary reduction
17	as set forth in Sections 415A et seq. or 415B et seq., plus an additional number of on-site affordable
18	units equal to 25% of the applicable on-site affordable units. Additional units shall be provided as
19	affordable to households at or below 80% of Area Median Income. Any units required to be affordable
20	to middle- or moderate-income households under Sections 415.6(a), 415A, or 415B, as applicable, or
21	this subsection 249.11(c)(6)(B), may instead be affordable to moderate- or low-income households.
22	Notwithstanding Section 415.6(f)(1), the moderate and low income units may be located anywhere in
23	the project.
24	
25	

1	Section 11. Legacy Businesses. Article 2 of the Planning Code is hereby amended by
2	adding Section 202.17, to read as follows:
3	SEC. 202.17. PERMITTED USES AND USE SIZE LIMITS TO ALLOW LEGACY
4	BUSINESS RELOCATION.
5	(a) Purpose. It is to the general benefit of the people of San Francisco and the unique
6	character of the City and its neighborhoods to retain long-standing local businesses that are forced to
7	close and relocate for a variety of reasons, including but not limited to new development, escalating
8	commercial rent, or other economic hardship. The provisions of this Section 202.17 are intended to
9	streamline and increase opportunities for registered Legacy Businesses to relocate within the City, but
10	do not override any controls enacted by voter initiative.
11	(b) Definitions. The following definitions shall apply to this Section 202.17.
12	New Location. The site or location where a Legacy Business seeks to be permitted.
13	Prior Location. The place of operation where a Legacy Business operated for at least
14	five years prior to relocating to the New Location.
15	Relocating Legacy Business. A Legacy Business, as defined under Administrative Code
16	Section 2A.242, that ceases to operate at a Prior Location in order to begin operating at the New
17	<u>Location.</u>
18	(c) Controls.
19	(1) Conditional Use Authorization Not Required. Notwithstanding any other provision
20	of this Code, if the use and use size associated with a Legacy Business is either principally or
21	conditionally permitted in the zoning district of the New Location, the use and use size of the Legacy
22	Business shall be considered principally permitted. In no event shall this subsection be construed to
23	permit a use or use size that is not permitted in the zoning district of a proposed New Location, or to
24	allow Formula Retail uses in the Neighborhood Commercial Districts without a Conditional Use
25	<u>Authorization.</u>

1	(2) No Development Impact Fees. A Relocating Legacy Business shall not be subject
2	to fees pursuant to Article 4.
3	
4	Section 12. Miscellaneous Amendments. These amendments are related to the
5	Housing Element rezoning, and include other code changes to streamline the consideration of
6	housing projects. Articles 1, 1.2, 2, and 3 of the Planning Code are hereby amended by
7	revising Sections 102, 311 and 317, and deleting Sections 140.1, 206.5, and 318, to read as
8	follows.
9	SEC. 102. DEFINITIONS.
10	* * * *
11	DBI. The San Francisco Department of Building Inspection or its successor.
12	Density, Form-Based. A type of residential density where the maximum number of residential
13	units is not numerically limited by lot or lot area but by the number of units that could be built within
14	the volume of a proposed development that complies with all applicable Planning Code requirements
15	and Objective Standards. Such requirements and standards include, but are not limited to, Height,
16	Bulk, Rear Yard, Lot Coverage, Setbacks, Open Space, Dwelling Unit Exposure, and Dwelling Unit
17	<u>Mix.</u>
18	Density, Numeric. A type of residential density where the permitted maximum number of
19	residential units is calculated based on a specified number of units per lot, or number of units per lot
20	<u>area.</u>
21	* * * *
22	Legacy Business. A Use Characteristic that applies to Non-Residential uses listed on the
23	Legacy Business Registry pursuant to Administrative Code 2A.242.
24	Length (of a Building or Structure). See Plan Dimensions.
25	* * * *

1	Objective Standard. A standard that does not involve personal or subjective judgment and is
2	publicly available and uniformly verifiable by reference to a benchmark or criterion and knowable,
3	including but not limited to those in the Planning Code or any applicable standards adopted by the
4	Planning Commission, Zoning Administrator, or Board of Supervisors (by ordinance), which are under
5	the purview of the Planning Commission, Planning Department, or Zoning Administrator, including
6	any Citywide Design Standards.
7	Occupied Floor Area. See Floor Area, Occupied.
8	* * * *
9	Residential Care Facility. An Institutional Healthcare Use providing lodging, board,
10	and care for a period of 24 hours or more to persons in need of specialized aid by personnel
11	licensed by the State of California. Such facility shall display nothing on or near the facility that
12	gives an outward indication of the nature of the occupancy except for a sign as permitted by
13	Article 6 of this Code, shall not provide outpatient services, and shall be located in a structure
14	which remains residential in character. Such facilities shall include, but not necessarily be
15	limited to, a board and care home, family care home, long-term nursery, orphanage, rest
16	home or home for the treatment of addictive, contagious or other diseases, or psychological
17	disorders.
18	Residential Flat. A Residential Unit in a building containing two or more Dwelling Units, that
19	has contiguous habitable space that extends the full depth of the building on the same story from the
20	front street-facing façade to the rear of the building, and has windows or doorways on both front and
21	rear facades from at least one habitable room that is not a hallway.
22	* * * *
23	
24	SEC. 140.1. COMMON AREA REQUIREMENT FOR EFFICIENCY DWELLING UNITS
25	WITH REDUCED SQUARE FOOTAGE.

Buildings with 20 or more Efficiency Dwelling Units with reduced square footage, as defined in Section 318 of this Code, shall include at least one common room for use by the residents. Such common room(s) may be used as study or reading rooms, shared kitchen or dining facilities, media rooms, game rooms, fitness facilities, or similar uses appropriate to the needs of residents. Interior common areas shall be of sufficient size to reasonably accommodate residents' needs, but in no event shall the area required be less than ten square feet per unit.

SEC. 206.5. STATE RESIDENTIAL DENSITY BONUS PROGRAM: ANALYZED.

(a) Purpose. Sections 206.5, 206.6, and 206.7 shall be referred to as the San Francisco State Residential Density Bonus Program or the State Density Bonus Program. First, the Analyzed State Density Bonus Program in Section 206.5 offers an expedited process for projects that seek a density bonus that is consistent with the pre-vetted menu of incentives, concessions and waivers that the Planning Department and its consultants have already determined are feasible, result in actual cost reductions, and do not have specific adverse impacts upon public health and safety of the physical environment. Second the Individually Requested State Density Bonus Program in Section 206.6 details the review, analysis and approval process for any project seeking a density bonus that is consistent with State Law, but is not consistent with the requirements for the Analyzed State Density Bonus Program established in Section 206.5. Third, Section 206.7 describes density bonuses available under the State code for the provision of childcare facilities.

This Section 206.5 implements the Analyzed State Density Bonus Program or "Analyzed State Program." The Analyzed State Program offers an expedited process for projects that seek a density bonus that is consistent with, among other requirements set forth below, the pre-vetted menu of incentives, waiver and concessions.

(b) Applicability.

1	(1) A Housing Project that meets all of the requirements of this subsection (b)(1) or is a
2	Senior Housing Project meeting the criteria of (b)(2) shall be an Analyzed State Density Bonus Project
3	or an "Analyzed Project" for purposes of Sections 206 et seq. A Housing Project that does not meet all
4	of the requirements of this subsection (b), but seeks a density bonus under State law may apply for a
5	density bonus under Section 206.6 as an Individually Requested State Density Bonus Project. To
6	qualify for the Analyzed State Density Bonus Program a Housing Project must meet all of the
7	following:
8	(A) contain five or more residential units, as defined in Section 102, not
9	including any Group Housing as defined in Section 102, efficiency dwelling units with reduced square
10	footage defined in Section 318, and Density Bonus Units permitted through this Section 206.5 or other
11	density program;
12	(B) is not seeking and receiving a density or development bonus under Section
13	207; the HOME-SF Program, Section 206.3; the 100 Percent Affordable Housing Bonus Program,
14	Section 206.4; or any other local or State density bonus program that provides development bonuses;
15	(C) for projects located in Neighborhood Commercial Districts is not seeking to
16	merge lots that result in more than 125 linear feet in lot frontage on any one street;
17	(D) is located in any zoning district that: (i) is not designated as an RH-1 or
18	RH-2 Zoning District; (ii) establishes a maximum dwelling unit density through a ratio of number of
19	units to lot area, including but not limited to, RH-3, RM, RC, C-2, Neighborhood Commercial, Named
20	Neighborhood Commercial, and SoMa Mixed Use Districts, but only if the SoMa Mixed Use District
21	has a density measured by a maximum number of dwelling units per square foot of lot area; (iii) is not
22	in the North of Market Residential Special Use District, Planning Code Section 249.5 until the
23	Affordable Housing Incentive Study is completed at which time the Board will review whether the North
24	of Market Residential Special Use District should continue to be excluded from this Program. The
25	Study will explore opportunities to support and encourage the provision of housing at the low,

1	moderate, and middle income range in neighborhoods where density controls have been eliminated.
2	The goal of this analysis is to incentivize increased affordable housing production levels at deeper and
3	wider ranges of AMI and larger unit sizes in these areas through 100% affordable housing
4	development as well as below market rate units within market rate developments; (iv) is not located
5	within the boundaries of the Northeastern Waterfront Area Plan south of the centerline of Broadway;
6	and (v) is not located on property under the jurisdiction of the Port of San Francisco;
7	(E) is providing all Inclusionary Units as On-site Units under Section 415.6;
8	(F) includes a minimum of nine foot ceilings on all residential floors;
9	(G) is seeking only Concessions or Incentives set forth in subsection (c)(4);
10	(H) is seeking height increases only in the form of a waiver as described in
11	subsection (c)(5);
12	(I) does not demolish, remove, or convert any residential units;
13	(J) consists only of new construction, and excluding any project that includes an
14	addition to an existing structure;
15	(K) includes at the ground floor level active uses, as defined in Section 145.1 at
16	the same square footages as any neighborhood commercial uses demolished or removed;
17	(L) if any retail use is demolished or removed, does not include a Formula
18	Retail use, as defined in Section 303.1, unless the retail use demolished or removed was also a Formula
19	Retail use, or one of the following uses: Gas Stations, Private or Public Parking Lots, Financial
20	Services, Fringe Financial Services, Self Storage, Motel, Automobile Sales or Rental, Automotive
21	Wash, Mortuaries, Adult Business, Massage Establishment, Medical Cannabis Dispensary, and
22	Tobacco Paraphernalia Establishment, as those uses are defined in Planning Code Section 102;
23	(M) all on-site income-restricted residential units in the Housing Project are no
24	smaller than the minimum unit sizes set forth by the California Tax Credit Allocation Committee as of
25	May 16, 2017; and

1	(N) notwithstanding any other provision of this Code, includes a minimum
2	dwelling unit mix of at least 40% of all units as two or three bedroom units, including at least 10% of
3	units as three bedroom units. Larger units should be distributed on all floors, and prioritized in spaces
4	adjacent to open spaces or play yards. Units with two or three bedrooms should incorporate family
5	friendly amenities, including bathtubs, dedicated cargo bicycle parking, dedicated stroller storage, and
6	open space and yards designed for use by children.
7	(2) A Senior Housing Project, as defined in Section 102, may qualify as an Analyzed
8	State Density Bonus Project if it follows all of the procedures and conditions set forth in Planning Code
9	Section 202.2(f).
10	(3) If located north of the centerline of Post Street and east of the centerline of Van
11	Ness Avenue, all otherwise eligible Analyzed State Law Density Bonus Projects shall only be permitted
12	on:
13	(A) lots containing no existing buildings; or
14	(B) lots equal to or greater than 12,500 square feet where existing buildings are
15	developed to less than 20% of the lot's principally permitted buildable gross floor area as determined
16	by height limits, rear yard requirements and required setbacks.
17	(c) Development Bonuses. All Analyzed State Law Density Bonus Projects shall receive, at the
18	project sponsor's written request, any or all of the following:
19	(1) Priority Processing. Analyzed Projects that provide 30% or more of Units as On-
20	site Inclusionary Housing Units or Restricted Affordable Units that meet all of the requirements for an
21	Inclusionary Housing Unit shall receive Priority Processing.
22	(2) Density Bonus. Analyzed Projects that provide On-site Inclusionary Housing Units
23	or Restricted Affordable Units that meet all of the requirements for an Inclusionary Housing Unit shall
24	receive a density bonus as described in Table 206.5A as follows:
25	

Table 206.5A Density Bonus Summary Analyzed				
A	₿	ϵ	Đ	E
Restricted Affordable Units or Category	Minimum Percentage of Restricted Affordable Units	Percentage of Density Bonus Granted	Additional Bonus for Each 1% Increase In Restricted Affordable Units	Percentage of Restricted Units Required for Maximum 35% Density Bonus
Very Low Income	5%	20%	2.50%	11%
Lower Income	10%	20%	1.50%	20%
Moderate Income	10%	5%	1%	40%
Senior Citizen Housing, as defined in § 102, and meeting the requirements of § 202.2(f).	100%	50%		

Note: A density bonus may be selected from more than one category, up to a maximum of 35% of the Maximum Allowable Gross Residential Density.

In calculating density bonuses under this subsection 206.5(c)(2) the following shall apply:

(A) When calculating the number of permitted Density Bonus Units or Restricted Affordable Units, any fractions of units shall be rounded to the next highest number. Analyzed Density Bonus Program projects must include the minimum percentage of Restricted Affordable Units identified in Column B of Table 206.5A for at least one income category, but may combine density bonuses from more than one income category, up to a maximum of 35% of the Maximum Allowable Gross Residential Density.

(B) An applicant may elect to receive a Density Bonus that is less than the amount permitted by this Section; however, the City shall not be required to similarly reduce the number of Restricted Affordable Units required to be dedicated pursuant to this Section and Government Code Section 65915(b).

1	(C) In no case shall a Housing Project be entitled to a Density Bonus of more
2	than 35%, unless it is a Senior Housing Project meeting the requirements of Section 202.2(f).
3	(D) The Density Bonus Units shall not be included when determining the
4	number of Restricted Affordable Units required to qualify for a Density Bonus. Density bonuses shall
5	be calculated as a percentage of the Maximum Allowable Gross Residential Density.
6	(E) Any Restricted Affordable Unit provided pursuant to the on-site
7	requirements of the Inclusionary Affordable Housing Program, Section 415 et seq., shall be included
8	when determining the number of Restricted Affordable Units required to qualify for a Development
9	Bonus under this Section 206.5. The payment of the Affordable Housing Fee shall not qualify for a
10	Development Bonus under this Section. The provision of Off-site Units shall not qualify the Principal
11	Project for a Density Bonus under this Section; however an Off-site Unit may qualify as a Restricted
12	Affordable Unit to obtain a density bonus for the Off-site Project.
13	(F) In accordance with state law, neither the granting of a Concession,
14	Incentive, waiver, or modification, nor the granting of a Density Bonus, shall be interpreted, in and of
15	itself, to require a general plan amendment, zoning change, variance, or other discretionary approval.
16	(3) Concessions and Incentives. Analyzed Projects shall receive concessions or
17	incentives, in the amounts specified in Table 206.5B:

Table 206.5B Concessions and Incentives Summary—Analyzed Projects			
Target Group	Restric	ted Affordabl	e Units
Very Low Income	5%	10%	15%
Lower Income	10%	20%	30%
Moderate Income (Common Interest Development)	10%	20%	30%
Maximum Incentive(s)/ Concession(s)	1	2	3

Notes: 1. Common Interest Development is defined in California Civil Code Section 4100.

1	(4) Menu of Concessions and Incentives: In submitting a request for Concessions or
2	Incentives, an applicant for an Analyzed State Density Bonus Project may request the specific
3	Concessions and Incentives set forth below. The Planning Department, based on Department research
4	and a Residential Density Bonus Study prepared by David Baker Architects, Seifel Consulting, and the
5	San Francisco Planning Department dated August 2015, on file with the Clerk of the Board of
6	Supervisors in File No. 150969, has determined that the following Concessions and Incentives are
7	generally consistent with Government Code Section 65915(d) because, in general, they: are required in
8	order to provide for affordable housing costs; will not be deemed by the Department to have a specific
9	adverse impact as defined in Government Code Section 65915(d); and are not contrary to State or
10	Federal law.
11	(A) Rear yard: the required rear yard per Section 134 or any applicable special
12	use district may be reduced to no less than 20% of the lot depth, or 15 feet, whichever is greater.
13	Corner properties may provide 20% of the lot area at the interior corner of the property to meet the
14	minimum rear yard requirement, provided that each horizontal dimension of the open area is a
15	minimum of 15 feet; and that the open area is wholly or partially contiguous to the existing midblock
16	open space, if any, formed by the rear yards of adjacent properties.
17	(B) Dwelling Unit Exposure: the dwelling unit exposure requirements of
18	Section 140(a)(2) may be satisfied through qualifying windows facing an unobstructed open area that
19	is no less than 25 feet in every horizontal dimension, and such open area is not required to expand in
20	every horizontal dimension at each subsequent floor.
21	(C) Off-Street Loading: off-street loading spaces under Section 152 shall not be
22	required.
23	(D) Parking: up to a 50% reduction in the residential and commercial parking
24	requirement, per Section 151 or any applicable special use district.
25	

1	(E) Open Space: up to a 5% reduction in required common open space per
2	Section 135, or any applicable special use district.
3	(F) Additional Open Space: up to an additional 5% reduction in required
4	common open space per Section 135 or any applicable special use district, beyond the 5% provided in
5	subsection (E) above.
6	(5) Waiver or Modification of Height Limits. Analyzed Projects may request a waiver
7	of the applicable height restrictions if the applicable height limitation will have the effect of physically
8	precluding the construction of a Housing Project at the densities or with the Concessions or Incentives
9	permitted by subsection (c)(4). Analyzed Projects may receive a height bonus as of right of up to twenty
10	feet or two stories, excluding exceptions permitted per Section 260(b), if the applicant demonstrates
11	that it qualifies for a height waiver through the following formula:
12	Step one: Calculate Base Density and Bonus Density Limits
13	Calculate Base Density (BD), as defined in Section 206.2.
14	Bonus Density Limit (BD): ED multiplied by 1.XX where XX is the density bonus
15	requested per Section 206.5 of this Code (e.g. 7%, 23%, 35%), not to exceed 1.35, the maximum density
16	bonus available by this Section.
17	Step two: Calculate Permitted Envelope (PE). Buildable envelope available under
18	existing height and bulk controls.
19	PE equals lot area multiplied by permitted lot coverage, where lot coverage equals .75,
20	or .8 if the developer elects to request a rear yard modification under Section 206.5(c)(4)(Λ), multiplied
21	by existing height limit (measured in number of stories), minus one story for projects in districts where
22	non-residential uses are required on the ground floor, and minus any square footage subject to bulk
23	limitations (for parcels that do not have an X bulk designation).
24	Step three: Calculate Bonus Envelope (BE). Residential envelope necessary to
25	accommodate additional density ("Bonus envelope" or "BE").

1	BE equals Bonus Density multiplied by 1,000 gross square feet.
2	Step four: Calculate Additional Residential Floors. Determine the number of stories
3	required to accommodate bonus:
4	(A) If BE is less than or equal to PE, the project is not awarded height under
5	this subsection $(c)(5)$.
6	(B) If BE is greater than PE, the project is awarded height, as follows:
7	(i) If BE minus PE is less than the lot area multiplied by 0.75, project is
8	allowed one extra story; total gross square footage of building not to exceed BE; or
9	(ii) If BE minus PE is greater than the lot area multiplied by 0.75 (i.e. if
10	the difference is greater than one story), project is allowed two extra stories; total gross square footage
11	of building not to exceed BE.
12	(d) Application. An application for an Analyzed State Density Bonus Project under this Section
13	206.5 shall be submitted with the first application for approval of a Housing Project and shall be
14	processed concurrently with all other applications required for the Housing Project. The application
15	shall be on a form prescribed by the City and, in addition to any information required for other
16	applications, shall include the following information:
17	(1) A description of the proposed Housing Project, including the total number of
18	dwelling units, Restricted Affordable Units, and Density Bonus Units proposed;
19	(2) Any zoning district designation, Base Density, assessor's parcel number(s) of the
20	project site, and a description of any Density Bonus, Concession or Incentive, or waiver requested;
21	(3) A list of the requested Concessions and Incentives from Section 206.5(c)(4);
22	(4) If a waiver or modification of height is requested under Section 206.5(c)(5), a
23	calculation demonstrating how the project qualifies for such waiver under the formula;
24	(5) A full plan set including site plan, elevations, sections, and floor plans, number of
25	market-rate units, Restricted Affordable Units, and Density Bonus units within the proposed Housing

1	Project. The location of all units must be approved by the Planning Department before the issuance of
2	the building permit;
3	(6) Level of affordability of the Restricted Affordable Units and a draft Regulatory
4	Agreement; and
5	(7) Documentation that the applicant has provided written notification to all existing
6	commercial tenants that the applicant intends to develop the property pursuant to this section. Any
7	affected commercial tenants shall be given priority processing similar to the Department's Community
8	Business Priority Processing Program, as adopted by the Planning Commission on February 12, 2015
9	under Resolution Number 19323 to support relocation of such business in concert with access to
10	relevant local business support programs. In no case may a project receive a site permit or any
11	demolition permit prior to 18 months from the date of written notification required by this Section
12	206.5(d)(7).
13	(e) Review Procedures. An application for an Analyzed State Density Bonus Project, shall be
14	acted upon concurrently with the application for other permits related to the Housing Project.
15	(1) Before approving an application for an Analyzed Project, the Planning Department
16	or Commission shall make written findings that the Housing Project is qualified as an Analyzed State
17	Density Bonus Project.
18	(2) Analyzed Projects shall be governed by the conditional use procedures of Section
19	303. All notices shall specify that the Housing Project is seeking a Development Bonus and shall
20	provide a description of the Development Bonuses requested. Analyzed Projects shall also be reviewed
21	for consistency with the Affordable Housing Bonus Program Design Guidelines.
22	(f) Regulatory Agreements. Recipients of a Density Bonus, Incentive, Concession, waiver, or
23	modification shall enter into a Regulatory Agreement with the City, as follows.
24	

1	(1) The terms of the agreement shall be acceptable in form and content to the Planning
2	Director, the Director of MOHCD, and the City Attorney. The Planning Director shall have the
3	authority to execute such agreements.
4	(2) Following execution of the agreement by all parties, the completed Density Bonus
5	Regulatory Agreement, or memorandum thereof, shall be recorded and the conditions filed and
6	recorded on the Housing Project.
7	(3) The approval and recordation of the Regulatory Agreement shall take place prior to
8	the issuance of the First Construction Document. The Regulatory Agreement shall be binding to all
9	future owners and successors in interest.
10	(4) The Regulatory Agreement shall be consistent with the guidelines of the City's
11	Inclusionary Housing Program and shall include at a minimum the following:
12	(A) The total number of dwelling units approved for the Housing Project,
13	including the number of Restricted Affordable Units, Inclusionary Units, HOME-SF Units or other
14	restricted units;
15	(B) A description of the household income group to be accommodated by the
16	Restricted Affordable Units, and the standards for determining the corresponding Affordable Rent or
17	Affordable Sales Price;
18	(C) The location, dwelling unit sizes (in square feet), and number of bedrooms
19	of the Restricted Affordable Units;
20	(D) Term of use restrictions for Restricted Affordable Units of at least 55 years
21	for Moderate Income units and at least 55 years for Low and Very Low units;
22	(E) A schedule for completion and occupancy of Restricted Affordable Units;
23	(F) A description of any Concession, Incentive, waiver, or modification, if any,
24	being provided by the City;
25	

1	(G) A description of remedies for breach of the agreement (the City may identify
2	tenants or qualified purchasers as third party beneficiaries under the agreement);
3	(H) A list of all on-site family friendly amenities. Family friendly amenities shall
4	include, but are not limited to, dedicated cargo bicycle parking, dedicated stroller storage, and open
5	space and yards designed for use by children; and
6	(I) Other provisions to ensure implementation and compliance with this Section.
7	
8	
9	SEC. 311. PERMIT REVIEW PROCEDURES.
10	(a) Purpose. The purpose of this Section 311 is to establish procedures for reviewing
11	planning entitlement Development Applications applications to determine compatibility of the
12	proposal with the neighborhood and for providing notice to property owners, tenants, and
13	residents on the site and neighboring the site of the proposed project and to interested
14	neighborhood organizations, so that concerns about a project may be identified and resolved
15	during the review of the permit. For purposes of this Section 311, a planning entitlement
16	Development Application application means the application submitted by a project sponsor to
17	the Planning Department, provided said application has been deemed complete by the
18	Planning Department, that includes the information necessary to conduct environmental
19	review, determine Planning Code compliance, and <u>assess</u> conformity with the General Plan.
20	(b) Applicability.

(1) Within the Priority Equity Geographies SUD, all planning entitlement <u>Development</u> <u>Aapplications in Residential, NC, NCT, <u>RTO,</u> Chinatown Mixed Use Districts, and</u> Eastern Neighborhoods Mixed Use Districts for demolition, new construction, or alteration of buildings shall be subject to the notification and review procedures required by this Section 311. Notwithstanding the foregoing or any other requirement of this Section 311, planning

21

22

23

24

1	$\frac{entitlement}{Development}$ \underline{A} applications to construct an Accessory Dwelling Unit pursuant to
2	Section 207.2 shall not be subject to the notification or review requirements of this Section
3	311. A change of use to a principally permitted use in the Western SoMa Plan Area, Central
4	SoMa Plan Area, or East SoMa Plan Area shall not be subject to the provisions of this Section
5	311.
6	* * * *
7	(3) In all Other Projects in Residential, NC, NCT, and Eastern
8	Neighborhoods Mixed Use Districts. All planning entitlement Development Aapplications in
9	Residential, NC, NCT, and Eastern Neighborhoods Mixed Use Districts that propose any of
10	the following shall be subject to the notification and review procedures required by this
11	Section 311.
12	* * * *
13	(c) Planning Entitlement Development Application Review for Compliance. Upon
14	acceptance of any <u>Development Aapplication</u> subject to this Section <u>311</u> , the Planning
15	Department shall review the proposed project for compliance with the Planning Code and any
16	applicable design guidelines, and standards approved by the Planning Commission.
17	Applications determined <i>not</i> to be in compliance with the <i>Objective S</i> -standards of Articles 1.2,
18	1.5, 2, and 2.5 of the Planning Code, and any applicable Objective Standards adopted by the
19	Commission shall be considered to be code-compliant. Development Applications for projects other
20	than code-compliant residential projects may be subject to additional controls, including the
21	Residential Design Guidelines, including design guidelines for specific areas adopted by the
22	Planning Commission, or with any applicable conditions of previous approvals regarding the
23	project, shall be held until either the application is determined to be in compliance, is disapproved or a
24	recommendation for cancellation is sent to the Department of Building Inspection.

alteration of existing buildings shall be consistent with the design policies and guidelines of the General Plan, applicable Objective Standards, and with the "Residential Design Guidelines," and all other applicable design guidelines and standards as adopted and periodically amended for specific areas or conditions by the Planning Commission. The design for new buildings with residential uses in RTO Districts shall also be consistent with the design standards and guidelines of the "Ground Floor Residential Units Design Guidelines" as adopted and periodically amended by the Planning Commission. The Planning Director may require modifications to the exterior of a proposed new building or proposed alteration of an existing building in order to bring it into conformity with the applicable design guidelines. These modifications may include, but are not limited to, changes in siting, building envelope, scale texture and detailing, openings, and landscaping.

* * * *

(d) **Notification.** Upon determination that an application *is in compliance complies* with the development standards of the Planning Code, the Planning Department shall cause a notice to be posted on the site pursuant to rules established by the Zoning Administrator and shall cause a written notice describing the proposed project to be sent in the manner described below. This notice shall be in addition to any notices required by the Building Code and shall have a format and content determined by the Zoning Administrator. The notice shall describe the project review process and shall set forth the mailing date of the notice and the expiration date of the notification period.

22 * * * *

(5) **Notification Period.** All *planning entitlement Development Aa*pplications shall be held for a period of 30 calendar days from the date of the mailed notice to allow review by residents and owners of neighboring properties and by neighborhood groups.

1	(6) Elimination of Duplicate Notice. The notice provisions of this Section 311
2	may be waived by the Zoning Administrator for planning entitlement Development Aapplications
3	for projects that have been, or before approval will be, the subject of a duly noticed public
4	hearing before the Planning Commission or Zoning Administrator, provided that the nature of
5	work for which the <i>planning entitlement Development Aa</i> pplication is required is both
6	substantially included in the hearing notice and is the subject of the hearing.

(7) **Notification Package.** The notification package for a project subject to notice under this Section 311 shall include a written notice and reduced-size drawings of the project. Distributed plans and drawings may be limited to comply with applicable state laws.

* * * *

(D) The *planning entitlement Development Aa*pplication number(s) shall be disclosed in the written notice. The start and expiration dates of the notice shall be stated. A description about the recipient's rights to request additional information, to request Discretionary Review by the Planning Commission and to appeal to other boards or commissions shall be provided.

16 * * * * *

(e) Requests for Planning Commission Review. A request for the Planning Commission to exercise its discretionary review powers over a specific planning entitlement Development Aapplication shall be considered by the Planning Commission if received by the Planning Department no later than 5:00 p.m. of the last day of the notification period as described in this Section 311, subject to guidelines adopted by the Planning Commission. The project sponsor of a planning entitlement Development Aapplication may request discretionary review by the Planning Commission to resolve conflicts between the Director of Planning and the project sponsor concerning requested modifications to comply with the Residential Design Guidelines, or other applicable design guidelines or standard.

1 * * * *

SEC. 317. LOSS OF RESIDENTIAL AND UNAUTHORIZED UNITS THROUGH DEMOLITION, MERGER, AND CONVERSION.

- (a) **Findings.** San Francisco faces a continuing shortage of affordable housing. There is a high ratio of rental to ownership tenure among the City's residents. The General Plan recognizes that existing housing is the greatest stock of rental and financially accessible residential units, and is a resource in need of protection. Therefore, a public hearing will be held prior to approval of any permit that would remove existing housing, *reduce the size of a Residential Flat, merge any portion of a Residential Flat with another unit, or change the configuration of a Residential Flat such that the unit is no longer considered a Residential Flat, with certain exceptions, as described below. The Planning Commission shall develop a Code Implementation Document setting forth procedures and regulations for the implementation of this Section 317 as provided further below. The Zoning Administrator shall modify economic criteria related to property values and construction costs in the Implementation Document as warranted by changing economic conditions to meet the intent of this Section.*
- (b) **Definitions.** For the purposes of this Section 317, the terms below shall be as defined below. Capitalized terms not defined below are defined in Section 102 of this Code.

19 * * * *

(7) "Residential Merger" shall mean the combining of two or more Residential or Unauthorized Units, resulting in a decrease in the number of Residential Units and Unauthorized Units within a building, or the enlargement of one or more existing units while *substantially* reducing the size of others by more than 25% of their original floor area, even if the number of units is not reduced. The Planning Commission may reduce the numerical element of this criterion by up to 20% of its value should it deem that adjustment is necessary

1	to implement the intent of this Section 317, to conserve existing housing and preserve
2	affordable housing. Residential Merger shall also include the reconfiguration of a Residential Flat
3	with another Dwelling Unit, if the proposed project would reconfigure an existing Residential Flat such
4	that the reconfigured Residential Flat would no longer meet the definition of a Residential Flat, even if
5	the number of Dwelling Units is not reduced and the Residential Flat is not reduced in size.
6	* * * *
7	(c) Applicability; Exemptions.
8	* * *
9	(12) Residential Flats. Notwithstanding anything to the contrary in this Section 317,
10	projects that propose the Demolition, Conversion, or Merger of Residential Flats shall not require a
11	Conditional Use Authorization if the project would increase the number of units on the property.
12	* * * *
13	(g) Conditional Use Criteria.
14	* * * *
15	(6) Residential Demolition. The Planning Commission shall consider the
16	following additional criteria in the review of applications for Residential Demolition:
17	* * * *
18	(L) whether the project increases the number of family-sized units on-
19	site, and in the case of demolition of any Residential Flats whether the proposed project is maintaining
20	or increasing the number of units on the lot that contain at least two or more bedrooms or that are at
21	least equivalent in size to the Residential Flats being demolished;
22	* * * *
23	(8) Denial of Application to Remove an Unauthorized Unit; Requirement to
24	Legalize the Unit. If the Planning Commission denies an application to Remove an
25	Unauthorized Unit, the property owner shall file an <u>Development Application and any necessary</u>

1	application for a building permit to legalize the Unit. Failure to do so within a reasonable
2	period of time, as determined by the Zoning Administrator, shall be deemed to be a violation
3	of the Planning Code.
4	(9) Residential Flats. In addition to the other considerations in this subsection (g), the
5	Planning Commission shall consider the criteria below when reviewing a project application that
6	would merge a Residential Flat such that it would no longer meet the definition of a Residential Flat:
7	(A) whether reduction in size, reconfiguration, or merger of the Flat(s) would
8	reduce the size of any Flat by more than 25% of its original floor area; and
9	(B) whether the proposed project is maintaining or increasing the number of
10	units on the Lot that contain at least two or more bedrooms or that are at least equivalent in size to the
11	Residential Flats being reduced or reconfigured.
12	* * * *
13	
14	SEC. 318. EFFICIENCY DWELLING UNITS WITH REDUCED SQUARE FOOTAGE.
15	(a) Definition. For purposes of this Section, an "Efficiency Dwelling Unit with reduced square
16	footage" shall mean an Efficiency Dwelling Unit with a living room of less than 220 square feet and
17	meeting the requirements of Section 1208.4 of the San Francisco Building Code that is not affordable
18	housing, group housing, or student housing as defined in this Code.
19	(b) Limitation on the Total Number of Efficiency Dwelling Units with Reduced Square
20	Footage That Can Be Constructed. The Planning Department may approve the construction of up to a
21	total number of 375 Efficiency Dwelling Units with reduced square footage; provided, however, that
22	Efficiency Dwelling Units shall not be included in this total. For purposes of this subsection, individual
23	units will be counted even if they comprise less than the total number of units in the building.
24	(c) Reporting and Reauthorization. After the approval of approximately 325 Efficiency
25	Dwelling Units with reduced square footage, the Planning Department in collaboration with the

1	Mayor's Office of Housing shall submit a report to the Board of Supervisors that provides whatever
2	information those Departments believe will assist the Board in determining whether to increase the
3	numerical cap on the number of Efficiency Units with reduced square footage or to otherwise modify
4	the requirements. At a minimum, the report shall include the following information:
5	(1) Pricing information, based on data from the Assessor's Office, for sales properties
6	and, to the extent feasible, rental prices for the Efficiency Dwelling Units with reduced square footage;
7	(2) A comparison of the sales and rental pricing information for Efficiency Dwelling
8	Units with reduced square footage to similar data for studio and 1-bedroom dwelling units;
9	(3) A map showing where the Efficiency Dwelling Units with reduced square footage
10	are located, both projects that are entitled but not yet built and projects that have been constructed;
11	(4) A comparison of the numbers of Efficiency Dwelling Units with reduced square
12	footage that are entitled and/or built and the goals for other dwelling unit sizes within any adopted
13	Area Plans; and
14	(5) A comparison of the numbers of Efficiency Dwelling Units with reduced square
15	footage with the quantified housing production goals, to the extent available by household income
16	level, set forth in the Regional Housing Needs Allocation.
17	
18	Section 13. Conforming Changes to Zoning Tables. Articles 2, 7, and 8 of the
19	Planning Code is hereby amended by revising Sections 210.1, 210.2, 210.3, 210.4, 710, 711,
20	712,713,714,715,716,717,718,719,720,721,722,723,724,725,726,727,728,729,
21	730,731,732,733,734,735,736,737,738,739,740,741,742,743,744,745,746,750,
22	751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 780.1, 780.3, 810, 811,
23	812, 825, 827, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, and 840 to read as
24	follows:

SEC. 210.1. C-2 DISTRICTS: COMMUNITY BUSINESS.

* * * *

3

1

4 Table 210.1

5 **ZONING CONTROL TABLE FOR C-2 DISTRICTS**

		OL TABLE FOR C-2 DISTRICTS				
Zoning Category	§ References	C-2				
BUILDING STANDARDS						
Massing and Setbacks						
Height and Bulk Limits	§§ 102, 105,	Generally 40 XVaries. Additional Height Limits of §				
	106, 132.1,	261 apply. See Height and Bulk District Maps.				
	250-252, 260,					
	<u>263.19,</u> 270,					
	<u>270.3,</u> 271 ,					
	295					
Floor Area Ratio	§§ 102, 123,	Basic FAR limit is 3.6 to 1. For a lot that is nearer				
	124 <u>, 207.9</u>	to an RM-4 or RC-4 District than to any other R				
		District, the FAR is 4.8 to 1. For a lot that is				
		nearer to a C-3 District than to any R District the				
		FAR is 10.0 to 1. FAR in the Waterfront and				
		Washington-Broadway Special Use Districts is 5				
		to 1. For Office Uses minimum intensities may apply				
		pursuant to § 207.9.				
* * * *						
Miscellaneous						
* * *						

1	Signs	§ 607	As permitted by <i>Section</i> § 607.		
2	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
3	<u>Standards</u>	Commerce and	Design Standards, and any other applicable design		
4		<u>Industry</u>	guidelines that have been approved by the Planning		
5		<u>Element</u>	Commission.		
6	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other		
7			zoning modifications for eligible projects in the R-4		
8			Height and Bulk District.		
9	RESIDENTIAL STANDA	RDS AND USE	S		
10	Development Standards				
11	* * * *				
12	Residential Conversion,	§ 317	C for Removal of one or more Residential Units or		
13	Demolition, or Merger		Unauthorized Units.		
14	of Dwelling Units,				
15	including Residential				
16	<u>Flats</u>				
17	Dwelling Unit Mix	<u>§ 207.7</u>	Generally required for creation of 10 or more		
18			Dwelling Units. No less than 25% of the total number		
19			of proposed Dwelling Units shall contain at least two		
20			Bedrooms, and no less than 10% of the total number		
21			of proposed Dwelling Units shall contain at least		
22			three Bedrooms.		
23	* * * *				
24	Residential Uses				

1	Residential Density,	§ 207	P at a density ratio not exceeding the number of
2	Dwelling Units <u>Density</u> ,		dwelling units permitted in the nearest R District,
3	<u>General</u> (5)		with the distance to such R District measured
4			from the midpoint of the front lot line or from a
5			point directly across the street therefrom,
6			whichever permits the greater density; provided,
7			that the maximum density ratio shall in no case
8			be less than one unit for each 800 square feet of
9			lot area. NP above. (8)
10			
11			Form-Based Density applies within the R-4 Height
12			and Bulk District (§§ 263.19, 270(i)) and other
13			parcels per footnote 8.
14	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
15	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
16	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
17	<u>Size</u>		equivalent Floor Area Ratio for any individual
18			Dwelling Unit of 1.2:1. C for Dwelling Units that
19			exceed the greater of those thresholds.
20	Senior Housing <i>Density</i>	§§102,	P up to twice the number of dwelling units
21		202.2(f) <u>, 207</u>	otherwise permitted as a Principal Use in the
22			district and meeting all the requirements of §
23			202.2(f)(1). C up to twice the number of dwelling
24			units otherwise permitted as a Principal Use in
25			the district and meeting all requirements of §

1			202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related			
2			to location.			
3						
4			Form-Based Density applies within the R-4 Height			
5			and Bulk District (§§ 263.19, 270(i)) and other			
6			parcels per footnote 8.			
7	Residential Density,	§208	P at a density ratio not exceeding the maximum			
8	Group Housing <u>Density</u>		density permitted for group housing in the			
9			nearest R District, with the distance to such R			
10			District measured from the midpoint of the front			
11			lot line or from a point directly across the street			
12			therefrom, whichever permits the greater density;			
13			provided, that the maximum density ratio shall in			
14			no case be less than one bedroom for each 275			
15			square feet of lot area. NP above. (8)			
16						
17			Form-Based Density applies within the R-4 Height			
18			and Bulk District (§§ 263.19, 270(i)) and other			
19			parcels per footnote 8.			
20	* * * *					
21	NON-RESIDENTIAL STANDARDS AND USES					
22	* * * *					
23	Commercial Use Chara	cteristics				
24	Drive-up Facility	§ 102	<u>PC</u>			
25	* * * *					

ı							
2	(5) Construction of Accessory Dwelling Units may be permitted pursuant to Sections						ections
3	207.1 and 207.2.						
4	* * * *						
5	(8) <u>Form-Based</u>	<u>Zoning applies Ii</u> n	C-2 zonin	g district	S <u>: (i) on parcels i</u>	n the R-4 I	Height and
6	Bulk District; and (ii) on j	parcels east of or	fronting F	ranklin S	treet/13th Street	and nortl	n of
7	Townsend Street, exce	pt for parcels with	in the No	rtheast V	Vaterfront Histori	ic District,	the
8	Jackson Square Histori	c District, and the	Jackson	Square I	Historic District E	Extension,	there is
9	no density limit. The Jac	kson Square Hist	oric Distri	ct Extens	sion shall include	parcels v	within the
10	area bounded by the no	orthern boundary	of the Jac	kson Sq	uare Historic Dis	trict and t	he
11	centerline of Sansome	Street, Kearny St	reet, and	Broadwa	y. <i>On parcels wit</i>	h no densii	ty limit,
12	density is regulated by the	e permitted height a	ınd bulk, a	nd require	ed setbacks, expos	ure, open	space, and
13	other Code requirements applicable to each development lot.						
14							
15	SEC. 210.2. C-3	DISTRICTS: DO	WNTOW		IERCIAL.		
16	* * * *						
17	Table 210.2						
18	ZONING CONTROL TABLE FOR C-3 DISTRICTS						1
19	Zoning Category	§ References	C-3-O	C-3-	C-3-R	C-3-G	C-3-S
20				O(SD)			

Zoning Category	§ References	C-3-O	C-3-	C-3-R	C-3-G	C-3-S	
			O(SD)				
BUILDING STANDARI	BUILDING STANDARDS						
Massing and Setback	Massing and Setbacks						
Height and Bulk Limits §§ 102, 105, Varies. See also Height and Bulk District Maps.					laps.		
	106, 250-						
	252, 260,						

ı							
1		<u>263.19,</u> 261 ,					
2		270, <u>270.3,</u>					
3		271					
4	* * * *						
5	Basic Floor Area Ratio	§§ 102, 123,	9.0 to	6.0 to	6.0 to 1	6.0 to	5.0 to
6	<u>(2)</u>	124 <u>, 207.9</u>	1	1		1	1
7	* * * *						
8	Miscellaneous						
9	* * * *						
10	Signs	§ 607	As perm	itted by £	Section § 607.		
11	Design Guidelines and	General Plan	Subject to	o the Urbo	an Design Guideli	nes, Citywi	<u>ide</u>
12	<u>Standards</u>	Commerce and	Design Standards, and any other applicable design				<u>sign</u>
13		<u>Industry</u>	guidelines that have been approved by the Planning				
14		<u>Element</u>	<u>Commission.</u>				
15	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning				
16			modificat	tions for e	ligible projects in	the R-4 He	eight and
17			Bulk Dist	rict.			
18	RESIDENTIAL STAND	ARDS AND US	ES				
19	Development Standar	ds					
20	* * * *						
21	Residential	§ 317	C for Rei	noval of c	one or more Reside	ential Unit	s or
22	Conversion,		Unauthoi	rized Unit	S.		
23	Demolition, or Merger						
24	of Dwelling Units,						
!			_	_	-		

Г		
including Residential		
<u>Flats</u>		
Dwelling Unit Mix	<u>§ 207.7</u>	Generally required for creation of 10 or more Dwelling
		Units. No less than 25% of the total number of proposed
		Dwelling Units shall contain at least two Bedrooms,
		and no less than 10% of the total number of proposed
		Dwelling Units shall contain at least three Bedrooms.
* * * *		
Residential Uses		
Residential Density,	§ 207	No density limit. Density is regulated by the permitted
Dwelling Units <u>Density</u> ,		height and bulk, and required setbacks, exposure, and
<u>General</u> (7)		open space of each development lot. Form-Based
		<u>Density</u>
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
<u>Size</u>		equivalent Floor Area Ratio for any individual Dwelling
		Unit of 1.2:1. C for Dwelling Units that exceed the
		greater of those thresholds.
Senior Housing	§§102,	No density limit. Density is regulated by the permitted
<u>Density</u>	202.2(f) <u>, 207</u>	height and bulk, and required setbacks, exposure, and
		open space of each development lot.Form-Based
		<u>Density</u>
Residential Density,	§208	No density limit. Density is regulated by the permitted
Group Housing <u>Density</u>		height and bulk, and required setbacks, exposure, and
	Flats Dwelling Unit Mix * * * * Residential Uses Residential Density, Dwelling Units Density, General (7) Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Senior Housing Density Residential Density,	Flats Dwelling Unit Mix * * * * Residential Uses Residential Density, Dwelling Units Density, General (7) Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Senior Housing Density Residential Density, Size Senior Housing Poensity Residential Density, Size Senior Housing Size Residential Density, Size Senior Housing Size Size Size Size Size Size Size Size

1				open s _i	pace of each de	velopment lot. <u>For</u>	m-Based	
2				<u>Densit</u>	<u>y</u>			
3	* * * *							
4	NON-RESIDEN	TIAL STANDA	RDS AN	D USE	8			
5	* * * *	* * * *						
6	* * * *							
7	(2) <i>{Rese</i>	(2) [Reserved.] For Office Uses in all C-3 Districts minimum intensities may apply pursuant						
8	<u>to § 207.9.</u>							
9	* * * *							
10								
11								
12	SEC. 210.	3. PDR DISTRI	CTS.					
13	* * * *							
14				Tab	le 210.3			
15		ZONING	CONT	ROL TA	BLE FOR PE	OR DISTRICTS		
16		T	T				1	
17	Zoning	§	PDR-1	-B	PDR-1-D	PDR-1-G	PDR-2	
18	Category	References						
19	* * * *							
20	RESIDENTIAL STANDARDS AND USES							
21	Development Standards							
22	* * * *							
23	Residential	§ 317	C for R	emoval	of one or more	Residential Units	or Unauthorized	
24	Conversion,		Units; i	n C-3, o	nly for Remova	l above the groun	d floor	
25	Demolition, or							

		T		
1	Merger <u>of</u>			
2	Dwelling Units,			
3	including			
4	<u>Residential</u>			
5	<u>Flats</u>			
6	* * * *			
7	* * * *			
8				
9	SEC. 210.4. M DIS	TRICTS: INDUS	TRIAL.	
10	* * * *			
11			Table 210.4	
12	7	ZONING CONTI	ROL TABLE FOR M DIST	TRICTS
13				
14	Zoning Category	§ References	M-1	M-2
15	BUILDING STANDARDS	8		
16	* * * *			
17	RESIDENTIAL STANDA	RDS AND USE	S	
18	Development Standards	5		
19	* * * *			
20	Residential Conversion,	§ 317	C for Removal of one or m	ore Residential Units or
21	Demolition, or Merger of		Unauthorized Units.	
22	Dwelling Units, including			
23	Residential Flats			
24	Dwelling Unit Mix	<u>§ 207.7</u>	Generally required for cred	ation of 10 or more
		1		
25			Dwelling Units. No less the	an 25% of the total number

		1			
1			of proposed Dwelling Units	s shall contain at least two	
2			Bedrooms, and no less than	10% of the total number	
3			of proposed Dwelling Units shall contain at least		
4			three Bedrooms.		
5	* * * *				
6	Residential Uses				
7	Residential Density,	§ 207	C at a density ratio not e	xceeding the number of	
8	Dwelling Units <u>Density</u> (3)		dwelling units permitted i	n the nearest R District,	
9			with the distance to such	R District measured	
10			from the midpoint of the f	front lot line or from a	
11			point directly across the	street therefrom,	
12			whichever permits the greater density; provided,		
13			that the maximum density ratio shall in no case		
14			be less than one unit for each 800 feet of lot		
15			area. Any remaining frac	tion of one-half or more	
16			of the minimum amount of	of lot area per dwelling	
17			unit shall be adjusted up	ward to the next higher	
18			whole number of dwelling	g units. NP above.	
19	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on projec	et location, but generally	
20	Densities, if Applicable		ranges between 50 and 100	dwelling units per acre.	
21	Maximum Dwelling Unit	<u>§§ 207.10,</u>	P up to 4,000 square feet of	f Gross Floor Area or an	
22	<u>Size</u>	<u>317</u>	equivalent Floor Area Ratio for any individual		
23			Dwelling Unit of 1.2:1. C for Dwelling Units that		
24			exceed the greater of those thresholds.		
25	Senior Housing	§ 102	NP	NP	

1	* * * *						
2	NON-RESIDENTIAL STANDARDS AND USES						
3	Development Standards						
4	Floor Area Ratio	§§ 102, 123,	5 to 1. For Office Uses	5 to 1. For Office Uses			
5		<u>207.9,</u> 124	minimum intensities	minimum intensities			
6			may apply pursuant to	may apply pursuant to			
7			<u>§ 207.9.</u>	<u>§ 207.9.</u>			
8	* * * *						

(3) Construction of Accessory Dwelling Units may be permitted pursuant to Sections 207.1 and 207.2.

12 * * * *

SEC. 710. NC-1 - NEIGHBORHOOD COMMERCIAL CLUSTER DISTRICT.

NC-1 Districts are intended to serve as local neighborhood shopping districts, providing convenience retail goods and services for the immediately surrounding neighborhoods primarily during daytime hours.

These NC-1 Districts are characterized by their location in residential neighborhoods, often in outlying areas of the City. The commercial intensity of these districts varies. Many of these districts have the lowest intensity of commercial development in the City, generally consisting of small clusters with three or more commercial establishments, commonly grouped around a corner; and in some cases short linear commercial strips with low-scale, interspersed mixed-use (residential-commercial) development.

Building controls for the NC-1 District promote low<u>er</u>-intensity development which is compatible with the existing scale and character of these neighborhood areas. Commercial

development is limited to one story, *with certain exceptions*. Rear yard requirements at all levels preserve existing backyard space.

NC-1 commercial use provisions encourage the full range of neighborhood-serving convenience retail sales and services *at the first story provided that the use size generally is limited to 3,000 square feet, subject to certain use size* limitations. However, commercial uses and features which could impact residential livability are prohibited, such as auto uses, financial services, general advertising signs, drive-up facilities, hotels, and late-night activity. *eating and drinking establishments are restricted, depending upon the intensity of such uses in nearby commercial districts.*

Housing development in new buildings is encouraged above the ground story. *in most districts. Existing residential units are protected by prohibitions of conversions above the ground story and limitations on demolitions*. Accessory Dwelling Units are permitted *within the District pursuant to Section 207.1 of this Code*.

ZONING CONTROL TABLE

15 Table 710. NEIGHBORHOOD COMMERCIAL CLUSTER DISTRICT NC-1

		NC-1
Zoning Category	§	Controls
	References	
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk Map
	106, 250–	Sheets HT02-08, HT10-13 for more information.
	252, 260,	Height sculpting required on Alleys per § 261.1.

1		261.1,	
2		<u>263.19,</u> 270,	
3		<u>270.3,</u> 271 .	
4		See also	
5		Height and	
6		Bulk District	
7		Maps	
8	5 Foot Height Bonus	§ 263.20	P(1) in some districts
9	for Active Ground Floor		
10	Uses		
11	Rear Yard	§§ 130, 134,	Required at Grade level and at each succeeding
12		134(a)(e),	level or Story: 25% of lot depth, but in no case less
13		136	than 15 feet
14	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired; however, if the existing
15	Side Yard	132, 133	sidewalk does not meet the recommended width required
16			by the Better Streets Plan, a front setback shall be
17			provided so that, when combined with the existing
18			sidewalk, the total distance from the curb to the building
19			frontage meets or exceeds the required recommended
20			width under the Better Streets Plan. This setback is
21			required only up to 15 feet above street grade. See §
22			<u>132(e).</u>
23	Street Frontage and Pu	blic Realm	

1	Streetscape and	§ 138.1	Required
2	Pedestrian		
3	Improvements		
4	Street Frontage	§ 145.1	Required; controls apply to above-grade parking
5	Requirements		setbacks, parking and loading entrances, active
6			uses, ground floor ceiling height, street-facing
7			ground-level spaces, transparency and
8			fenestration, and gates, railings, and grillwork.
9			Exceptions permitted for historic buildings.
10	Ground Floor	§ 145.4	Required on some streets, see § 145.4 for specific
11	Commercial		districts.
12	Vehicular Access	§ 155(r)	Restricted on some streets, see § 155(r) for
13	Restrictions		specific districts
14	Miscellaneous		
15	Lot Size (Per	§§ 102,	P(2)
16	Development)	121.1	
17	Planned Unit	§ 304	С
18	Development		
19	Awning	§ 136.1	Р
20	Canopy or Marquee	§ 136.1	NP <u>(4)</u>
21	Signs	§§ 262, 602-	As permitted by § 607.1
22		604, 607,	
23		607.1, 608,	
24		609	

1	General Advertising	§§ 262, 602,	NP
2	Signs	604, 608,	
3		609, 610,	
4		611	
5	Design Guidelines and	General	Subject to the Urban Design Guidelines, Citywide
6	<u>Standards</u>	Plan	Design Standards, and any other applicable design
7		Commerce	guidelines that have been approved by the Planning
8		and Industry	<u>Commission.</u>
9		Element	
10	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning
11			modifications for eligible projects in the R-4 Height and
12			Bulk District.
13	RESIDENTIAL STANDA	ARDS AND US	ES
14	Development Standard	ls	
15	Usable Open Space	§§ 135, 136	100 square feet if private, or 133 square feet if
16	[Per Dwelling Unit]		common, or the amount of open space required in
17			the nearest Residential District, whichever is less.
18	Off-Street Parking	§§ 145.1,	No car parking required. Maximum permitted per §
19	Requirements	150, 151,	151 Bike parking required per §155.2. If car
20		153 - 156,	parking is provided, car share spaces are required
21		161, 166,	when a project has 50 units or more per §166.
22		204.5	
23	Dwelling Unit Mix	§ 207.7	Generally required for creation of 10 or more
24			Dwelling Units. No less than 25% of the total
25			number of proposed Dwelling Units shall contain at

	T					
		least two Bedrooms, and no less than 10% of the				
		total number of proposed Dwelling Units shall				
		contain at least three Bedrooms.				
Use Characteristics						
Intermediate Length	§§ 102,	P(11)				
Occupancy	202.10					
Single Room	§ 102	Р				
Occupancy						
Student Housing	§ 102	Р				
Residential Uses		Controls by Story				
		1st	2nd	3rd +		
Residential Uses	§102	Р	Р	Р		
Accessory Dwelling	§§102,	P per Planning Cod	de Sections §§ 207	.1 and 207.2.		
Unit <i>Density</i>	207.1, 207.2					
Dwelling Unit Density,	§§ 102, 207	1 unit per 800 squa	are foot lot area, o	or the density		
<u>General</u>		permitted in the ne	arest R District, w	hichever is		
		greater.				
		Form-Based Density	applies within the	R-4 Height and		
		Bulk District (§§ 263.19, 270(i)).				
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally				
<u>Densities, if Applicable</u>		ranges between 50 and 100 dwelling units per acre.				
Maximum Dwelling Unit	<u>§§ 207.10,</u>	P up to 4,000 square	feet of Gross Floo	r Area or an		
<u>Size</u>	<u>317</u>	equivalent Floor Are	a Ratio for any ind	lividual Dwelling		
	Intermediate Length Occupancy Single Room Occupancy Student Housing Residential Uses Residential Uses Accessory Dwelling Unit Density Dwelling Unit Density, General Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit	Intermediate Length Occupancy Single Room Occupancy Student Housing Studential Uses Residential Uses Residential Uses Residential Uses Accessory Dwelling Unit Density Signary Sig	Use Characteristics Intermediate Length Occupancy 202.10 Single Room § 102 P Cocupancy Student Housing § 102 P Residential Uses Characteristics P Residential Uses S Cocupancy S 102 P Accessory Dwelling S 102 P Accessory Dwelling S 102 P Dwelling Unit Density S 102 P Dwelling Unit Density S 102 P Form-Based Density Bulk District (\$\$ 263 Minimum Dwelling Unit Density S 207.9 Varies depending on ranges between 50 at Maximum Dwelling Unit S 207.10. P up to 4,000 square Maximum Dwelling Unit S 207.10.	total number of proposed Dwelling Least three Bedrooms. Use Characteristics Intermediate Length		

1			Unit of 1.2:1. C for Dwelling Units that exceed the
2			greater of those thresholds.
3	Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the
4			density permitted in the nearest R District,
5			whichever is greater.
6			
7			Form-Based Density applies within the R-4 Height and
8			Bulk District (§§ 263.19, 270(i)).
9	Homeless Shelter	§§ 102, 208	Density limits regulated by the Administrative Code
10	Density		
11	Senior Housing	§§102,	P up to twice the number of dwelling units
12	Density	202.2(f),	otherwise permitted as a Principal Use in the
13		207	district and meeting all the requirements of §
14			202.2(f)(1). C up to twice the number of dwelling
15			units otherwise permitted as a Principal Use in the
16			district and meeting all requirements of §
17			202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related
18			to location.
19			
20			Form-Based Density applies within the R-4 Height and
21			Bulk District (§§ 263.19, 270(i)).
22	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
23	Conversion, Demolition,		
24	or Merger of Dwelling		

		1	1				
1	Units, including						
2	<u>Residential Flats</u>						
3			1st	2nd	3rd+		
4	Residential Conversion	§ 317	ϵ	NP	NP		
5	Residential Demolition	§ 317	ϵ	ϵ	ϵ		
6	and Merger						
7	NON-RESIDENTIAL ST	ΓANDARDS AN	ID USES				
8	Development Standard	ds					
9	Floor Area Ratio	§§ 102, 123,	1.8 to 1. For Office Uses minimum intensities may				
10		124 <u>, 207.9</u>	apply pursuant to § 207.9.				
11	Use Size	§ <u>§</u> 102,	P up to 2,999 square feet; C 3,000 square feet and				
12		<u>121.2</u>	above				
13	Off-Street Parking	§§ 145.1,	No car parking required Maximum permitted per §				
14	Requirements	150, 151,	151. Bike parking	required per Sect	ion 155.2. Car		
15		153 - 156,	share spaces requ	iired when a proje	ect has 25 or		
16		161, 166,	more parking space	ces per §166.			
17		204.5					
18	Off-Street Freight	§§ 150, 152,	None required if g	ross floor area is	less than		
19	Loading	153 - 155,	10,000 square fee	t. Exceptions peri	mitted per §§		
20		161, 204.5	155 and 161.				
21	Commercial Use Char	acteristics					
22	Drive-up Facility	§ 102	NP				
23	Formula Retail	§ 102, 303.1	С				
24	Hours of Operation	§§ 102	P 6 a.m 11 p.m.	; C 11 p.m 2 a.r	m.		

	_						
1	Maritime Use	§ 102	NP				
2	Open Air Sales	§§ 102,	See § 703(b)				
3		703(b)					
4	Outdoor Activity Area	§§ 102,	P if located in fro	ont of building or if i	t complies with		
5		145.2, 202.2	Section 202.2(a)	(7); C if located els	sewhere.		
6	Walk-up Facility	§ 102	P				
7	NON-RESIDENTIAL US	ES	CONTROLS BY STORY				
8			1st	2nd	3rd+		
9	Agricultural Use Category						
10	Agriculture, Industrial	§§ 102,	NP	NP	NP		
11		202.2(c)					
12	Agriculture, Large	§§ 102,	С	С	С		
13	Scale Urban	202.2(c)					
14	Agriculture,	§§ 102,	Р	Р	Р		
15	Neighborhood	202.2(c)					
16	Automotive Use Catego	ory					
17	Automotive Uses*	§ 102	NP	NP	NP		
18	Electric Vehicle	§§102,	C(13)	C(13)	C(13)		
19	Charging Location	202.2(b),					
20		202.13					
21	Parking Garage,	§ 102	С	С	С		
22	Private						
23	Parking Garage, Public	§ 102	С	NP	NP		

					l			
1	Parking Lot, Private	§§ 102, 142,	С		С			С
2		156						
3	Parking Lot, Public	§§ 102, 142,	С		NI	∍		NP
4		156						
5	Entertainment, Arts and	d Recreation l	Jse Cate	egory	1			
6	Entertainment, Arts	§ 102	NP		NI	P		NP
7	and Recreation Uses*							
8	Arts Activities	§ 102	Р		Р			Р
9	Entertainment, General	§ 102	Р		Р			NP
10	Entertainment,	§ 102	С		NI	P		NP
11	Nighttime							
12	Movie Theater	§§ 102,	С		С			С
13		202.4						
14	Open Recreation Area	§ 102	С		С			С
15	Passive Outdoor	§ 102	С		С			С
16	Recreation							
17	Industrial Use Category	У						
18	Industrial Uses*	§§ 102,	NP	NP		NP	١	NP
19		202.2(d)						
20	Institutional Use Categ	ory						
21	Institutional Uses*	§ 102	Р		С			NP
22	Child Care Facility	§ 102	Р		Р			Р
23	Community Facility	§ 102	Р		Р			Р
24	Hospital	§ 102	NP		NI	P		NP
25								

1	Medical Cannabis	§§ 102,	NP(6)	NP(6)	NP
2	Dispensary	202.2(e)			
3	Public Facilities	§ 102	Р	Р	Р
4	Religious Institution	§ 102	Р	С	NP
5	Residential Care	§ 102	Р	Р	Р
6	Facility				
7	Social Service or	§ 102	Р	Р	Р
8	Philanthropic Facility				
9	Sales and Service Cat	egory			
10	Retail Sales and	§§ 102,	P(3)	NP	NP
11	Service Uses*	202.2(a),			
12		202.3			
13	Adult Business	§ 102	NP	NP	NP
14	Adult Sex Venue	§ 102	NP	NP	NP
15	Animal Hospital	§ 102	Р	Р	Р
16	Bar	§§ 102,	P(6)	NP	NP
17		202.2(a)			
18	Cannabis Retail	§§ 102,	NP(6)	NP(6)	NP
19		202.2(a)			
20	Flexible Retail	§§ 102,	Р	NP	NP
21		202.9			
22	Gym	§ 102	Р	NP	NP
23	Hotel	§ 102	NP	NP	NP
24	Kennel	§ 102	С	NP	NP

Liquor Store	§ 102	P(6)(9)	NP	NP
Massage	§§ 102, 204,	Р	NP(12)	NP(12)
Establishment	703			
Mortuary	§ 102	NP	NP	NP
Motel	§§ 102,	NP	NP	NP
	202.2(a)			
Restaurant	§§ 102,	P(3)	P(3)	NP
	202.2(a)			
Restaurant, Limited	§§ 102,	P(3)	P(3)	NP
	202.2(a)			
Services, Financial	§ 102	С	NP	NP
Services, Fringe	§ 102	NP(10)	NP(10)	NP(10)
Financial				
Services, Health	§ 102	Р	NP	NP
Services, Limited	§ 102	Р	NP	NP
Financial				
Services, Personal	§ 102	Р	NP	NP
Services, Retail	§ 102	Р	Р	Р
Professional				
Storage, Self	§ 102	NP	NP	NP
Tobacco Paraphernalia	§ 102	С	NP	NP
Establishment				
Trade Shop	§ 102	Р	NP	NP

Mayor Lurie **BOARD OF SUPERVISORS**

Non-Retail Sales and	§ 102	NP	NP	NP			
Service Uses							
Design Professional	§ 102	Р	NP	NP			
Service, Non-Retail	§ 102	С	Р	NP			
Professional							
Trade Office	§ 102	Р	NP	NP			
Utility and Infrastructu	Utility and Infrastructure Use Category						
Utility and	§ 102	C(5)	C(5)	C(5)			
Infrastructure*							
Power Plant	§ 102	NP	NP	NP			
Public Utilities Yard	§ 102	NP	NP	NP			

^{*} Not listed below

- (1) Additional 5 feet for NC-1 parcels with a Commercial use on the ground floor within the following areas:
- (a) Within the boundaries of Sargent Street to Orizaba Avenue to Lobos Street to Plymouth Avenue to Farellones Street to San Jose Avenue to Alemany Boulevard to 19th Avenue to Randolph Street to Monticello Street and back to Sargent Street.
 - (b) On Noriega, Irving, Taraval, and Judah Streets west of 19th Avenue.
- (2) C for 5,000 square feet and above if located within the Priority Equity Geographies Special Use District established under Section 249.97.
- (3) TARAVAL STREET RESTAURANT SUBDISTRICT. Applicable only for the Taraval Street NC-1 District between 40th and 41st Avenues and between 45th and 47th Avenues as mapped on Sectional Maps 5 SU and 6 SU. Within the Taraval Street Restaurant Subdistrict, Formula Retail Restaurants and Formula Retail Limited Restaurants are NP.

- Formula Retail Restaurants and Formula Retail Limited Restaurants are NP if located within one quarter of one mile from the Taraval Street Restaurant Subdistrict.
 - (4) [Note deleted.] Canopy is P if required as a wind mitigation feature.
 - (5) C if a Macro WTS Facility; P if a Micro WTS Facility.
 - (6) C in the area comprising all of that portion of the City and County commencing at the point of the intersection of the shoreline of the Pacific Ocean and a straight-line extension of Lincoln Way, and proceeding easterly along Lincoln Way to 17th Avenue, and proceeding southerly along 17th Avenue to Judah Street, and proceeding westerly along Judah Street to 19th Avenue, and proceeding southerly along 19th Avenue to Sloat Boulevard, and proceeding westerly along Sloat Boulevard, and following a straight-line extension of Sloat Boulevard to the shoreline of the Pacific Ocean and proceeding northerly along said line to the point of commencement.
 - (7) [Note deleted.]

- (8) [Note deleted.]
- (9) C within that portion of the City and County bounded as follows: commencing at the intersection of Arguello Boulevard and Frederick Street, then proceeding southerly along Arguello Boulevard to Carl Street, then proceeding easterly along Carl Street to Hillway Avenue, then proceeding southerly along Hillway Avenue to Parnassus Avenue, then proceeding easterly along Parnassus Avenue to Clayton Street, then proceeding northerly along Clayton Street to Frederick Street, then proceeding easterly along Frederick Street to Buena Vista Avenue West, then proceeding generally northerly along Buena Vista Avenue West to Haight Street, then proceeding easterly along Haight Street to Baker Street, then proceeding northerly along Baker Street to Oak Street, then proceeding westerly along Oak Street to Stanyan Street, then proceeding southerly along Stanyan Street to Frederick Street, then proceeding westerly along Frederick Street to the point of commencement.

1	(10) FRINGE FINANCIAL SERVICE RESTRICTED USE DISTRICT (FFSRUD).
2	Fringe Financial Services are NP within any FFSRUD and its one-quarter mile buffer pursuant
3	to Section 249.35. Outside any FFSRUD and its one-quarter mile buffer, Fringe Financial
4	Services are P subject to the restrictions set forth in Section 249.35(c)(3).
5	(11) NP for buildings with three or fewer Dwelling Units. C for buildings with 10 or
6	more Dwelling Units.
7	(12) P if accessory to a Hotel, Personal Service or Health Service.
8	(13) P where existing use is any Automotive Use.
9	

SEC. 711. NC-2 - SMALL-SCALE NEIGHBORHOOD COMMERCIAL DISTRICT.

The NC-2 District is intended to serve as the City's Small-Scale Neighborhood Commercial District. These districts are linear shopping streets which provide convenience goods and services to the surrounding neighborhoods as well as limited comparison shopping goods for a wider market. The range of comparison goods and services offered is varied and often includes specialty retail stores, restaurants, and neighborhood-serving offices. NC-2 Districts are commonly located along both collector and arterial streets which have transit routes.

These districts range in size from two or three blocks to many blocks, although the commercial development in longer districts may be interspersed with housing or other land uses. Buildings typically range in height from two to four stories with occasional one-story commercial buildings.

The small-scale district controls provide for mixed-use buildings which approximate or slightly exceed the standard development pattern. Rear yard requirements above the ground story and at residential levels preserve open space corridors of interior blocks.

Most new commercial development is permitted at the ground and second stories. Neighborhood-serving businesses are strongly encouraged. *The second story may be used by some retail stores, personal services, and medical, business and professional offices.* Parking and hotels are monitored at all stories. Limits on late-night activity, drive-up facilities, and other automobile uses protect the livability within and around the district, and promote continuous retail frontage.

Housing development in new buildings is encouraged above the ground *storyfloor*. *Existing residential units are protected by limitations on demolition and upper-story conversions.*Accessory Dwelling Units are permitted *within the District pursuant to Section 207.1 of this Code*.

Table 711 SMALL-SCALE NEIGHBORHOOD COMMERCIAL CLUSTER DISTRICT NC-2
ZONING CONTROL TABLE

		NC-2
Zoning Category	§	Controls
	References	
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk
	106, 250–	Map Sheets HT10-13 for more information. Height
	252, 260,	sculpting required on Alleys per § 261.1.
	261.1, <u>263.19,</u>	
	270, <u>270.3,</u>	
	271. See also	
	Height and	

	Bulk District	
	Maps	
5 Foot Height Bonus	§ 263.20	P(1) in some districts
for Active Ground Floor		
Uses		
Rear Yard	§§ 130, 134,	Required at the Second Story and at each
	134(a)(e),	succeeding level or Story of the building, and at
	136	the First Story if it contains a Dwelling Unit: 25%
		of lot depth, but in no case less than 15 feet
Front Setback and	§§ 130, 131,	Not Required.
Side Yard	132, 133	
Front Setback and	§§ 130, 131,	<u>Generally Nn</u> ot <u>Rrequired.; however, if the existing</u>
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan. This
		setback is required only up to 15 feet above street
		grade. See § 132(e).
Street Frontage and Pu	blic Realm	
Streetscape and	§ 138.1	Required.
Pedestrian		
Improvements		
	for Active Ground Floor Uses Rear Yard Front Setback and Side Yard Front Setback and Side Yard Street Frontage and Put Streetscape and Pedestrian	5 Foot Height Bonus § 263.20 for Active Ground Floor Uses Rear Yard \$\ \\$\ 130, 134, \\ 134(a)(e), \\ 136 Front Setback and \$\ \\$\ 130, 131, \\ Side Yard \$\ \\$\ 132, 133 Front Setback and \$\ \\$\ 132, 133 Front Setback and \$\ \\$\ 132, 133 Side Yard \$\ 132, 133 Side Yard \$\ 132, 133

1	Street Frontage	§ 145.1	Required; controls apply to above-grade parking
2	Requirements		setbacks, parking and loading entrances, active
3			uses, ground floor ceiling height, street-facing
4			ground-level spaces, transparency and
5			fenestration, and gates, railings, and grillwork.
6			Exceptions permitted for historic buildings.
7	Ground Floor	§ 145.4	Required on some streets, see § 145.4 for specific
8	Commercial		districts.
9	Vehicular Access	§ 155(r)	Restricted on some streets, see § 155(r) for
10	Restrictions		specific districts
11	Miscellaneous		
12	Lot Size (Per	§§ 102,	P(2)
13	Development)	121.1	
14	Planned Unit	§ 304	С
15	Development		
16	Awning, Canopy or	§ 136.1	Р
17	Marquee		
18	General Advertising	§§ 262, 602,	NP
19	Signs	604, 608,	
20		609, 610,	
21		611	
22	Signs	§§ 262, 602-	As permitted by § 607.1
23		604, 607,	
24		607.1, 608,	
25		609	

1	Design Guidelines and	General	Subject to the Urban Design Guidelines, Citywide
2	<u>Standards</u>	Plan	Design Standards, and any other applicable design
3		Commerce	guidelines that have been approved by the Planning
4		and Industry	Commission.
5		Element	
6	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning
7			modifications for eligible projects in the R-4 Height and
8			Bulk District.
9	RESIDENTIAL STANDA	ARDS AND US	ES
10	Development Standard	s	
11	Usable Open Space	§§ 135, 136	100 square feet if private, or 133 square feet if
12	[Per Dwelling Unit]		common, or the amount of open space required in
13			the nearest Residential District, whichever is less.
14	Off-Street Parking	§§ 145.1,	No car parking required. Maximum permitted per §
15	Requirements	150, 151,	151. Bike parking required per §155.2. If car
16		153 - 156,	parking is provided, car share spaces are required
17		161, 166,	when a project has 50 units or more per §166.
18		204.5	
19	Dwelling Unit Mix	§ 207.7	Generally required for creation of 10 or more
20			Dwelling Units. No less than 25% of the total
21			number of proposed Dwelling Units shall contain at
22			least two Bedrooms, and no less than 10% of the
23			total number of proposed Dwelling Units shall
24			contain at least three Bedrooms.
25	Use Characteristics		

			I				
1	Intermediate Length	§§ 102,	P(12)				
2	Occupancy	202.10					
3	Single Room	§ 102	Р				
4	Occupancy						
5	Student Housing	§ 102	Р				
6	Residential Uses		Ce	ontrols by Story			
7			1st	2nd	3rd +		
8	Residential Uses	§102	Р	Р	Р		
9	Accessory Dwelling	§§102,	P per Planning Co	de <i>Sections§§</i> 207.	1 and 207.2.		
10	Unit <i>Density</i>	207.1, 207.2					
11	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density				
12	<u>General</u>		permitted in the nearest R District, whichever is				
13			greater.				
14							
15			Form-Based Density applies within the R-4 Height and				
16			Bulk District (§§ 263.19, 270(i)).				
17	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally				
18	Densities, if Applicable		ranges between 50 a	and 100 dwelling un	its per acre.		
19	Maximum Dwelling Unit	<u>§§ 207.10,</u>	P up to 4,000 square	e feet of Gross Floor	r Area or an		
20	<u>Size</u>	<u>317</u>	equivalent Floor Area Ratio for any individual Dwelling				
21			Unit of 1.2:1. C for Dwelling Units that exceed the				
22			greater of those thresholds.				
23	Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the				
24			density permitted in the nearest R District,				
25			whichever is great	er.			

		1					
		Form-Based Density applies within the R-4 Height and					
		Bulk District (§§ 26	Bulk District (§§ 263.19, 270(i)).				
Homeless Shelter	§§ 102, 208	Density limits regu	ulated by the Adm	inistrative Code			
Density							
Senior Housing	§§102,	P up to twice the i	number of dwelling	g units			
Density	202.2(f),	otherwise permitte	ed as a Principal U	Jse in the			
	207	district and meetir	ng all the requirem	ents of §			
		202.2(f)(1). C up t	o twice the number	er of dwelling			
		units otherwise permitted as a Principal Use in the					
		district and meeting all requirements of §					
		202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related					
		to location.					
		Form-Based Density applies within the R-4 Height and					
		Bulk District (§§ 26	53.19, 270(i)).				
Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC					
Conversion, Demolition,							
or Merger of Dwelling							
Units, including							
Residential Flats							
		1st	2nd	3rd+			
Residential Conversion	§ 317	ϵ	ϵ	NP			
Residential Demolition	§ 317	ϵ	ϵ	ϵ			
and Merger							
	Density Senior Housing Density Loss of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Residential Conversion Residential Demolition	Density Senior Housing Density Density Senior Housing S§102, 202.2(f), 207 Loss of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Residential Conversion Residential Demolition § 317	Homeless Shelter Density Senior Housing Density Senior Housing Density Senior Housing Density 202.2(f), 207 district and meeting 202.2(f)(1). C up to to to the recommendation of the recommendation. Form-Based Density Loss of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Residential Conversion Residential Demolition Residential Demolition Residential Demolition Residential Demolition S§ 317 Conversion Section Bulk District (S§ 26) Controls by Story Controls by Story Conversion Section Section Residential Conversion Residential Demolition S§ 317 Conversion Section S§ 317 Conversion S§ 317 Conversion S§ 317 Conversion Residential Demolition S§ 317 Conversion S§ 317	Homeless Shelter Density Senior Housing Density Pup to twice the number of dwelling otherwise permitted as a Principal L district and meeting all the requirem 202.2(f)(1). C up to twice the number units otherwise permitted as a Principal L district and meeting all requirements 202.2(f)(1), except for § 202.2(f)(1)(to location. Form-Based Density applies within the Bulk District (§§ 263.19, 270(i)). Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Ist 2nd Residential Conversion \$317 Centrols by StoryC Residential Demolition \$317 Centrols by StoryC Controls by StoryC C			

1	NON-RESIDENTIAL STANDARDS AND USES				
2	Development Standard	ls			
3	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>		
4		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
5	Use Size	§§ 102,	P up to 3,999 square feet; C 4,000 square feet and		
6		121.2	above		
7	Off-Street Parking	§§ 145.1,	No car parking. Maximum permitted per § 151. Bike		
8	Requirements	150, 151,	parking required per Section 155.2. Car share		
9		153 - 156,	spaces required when a project has 25 or more		
10		161, 166,	parking spaces per § 166.		
11		204.5			
12	Off-Street Freight	§§ 150, 152,	None required if gross floor area is less than		
13	Loading	153 - 155,	10,000 square feet. Exceptions permitted per §§		
14		161, 204.5	155 and 161.		
15	Commercial Use Chara	ecteristics			
16	Drive-up Facility	§ 102	NP		
17	Formula Retail	§ 102, 303.1	С		
18	Hours of Operation	§§ 102	P 6 a.m 2 a.m.; C 2 a.m 6 a.m.		
19	Maritime Use	§ 102	NP		
20	Open Air Sales	§§ 102,	See § 703(b)		
21		703(b)			
22	Outdoor Activity Area	§§ 102,	P if located in front or it complies with Section		
23		145.2, 202.2	202.2(a)(7); C if located elsewhere.		
24	Walk-up Facility	§ 102	Р		

NON-RESIDENTIAL US	SES	CONTROLS	BY STORY	
		1st	2nd	3rd+
Agricultural Use Categ	ory			
Agriculture, Industrial	§§ 102,	NP	NP	NP
	202.2(c)			
Agriculture, Large	§§ 102,	С	С	С
Scale Urban	202.2(c)			
Agriculture,	§§ 102,	Р	Р	Р
Neighborhood	202.2(c)			
Automotive Use Category				
Automotive Uses*	§ 102	NP	NP	NP
Automotive Repair	§ 102	С	NP	NP
Automotive Service	§ 102	С	NP	NP
Station				
Electric Vehicle	§§102,	C(14)	C(14)	C(14)
Charging Location	202.2(b),			
	202.13			
Fleet Charging	§ 102	С	С	С
Gas Station	§§ 102,	С	NP	NP
	187.1,			
	202.2(b)			
Parking Garage,	§ 102	С	С	С
Private				
Parking Garage, Public	§ 102	С	С	С

г		Ī						
1	Parking Lot, Private	§§ 102, 142,	С		С			С
2		156						
3	Parking Lot, Public	§§ 102, 142,	С		С			С
4		156						
5	Entertainment, Arts and	d Recreation l	Jse Cate	egory				
6	Entertainment, Arts	§ 102	NP		N	Р		NP
7	and Recreation Uses*							
8	Arts Activities	§ 102	Р		Р			Р
9	Entertainment, General	§ 102	Р		Р			NP
10	Entertainment,	§ 102	Р		N	Р		NP
11	Nighttime							
12	Movie Theater	§§ 102,	Р		Р			Р
13		202.4						
14	Open Recreation Area	§ 102	С		С			С
15	Passive Outdoor	§ 102	С		С			С
16	Recreation							
17	Industrial Use Category	у						
18	Industrial Uses*	§§ 102,	NP	NP		NP	١	NP
19		202.2(d)						
20	Institutional Use Category							
21	Institutional Uses*	§ 102	Р		С			С
22	Child Care Facility	§ 102	Р		Р			Р
23	Community Facility	§ 102	Р		Р			Р
24	Hospital	§ 102	NP		N	P		NP
	· · · · · · · · · · · · · · · · · · ·							

				•
Medical Cannabis	§§ 102,	DR	DR	NP
Dispensary**	202.2(e)			
Public Facilities	§ 102	Р	Р	Р
Residential Care	§ 102	Р	Р	Р
Facility				
Social Service or	§ 102	Р	Р	Р
Philanthropic Facility				
Sales and Service Cate	egory			
Retail Sales and	§§ 102,	Р	Р	NP
Service Uses*	202.2(a),			
	202.3			
Adult Business	§ 102	NP	NP	NP
Adult Sex Venue	§ 102	NP	NP	NP
Animal Hospital	§ 102	Р	Р	NP
Bar	§§ 102,	P(9)	NP	NP
	202.2(a)			
Cannabis Retail	§§ 102,	С	С	NP
	202.2(a)			
Flexible Retail	§§ 102,	Р	NP	NP
	202.9			
Hotel	§ 102	С	С	С
Kennel	§ 102	С	NP	NP
Liquor Store	§ 102	P(9)	NP	NP

NA	20, 400, 004	D(0)	0(40)	NID(40)
Massage	§§ 102, 204,	P(9)	C(13)	NP(13)
Establishment	303(n), 703			
Massage, Foot/Chair	§ 102	P(9)	NP	NP
Mortuary	§ 102	NP	NP	NP
Motel	§§ 102,	NP	NP	NP
	202.2(a)			
Restaurant	§§ 102,	P(4)	P(4)	NP
	202.2(a)			
Restaurant, Limited	§§ 102,	P(4)	P(4)	NP
	202.2(a)			
Services, Financial	§ 102	P(5)	C(5)	NP
Services, Fringe	§ 102	P(5)(6)	NP	NP
Financial				
Services, Limited	§ 102	P(5)	NP	NP
Financial				
Services, Retail	§ 102	Р	Р	Р
Professional				
Storage, Self	§ 102	NP	NP	NP
Tobacco Paraphernalia	§ 102	С	NP	NP
Establishment				
Trade Shop	§ 102	Р	С	NP
Non-Retail Sales and	§ 102	NP	NP	NP
Service Uses				
Design Professional	§ 102	Р	Р	NP

1	Service, Non-Retail	§ 102	С	Р	NP
2	Professional				
3	Trade Office	§ 102	Р	Р	NP
4	Utility and Infrastructure Use Category				
5	Utility and	§ 102	C(7)	C(7)	C(7)
6	Infrastructure*				
7	Power Plant	§ 102	NP	NP	NP
8	Public Utilities Yard	§ 102	NP	NP	NP

^{*} Not listed below

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

- (1) Additional 5 feet for NC-2 parcels zoned 40' or 50' with an Active Use on the ground floor within the following areas: Balboa Street between 2nd Avenue and 8th Avenue, and between 32nd Avenue and 39th Avenue.
- (2) C for 10,000 square feet and above if located within the Priority Equity Geographies Special Use District established under Section 249.97.
 - (3) [Note deleted.]
- (4) TARAVAL STREET RESTAURANT SUBDISTRICT: Applicable only for the Taraval Street NC-2 District between 12th and 19th Avenues as mapped on Sectional Maps 5 SU and 6 SU. Formula Retail Restaurants and Limited-Restaurants are NP.
- (5) CHESTNUT STREET FINANCIAL SERVICE SUBDISTRICT: C for properties on Chestnut Street zoned NC-2 from Broderick to Fillmore Streets as mapped on Sectional Map 2 SU.
- (6) FRINGE FINANCIAL SERVICE RESTRICTED USE DISTRICT (FFSRUD): The FFSRUD and its one-quarter mile buffer includes, but is not limited to, properties within: the Mission Alcoholic Beverage Special Use District; the Haight Street Alcohol Restricted Use District; the Third Street Alcohol Restricted Use District; and the North of Market Residential

Special Use District; and includes Small-Scale Neighborhood Commercial Districts within its boundaries.

Controls: Fringe Financial Services are NP within any FFSRUD and its one-quarter mile buffer pursuant to Section 249.35. Outside any FFSRUD and its one-quarter mile buffer, Fringe Financial Services are P subject to the restrictions set forth in Section 249.35(c)(3).

- (7) C if a Macro WTS Facility; P if a Micro WTS Facility.
- (8) P in the area comprising all of that portion of the City and County commencing at the point of the intersection of the shoreline of the Pacific Ocean and a straight-line extension of Lincoln Way, and proceeding easterly along Lincoln Way to 17th Avenue, and proceeding southerly along 17th Avenue to Judah Street, and proceeding westerly along Judah Street to 19th Avenue, and proceeding southerly along 19th Avenue to Sloat Boulevard, and proceeding westerly along Sloat Boulevard, and following a straight-line extension of Sloat Boulevard to the shoreline of the Pacific Ocean and proceeding northerly along said line to the point of commencement.
- (9) C in the area comprising all of that portion of the City and County commencing at the point of the intersection of the shoreline of the Pacific Ocean and a straight-line extension of Lincoln Way, and proceeding easterly along Lincoln Way to 17th Avenue, and proceeding southerly along 17th Avenue to Judah Street, and proceeding westerly along Judah Street to 19th Avenue, and proceeding southerly along 19th Avenue to Sloat Boulevard, and proceeding westerly along Sloat Boulevard, and following a straight-line extension of Sloat Boulevard to the shoreline of the Pacific Ocean and proceeding northerly along said line to the point of commencement.
 - (10) [Note deleted.]
- 24 (11) [Note deleted.]

1 (12) NP for buildings with three or fewer Dwelling Units. C for buildings with 10 or 2 more Dwelling Units. 3 (13) P if accessory to a Hotel, Personal Service or Health Service, except C if accessory to a Hotel, Personal Service or Health Service within the boundaries described in 4 5 note 9 to this Table. 6 (14)P where existing use is any Automotive Use. 7 SEC. 712. NC-3 - MODERATE-SCALE NEIGHBORHOOD COMMERCIAL 8 DISTRICT. 9 10 11 12 13

NC-3 Districts are intended in most cases to offer a wide variety of comparison and specialty goods and services to a population greater than the immediate neighborhood, additionally providing convenience goods and services to the surrounding neighborhoods. NC-3 Districts are linear districts located along heavily trafficked thoroughfares which also serve as major transit routes.

NC-3 Districts include some of the longest linear commercial streets in the City, some of which have continuous retail development for many blocks. Large-scale lots and buildings and wide streets distinguish the districts from smaller-scaled commercial streets, although the districts may include small as well as moderately scaled lots. Buildings typically range in height from two to four stories with occasional taller structures.

NC-3 building standards permit moderately large commercial uses and buildings. Rear yards are protected at residential levels.

A diversified commercial environment is encouraged for the NC-3 District, and a wide variety of uses are permitted with special emphasis on neighborhood-serving businesses. Eating and drinking, entertainment, financial service and certain auto uses generally are permitted with certain limitations at the first and second stories. Other retail businesses,

14

15

16

17

18

19

20

21

22

23

24

personal services and offices are permitted at all stories of new buildings. Limited storage and administrative service activities are permitted with some restrictions.

Housing development in new buildings is encouraged above the second story. *Existing residential units are protected by limitations on demolitions and upper-story conversions.* Accessory Dwelling Units are permitted *within the District pursuant to Section 207.1 of this Code*.

6

7

8

1

2

3

4

5

Table 712. MODERATE-SCALE NEIGHBORHOOD COMMERCIAL DISTRICT NC-3 ZONING CONTROL TABLE

		TO CONTINUE TABLE			
		NC-3			
Zoning Category	§ References	Controls			
BUILDING STANDARD	BUILDING STANDARDS				
Massing and Setbacks					
Height and Bulk Limits	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk			
	106, 250–252,	Map Sheets HT01-04, HT07, HT08, HT10, and			
	260, 261.1,	HT11 for more information. Height sculpting			
	<u>263.19,</u> 270,	required on Alleys per § 261.1.			
	<u>270.3,</u> 271 .				
	See also				
	Height and				
	Bulk District				
	Maps				
* * * *		,			
Front Setback and	§§ <u>130,</u> 131,	Generally NnOt Rrequired: however, if the existing			
Side Yard	132, 133	sidewalk does not meet the recommended width			
		required by the Better Streets Plan, a front setback			

1			shall be provided	so that, when comb	bined with the
2			existing sidewalk,	the total distance j	from the curb to
3			the building fronte	ige meets or exceed	ds the required
4			recommended wid	th under the Better	r Streets Plan.
5			This setback is req	uired only up to 1.	5 feet above street
6			grade. See § 132(e	<u>e).</u>	
7	* * * *				
8	Miscellaneous				
9	* * * *				
10	Design Guidelines and	General Plan	Subject to the U	rban Design Guid	delines <u>, <i>Citywide</i></u>
11	<u>Standards</u>	Commerce	Design Standards, and any other applicable design		plicable design
12		and Industry	guidelines that have been approved by the Planning		by the Planning
13		Element	Commission.		
14	Housing Choice-SF	<u>§ 206.10</u>	Form-based densi	ty, additional heig	ht, and other
15			zoning modification	ons for eligible pro	jects in the R-4
16			Height and Bulk L	District.	
17	RESIDENTIAL STANDA	ARDS AND USE	S		
18	Development Standard	s			
19	* * * *				
20	Residential Uses		Controls by Story		у
21			1st	2nd	3rd +
22	Residential Uses	§102	Р	Р	Р
23	Accessory Dwelling	§§102, 207.1,	P per Planning C	Code <u>§§<i>Sections a</i></u>	nd 207(c)(6)
24	Unit <i>Density</i>	207.2	207.1 and 207.2		,

1	Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area, or the density
2	<u>General</u>		permitted in the nearest R District, whichever is
3			greater.
4			
5			Form-Based Density applies within the R-4 Height
6			and Bulk District (§§ 263.19, 270(i)).
7	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
8	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
9	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
10	<u>Size</u>		equivalent Floor Area Ratio for any individual
11			Dwelling Unit of 1.2:1. C for Dwelling Units that
12			exceed the greater of those thresholds.
13	Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the
14			density permitted in the nearest R District,
15			whichever is greater.
16			
17			Form-Based Density applies within the R-4 Height
18			and Bulk District (§§ 263.19, 270(i)).
19	* * * *		
20	Senior Housing Density	§§102,	P up to twice the number of dwelling units
21		202.2(f), 207	otherwise permitted as a Principal Use in the
22			district and meeting all the requirements of §
23			202.2(f)(1). C up to twice the number of dwelling
24			units otherwise permitted as a Principal Use in
25			the district and meeting all requirements of §

1			202.2(f)(1), exce	pt for § 202.2(f)(1)(D)(iv), related
2			to location.		
3					
4			Form-Based Densi	ity applies within th	ne R-4 Height
5			and Bulk District ((§§ 263.19, 270(i)).	
6	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	C(2)	
7	Conversion, Demolition,				
8	or Merger of Dwelling				
9	Units, including				
10	Residential Flats				
11			1st	2nd	3rd+
12	Residential Conversion	§ 317	€	ϵ	<i>C</i> (2)
13	Residential Demolition	§ 317	ϵ	ϵ	ϵ
14	and Merger				
15	NON-RESIDENTIAL ST	ANDARDS <u>AND</u>	<u>USES</u>		
16	Development Standard	S			
17	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>		
18		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
19	* * * *				

(2) THIRD FLOOR RESIDENTIAL CONVERSION:

Boundaries: Applicable to NC-3 Districts.

Controls: A residential use may be converted to an Institutional Use, other than a Medical Cannabis Dispensary, as a Conditional Use on the third story and above if in addition to the criteria set forth in Section 303317, the Commission finds that:

20

21

22

23

24

1 (a) The structure in which the residential use is to be converted has been found
2 eligible for listing on the National Register of Historic Places;
3 (b) The proposed use is to be operated by a nonprofit public benefit corporation; and
4 (c) No legally residing residential tenants will be displaced.
5 * * * *

SEC. 713. NC-S – NEIGHBORHOOD COMMERCIAL SHOPPING CENTER DISTRICT.

NC-S Districts are intended to serve as small shopping centers or supermarket sites which provide retail goods and services for primarily car-oriented shoppers. They commonly contain at least one anchor store or supermarket, and some districts also have small medical office buildings. The range of services offered at their retail outlets usually is intended to serve the immediate and nearby neighborhoods. These districts encompass some of the most recent (post-1945) retail development in San Francisco's neighborhoods and serve as an alternative to the linear shopping street.

Shopping centers and supermarket sites contain mostly one-story buildings which are removed from the street edge and set in a parking lot. Outdoor pedestrian activity consists primarily of trips between the parking lot and the stores on-site. Ground and second stories are devoted to retail sales and some personal services and offices.

The NC-S standards and use provisions allow for medium-size commercial uses *in low-scale buildings*. *Rear yards are not required for new development*. Most neighborhood-serving retail businesses are permitted at the first and second stories.

Housing development in new buildings is permitted. Existing residential units are protected by limitations on demolitions and prohibitions of upper story conversions. Accessory Dwelling Units are permitted within the District pursuant to Section 207.1 of this Code.

Table 713. NEIGHBORHOOD COMMERCIAL SHOPPING CENTER DISTRICT NC-S

3	

ZONING CONTROL TABLE

		1		
		NC-S		
Zoning Category	§ References	Controls		
BUILDING STANDARD	S			
Massing and Setbacks				
Height and Bulk Limits	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk		
	106, 250–252,	Map Sheets HT02-05, HT07, and HT10-13 for		
	260, <u>263.19,</u>	more information. Height sculpting required on		
	261.1, 270,	Alleys per §261.1.		
	<u>270.3,</u> 271 .			
	See also			
	Height and			
	Bulk District			
	Maps			
* * * *	1			
Rear Yard	§§ 130, 134,	Not Required. Required at the Second Story and at		
	134(a)(e), 136	each succeeding level or Story of the building, and at		
		the First Story if it contains a Dwelling Unit: 25% of		
		lot depth, but in no case less than 15 feet.		
Front Setback and	§§ <u>130,</u> 131,	Generally Nnot Rrequired; however, if the existing		
Side Yard	132, 133	sidewalk does not meet the recommended width		
		required by the Better Streets Plan, a front setback		
		shall be provided so that, when combined with the		

_							
			existing sidewalk,	the total distance f	rom the curb to		
			the building fronte	ige meets or exceed	ls the required		
			recommended wid	th under the Better	Streets Plan.		
			This setback is req	uired only up to 15	<u>5 feet above street</u>		
			grade. See § 132(e	? <u>).</u>			
	* * * *						
	Miscellaneous						
	* * * *						
	Design Guidelines and	General Plan	Subject to the Ur	ban Design Guid	elines <u>, <i>Citywide</i></u>		
	<u>Standards</u>	Commerce	Design Standards,	Design Standards, and any other applicable design			
		and Industry	guidelines that hav	ve been approved b	y the Planning		
		Element	Commission.				
	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other				
			zoning modification	ons for eligible proj	iects in the R-4		
			Height and Bulk D	<u> Pistrict.</u>			
	RESIDENTIAL STANDA	ARDS AND USE	S				
	Development Standard	ls					
	* * * *						
	Residential Uses		C	Controls by Story	/		
			1st	2nd	3rd +		
	Residential Uses	§102	Р	Р	Р		
	Accessory Dwelling	§§102, 207.1,	P per Planning C	P per Planning Code Sections §§ 207.1 and 207.2.			
	Unit <i>Density</i>	207.2					

1	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density
2	<u>General</u>		permitted in the nearest R District, whichever is
3			greater.
4			
5			Form-Based Density applies within the R-4 Height
6			and Bulk District (§§ 263.19, 270(i)).
7	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
8	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
9	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
10	<u>Size</u>		equivalent Floor Area Ratio for any individual
11			Dwelling Unit of 1.2:1. C for Dwelling Units that
12			exceed the greater of those thresholds.
13	Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the
14			density permitted in the nearest R District,
15			whichever is greater.
16			
17			Form-Based Density applies within the R-4 Height
18			and Bulk District (§§ 263.19, 270(i)).
19	* * * *		
20	Senior Housing Density	§§102,	P up to twice the number of dwelling units
21		202.2(f), 207	otherwise permitted as a Principal Use in the
22			district and meeting all the requirements of §
23			202.2(f)(1). C up to twice the number of dwelling
24			units otherwise permitted as a Principal Use in
25			the district and meeting all requirements of §

		202.2(f)(1), exc	cept for § 202.2(f)(1)(D)(iv), relat
		to location.		
		Form-Based Der	nsity applies with	in the R-4 Height
		and Bulk Distric	et (§§ 263.19, 270	(i)).
Loss of Dwelling Units:	<u>§ 317</u>	Controls by Stor	y <u>C</u>	
Conversion, Demolition,				
or Merger of Dwelling				
Units, including				
Residential Flats				
		1st	2nd	3rd+
Residential Conversion	§ 317	ϵ	NP	NP
Residential Demolition	§ 317	ϵ	ϵ	ϵ
and Merger				
NON-RESIDENTIAL STA	ANDARDS <u>AND</u>	USES		
Development Standard	s			
Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Of</i>	fice Uses minimu	m intensities may
	124 <u>, 207.9</u>	apply pursuant t	<u>o § 207.9.</u>	
* * * *				
* * * *				

25

23

Table 714. BROADWAY NEIGHBORHOOD COMMERCIAL DISTRICT **ZONING CONTROL TABLE**

		Broadway NCD				
Zoning Category	§ References	Controls				
BUILDING STANDARD	BUILDING STANDARDS					
Massing and Setbacks	Massing and Setbacks					
* * * *						
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing				
Side Yard	132, 133	sidewalk does not meet the recommended width				
		required by the Better Streets Plan, a front setback				
		shall be provided so that, when combined with the				
		existing sidewalk, the total distance from the curb to				
		the building frontage meets or exceeds the required				
		recommended width under the Better Streets Plan.				
		This setback is required only up to 15 feet above street				
		<u>grade. See § 132(e).</u>				
* * * *						
Miscellaneous						
* * * *						
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, and				
<u>Standards</u>	Commerce	Citywide Design Standards, historic resource				
	and Industry	consideration, and any other applicable design				
	Element	guidelines that have been approved by the Planning				
		Commission. Properties in this District have been				
		identified as potentially eligible for the National				
		Register or California Register.				
RESIDENTIAL STANDA	ARDS AND USE	S				

	Development Standards							
*	* * * *							
F	Residential Uses		C	ontrols by Story	1			
			1st	2nd	3rd +			
F	Residential Uses	§102	Р	Р	Р			
1	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2					
ι	Jnit <i>Density</i>	207.2						
[Owelling Unit Density,	§§ 102, 207	1 unit per 400 square foot lot area, or the density					
<u>(</u>	<u>General</u>		permitted in the nearest R District, whichever is					
			greater.					
<u>1</u>	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally					
<u>1</u>	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.					
<u>1</u>	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an					
2	<u>Size</u>		equivalent Floor Area Ratio for any individual					
			Dwelling Unit of 1.2:1. C for Dwelling Units that					
			exceed the greater of those thresholds.					
(Group Housing Density	§ 208	1 bedroom per 140 square foot lot area, or the					
			density permitted in the nearest R District,					
			whichever is greater.					
*	* * * *							
L	oss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>2</u>				
(Conversion, Demolition,							
<u>c</u>	or Merger of Dwelling							

1	Units, including						
•							
2	<u>Residential Flats</u>						
3			1st	2nd	3rd+		
4	Residential Conversion	§ 317	ϵ	ϵ	NP		
5	Residential Demolition	§ 317	ϵ	ϵ	ϵ		
6	and Merger						
7	NON-RESIDENTIAL ST	ANDARDS AND	USES				
8	Development Standards						
9	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may		
10		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>			
11	* * * *						
12	* * * *						

SEC. 715. CASTRO STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

15

13

14

16

17

18

19

20

21

22

23

24

25

(b) Intent of Controls. The Castro Street District controls are designed to accommodate various scales of maintain existing small-scale development and promote a balanced mix of uses. Building standards permit small- and mid-scale buildings and uses and protect rear yards above the ground story and at residential levels. In new buildings, most commercial uses are permitted at the ground and second stories. Special controls are necessary to preserve the existing equilibrium of neighborhood-serving convenience and specialty commercial uses. In order to maintain convenience stores and protect adjacent residential livability, controls authorize some additional drinking establishments with a conditional use, permit self-service specialty food establishments, and permit with certain limitations new latenight uses, adult and other entertainment, and financial service uses. The continuous retail

- 1 frontage is maintained by prohibiting most automobile and drive-up uses. Housing
- development in new buildings is encouraged above the second story. Existing housing units are
- 3 protected by limitations on demolitions and upper-story conversions. Accessory Dwelling Units are
- 4 permitted within the district pursuant to Section 207.1 of this Code.

6

7

Table 715. CASTRO STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

1	ZONING CONTROL TABLE				
8			Castro Street NCD		
9	Zoning Category	§ References	Controls		
10	BUILDING STANDARD	S			
11	Massing and Setbacks				
12	Height and Bulk Limits	§§ 102, 105,	40-X, 65-B. Varies. See Height and Bulk Map		
13		106, 250–252,	Sheet HT07 for more information. Height		
14		253.1, 260,	Sculpting on Alleys per § 261.1.		
15		<u>263.19,</u> 261.1,			
16		270, <u>270.3,</u>			
17		271. See also			
18		Height and			
19		Bulk District			
20		Maps			
21	* * * *	,			
22	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing		
23	Side Yard	132, 133	sidewalk does not meet the recommended width		
24			required by the Better Streets Plan, a front setback		
25			shall be provided so that, when combined with the		

1					
		existing sidew	alk, the total dist	ance from the curb to	
		the building fr	ontage meets or	exceeds the required	
		<u>recommended</u>	width under the	Better Streets Plan.	
		This setback is	s required only u	o to 15 feet above street	
		grade. See § 1	32(e).		
* * * *					
Miscellaneous					
* * * *					
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
	and Industry	guidelines tha	t have been appr	oved by the Planning	
	Element	<u>Commission.</u>			
Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other			
		zoning modific	cations for eligib	le projects in the R-4	
		Height and Bu	ılk District.		
RESIDENTIAL STAND	ARDS AND USE	S			
Development Standar	ds				
* * * *					
Residential Uses	ntial Uses Controls by Story			Story	
		1st	2nd	3rd +	
Residential Uses	§102	Р	Р	Р	
Accessory Dwelling	§§102, 207.1,	P per Plannir	ng Code <i>Section</i>	<i>s</i> <u>§§</u> 207.1 and 207.2.	
Unit <i>Density</i>	207.2				

	ī	
Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area, or the density
<u>General</u>		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
<u>Size</u>		equivalent Floor Area Ratio for any individual
		Dwelling Unit of 1.2:1. C for Dwelling Units that
		exceed the greater of those thresholds.
Group Housing Density	§208	Up to 1 bedroom per 210 square foot lot area, or the
		density permitted in the nearest R District, whichever
		is greater. Form-Based Density.
* * * *		
Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise
	202.2(f), 207	permitted as a Principal Use in the district and
		meeting all the requirements of § 202.2(f)(1). C up to
		twice the number of dwelling units otherwise
		permitted as a Principal Use in the district and
		meeting all requirements of § 202.2(f)(1), except for §
		202.2(f)(1)(D)(iv), related to location.Form-Based
		<u>Density.</u>
Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
Conversion, Demolition,		
or Merger of Dwelling		
	Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units: Conversion, Demolition,	General \$ 207.9 Densities, if Applicable \$\$ 207.10, 317 Maximum Dwelling Unit Size \$\$ 208 Group Housing Density \$208 * * * * * Senior Housing Density \$\$102, 202.2(f), 207 Loss of Dwelling Units: \$ 317 Conversion, Demolition, \$ 317

1	Units, including						
2	<u>Residential Flats</u>						
3			1st	2nd	3rd+		
4	Residential Conversion	§ 317	ϵ	ϵ	NP		
5	Residential Demolition	§ 317	C	ϵ	ϵ		
6	and Merger						
7	NON-RESIDENTIAL STA	ANDARDS AND	USES				
8	Development Standards						
9	Floor Area Ratio	§§ 102, 123,	3.0 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may		
10		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>			
11	* * *						

SEC. 716. INNER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Inner Clement Street <u>Neighborhood</u> Commercial District is located on Clement Street between Arguello Boulevard and Funston Avenue in the eastern portion of the Richmond District of northwest San Francisco. The <u>dDistrict</u> provides a wide selection of convenience goods and services for the residents of the Inner Richmond neighborhood. Inner Clement Street has one of the greatest concentrations of restaurants of any commercial street in San Francisco, drawing customers from throughout the City and region. There are also a significant number of professional, realty, and business offices as well as financial institutions. The pleasant pedestrian character of the district is derived directly from the intensely active retail frontage on Clement Street.

The *Inner Clement Street*-District controls are designed to promote development that is consistent with its existing land use patterns and to maintain a harmony of uses that supports

the <u>dD</u>istrict's vitality. The building standards allow small-<u>to mid</u>-scale buildings and uses, protecting rear yards above the ground story and at residential levels. In new development, most commercial uses are permitted at the first two stories, although certain limitations apply to uses at the second story. Special controls are necessary to preserve the equilibrium of neighborhood-serving convenience and comparison shopping businesses and protect adjacent residential livability. These controls limit additional financial service uses, additional eating and drinking establishments, and late-night commercial uses. In order to maintain the street's active retail frontage, controls also prohibit most new automobile and drive-up uses.

Housing development is encouraged in new buildings above the ground story. *Existing residential units are protected by prohibitions on upper-story conversions and limitations on demolitions*. Accessory Dwelling Units are permitted *within the district pursuant to Section 207.1 of this Code*.

Table 716. INNER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Inner Clement Street
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits	§§ 102, 105,	40-X. Varies. See Height and Bulk Map Sheet
	106, 250–252,	HT03 for more information. Height sculpting
	260, <u>263.19,</u>	required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	

isting h
<u>h</u>
<u>h</u>
<u>h</u>
<u>h</u>
<u>pack</u>
<u>the</u>
urb to
<u>uired</u>
<u>lan.</u>
ve street
<u>itywide</u>
esign_
ning
<u>ier</u>
e R-4
vi Vi

Residential Uses		Controls by Story			
		1st	2nd	3rd +	
Residential Uses	§102	Р	Р	Р	
Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207			
Unit <i>Density</i>	207.2				
Dwelling Unit Density,	§§ 102, 207	1 unit per 600 sq	uare foot lot ar	ea, or the density	
<u>General</u>		permitted in the 1	rearest R Distr	ict, whichever is	
		greater.Form-Ba	sed Density.		
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	g on project loc	ation, but generally	
<u>Densities, if Applicable</u>		ranges between 50 and 100 dwelling units per acre.			
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 squ</u>	uare feet of Gro	oss Floor Area or a	
<u>Size</u>		equivalent Floor Area Ratio for any individual			
		Dwelling Unit of	1.2:1. C for D	welling Units that	
		exceed the greate	er of those thres	sholds.	
Group Housing Density	§208	Up to 1 bedroom	per 210 squar	e foot lot area, or th	
		density permitted	in the nearest	R District, whichev	
		is greater.Form-	Based Density.		
* * * *					
Senior Housing Density	§§102,	P up to twice the	number of dwe	elling units otherwis	
	202.2(f), 207	permitted as a Pi	rincipal Use in	the district and	
		meeting all the re	equirements of	§ 202.2(f)(1). C up	
		twice the number	of dwelling un	its otherwise	
		permitted as a Pi	rincipal Use in	the district and	
		maating all magui		02.2(f)(1), except fo	

1			202.2(f)(1)(D)(iv), related to location.Form-Based			
2			Density.			
3	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story C			
4	Conversion, Demolition,					
5	or Merger of Dwelling					
6	Units, including					
7	<u>Residential Flats</u>					
8			1st	2nd	3rd+	
9	Residential Conversion	§ 317	ϵ	NP	NP	
10	Residential Demolition	§ 317	C	ϵ	ϵ	
11	and Merger					
12	NON-RESIDENTIAL STA	ANDARDS AND	USES			
13	Development Standards					
14	Floor Area Ratio	§§ 102, 123,	1.8 to 1. For Office Uses minimum intensities may			
15		124 <u>, 207.9</u>	apply pursuant to § 207.9.			
16	* * * *					

SEC. 717. OUTER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Outer Clement Street Neighborhood Commercial District is located on Clement Street between 19th Avenue and 27th Avenue in the western portion of the Richmond District. The shopping area contains small-scale convenience businesses, as well as many restaurants and a movie theater. The <u>dDistrict's restaurants serve</u> a neighborhood and Citywide clientele during the evening hours, while convenience shopping uses cater for the

most part to daytime neighborhood shoppers. Outer Clement Street contains many mixed-use buildings with some fully commercial and fully residential buildings interspersed between them.

The Outer Clement Street District controls are designed to promote development that is in keeping with the <u>dD</u>istrict's existing small-scale, mixed-use character. The building standards <u>monitorguide</u> large-scale development and protect rear yards at all levels. Future commercial growth is directed to the ground story in order to promote more continuous and active retail frontage. Additional eating and drinking establishments are regulated to prevent over-concentration, while ground-story entertainment and financial service uses are monitored in order to limit the problems of traffic, congestion, noise and late-night activity associated with such uses and to protect existing neighborhood-serving businesses. Other controls restricting late-night activity, hotels, automobile uses, and drive-up facilities are designed to preserve the low-intensity character of the district.

Housing development in new buildings is encouraged above the ground story. *Existing residential units are protected by prohibitions of upper-story conversions and limitations on demolitions*. Accessory Dwelling Units are permitted *within the district pursuant to Section 207.1 of this Code*.

Table 717. OUTER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE

		Outer Clement Street			
Zoning Category	§ References	Controls			
BUILDING STANDARDS					
Massing and Setbacks					

		T
Height and Bulk Limits	§§ 102, 105,	40 X. Varies. See Height and Bulk Map Sheet
	106, 250–252,	HT03 and HT04 for more information. Height
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	
* * * *		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired-; however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan.
		This setback is required only up to 15 feet above street
		grade. See § 132(e).
* * * *		
Miscellaneous		
* * * *		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
<u>Standards</u>	Commerce and	Design Standards, and any other applicable design
	* * * * Front Setback and Side Yard * * * * Miscellaneous * * * * Design Guidelines and	106, 250–252, 260, 263.19, 261.1, 270, 270.3, 271. See also Height and Bulk District Maps

1		Industry	guidelines that hav	ve been approved b	y the Planning
2		Element	Commission.		
3	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other		
4			zoning modification	ns for eligible proj	ects in the R-4
5			Height and Bulk District.		
6	RESIDENTIAL STANDA	ARDS AND USE	S		
7	Development Standard	ls			
8	* * * *				
9	Residential Uses		Controls by Story		
10			1st	2nd	3rd +
10 11	Residential Uses	§102	1st P	2nd	3rd + P
	Residential Uses Accessory Dwelling	§102 §§102, 207.1,	Р		Р
11			Р	Р	Р
11 12	Accessory Dwelling	§§102, 207.1,	P Per Planning C	Р	P 07.1 and 207.2.
11 12 13	Accessory Dwelling Unit Density	§§102, 207.1, 207.2	P Per Planning C	P Code <i>Sections</i> §§ 20	P 07.1 and 207.2.
11 12 13 14	Accessory Dwelling Unit <i>Density</i> Dwelling Unit Density,	§§102, 207.1, 207.2	P Per Planning C	P Code Sections §§ 20 are foot lot area, or varest R District, wi	P 07.1 and 207.2.
11 12 13 14 15	Accessory Dwelling Unit <i>Density</i> Dwelling Unit Density,	§§102, 207.1, 207.2	P P per Planning C 1 unit per 600 square permitted in the new greater. Form-Base	P Code Sections §§ 20 are foot lot area, or varest R District, wi	P 07.1 and 207.2. The density hichever is
11 12 13 14 15 16	Accessory Dwelling Unit Density Dwelling Unit Density General	§§102, 207.1, 207.2 §§ 102, 207	P per Planning C I unit per 600 squa permitted in the new greater. Form-Base Varies depending of	P Sode Sections §§ 20 are foot lot area, or carest R District, wi	P O7.1 and 207.2. The density hichever is but generally

equivalent Floor Area Ratio for any individual

exceed the greater of those thresholds.

greater. Form-Based Density.

Dwelling Unit of 1.2:1. C for Dwelling Units that

1 bedroom per 210 square foot lot area, or the density

permitted in the nearest R District, whichever is

Group Housing Density

§208

20

21

22

23

24

25

<u>Size</u>

		1				
1	* * * *					
2	Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise			
3		202.2(f), 207	permitted as a Principal Use in the district and			
4			meeting all the requirements of § 202.2(f)(1). C up to			
5			twice the number of dwelling units otherwise			
6			permitted as a Principal Use in the district and			
7			meeting all requirements of § 202.2(f)(1), except for §			
8			202.2(f)(1)(D)(iv), related to location.Form-Based			
9			<u>Density.</u>			
10	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC			
11	Conversion, Demolition,					
12	or Merger of Dwelling					
13	Units, including					
14	Residential Flats					
15			1st	2nd	3rd+	
16	Residential Conversion	§ 317	ϵ	N₽	NP	
17	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
18	and Merger					
19	NON-RESIDENTIAL STA	ANDARDS AND	USES			
20	Development Standard	S				
21	Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Off</i>	ice Uses minimum	intensities may	
22		124 <u>, 207.9</u>	apply pursuant to § 207.9.			
23	* * * *					
24	* * * *					

SEC. 718. UPPER FILLMORE STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Upper Fillmore Street Neighborhood Commercial District is situated in the south-central portion of Pacific Heights. It runs north-south along Fillmore Street from Jackson to Bush and extends west one block along California and Pine Streets. This medium-scaled, multi-purpose commercial district provides convenience goods to its immediate neighborhood as well as comparison shopping goods and services on a specialized basis to a wider trade area. Commercial businesses are active during both day and evening and include a number of bars, restaurants, specialty groceries, and specialty clothing stores.

The Upper Fillmore District controls are designed to *protect-reflect* the existing building scale and promote new mixed-use development which is in character with adjacent buildings. Building standards regulate large lot and use development and protect rear yards above the ground story and at residential levels. Most commercial uses are permitted at the first two stories of new buildings. Special controls are designed to preserve *the existingan* equilibrium of neighborhood-serving convenience and specialty commercial uses. In order to maintain convenience stores and protect adjacent livability, additional bars (unless part of a restaurant) and formula retail establishments are prohibited, and financial service uses are limited. In order to promote continuous retail frontage, drive-up and most automobile uses are prohibited.

Housing development in new buildings is encouraged above the second story. *Existing* residential units are protected by limitations on demolitions and upper-story conversions. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 718. UPPER FILLMORE STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

	T	T
		Upper Fillmore Street NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	40 X. Varies. See Height and Bulk Map Sheet
	106, 250–252,	HT02 for more information. Height sculpting
	260, <u>263.19,</u>	required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	
* * * *		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setbac
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb
		the building frontage meets or exceeds the require
		recommended width under the Better Streets Plan
		This setback is required only up to 15 feet above s
		grade. See § 132(e).
* * * *		

1	Miscellaneous				
2	* * * *				
3	Design Guidelines and General Plan Subject to the Urban Design Guidelines, Citywide				elines <u>, <i>Citywide</i></u>
4	<u>Standards</u>	Commerce	Design Standards, and any other applicable design		
5		and Industry	guidelines that have been approved by the Planning		
6		Element	Commission.		
7	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other		
8			zoning modifications for eligible projects in the R-4		
9			Height and Bulk D	<u> District.</u>	
10	RESIDENTIAL STANDA	ARDS AND USE	S		
11	Development Standard	S			
12	* * * *				
13	Residential Uses		С	ontrols by Story	1
14			1st	2nd	3rd +
15	Residential Uses	§102	Р	Р	Р
16	Accessory Dwelling				
	7 Cocosory Dwelling	§§102, 207.1,	P per Planning C	ode Sections §§ 20	07.1 and 207.2.
17	Unit <i>Density</i>	§§102, 207.1, 207.2	P per Planning C	ode Sections §§ 20	07.1 and 207.2.
17 18				Code Sections §§ 20 are foot lot area, o	
	Unit <i>Density</i>	207.2	1 unit per 600 squ		r the density
18	Unit <i>Density</i> Dwelling Unit Density,	207.2	1 unit per 600 squ	are foot lot area, o	r the density
18 19	Unit <i>Density</i> Dwelling Unit Density,	207.2	1 unit per 600 square permitted in the new greater. Form-Base	are foot lot area, o	r the density hichever is
18 19 20	Unit <i>Density</i> Dwelling Unit Density, <i>General</i>	207.2 §§ 102, 207	1 unit per 600 square permitted in the new greater. Form-Base Varies depending of the square	are foot lot area, or varest R District, w	r the density hichever is , but generally

24

25

<u>Size</u>

equivalent Floor Area Ratio for any individual

1			Dwelling Unit of	1.2:1. C for Dwell	ing Units that	
2			exceed the greate	<u>r of those threshold</u>	<u>ls.</u>	
3	Group Housing Density	§208	Up to 1 bedroom per 210 square foot lot area, or the			
4			density permitted	in the nearest R Di	istrict, whichever	
5			is greater.Form-Based Density.			
6	* * * *					
7	Senior Housing Density	§§102,	P up to twice the	number of dwelling	units otherwise	
8		202.2(f), 207	permitted as a Pr	incipal Use in the a	listrict and	
9			meeting all the re	quirements of § 202	2.2(f)(1). C up to	
10			twice the number	of dwelling units o	therwise	
11			permitted as a Pr	incipal Use in the a	listrict and	
12			meeting all requi	rements of § 202.2(f)(1), except for §	
13			202.2(f)(1)(D)(iv)), related to locatio	n. Form-Based	
14			Density.			
15	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	: <u>C</u>		
16	Conversion, Demolition,					
17	or Merger of Dwelling					
18	Units, including					
19	Residential Flats					
20			1st	2nd	3rd+	
21	Residential Conversion	§ 317	ϵ	ϵ	NP	
22	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
23	and Merger					
24	NON-RESIDENTIAL STA	ANDARDS AND	USES			
25	Development Standard	s				

1	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>
2		124 <u>, 207.9</u>	apply pursuant to § 207.9.
3	* * * *		

SEC. 719. HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

Northwest of the City's geographical center, the Haight Street Neighborhood Commercial District is located in the Haight-Ashbury neighborhood, extending along Haight Street between Stanyan and Central Avenue, including a portion of Stanyan Street between Haight and Beulah. The shopping area provides convenience goods and services to local Haight-Ashbury residents, as well as comparison shopping goods and services to a larger market area. The commercial district is also frequented by users of Golden Gate Park on weekends and by City residents for its eating, drinking, and entertainment places. Numerous housing units establish the #District's mixed residential-commercial character.

The Haight Street District controls are designed to protect reflect the existing building scale and promote new mixed-use development which is in character with adjacent buildings. The building standards regulate large-lot and use development and protect rear yards above the ground story and at residential levels. To promote the prevailing mixed-use character, most commercial uses are directed primarily to the ground story with some upper-story restrictions in new buildings. In order to maintain the balanced mix and variety of neighborhood-serving commercial uses and regulate the more intensive commercial uses which can generate congestion and nuisance problems, special controls limit additional drinking uses and tourist hotels. Prohibitions of most automobile and drive-up uses protect the and District's continuous retail frontage.

Housing development in new buildings is encouraged above the ground story. *Existing* residential units are protected by prohibition of upper-story conversions and limitations on demolitions. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 719. HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		, , , , , , , , , , , , , , , , , , ,
		Haight Street NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	40-X. Varies. See Height and Bulk Map Sheets
	106, 250–252,	HT06 and HT07 for more information. Height
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	
* * * *		
Front Setback and	§§ 130, 131,	<u>Generally Nn</u> ot <u>Rr</u> equired.; <u>however, if the existing</u>
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the

1			existing sidewalk, the total distance from the curb to				
2			the building fron	tage meets or exc	ceeds the required		
3			recommended wi	dth under the Be	tter Streets Plan.		
4			This setback is re	equired only up to	o 15 feet above street		
5			grade. See § 132(e).				
6	* * * *						
7	Miscellaneous						
8	* * * *						
9	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide				
10	<u>Standards</u>	Commerce and	Design Standards, and any other applicable design				
11		Industry	guidelines that have been approved by the Planning				
12		Element	Commission.				
13	Housing Choice-SF	<u>§ 206.10</u>	Form-based dens	sity, additional he	eight, and other		
14			zoning modificat	ions for eligible <u>p</u>	projects in the R-4		
15			<u>Height and Bulk</u>	<u>District.</u>			
16	RESIDENTIAL STAND	ARDS AND USES	3				
17	Development Standard	ds					
18	* * * *						
19	Residential Uses		Controls by Story				
20			1st	2nd	3rd +		
21	Residential Uses	§102	Р	Р	Р		
22	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.				
23	Unit <i>Density</i>	207.2					

Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area, or the density
<u>General</u>		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
<u>Size</u>		equivalent Floor Area Ratio for any individual
		Dwelling Unit of 1.2:1. C for Dwelling Units that
		exceed the greater of those thresholds.
Group Housing Density	§208	1 bedroom per 210 square foot lot area, or the density
		permitted in the nearest R District, whichever is
		greater.Form-Based Density
* * * *		
Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise
	202.2(f), 207	permitted as a Principal Use in the district and
		meeting all the requirements of § 202.2(f)(1). C up to
		twice the number of dwelling units otherwise
		permitted as a Principal Use in the district and
		meeting all requirements of § 202.2(f)(1), except for §
		202.2(f)(1)(D)(iv), related to location.Form-Based
		<u>Density.</u>
Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
Conversion, Demolition,		
	Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units:	Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density Senior Housing Density Senior Housing Density System Syst

Units, including					
<u>Residential Flats</u>					
		1st	2nd	3rd+	
Residential Conversion	§ 317	ϵ	NP	NP	
Residential Demolition	§ 317	ϵ	ϵ	ϵ	
and Merger					
NON-RESIDENTIAL ST	TANDARDS AND	USES			
Development Standar	ds				
Floor Area Ratio §§ 102, 123, 1.8 to 1. For Office Uses minimum intensities may					
	124 <u>, 207.9</u> apply pursuant to § 207.9.				
* * * *					
* * * *					
SEC. 720. EXCEI	LSIOR OUTER M	ISSION NEIGHBO	ORHOOD COMM	IERCIAL	
DISTRICT.					
* * * *					
Table 720. EXCELSIO	OR OUTER MISS	ION STREET NE	IGHBORHOOD (COMMERCIA	
		DISTRICT			
		CONTROL TABL	.E		
			sior Outer Missic	on NCD	
Zoning Category	§ References		Controls		
BUILDING STANDARI		<u> </u>			
	-				

Massing and Setbacks

23

24

1	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing				
2	Side Yard	132, 133	sidewalk does not	meet the recommen	ded width		
3			required by the Be	tter Streets Plan, a	front setback		
4			shall be provided s	so that, when comb	ined with the		
5			existing sidewalk, the total distance from the curb to				
6			the building fronta	ige meets or exceed	s the required		
7			recommended wid	th under the Better	Streets Plan.		
8			This setback is required only up to 15 feet above street				
9			grade. See § 132(e).				
10	* * * *						
11	Miscellaneous						
12	* * * *						
13	Design Guidelines and	General Plan	Subject to the Ur	ban Design Guid	elines <u>, <i>Citywide</i></u>		
14	<u>Standards</u>	Commerce	Design Standards,	s, and any other applicable design			
15		and Industry	guidelines that hav	ve been approved b	y the Planning		
16		Element	Commission.				
17	RESIDENTIAL STANDA	RDS AND USES	S				
18	Development Standard	S					
19	* * * *						
20	Residential Uses		С	ontrols by Story	1		
21			1st	2nd	3rd +		
22	Residential Uses	§102	Р	Р	Р		
23	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections § 207.1 and 207.2.				
24	Unit	207.2					
		•					

		I					
1	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 600 square foot lot area				
2	<u>General</u>						
3	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally				
4	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.		
5	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	oor Area or an		
6	<u>Size</u>		equivalent Floor A	Area Ratio for any i	individual		
7			Dwelling Unit of I	1.2:1. C for Dwelli	ng Units that		
8			exceed the greater of those thresholds.				
9	Group Housing Density	§ 208	1 bedroom per 210 square foot lot area.				
10	* * * *						
11	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC				
12	Conversion, Demolition,						
13	or Merger of Dwelling						
14	Units, including						
15	Residential Flats						
16			1st	2nd	3rd+		
17	Residential Conversion	§ 317	ϵ	ϵ	ϵ		
18	Residential Demolition	§ 317	ϵ	ϵ	ϵ		
19	and Merger						
20	NON-RESIDENTIAL ST	ANDARDS AND	USES				
21	Development Standard	s					
22	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>				
23		124 <u>, 207.9</u>	apply pursuant to § 207.9.				
24	* * * *						
25	* * * *						

2 SEC. 721. JAPANTOWN NEIGHBORHOOD COMMERCIAL DISTRICT.

3 * * * *

Table 721. JAPANTOWN NEIGHBORHOOD COMMERCIAL DISTRICT

ZONING CONTROL TABLE

		Japantown NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
* * * *		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan.
		This setback is required only up to 15 feet above street
		grade. See § 132(e).
* * * *		
Miscellaneous		
* * * *		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
<u>Standards</u>	Commerce	Design Standards, and any other applicable design

		T	1			
1		and Industry	guidelines that have been approved by the Planning			
2		Element	Commission.			
3	RESIDENTIAL STANDA	RDS AND USE	S			
4	Development Standard	s				
5	* * * *					
6	Residential Uses		С	ontrols by Story	•	
7			1st	2nd	3rd +	
8	Residential Uses	§102	Р	Р	Р	
9	Accessory Dwelling	§§102, 207.1,	P per Planning C	ode Sections §§ 20	7.1 and 207.2.	
10	Unit	207.2				
11	Dwelling Unit Density,	§§ 102, 207	1 unit per 400 square foot lot area.			
12	<u>General</u>					
13	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally			
14	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.			
15	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an			
16	<u>Size</u>		equivalent Floor A	rea Ratio for any i	<u>ndividual</u>	
17			Dwelling Unit of 1	.2:1. C for Dwellin	ng Units that	
18			exceed the greater	of those thresholds	<u>v.</u>	
19	Group Housing Density	§ 208	1 bedroom per 2	10 square foot lot	area.	
20	* * * *					
21	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	2		
22	Conversion, Demolition,					
23	or Merger of Dwelling					
24	Units, including					
25	<u>Residential Flats</u>					

	T-						
1			1st	2nd	3rd+		
2	Residential Conversion	§ 317	ϵ	ϵ	ϵ		
3	Residential Demolition	§ 317	€	ϵ	ϵ		
4	and Merger						
5	NON-RESIDENTIAL ST	ANDARDS AND	USES				
6	Development Standard	ls					
7	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may		
8		124 <u>, 207.9</u>	apply pursuant to § 207.9.				
9	* * * *						
	,						

SEC. 722. NORTH BEACH NEIGHBORHOOD COMMERCIAL DISTRICT.

The North Beach Neighborhood Commercial District is a nonlinear district centered on Columbus Avenue, located in the valley between Telegraph Hill and Russian Hill north of Broadway. North Beach functions as a neighborhood-serving marketplace, eCitywide specialty shopping, and dining district, and a tourist attraction, as well as an apartment and residential hotel zone. Traditionally, the dDistrict has provided most convenience goods and services for residents of North Beach and portions of Telegraph and Russian Hills. North Beach's eating, drinking, and entertainment establishments remain open into the evening to serve a much wider trade area and attract many tourists. The balance between neighborhood-serving convenience stores and Citywide specialty businesses has shifted, as convenience stores have been replaced by restaurants and bars. The proliferation of financial services, limited financial services, and professional services has also upset the dDistrict's balance of uses. The relocation of business and professional offices from downtown to North Beach threatens the loss of upper-story residential units.

1 * * * *

In keeping with the <u>#District's existing mixed-use character</u>, housing development in new buildings is encouraged above the ground floor. Existing residential units are protected by <u>prohibitions limitations</u> of upper-story conversions, mergers, removals, and demolitions. <u>Per Section 207.1 of this Code</u>, Accessory Dwelling Units are permitted within the existing building envelope, but may not eliminate or reduce ground-story retail or commercial space.

Table 722. NORTH BEACH NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		North Beach NCD		
Zoning Category	§ References	Controls		
BUILDING STANDARD	S			
Massing and Setbacks				
Height and Bulk Limits.	§§ 102, 105,	40-X. Varies. See Height and Bulk Map Sheet		
	106, 250–252,	HT01 for more information. Height sculpting		
	260, <u>263.19,</u>	required on Alleys per § 261.1.		
	261.1, 270,			
	<u>270.3,</u> 271 .			
	See also			
	Height and			
	Bulk District			
	Maps			
* * * *	,			
Front Setback and	§§ 130, 131,	<u>Generally Nn</u> ot <u>Rr</u> equired.; <u>however, if the existing</u>		
Side Yard	132, 133	sidewalk does not meet the recommended width		

			1			
1			required by the Be	tter Streets Plan, a	front setback	
2			shall be provided s	so that, when comb	ined with the	
3			existing sidewalk,	the total distance fr	com the curb to	
4			the building fronta	ge meets or exceed	s the required	
5			recommended wid	th under the Better	Streets Plan.	
6			This setback is required only up to 15 feet above street			
7			grade. See § 132(e	<u>·).</u>		
8	* * * *					
9	Miscellaneous					
10	* * * *					
11	Design Guidelines and	General Plan	Subject to the General Plan's Urban Design			
12	<u>Standards</u>	Commerce	Guidelines, Citywide Design Standards, and historic			
13		and Industry	resource consideration, and any other applicable			
14		Element	design guidelines t	that have been appr	roved by the	
15			Planning Commiss	sion. Properties in	this District	
16			have been identi	fied as potentially	eligible for	
17			National Registe	r or California Re	gister.	
18	Housing Choice-SF	<u>§ 206.10</u>	Form-based densit	ty, additional heigh	t, and other	
19			zoning modificatio	ns for eligible proj	ects in the R-4	
20			Height and Bulk D	<u> istrict.</u>		
21	RESIDENTIAL STANDA	RDS AND USES	S			
22	Development Standard	s				
23	* * *					
24	Residential Uses		С	ontrols by Story	1	
25			1st	2nd	3rd +	

1	Residential Uses	§102	NP(11)	Р	Р	
2	Accessory Dwelling	§§102, 207.1,	P per Planning C	ode <i>Sections§§</i> 20	7.1 and 207.2.	
3	Units	207.2				
4	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 400 sq	uare foot lot area	, or the density	
5	<u>General</u>		permitted in the r	nearest R District,	whichever is	
6			greater.			
7						
8			Form-Based Dens	ity applies within th	ne R-4 Height	
9			and Bulk District (§§ 263.19, 270(i)).			
10	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally			
11	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.			
12	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an			
13	<u>Size</u>		equivalent Floor Area Ratio for any individual			
14			Dwelling Unit of 1.2:1. C for Dwelling Units that			
15			exceed the greater of those thresholds.			
16	Group Housing <u>Density</u>	§208	1 bedroom per 140 square foot lot area, or the			
17			density permitted i	n the nearest R Dis	trict, whichever	
18			<u>is greater</u> .			
19						
20			Form-Based Density applies within the R-4 Height			
21			and Bulk District (§§ 263.19, 270(i)).			
22	* * * *					
23	Senior Housing <u>Density</u>	§§102,	P up to twice the	number of dwelli	ng units	
24		202.2(f), 207	otherwise permit	ted as a Principal	Use in the	
25			district and meet	ing all the require	ments of §	

1			202.2(f)(1). C up	to twice the num	nber of dwelling		
2			units otherwise permitted as a Principal Use in				
3			the district and meeting all requirements of §				
4			202.2(f)(1), exce	ept for § 202.2(f)(1)(D)(iv), related		
5			to location.				
6							
7			Form-Based Density applies within the R-4 Height				
8			and Bulk District (§§ 263.19, 270(i)).				
9	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC				
10	Conversion, Demolition,						
11	or Merger of Dwelling						
12	Units, including						
13	Residential Flats						
14			1st	2nd	3rd+		
15	Residential Conversion	§§ 317,	ϵ	NP	NP		
16		780.3(c)(4)					
17	Residential Demolition	§§ 317,	ϵ	NP	NP		
18	and Merger	780.3(c)(4)					
19	NON-RESIDENTIAL ST	ANDARDS AND	USES				
20	Development Standard	s					
21	Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Offi</i>	ce Uses minimum i	intensities may		
22		124 <u>, 207.9</u>	apply pursuant to § 207.9.				
23	* * * *						

^{*} Not listed below

⁽¹⁾ NORTH BEACH OFF-STREET PARKING, RESIDENTIAL (Section 155(t))

1 * * * *

(a) Installing a garage in an existing or proposed residential building of two or more units requires a mandatory Discretionary Review by the Planning Commission. In order to approve the installation of any garage in these districts, the City shall find that:

* * * *

(iv) the garage would not front on an Alley pursuant to Section 155(r)($\frac{2}{I}$) of this Code or on a public right-of-way narrower than 41 feet, and

* * * *

SEC. 723. POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

(b) Controls.

(1) **Purposes.** The Polk Street District controls are designed to encourage and promote development that is compatible with the surrounding neighborhood. The building standards *monitorguide* large-scale development and protect rear yards at residential levels. Consistent with Polk Street's existing mixed-use character, new buildings may contain most commercial uses at the First Story. The controls encourage neighborhood-serving businesses. They also prohibit new adult entertainment uses. Restrictions on drive-up and most automobile uses protect the district's continuous retail frontage and prevent further traffic congestion.

Housing developed in new buildings is encouraged above the First Story, especially in the less intensely developed portions of the district along Larkin Street and on large lots throughout the district. New housing development requires 40% or more two-bedroom plus units to encourage families to live in the district. Parking is limited in new developments given the *dD*istrict's transit access and the proximity to bus rapid transit along Van Ness Avenue

1	parallel to the district. Existing housing units are protected by on demolitions and upper-story
2	conversions. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 o
3	this Code.
4	* * * *
5	(4) Loss of Residential Units. To prevent the loss of existing Residential Units, the
6	removal, demolition, merger, or conversion of Residential Units above the First Story are prohibited
7	even if such loss of Residential Units would otherwise be allowed pursuant to Section 317 of this Code.
8	(54) Neighborhood Commercial Design Guidelines. The construction of new
9	buildings and alteration of existing buildings in the Polk Street NC District shall be consistent
10	with the design policies and guidelines of the General Plan and with the "Polk/Pacific Special
11	Area Design Guidelines" as adopted by the Planning Commission. The Planning Director may
12	require modifications to the exterior of a proposed new building or proposed alteration of an
13	existing residential building in order to bring it into conformity with the Citywide Design
14	Standards, "Polk/Pacific Special Area Design Guidelines" and with the General Plan. These
15	modifications may include, but are not limited to, changes in siting, building envelope, scale
16	texture and detailing, openings, and landscaping.

Table 723. POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Polk Street NCD			
Zoning Category	§ References	Controls			
BUILDING STANDAR	BUILDING STANDARDS				
Massing and Setbacks					

1	Height and Bulk Limits.	§§ 102, 105,	Varies. 65 A, 80 A, and 130 E. See Height and Bulk
2		106, 250–252,	Map Sheet HT02 for more information. Height
3		260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
4		261.1, 270,	
5		<u>270.3,</u> 271 .	
6		See also	
7		Height and	
8		Bulk District	
9		Maps	
10	* * * *		
11	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired:; however, if the existing
12	Side Yard	132, 133	sidewalk does not meet the recommended width
13			required by the Better Streets Plan, a front setback
14			shall be provided so that, when combined with the
15			existing sidewalk, the total distance from the curb to
16			the building frontage meets or exceeds the required
17			recommended width under the Better Streets Plan.
18			This setback is required only up to 15 feet above street
19			grade. See § 132(e).
20	Streetscape and	§ 138.1	Required.
21	Pedestrian Improvements		
22	Street Frontage and Pu	ıblic Realm	
23	Streetscape and	<u>§ 138.1</u>	Required.
24	Pedestrian Improvements		

Street Frontage	§ 145.1	Required; controls apply to above-grade parking
Requirements		setbacks, parking and loading entrances, active
		uses, ground floor ceiling height, street-facing
		ground-level spaces, transparency and
		fenestration, and gates, railings, and grillwork.
		Exceptions permitted for historic buildings.
* * * *		
Miscellaneous		
* * * *		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
<u>Standards</u>	Commerce	Design Standards, and the Polk/Pacific Special
	and Industry	Area Design Guidelines, and any other applicable
	Element and	design guidelines that have been approved by the
	the	<u>Planning Commission</u> .
	Polk/Pacific	
	Special Area	
	Design	
	Guidelines	
Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other
		zoning modifications for eligible projects in the R-4
		Height and Bulk District.
RESIDENTIAL STANDA	ARDS AND USES	S
Development Standard	S	
* * * *		
	Requirements * * * * Miscellaneous * * * * Design Guidelines and Standards Housing Choice-SF RESIDENTIAL STANDA Development Standard	Requirements * * * * Miscellaneous * * * * Design Guidelines and Standards Commerce and Industry Element and the Polk/Pacific Special Area Design Guidelines Housing Choice-SF \$ 206.10 RESIDENTIAL STANDARDS AND USES Development Standards

1	Dwelling Unit Mix	§ 207.6	Generally <i>Rr</i> equ	ired for creation o	of five or more
2	G		Dwelling Units. No less than 40% of the total		
3			number of propo	sed Dwelling Uni	ts shall contain
4			at least two bedr	rooms; or no less	than 30% of the
5			total number of p	proposed Dwelling	g Units shall
6			contain at least t	hree bedrooms.	
7	* * * *				
8	Residential Uses		C	Controls by Story	1
9			1st	2nd	3rd +
10	Residential Uses	§102	Р	Р	Р
11	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.		
12	Units	207.2			
13	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 400 square foot lot area, or the density		
14	<u>General</u>		permitted in the nearest R District, whichever is		
15			greater.Form-Based Density.		
16	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
17	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
18	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	oor Area or an
19	<u>Size</u>		equivalent Floor Area Ratio for any individual		
20			Dwelling Unit of 1.2:1. C for Dwelling Units that		
21			exceed the greater of those thresholds.		
22	Residential	§208	1 bedroom per 140 square foot lot area, or the density		
23	Density, Group Housing		permitted in the nearest R District, whichever is		
24	<u>Density</u>		greater.Form-Bas	ed Density.	
25	* * * *				

	1	,				
Senior Housing <u>Density</u>	§§102,	P up to twice the number of dwelling units otherwise				
	202.2(f), 207	permitted as a Principal Use in the district and				
		meeting all the re	quirements of § 202	2.2(f)(1). C up to		
		twice the number	of dwelling units or	therwise		
		permitted as a Pr	incipal Use in the d	listrict and		
		meeting all requir	rements of § 202.2(j	f)(1), except for §		
		202.2(f)(1)(D)(iv)	, related to location	n. Form-Based		
		Density.				
Loss and Division of	<u>§ 317</u>	Controls by StoryC				
Dwelling Units:						
Conversion, Demolition,						
or Merger of Dwelling						
<u>Units, including</u>						
<u>Residential Flats</u>			T			
		1st	2nd	<i>3rd</i> +		
Residential Conversion	§ 317	NP	NP	NP		
Residential Demolition	§ 317	NP	NP	NP		
and Merger						
Division of Dwelling	§ 207.8	Division of existi	ng Dwelling Units	s P per §_207.8.		
Units						
NON-RESIDENTIAL STA	ANDARDS AND	USES (7)				
Development Standard	s					
Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ice Uses minimum i	intensities may		
	124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>			
* * * *						
	Loss and Division of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Residential Conversion Residential Demolition and Merger Division of Dwelling Units NON-RESIDENTIAL STA	Loss and Division of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Residential Conversion Residential Demolition and Merger Division of Dwelling Units NON-RESIDENTIAL STANDARDS AND Development Standards Floor Area Ratio \$\frac{317}{8} 207.8	202.2(f), 207 permitted as a Primeeting all the rectivice the number permitted as a Primeeting all required 202.2(f)(1)(D)(iv) Density. Loss and Division-of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Residential Conversion \$ 317 Residential Demolition \$ 317 NP Residential Demolition \$ 317 NP Ist NP NP NP NP NON-RESIDENTIAL STANDARDS AND USES (7) Development Standards Floor Area Ratio \$ \$ 102, 123, 2.5 to 1. For Office	202.2(f), 207 permitted as a Principal Use in the a meeting all the requirements of \$ 20. twice the number of dwelling units on permitted as a Principal Use in the a meeting all requirements of \$ 202.2(f)(1)(D)(iv), related to location Density. Loss and Division-Of \$ 317 Density. Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats 1st 2nd Residential Conversion \$ 317 NP NP Residential Demolition \$ 317 NP NP NP NP Onlard Merger Division of Dwelling Units Units NON-RESIDENTIAL STANDARDS AND USES (7) Development Standards Floor Area Ratio \$ \$ 102, 123, 2.5 to 1. For Office Uses minimum in the second of the seco		

2 * * * *

SEC. 724. SACRAMENTO STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

Located in the Presidio Heights neighborhood in north-central San Francisco, the Sacramento Street Neighborhood Commercial District functions as a small-scale linear shopping area. It extends along Sacramento Street between Lyon and Spruce Streets. Interspersed among residential buildings and garages, the district's daytime-oriented retail stores provide a limited array of convenience goods to the immediate neighborhood. Sacramento Street also has many elegant clothing, accessory, and antique stores and services, such as hair salons, which attract customers from a wider trade area. Its numerous medical and business offices draw clients from throughout the City. Evening activity in the district is limited to one movie theater, a few restaurants, and some stores near Presidio Avenue.

The Sacramento Street District controls are designed to promote adequate growth opportunities for development that is compatible with the surrounding low-density residential neighborhood. The building standards <code>monitorguide</code> large-scale development and protect rear yards at the grade level and above. Most new commercial development is permitted at the first story; <code>a conditional use authorization is required if a general retail uses are permitted at the second story only if such use</code> would <code>not-involve</code> conversion of any existing housing units. Special controls are designed to protect existing neighborhood-serving ground-story retail uses. Limits on financial service uses are intended to minimize the environmental impacts generated by the growth of such uses. The daytime orientation of the <code>dD</code> istrict is encouraged by requiring conditional use authorization for bars and restricting late-night commercial activity. New hotels

and parking facilities are limited in scale and operation to minimize disruption to the neighborhood. Most new automobile and drive-up uses are prohibited to promote continuous retail frontage.

Housing development in new buildings is encouraged above the second story. *Existing residential units are protected by limitations on demolitions and prohibitions of upper story conversions.* Accessory Dwelling Units are permitted *within the district pursuant to Section 207.1 of this Code*.

Table 724. SACRAMENTO STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

Zoning Category	§ References	Controls				
BUILDING STANDARDS						
Massing and Setbacks						
Height and Bulk Limits.	§§ 102, 105,	Varies. 40-X. See Height and Bulk Map Sheets				
	106, 250–252,	HT02 and HT03 for more information. Height				
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.				
	261.1, 270,					
	<u>270.3,</u> 271 .					
	See also					
	Height and					
	Bulk District					
	Maps					

1	Front Setback and	§§ 130, 131,	<i>Generally Nn</i> ot <i>Rn</i>	equired. <u>; however</u>	; if the existing	
2	Side Yard	132, 133	sidewalk does not meet the recommended width			
3			required by the Better Streets Plan, a front setback			
4			shall be provided s	so that, when comb	ined with the	
5			existing sidewalk,	the total distance fi	rom the curb to	
6			the building fronta	ige meets or exceed	ls the required	
7			recommended wid	th under the Better	Streets Plan.	
8			This setback is req	uired only up to 15	feet above street	
9			grade. See § 132(e	<u>?).</u>		
10	* * * *					
11	Miscellaneous					
12	* * * *	*				
13	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
14	<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
15		and Industry	guidelines that have been approved by the Planning			
16		Element	Commission.			
17	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other			
18			zoning modification	ns for eligible proj	ects in the R-4	
19			Height and Bulk District.			
20	RESIDENTIAL STANDA	ARDS AND USE	S			
21	Development Standard	ls				
22	* * * *					
23	Residential Uses		C	ontrols by Story	1	
24			1st	2nd	3rd +	
25	Residential Uses	§102	Р	Р	Р	

		1	
1	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.
2	Unit _s	207.2	
3	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 800 square foot lot area, or the density
4	<u>General</u>		permitted in the nearest R District, whichever is
5			greater.Form-Based Density.
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
7	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
8	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
9	<u>Size</u>		equivalent Floor Area Ratio for any individual
10			Dwelling Unit of 1.2:1. C for Dwelling Units that
11			exceed the greater of those thresholds.
12	Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density
13			permitted in the nearest R District, whichever is
14			greater.Form-Based Density.
15	* * * *		
16	Senior Housing <u>Density</u>	§§102,	P up to twice the number of dwelling units otherwise
17		202.2(f), 207	permitted as a Principal Use in the district and
18			meeting all the requirements of § 202.2(f)(1). C up to
19			twice the number of dwelling units otherwise
20			permitted as a Principal Use in the district and
21			meeting all requirements of § 202.2(f)(1), except for §
22			202.2(f)(1)(D)(iv), related to location.Form-Based
23			Density.
24	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
25	Conversion, Demolition,		

or Merger of Dwelling				
Units, including				
<u>Residential Flats</u>				
		1st	2nd	3rd+
Residential Conversion	§ 317	ϵ	NP	N P
Residential Demolition	§ 317	ϵ	ϵ	ϵ
and Merger				
NON-RESIDENTIAL ST	TANDARDS AND	USES		
Development Standard	ds			
Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Offi</i>	ice Uses minimum i	intensities may
	124 <u>, 207.9</u>	apply pursuant to	§ 207.9.	
* * * *				

. .

SEC. 725. UNION STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Union Street District controls are designed to provide sufficient growth opportunities for commercial development that is in keeping with the existing scale and character, promote continuous retail frontage, and protect adjacent residential livability. Small-to mid-scale buildings and neighborhood-serving uses are promoted, and rear yards above the ground story and at all residential levels are protected. Most commercial development is permitted at the first two stories of new buildings, while retail service uses are monitored at the third story and above. Controls are necessary to preserve the remaining convenience businesses and to reduce the cumulative impacts which the growth of certain uses have on neighborhood residents. Such controls require Conditional Use authorization for additional

drinking establishments and limit additional entertainment, and financial service uses. Most automobile and drive-up uses are prohibited in order to maintain continuous retail frontage and minimize further traffic congestion.

Housing development in new buildings is encouraged above the second story. *Existing* residential units are protected by limitations on demolitions and upper-story conversions. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 725. UNION STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Union Street NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies. 40-X. See Height and Bulk Map Sheet
	106, 250–252,	HT02 for more information. Height sculpting
	260, <u>263.19,</u>	required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	

1	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing				
2	Side Yard	132, 133	sidewalk does not meet the recommended width				
3			required by the Better Streets Plan, a front setback				
4			shall be provided so that, when combined with the				
5			existing sidewalk, the total distance from the curb to				
6			the building fronta	ige meets or exceed	s the required		
7			recommended wid	th under the Better	Streets Plan.		
8			This setback is req	uired only up to 15	feet above street		
9			grade. See § 132(e	<u>e).</u>			
10	* * * *						
11	Miscellaneous						
12	* * *						
13	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide				
14	<u>Standards</u>	Commerce	Design Standards, and any other applicable design				
15		and Industry	guidelines that hav	ve been approved b	y the Planning		
16		Element	Commission.				
17	Housing Choice-SF	<u>§ 206.10</u>	Form-based densit	ty, additional heigh	t, and other		
18			zoning modificatio	ns for eligible proj	ects in the R-4		
19			Height and Bulk D	District.			
20	RESIDENTIAL STANDA	ARDS AND USES	S				
21	Development Standard	s					
22	* * * *		,				
23	Residential Uses	_	Controls by Story				
24			1st	2nd	3rd +		
25	Residential Uses	§102	Р	Р	Р		

		1	
1	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.
2	Units <u>Density</u>	207.2	
3	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 600 square foot lot area, or the density
4	<u>General</u>		permitted in the nearest R District, whichever is
5			greater.Form-Based Density.
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
7	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
8	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
9	<u>Size</u>		equivalent Floor Area Ratio for any individual
10			Dwelling Unit of 1.2:1. C for Dwelling Units that
11			exceed the greater of those thresholds.
12	Group Housing <u>Density</u>	§208	1 bedroom per 210 square foot lot area, or the density
13			permitted in the nearest R District, whichever is
14			greater.Form-Based Density.
15	* * * *		
16	Senior Housing <u>Density</u>	§§102,	P up to twice the number of dwelling units otherwise
17		202.2(f), 207	permitted as a Principal Use in the district and
18			meeting all the requirements of § 202.2(f)(1). C up to
19			twice the number of dwelling units otherwise
20			permitted as a Principal Use in the district and
21			meeting all requirements of § 202.2(f)(1), except for §
22			202.2(f)(1)(D)(iv), related to location.Form-Based
23			Density.
24	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
25	Conversion, Demolition,		

1	or Merger of Dwelling				
2	Units, including				
3	Residential Flats				
4			1st	2nd	3rd+
5	Residential Conversion	§ 317	ϵ	ϵ	ϵ
6	Residential Demolition	§ 317	ϵ	ϵ	ϵ
7	and Merger				
8	NON-RESIDENTIAL ST	ANDARDS AND	USES		
9	Development Standard	s			
10	Floor Area Ratio	§§ 102, 123,	3.0 to 1. For Off	ice Uses minimum i	intensities may
11		124 <u>, 207.9</u>	apply pursuant to	§ 207.9.	
12	* * * *				
13	* * * *				

1.4

14

15

SEC. 726. PACIFIC AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT.

16

17

18

(b) Controls.

19 20

21

22

23

are designed to promote a small, neighborhood serving mixed-use commercial street that preserves the surrounding neighborhood residential character. These controls are intended to preserve livability in a largely low-rise development residential neighborhood, enhance solar access on a narrow street right-of-way, and protect residential rear yard patterns at the ground floor. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1

(1) **Purposes.** The Pacific Avenue Neighborhood Commercial District controls

24

25 * * * *

of this Code.

(3) Loss of Residential Units. To prevent the loss of existing Residential Units, the removal, demolition, merger, or conversion of Residential Units above the First Story are prohibited even if such loss of Residential Units would otherwise be allowed pursuant to Section 317 of this Code.

(43) Neighborhood Commercial Design Guidelines. The construction of new buildings and alteration of existing buildings in the Pacific Avenue Neighborhood Commercial District shall be consistent with the design policies and guidelines of the General Plan, the Citywide Design Standards, the Urban Design Guidelines and with the "Polk/Pacific Special Area Design Guidelines" as adopted by the Planning Commission. The Planning Director may require modifications to the exterior of a proposed new building or proposed alteration of an existing residential building in order to bring it into conformity with the Citywide Design Standards and the "Polk/Pacific Special Area Design Guidelines" and with the General Plan. These modifications may include, but are not limited to, changes in siting, building envelope, scale texture and detailing, openings, and landscaping.

Table 726. PACIFIC AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Pacific Avenue NCD				
Zoning Category	§ References	Controls				
BUILDING STANDARDS						
Massing and Setbacks	Massing and Setbacks					
Height and Bulk Limits.	§§ 102, 105,	Varies. 40-X. See Height and Bulk Map Sheets				
	106, 250–252,	HT01 and HT02 for more information. Height				
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.				
	261.1, 270,					
	<u>270.3,</u> 271 .					

1		See also	
2		Height and	
3		Bulk District	
4		Maps	
5	* * * *		
6	Front Setback and	§§ 130, 131,	<u>Generally Nnot Rrequired.; however, if the existing</u>
7	Side Yard	132, 133	sidewalk does not meet the recommended width
8			required by the Better Streets Plan, a front setback
9			shall be provided so that, when combined with the
10			existing sidewalk, the total distance from the curb to
11			the building frontage meets or exceeds the required
12			recommended width under the Better Streets Plan.
13			This setback is required only up to 15 feet above street
14			grade. See § 132(e).
15	* * * *		
16	Miscellaneous		
17	* * * *		
18	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
19	<u>Standards</u>	Commerce	Design Standards, and the Polk/Pacific Special
20		and Industry	Area Design Guidelines, and any other applicable
21		Element and	design guidelines that have been approved by the
22		the	<u>Planning Commission</u> .
23		Polk/Pacific	
24		Special Area	

		1					
1		Design					
2		Guidelines					
3	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other				
4			zoning modifications for eligible projects in the R-4				
5			Height and Bulk District.				
6	RESIDENTIAL STANDARDS AND USES						
7	Development Standard	S					
8	* * * *						
9	Dwelling Unit Mix	§ § 207.6	Generally <i>R_r</i> equired for creation of five or more				
10			Dwelling Units. No less than 40% of the total				
11			number of proposed Dwelling Units shall contain				
12			at least two bedrooms; or no less than 30% of the				
13			total number of proposed Dwelling Units shall				
14			contain at least three bedrooms.				
15	* * * *						
16	Residential Uses		C	Controls by Story	1		
17			1st	2nd	3rd +		
18	Residential Uses	§102	Р	Р	Р		
19	Accessory Dwelling	§§102, 207.1,	P per Planning C	Code Sections §§ 20	07.1 and 207.2.		
20	Unit	207.2					
21	Dwelling Units Density,	§§ 102, 207	1 unit per 1,000 square foot lot area, or the density				
22	<u>General</u>		permitted in the nearest R District, whichever is				
23			greater.Form-Based Density.				
24	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally		
25	<u>Densities, if Applicable</u>		ranges between 50	and 100 dwelling	units per acre.		

1	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4 000 sau	are feet of Gross F	loor Area or an		
2	Size	A., 207,120, 017	equivalent Floor Area Ratio for any individual				
3			Dwelling Unit of 1.2:1. C for Dwelling Units that				
4			exceed the greater of those thresholds.				
5	Group Housing <i>Density</i>	§208	1 bedroom per 275 square foot lot area, or the density				
6	= = = = = = = = = = = = = = = = = = =	3	permitted in the nearest R District, whichever is				
7			greater.Form-Bas				
8	* * * *		<u> </u>				
9	Senior Housing <u>Density</u>	§§102,	P up to twice the	number of dwelling	units otherwise		
10	0	202.2(f), 207		incipal Use in the a			
11			meeting all the requirements of § 202.2(f)(1). C up to				
12			twice the number of dwelling units otherwise				
13			permitted as a Principal Use in the district and				
14			meeting all requirements of § 202.2(f)(1), except for §				
15			202.2(f)(1)(D)(iv)	, related to location	1. Form-Based		
16			Density.				
17	Loss and Division of	<u>§ 317</u>	Controls by Story	<u>C</u>			
18	Dwelling Units:						
19	Conversion, Demolition,						
20	or Merger of Dwelling						
21	Units, including						
22	Residential Flats						
23			1st	2nd	<i>3rd</i> +		
24	Residential Conversion	§ 317	NP	NP	NP.		
25	Residential Demolition	§ 317	NP	NP	NP		

Residential Merger	§ 317	NP.	NP	NP			
Division of Dwelling	§ 207.8	Division of exist	ng Dwelling Units	s P per §_207.8.			
Units							
NON-RESIDENTIAL STANDARDS AND USES							
	Development Standards						
Development Standa	rds						
Development Standa Floor Area Ratio	§§ 102, 123,	1.5 to 1. <i>For Offi</i>	ce Uses minimum i	intensities may			
<u> </u>		1.5 to 1. For Offi		intensities may			

SEC. 727. LAKESIDE VILLAGE NEIGHBORHOOD COMMERCIAL DISTRICT.

The Lakeside Village Neighborhood Commercial District is located in the southwestern part of the City and stretches along Ocean Avenue from Junipero Serra Boulevard to 19th Avenue. It is a neighborhood serving shopping corridor nestled among single-family homes. Lakeside Village has small ground-floor retail, restaurant, and medical office space and is serviced by the M-line streetcar.

Building controls for the Lakeside Village Neighborhood Commercial District promote low intensity various scales of development which isare compatible with the existing scale and character of the District. Commercial development is limited to one story, with certain exceptions. Rear yard requirements at all levels preserve existing backyard space.

Commercial use provisions encourage the full range of neighborhood-serving convenience retail sales and services provided that the use size generally is limited to 3,000 square feet. However, commercial uses and features which could impact residential livability are prohibited, such as auto uses, financial services, general advertising signs, drive-up facilities, hotels, and late-night activity.

Housing development in new buildings is encouraged above the ground story. *Existing* residential units are protected by prohibitions of conversions above the ground story and limitations on demolitions. Accessory Dwelling Units are permitted within the District-pursuant to Sections 207.1 and 207.2 of this Code.

5

6

1

2

3

4

Table 727. LAKESIDE VILLAGE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

CONTROL TABLE						
		Lakeside Village NCD				
Zoning Category	§ References	Controls				
BUILDING STANDAR	RDS					
Massing and Setbac	ks					
Height and Bulk Limits	s. §§ 102, 105,	Varies, but generally 26-X. See Height and Bulk				
	106, 250–252,	Map Sheet HT12 for more information. Height				
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.				
	261.1, 270,					
	<u>270.3,</u> 271 .					
	See also					
	Height and					
	Bulk District					
	Maps					
* * * *						
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired.; however, if the existing				
Side Yard	132, 133	sidewalk does not meet the recommended width				
		required by the Better Streets Plan, a front setback				
		shall be provided so that, when combined with the				

			T		1		
1			existing sidewalk,	the total distance fi	rom the curb to		
2			the building fronta	ige meets or exceed	ls the required		
3			recommended wid	th under the Better	Streets Plan.		
4			This setback is required only up to 15 feet above street				
5			grade. See § 132(e).				
6	* * * *	* * * *					
7	Miscellaneous						
8	* * * *						
9	Canopy or Marquee	§ 136.1	NP <u>(5)</u>				
10	* * * *						
11	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide				
12	<u>Standards</u>	Commerce	Design Standards, and any other applicable design				
13		and Industry	guidelines that hav	ve been approved b	y the Planning		
14		Element	Commission.				
15	Housing Choice-SF	<u>§ 206.10</u>	Form-based densit	ty, additional heigh	t, and other		
16			zoning modificatio	ns for eligible proj	ects in the R-4		
17			Height and Bulk D	<u> District.</u>			
18	RESIDENTIAL STANDA	RDS AND USE	S				
19	Development Standard	S					
20	* * * *						
21	Residential Uses		Controls by Story				
22			1st	2nd	3rd +		
23	Residential Uses	§102	Р	Р	Р		

41 007 0
1 and 207.2.
e density
hever is
ut generally
its per acre.
· Area or an
ividual
Units that
or the density
hever is
its otherwise
rict and
f)(1). C up to
wise
ict and
), except for §
orm-Based

or Merger of Dwelling				
Units, including				
Residential Flats				
		1st	2nd	<i>3rd+</i>
Residential Conversion	§ 317	ϵ	NP	N P
Residential Demolition	§ 317	ϵ	ϵ	ϵ
and Merger				
NON-RESIDENTIAL ST	TANDARDS AND	USES		
Development Standar	ds			
Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Off</i>	ice Uses minimum i	intensities may
	124 <u>, 207.9</u>	apply pursuant to	§ 207.9.	
* * * *				

(5) Canopy is P if required as a wind mitigation feature.

SEC. 728. 24TH STREET – NOE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICT.

The 24th Street – Noe Valley Neighborhood Commercial District is situated along 24th Street between Chattanooga and Diamond in the Noe Valley neighborhood of central San Francisco. This daytime-oriented, multi-purpose commercial district provides a mixture of convenience and comparison shopping goods and services to a predominantly local market area. It contains primarily retail sales and personal services at the street level, some office uses on the second story, and residential use almost exclusively on the third and upper stories.

The 24th Street – Noe Valley District controls are designed to allow for development that is compatible with the existing *small-scale*, mixed-use neighborhood commercial character and surrounding residential area. The small-to mid-scale of new buildings and neighborhood-serving uses is encouraged and rear yard open space corridors at all levels are protected. Most commercial uses are directed to the ground story and limited at the second story of new buildings. In order to maintain the variety and mix of retail sales and services along the commercial strip and to control the problems of traffic, congestion, noise and late-night activity, certain potentially troublesome commercial uses are regulated. Financial service uses are restricted to and at the ground story. Prohibitions on drive-up and most automobile uses help prevent additional traffic and parking congestion.

Housing development in new buildings is encouraged above the ground story. *Existing housing units are protected by prohibitions on upper-story conversions and limitations on demolitions.*Accessory Dwelling Units are permitted-within the district pursuant to Section 207.1 of this Code.

Table 728. 24TH STREET – NOE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE

		24th Street – Noe Valley NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk
	106, 250–252,	Map Sheet HT07 for more information. Height
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	

		T	
1		See also	
2		Height and	
3		Bulk District	
4		Maps	
5	* * * *		
6	Front Setback and	§§ 130, 131,	<u>Generally Nn</u> ot <u>Rr</u> equired.; <u>however</u> , if the existing
7	Side Yard	132, 133	sidewalk does not meet the recommended width
8			required by the Better Streets Plan, a front setback
9			shall be provided so that, when combined with the
0			existing sidewalk, the total distance from the curb to
1			the building frontage meets or exceeds the required
2			recommended width under the Better Streets Plan.
3			This setback is required only up to 15 feet above street
4			grade. See § 132(e).
5	* * * *		
6	Miscellaneous		
7	* * * *		
8	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
9	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
20		and Industry	guidelines that have been approved by the Planning
21		Element	<u>Commission.</u>
22	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other
23			zoning modifications for eligible projects in the R-4
24			Height and Bulk District.
25	RESIDENTIAL STANDA	ARDS AND USE	s
4 5 6 7 8 9 20 21 22 23	* * * * Design Guidelines <u>and</u> <u>Standards</u> <u>Housing Choice-SF</u>	Commerce and Industry Element § 206.10	Subject to the Urban Design Guidelines, City Design Standards, and any other applicable design guidelines that have been approved by the Planning Commission. Form-based density, additional height, and other zoning modifications for eligible projects in the Relight and Bulk District.

Development Standard	le			
* * * *				
Dwelling Unit Mix	§ 207.7	Generally_ <u>R</u> requi	red for creation o	f 10 or more
		Dwelling Units. N	lo less than 25%	of the total
		number of propo	sed Dwelling Unit	s shall contain
		at least two Bedr	ooms, and no les	s than 10% of
		the total number	of proposed Dwe	lling Units shall
		contain at least t	hree Bedrooms.	
* * * *				
Residential Uses		С	ontrols by Story	<u> </u>
		1st	2nd	3rd +
Residential Uses	§102	Р	Р	Р
Accessory Dwelling	§§102, 207.1,	P per Planning C	Sode Sections §§ 20	7.1 and 207.2.
Unit <i>Density</i>	207.2			
Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 600 squ	are foot lot area, o	r the density
<u>General</u>		permitted in the ne	earest R District, w	hichever is
		greater.Form-Base	ed Density.	
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location,	but generally
Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	re feet of Gross Fl	oor Area or an
<u>Size</u>		equivalent Floor A	area Ratio for any i	ndividual
		Dwelling Unit of 1	.2:1. C for Dwellin	ng Units that
		exceed the greater	of those thresholds	<u>S.</u>

		1	1				
1	Group Housing <u>Density</u>	§208	1 bedroom per 210 square foot lot area, or the density				
2			permitted in the n	earest R District, w	hichever is		
3			greater.Form-Bas	sed Density.			
4	* * * *						
5	Senior Housing <u>Density</u>	§§102,	P up to twice the	number of dwelling	units otherwise		
6		202.2(f), 207	permitted as a Pri	incipal Use in the a	listrict and		
7			meeting all the re-	quirements of § 202	2.2(f)(1). C up to		
8			twice the number	of dwelling units or	therwise		
9			permitted as a Principal Use in the district and				
10			meeting all requirements of § 202.2(f)(1), except for §				
11			202.2(f)(1)(D)(iv), related to location.Form-Based				
12			<u>Density.</u>				
13	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC				
14	Conversion, Demolition,						
15	or Merger of Dwelling						
16	Units, including						
17	Residential Flats						
18			1st	2nd	3rd+		
19	Residential Conversion	§ 317	ϵ	NP	NP		
20	Residential Demolition	§ 317	ϵ	ϵ	ϵ		
21	and Merger						
22	NON-RESIDENTIAL ST	ANDARDS AND	USES				
23	Development Standard	s					
24	Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Offi</i>	ice Uses minimum i	intensities may		
25		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>			

* * * *

2 * * * *

SEC. 729. WEST PORTAL AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT.

Located in the southwestern part of the City, the West Portal Avenue Neighborhood Commercial District stretches for three long blocks along West Portal Avenue from Ulloa Street to 15th Avenue and extends one block east along Ulloa Street from the Twin Peaks Tunnel entrance to Claremont Boulevard. West Portal Avenue provides a selection of goods and services for customers coming mainly from the surrounding west of Twin Peaks and Sunset single-family residential neighborhoods. The lively, small-scale retail frontage is interrupted at several locations by large-scale financial institutions which take up a large amount of commercial ground-story frontage. More than half of the number of medical, professional and business offices are located at the ground level. *Except for one three movie theater complex, West Portal offers no entertainment uses and its restaurants are mainly family oriented.*

The West Portal Avenue District controls are designed to preserve the existing familyoriented, village character of West Portal Avenue. The building standards limit building heights to
26 feet and two stories and maintain the existing pattern of rear yards at the ground level and above.

The height, bulk and design of new development, especially on large lots, should respect the
small-to mid-scale character of the district and its surrounding residential neighborhoods. Lot
mergers creating large lots are discouraged. Individual nonresidential uses require conditional
use permits above 2,500 square feet and are restricted to 4,000 square feet as an absolute
limit to conform with the existing small use sizes in the district.

24 * * * *

Housing development *is limited* in new buildings is encouraged. Existing residential units are protected by limitations on demolition and prohibition of upper-story conversions; new construction is to be carefully reviewed to should ensure appropriate scale, design and compatibility with adjacent development. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 729. WEST PORTAL AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		West Portal Avenue NCD				
Zoning Category	§ References	Controls				
BUILDING STANDARD	S					
Massing and Setbacks						
Height and Bulk Limits.	§§ 102, 105,	Varies. 26-X. See Height and Bulk Map Sheets				
	106, 250–252,	HT06 and HT12 for more information. Height				
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.				
	261.1, 270,					
	<u>270.3,</u> 271 .					
	See also					
	Height and					
	Bulk District					
	Maps					
* * * *						
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired-; however, if the existing				
Side Yard	132, 133	sidewalk does not meet the recommended width				

			,				
1			required by the Be	etter Streets Plan, a	ı front setback		
2			shall be provided	shall be provided so that, when combined with the			
3			existing sidewalk, the total distance from the curb to				
4			the building fronte	ige meets or exceed	ds the required		
5			recommended wid	th under the Better	Streets Plan.		
6			This setback is req	guired only up to 15	5 feet above street		
7			grade. See § 132(e	<u>?).</u>			
8	* * * *						
9	Miscellaneous						
10	* * * *	_					
11	Design Guidelines and	General Plan	Subject to the U	ban Design Guid	lelines <u>, <i>Citywide</i></u>		
12	<u>Standards</u>	Commerce	Design Standards	, and any other app	olicable design		
13		and Industry	guidelines that ha	ve been approved b	by the Planning		
14		Element	Commission.				
15	Housing Choice-SF	<u>§ 206.10</u>	Form-based densi	ty, additional heigl	ht, and other		
16			zoning modification	ons for eligible proj	jects in the R-4		
17			Height and Bulk L	<u> District.</u>			
18	RESIDENTIAL STANDA	ARDS AND USE	S				
19	Development Standard	ls					
20	* * * *						
21	Residential Uses		C	Controls by Story	у		
22			1st	2nd	3rd +		
23	Residential Uses	§102	Р	Р	NPP		
24	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.				
25	Units <u>Density</u>	207.2					

		T	T
1	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 800 square foot lot area, or the density
2	<u>General</u>		permitted in the nearest R District, whichever is
3			greater.Form-Based Density.
4	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
5	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
6	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
7	<u>Size</u>		equivalent Floor Area Ratio for any individual
8			Dwelling Unit of 1.2:1. C for Dwelling Units that
9			exceed the greater of those thresholds.
10	Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density
11			permitted in the nearest R District, whichever is
12			greater.Form-Based Density.
13	* * * *		
14	Senior Housing <u>Density</u>	§§102,	P up to twice the number of dwelling units otherwise
15		202.2(f), 207	permitted as a Principal Use in the district and
16			meeting all the requirements of § 202.2(f)(1). C up to
17			twice the number of dwelling units otherwise
18			permitted as a Principal Use in the district and
19			meeting all requirements of § 202.2(f)(1), except for §
20			202.2(f)(1)(D)(iv), related to location.Form-Based
21			<u>Density.</u>
22	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
23	Conversion, Demolition,		
24	or Merger of Dwelling		

1	Units, including				
2	Residential Flats				
3			1st	2nd	3rd+
4	Residential Conversion	§ 317	ϵ	NP	NP
5	Residential Demolition	§ 317	ϵ	ϵ	ϵ
6	and Merger				
7	NON-RESIDENTIAL STA	ANDARDS AND	USES		
8	Development Standards	5			
9	Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may
10		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>	
11	* * * *				

SEC. 730. INNER SUNSET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Inner Sunset Neighborhood Commercial District is located in the Inner Sunset neighborhood, consisting of the NC-2 district bounded by Lincoln Way on the north, Fifth Avenue on the east, Kirkham Street on the south, and Nineteenth Avenue on the west. The shopping area provides convenience goods and services to local Inner Sunset residents, as well as comparison shopping goods and services to a larger market area. The commercial district is also frequented by users of Golden Gate Park on weekends and by City residents for its eating, drinking, and entertainment places. Numerous housing units establish the #District's mixed residential-commercial character.

Housing development in new buildings is encouraged above the ground story. *Existing*residential units are protected by prohibition of upper-story conversions and limitations on

demolitions. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

3

4

1

2

Table 730. INNER SUNSET NEIGHBORHOOD COMMERCIAL DISTRICT **ZONING CONTROL TABLE**

5	ZONING CONTROL TABLE							
6			Inner Sunset NCD					
7	Zoning Category	§ References	Controls					
8	BUILDING STANDARDS							
9	Massing and Setbacks							
10	Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk					
11		106, 250–252,	Map Sheets HT05 and HT06 for more					
12		260, <u>263.19,</u>	information. Height sculpting required on Alleys					
13		261.1, 270,	per § 261.1.					
14		<u>270.3,</u> 271 .						
15		See also						
16		Height and						
17		Bulk District						
18		Maps						
19	* * * *							
20	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired.; however, if the existing					
21	Side Yard	132, 133	sidewalk does not meet the recommended width					
22			required by the Better Streets Plan, a front setback					
23			shall be provided so that, when combined with the					
24			existing sidewalk, the total distance from the curb to					
25			the building frontage meets or exceeds the required					

1			recommended wid	th under the Better	Streets Plan.	
2			This setback is req	guired only up to 15	feet above street	
3			grade. See § 132(e	<u>e).</u>		
4	* * * *					
5	Miscellaneous					
6	* * * *					
7	Design Guidelines and	General Plan	Subject to the U	rban Design Guid	elines <u>, <i>Citywide</i></u>	
8	<u>Standards</u>	Commerce	Design Standards	, and any other app	licable design	
9		and Industry	guidelines that have been approved by the Planning			
10		Element	Commission.			
11	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other			
12			zoning modification	ons for eligible proj	ects in the R-4	
13			Height and Bulk District.			
14	RESIDENTIAL STANDA	ARDS AND USE	S			
15	Development Standard	S				
16	* * * *					
17	Residential Uses		C	Controls by Story	1	
18			1st	2nd	3rd +	
19	Residential Uses	<u>§ 102</u>	Р	Р	Р	
20	Accessory Dwelling	§§102, 207.1,	P per Planning C	Code Sections §§ 20	7.1 and 207.2.	
21	Units <u>Density</u>	207.2				
22	Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 800 squ	are foot lot area, o	r the density	
23	<u>General</u>			e arest R District, w	•	
24			greater. Form-Bas	ed Density.		
	L .	1	1	*		

	ı	1		
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	ı, but generally
Densities, if Applicable		ranges between 50	0 and 100 dwelling	units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross F	loor Area or an
<u>Size</u>		equivalent Floor	Area Ratio for any	individual_
		Dwelling Unit of	1.2:1. <i>C for Dwelli</i>	ing Units that
		exceed the greater	r of those threshold	<u>ls.</u>
Group Housing <u>Density</u>	§208	1 bedroom per 27	5 square foot lot ar	rea, or the density
		permitted in the n	earest R District, w	vhichever is
		greater.Form-Bas	<u>sed Density.</u>	
* * * *				
Senior Housing <u>Density</u>	§§102,	P up to twice the i	number of dwelling	units otherwise
	202.2(f), 207	permitted as a Pri	incipal Use in the a	listrict and
		meeting all the rec	quirements of § 202	2.2(f)(1). C up to
		twice the number	of dwelling units or	therwise
		permitted as a Pri	incipal Use in the a	listrict and
		meeting all requir	rements of § 202.2(j	f)(1), except for §
		$\frac{202.2(f)(1)(D)(iv)}{2}$, related to location	n. Form-Based
		Density.		
Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>	
Conversion, Demolition,				
or Merger of Dwelling				
Units, including				
Residential Flats				
		1st	2nd	3rd+
Residential Conversion	§ 317	ϵ	NP	NP
	Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats	Densities, if ApplicableMaximum Dwelling Unit\$\$\$ 207.10, 317Size\$\$208Group Housing Density\$\$208* * * *\$\$102,202.2(f), 207Loss of Dwelling Units:\$317Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats\$\$317In the second of the second	Densities, if Applicable ranges between 5th Maximum Dwelling Unit \$\$\$207.10,317 P up to 4,000 square equivalent Floor of Dwelling Unit of exceed the greate. Group Housing Density \$208 1-bedroom per 27 permitted in the magnetic of the permitted in the magnetic of the permitted as a Primaceting all the residue the number permitted as a Primaceting all the residue the number permitted as a Primaceting all require 202.2(f)(1)(D)(iv) Loss of Dwelling Units: \$317 Controls by Story Conversion, Demolition, or Merger of Dwelling Whits, including Residential Flats 1st	Densities, if Applicable Maximum Dwelling Unit Size Maximum Dwelling Unit Size Pup to 4,000 square feet of Gross Equivalent Floor Area Ratio for any Dwelling Unit of 1.2:1. C for Dwelling Permitted in the nearest R District, where the number of those thresholds are described unit of the number of dwelling Unit of 1.2:1. C for Dwelling Units of the number of dwelling Units including Residential Flats Residential Flats Residential Flats Pup to 4,000 square feet of Gross Execution of the property of the sequivalent Floor Area Ratio for any Dwelling Unit of 1.2:1. C for Dwelling Unit of 1

1	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
2	and Merger					
3	NON-RESIDENTIAL STANDARDS AND USES					
4	Development Standards					
5	Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may	
6		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>		
7	* * * *					

SEC. 731. NORIEGA STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Noriega Street Neighborhood Commercial District is located in the Outer Sunset neighborhood and includes *the non-residential currently-zoned NC-2* properties fronting both sides of Noriega Street between 19th and 27th and 30th through 33rd Avenues.

The District provides a selection of convenience goods and services for the residents of the Outer Sunset District. There are a high concentration of restaurants, drawing customers from throughout the City and the region. There are also a significant number of professional, realty, and business offices as well as financial institutions.

The Noriega Street Neighborhood Commercial District controls are designed to promote development that is consistent with its existing land use patterns and to maintain a harmony of uses that support the District's vitality. The building standards allow **mall-various** scale** of buildings and uses, protecting rear yards above the ground story and at residential levels. In new development, most commercial uses are permitted at the first two stories, although certain limitations apply to uses at the second story. Special controls are necessary to preserve the equilibrium of neighborhood-serving convenience and comparison shopping businesses and to protect adjacent residential livability. To protect continuous frontage, drive-

up uses are prohibited and active, pedestrian-oriented ground floor uses generally must be provided, unless such uses are authorized by Conditional Use. These controls are designed to encourage the street's active retail frontage, and local fabrication and production of goods.

Housing development in new buildings is encouraged above the ground story. Accessory

Dwelling Units are permitted.

Table 731. NORIEGA STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Noriega Street NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheets HT05
	106, 250–252,	and HT06 for more information. Height sculpting
	260, <u>263.19,</u>	required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	
* * * *		
Front Setback and	§§ 130, 131,	<u>Generally Nnot Rrequired-; however, if the existing</u>
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the

		<u> </u>
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan.
		This setback is required only up to 15 feet above street
		grade. See § 132(e).
* * * *		
Miscellaneous		
* * * *		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
<u>Standards</u>	Commerce	Design Standards, and any other applicable design
	and Industry	guidelines that have been approved by the Planning
	Element	Commission.
Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other
		zoning modifications for eligible projects in the R-4
		Height and Bulk District.
RESIDENTIAL STANDA	ARDS AND USES	S
Development Standard	s	
* * * *		
Off-Street Parking	§§ 145.1,	No car parking required. Maximum permitted per
Requirements	150, 151, 153	§ 151. Bike parking required per § 155.2. If car
	- 156, 161,	parking is provided, car share spaces are
	166, 204.5	required when a project has 50 units or more per
		§ 166.
* * * *		
Residential Uses		Controls by Story
	* * * * Design Guidelines and Standards Housing Choice-SF RESIDENTIAL STANDA Development Standard * * * * Off-Street Parking Requirements * * * *	Design Guidelines and General Plan Commerce and Industry Element Housing Choice-SF Second S

1			1st	2nd	3rd +
2	Residential Uses	§102	Р	Р	Р
3	Accessory Dwelling	§§102, 207.1,	P per Planning C	Code Sections §§ 20	07.1 and 207.2.
4	Unit	207.2			
5	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 800 squ	are foot lot area, o	r the density
6	<u>General</u>		permitted in the ne	earest R District, w	hichever is
7			greater.Form-Base	ed Density.	
8	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
9	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
10	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	oor Area or an
11	<u>Size</u>		equivalent Floor A	Area Ratio for any t	<u>individual</u>
12			Dwelling Unit of 1	.2:1. C for Dwelli	ng Units that
13			exceed the greater	of those threshold	S.
14	Group Housing <u>Density</u>	§208	1 bedroom per 275	5 square foot lot ar	rea, or the density
15			permitted in the ne	earest R District, w	hichever is
16			greater.Form-Base	ed Density.	
17	* * * *				
18	Senior Housing <u>Density</u>	§§102,	P up to twice the n	number of dwelling	units otherwise
19		202.2(f), 207	permitted as a Pri	ncipal Use in the d	istrict and
20			meeting all the req	nuirements of § 202	2.2(f)(1). C up to
21			twice the number of	of dwelling units ot	herwise
22			permitted as a Pri	n cipal Use in the d	istrict and
23			meeting all require	ements of § 202.2(f	f)(1), except for §
24			202.2(f)(1)(D)(iv),	related to location	ı. Form-Based
25			Density.		

1	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>	
2	Conversion, Demolition,				
3	or Merger of Dwelling				
4	Units, including				
5	<u>Residential Flats</u>				
6			1st	2nd	3rd+
7	Residential Conversion	§ 317	ϵ	ϵ	NP
8	Residential Demolition	§ 317	C	C	ϵ
9	and Merger				
0	NON-RESIDENTIAL STA	ANDARDS AND	USES		
1	Development Standards	5			
2	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may
3		124 <u>, 207.9</u>	apply pursuant to	<u> § 207.9.</u>	
4	* * *				

SEC. 732. IRVING STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Irving Street Neighborhood Commercial District is located in the Outer Sunset neighborhood and includes *the non-residential currently-zoned NC-2* properties fronting both sides of Irving Street between 19th and 27th Avenues. The District provides a selection of convenience goods and services for the residents of the Outer Sunset District. There are a high concentration of restaurants, drawing customers from throughout the City and the region. There are also a significant number of professional, realty, and business offices as well as financial institutions.

The Irving Street Neighborhood Commercial District controls are designed to promote development that is consistent with its existing land use patterns and to maintain a harmony of uses that support the District's vitality. The building standards allow small-<u>to mid-</u>scale buildings and uses, protecting rear yards above the ground story and at residential levels. In new development, most commercial uses are permitted at the first two stories, although certain limitations apply to uses at the second story. Special controls are necessary to preserve the equilibrium of neighborhood-serving convenience and comparison shopping businesses and to protect adjacent residential livability. These controls are designed to encourage the street's active retail frontage, and local fabrication and production of goods.

Housing development in new buildings is encouraged above the ground story. Accessory

Dwelling Units are permitted.

Table 732. IRVING STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE

		Irving Street NCD			
Zoning Category	§ References	Controls			
BUILDING STANDARDS					
Massing and Setbacks					
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheet HT05 for			
	106, 250–252,	more information. Height sculpting required on			
	260, <u>263.19,</u>	Alleys per § 261.1.			
	261.1, 270,				
	<u>270.3,</u> 271 .				
	See also				
	Height and				

	Bulk District	
	Maps	
* * * *		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan.
		This setback is required only up to 15 feet above street
		grade. See § 132(e).
* * * *		
Miscellaneous		
* * * *		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
<u>Standards</u>	Commerce	Design Standards, and any other applicable design
	and Industry	guidelines that have been approved by the Planning
	Element	Commission.
Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other
		zoning modifications for eligible projects in the R-4
		Height and Bulk District.
RESIDENTIAL STAND	ARDS AND USE	S
Development Standard	ds	
* * * *		

Residential Uses		Controls by Story		
		1st	2nd	3rd +
Residential Uses	§102	Р	Р	Р
Accessory Dwelling	§§102, 207.1,	P per Planning C	ode <i>Sections</i> §§ 2	07.1 and 207.2
Unit	207.2			
Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 800 squ	are foot lot area, c	or the density
<u>General</u>		permitted in the ne	earest R District, w	vhichever is
		greater.Form-Base	ed Density.	
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
<u>Size</u>		equivalent Floor Area Ratio for any individual		
		Dwelling Unit of 1	.2:1. C for Dwell	ing Units that
		exceed the greater	of those threshold	<u>ls.</u>
Group Housing <u>Density</u>	§208	1 bedroom per 275	square foot lot a	rea, or the densit
		permitted in the ne	earest R District, w	vhichever is
		greater.Form-Base	ed Density.	
* * * *				
Senior Housing <u>Density</u>	§§102,	P up to twice the n	umber of dwelling	units otherwise
	202.2(f), 207	permitted as a Pri	ncipal Use in the a	listrict and
		meeting all the req	uirements of § 202	2.2(f)(1). C up to
		twice the number of	of dwelling units o	therwise
		permitted as a Pri	ncipal Use in the a	listrict and
		meeting all require	ements of § 202.2(f)(1), except for

1			202.2(f)(1)(D)(iv)	, related to location	n. Form-Based
2			<u>Density.</u>		
3	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>	
4	Conversion, Demolition,				
5	or Merger of Dwelling				
6	Units, including				
7	Residential Flats				
8			1st	2nd	3rd+
9	Residential Conversion	§ 317	ϵ	ϵ	NP
10	Residential Demolition	§ 317	$ \epsilon $	ϵ	$ \epsilon $
11	and Merger				
12	NON-RESIDENTIAL STA	ANDARDS AND	USES		
13	Development Standards				
14	Floor Area Ratio	§§ 102, 123,	23, 2.5 to 1. <i>For Office Uses minimum intensities may</i>		
15		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>	
16	* * * *				

SEC. 733. TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Taraval Street Neighborhood Commercial District is located in the Outer Sunset neighborhood and includes the *non-residential currently zoned NC-2* properties fronting both sides of Taraval Street from 19th through 36th Avenues. The District provides a selection of convenience goods and services for the residents of the Outer Sunset District. There are a high concentration of restaurants, drawing customers from throughout the City and the region.

There are also a significant number of professional, realty, and business offices as well as financial institutions.

The Taraval Street Neighborhood Commercial District controls are designed to promote development that is consistent with its existing land use patterns and to maintain a harmony of uses that support the District's vitality. The building standards allow small-<u>to mid</u>-scale buildings and uses, protecting rear yards above the ground story and at residential levels. In new development, most commercial uses are permitted at the first two stories, although certain limitations apply to uses at the second story. Special controls are necessary to preserve the equilibrium of neighborhood-serving convenience and comparison shopping businesses and to protect adjacent residential livability. These controls are designed to encourage the street's active retail frontage, and local fabrication and production of goods.

Housing development in new buildings is encouraged above the ground story. Accessory

Dwelling Units are permitted.

Table 733. TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE

		Taraval Street NCD			
Zoning Category	§ References	Controls			
BUILDING STANDARD	BUILDING STANDARDS				
Massing and Setbacks					
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheet HT05 for			
	106, 250–252,	more information. Height sculpting required on			
	260, <u>263.19,</u>	Alleys per § 261.1.			
	261.1, 270,				
	<u>270.3,</u> 271 .				
	See also				

1		Height and	
2		Bulk District	
3		Maps.	
4	* * * *		
5	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
6	Side Yard	132, 133	sidewalk does not meet the recommended width
7			required by the Better Streets Plan, a front setback
8			shall be provided so that, when combined with the
9			existing sidewalk, the total distance from the curb to
10			the building frontage meets or exceeds the required
11			recommended width under the Better Streets Plan.
12			This setback is required only up to 15 feet above street
13			grade. See § 132(e).
14	* * * *		
15	Miscellaneous		
16	* * * *		
17	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
18	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
19		and Industry	guidelines that have been approved by the Planning
20		Element	Commission.
21	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning
22			modifications for eligible projects in the R-4 Height and
23			Bulk District.
24	RESIDENTIAL STAND	ARDS AND USI	ES
25	Development Standard	ds	

1	* * * *				
2	Residential Uses		Controls by Story		
3			1st	2nd	3rd +
4	Residential Uses	§102	Р	Р	Р
5	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2		
6	Unit	207.2			
7	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 80	00 square foot lot ar	ea, or the density
8	<u>General</u>		permitted in	the nearest R Distri	ict, whichever is
9			greater.Forn	n-Based Density.	
10	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
11	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.		
12	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
13	<u>Size</u>		equivalent F	loor Area Ratio for	any individual
14			Dwelling Un	it of 1.2:1. C for D	welling Units that
15			exceed the g	reater of those thres	sholds.
16	Group Housing <u>Density</u>	§208	1 bedroom p	er 275 square foot l	lot area, or the density
17			permitted in	the nearest R Distri	ict, whichever is
18			greater.Forn	n-Based Density.	
19	* * * *				
20	Senior Housing <u>Density</u>	§§102,	P up to twice	e the number of dwe	lling units otherwise
21		202.2(f), 207	permitted as	a Principal Use in	the district and
22			meeting all t	he requirements of	§ 202.2(f)(1). C up to
23			twice the nur	nber of dwelling un	its otherwise
24			permitted as	a Principal Use in	the district and
25			meeting all r	requirements of § 20	02.2(f)(1), except for §

1			202.2(f)(1)(D)(iv), related to location.Form-Based		
2			<u>Density.</u>		
3	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>	
4	Conversion, Demolition,				
5	or Merger of Dwelling				
6	Units, including				
7	<u>Residential Flats</u>				
8			1st	2nd	3rd+
9	Residential Conversion	§ 317	ϵ	ϵ	NP
10	Residential Demolition	§ 317	ϵ	ϵ	$ \epsilon $
11	and Merger				
12	NON-RESIDENTIAL STA	ANDARDS AND	USES		
13	Development Standards	5			
14	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>		
15		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>	
16	* * * *				

SEC. 734. JUDAH STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Judah Street Neighborhood Commercial District is located in the Outer Sunset neighborhood and includes the *non residential currently zoned NC 2* properties fronting both sides of Judah Street from 29th through 33rd Avenues. The District provides a selection of convenience goods and services for the residents of the Outer Sunset District. There are a high concentration of restaurants, drawing customers from throughout the City and the region.

There are also a significant number of professional, realty, and business offices as well as financial institutions.

The Judah Street Neighborhood Commercial District controls are designed to promote development that is consistent with its existing land use patterns and to maintain a harmony of uses that support the District's vitality. The building standards allow small-<u>to mid-</u>scale buildings and uses, protecting rear yards above the ground story and at residential levels. In new development-, most commercial uses are permitted at the first two stories, although certain limitations apply to uses at the second story. Special controls are necessary to preserve the equilibrium of neighborhood-serving convenience and comparison shopping businesses and to protect adjacent residential livability. These controls are designed to encourage the street's active retail frontage, and local fabrication and production of goods.

Housing development in new buildings is encouraged above the ground story. Accessory

Dwelling Units are permitted.

Table 734. JUDAH STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE

		-
		Judah Street NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheet HT05 for
	106, 250–252,	more information. Height sculpting required on
	260, <u>263.19,</u>	Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	

ver, if the existing
nended width
a front setback
nbined with the
e from the curb to
reds the required
er Streets Plan.
15 feet above street
iidelines <u>, <i>Citywide</i></u>
pplicable design
l by the Planning
ght, and other
rojects in the R-4

1	* * * *				
2	Residential Uses		Controls by Story		
3			1st	2nd	3rd +
4	Residential Uses	§102	Р	Р	Р
5	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.		
6	Unit	207.2			
7	Dwelling Units <u>Density</u> ,	§§ 102, 207	1 unit per 800	square foot lot ar	rea, or the density
8	<u>General</u>		permitted in th	e nearest R Distr	ict, whichever is
9			greater. Form-	Based Density.	
10	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
11	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.		
12	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
13	<u>Size</u>		equivalent Flo	or Area Ratio for	any individual
14			Dwelling Unit	of 1.2:1. C for D	Owelling Units that
15			exceed the gree	ater of those thre	sholds.
16	Group Housing <u>Density</u>	§208	1 bedroom per	275 square foot	lot area, or the density
17			permitted in th	e nearest R Distr	ict, whichever is
18			greater.Form-	Based Density.	
19	* * * *				
20	Senior Housing <u>Density</u>	§§102,	P up to twice ti	he number of dwe	elling units otherwise
21		202.2(f), 207	permitted as a	Principal Use in	the district and
22			meeting all the	requirements of	§ 202.2(f)(1). C up to
23			twice the numb	ver of dwelling un	nits otherwise
24			permitted as a	Principal Use in	the district and
25			meeting all req	uirements of § 20	92.2(f)(1), except for §

1			202.2(f)(1)(D)(iv), related to location.Form-Based		
2			<u>Density.</u>		
3	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>	
4	Conversion, Demolition,				
5	or Merger of Dwelling				
6	Units, including				
7	<u>Residential Flats</u>				
8			1st	2nd	3rd+
9	Residential Conversion	§ 317	ϵ	ϵ	NP
10	Residential Demolition	§ 317	$ \epsilon $	ϵ	ϵ
11	and Merger				
12	NON-RESIDENTIAL STA	ANDARDS AND	USES		
13	Development Standards	S			
14	Floor Area Ratio	§§ 102, 123,	3, 2.5 to 1. <i>For Office Uses minimum intensities may</i>		
15		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>	
16	* * * *				

SEC. 735. INNER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Inner Balboa Street Neighborhood Commercial District is located along Balboa Street between 2nd Avenue and 8th Avenue in the Richmond District of San Francisco. The District is a small-scale linear shopping street which provides convenience goods and services to the surrounding neighborhood as well as limited comparison shopping goods for a wider market.

The Inner Balboa Street Neighborhood Commercial District controls provide for mixeduse buildings which approximate or slightly exceed the standard development pattern. Rear yard requirements above the ground story and at residential levels preserve open space corridors of interior blocks.

Most new commercial development is permitted at the ground and second stories.

Neighborhood- serving businesses are strongly encouraged. The second story may be used by some retail stores, personal services, and medical, business and professional offices.

Parking and hotels are monitored at all stories. Limits on late-night activity, drive-up facilities, and other automobile uses protect the livability within and around the District, and promote continuous retail frontage.

Housing development in new buildings is encouraged above the ground story. *Existing* residential units are protected by limitations on demolition and upper-story conversions. Accessory Dwelling Units are permitted within the District pursuant to Sections 207.1 and 207.2 of this Code.

Table 735. INNER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE

		Inner Balboa Street NCD				
Zoning Category	§ References	Controls				
BUILDING STANDARDS						
Massing and Setbacks						
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk				
	106, 250–252,	Map Sheet HT03 for more information. Height				
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.				
	261.1, 270,					
	<u>270.3,</u> 27 1.					

1		See also	
2		Height and	
3		Bulk District	
4		Maps	
5	* * * *		
6	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
7	Side Yard	132, 133	sidewalk does not meet the recommended width
8			required by the Better Streets Plan, a front setback
9			shall be provided so that, when combined with the
0			existing sidewalk, the total distance from the curb to
1			the building frontage meets or exceeds the required
2			recommended width under the Better Streets Plan.
3			This setback is required only up to 15 feet above street
4			grade. See § 132(e).
5	* * * *		
6	Miscellaneous		
7	* * * *		
8	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
9	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
20		and Industry	guidelines that have been approved by the Planning
21		Element	Commission.
22	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other
23			zoning modifications for eligible projects in the R-4
24			Height and Bulk District.
25	RESIDENTIAL STANDA	ARDS AND USE	s
	•		

1	Development Standards							
2	* * * *	* * * *						
3	Residential Uses		С	ontrols by Story	1			
4			1st	2nd	3rd +			
5	Residential Uses	§102	Р	Р	Р			
6	Accessory Dwelling	§§102, 207.1,	P per Planning C	Sode Sections §§ 20	07.1 and 207.2.			
7	Unit <i>Density</i>	207.2						
8	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 squ	are foot lot area, o	r the density			
9	<u>General</u>		permitted in the ne	earest R District, w	hichever is			
10			greater.Form-Based Density.					
11	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally					
12	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.					
13	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an					
14	<u>Size</u>		equivalent Floor Area Ratio for any individual					
15			Dwelling Unit of 1.2:1. C for Dwelling Units that					
16			exceed the greater	of those threshold.	<u>S.</u>			
17	Group Housing Density	§208	1-bedroom per 275 square foot lot area, or the density					
18			permitted in the ne	earest R District, w	hichever is			
19			greater.Form-Base	ed Density.				
20	* * * *							
21	Senior Housing Density	§§102,	P up to twice the n	umber of dwelling	units otherwise			
22		202.2(f), 207	permitted as a Pris	ncipal Use in the d	istrict and			
23			meeting all the req	nuirements of § 202	2.2(f)(1). C up to			
24			twice the number of	of dwelling units of	herwise			
25			permitted as a Pri	ncipal Use in the d	istrict and			

1			meeting all requir	rements of § 202.2(j	f)(1), except for §
2			202.2(f)(1)(D)(iv), related to location.Form-Based		
3			Density.		
4	Loss of Dwelling Units:	§ 317 Controls by Story C			
5	Conversion, Demolition,				
6	or Merger of Dwelling				
7	Units, including				
8	<u>Residential Flats</u>				
9			1st	2nd	3rd +
10	Residential Conversion	§ 317	ϵ	ϵ	NP
11	Residential Demolition	§ 317	$ \epsilon $	ϵ	ϵ
12	and Merger				
13	NON-RESIDENTIAL STA	ANDARDS AND	USES		
14	Development Standards	S			
15	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ice Uses minimum i	ntensities may
16		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
17	* * * *				

SEC. 736. OUTER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Outer Balboa Street Neighborhood Commercial District is located along Balboa Street between 32nd Avenue and 39th Avenue in the Richmond District of San Francisco. The District is a small-scale linear shopping street which provides convenience goods and services to the surrounding neighborhood as well as limited comparison shopping goods for a wider market.

The Outer Balboa Street Neighborhood Commercial District controls provide for mixed-use buildings which approximate or *slightlymoderately* exceed the standard development pattern. Rear yard requirements above the ground story and at residential levels preserve open space corridors of interior blocks.

Most new commercial development is permitted at the ground and second stories.

Neighborhood-serving businesses are strongly encouraged. The second story may be used by some retail stores, personal services, and medical, business and professional offices.

Parking and hotels are monitored at all stories. Limits on late-night activity, drive-up facilities, and other automobile uses protect the livability within and around the District, and promote continuous retail frontage.

Housing development in new buildings is encouraged above the ground story. *Existing residential units are protected by limitations on demolition and upper-story conversions.* Accessory Dwelling Units are permitted *within the District pursuant to Sections 207.1 and 207.2 of this Code*.

Table 736. OUTER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Outer Balboa Street NCD				
Zoning Category	§ References	Controls				
BUILDING STANDARDS						
Massing and Setbacks	,					
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk				
	106, 250–252,	Map Sheet HT04 for more information. Height				
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.				
	261.1, 270,					
	<u>270.3,</u> 27 1.					

1		See also	
2		Height and	
3		Bulk District	
4		Maps	
5	* * * *		
6	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
7	Side Yard	132, 133	sidewalk does not meet the recommended width
8			required by the Better Streets Plan, a front setback
9			shall be provided so that, when combined with the
10			existing sidewalk, the total distance from the curb to
11			the building frontage meets or exceeds the required
12			recommended width under the Better Streets Plan.
13			This setback is required only up to 15 feet above street
14			grade. See § 132(e).
15	* * * *		
16	Miscellaneous		
17	* * * *		
18	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
19	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
20		and Industry	guidelines that have been approved by the Planning
21		Element	Commission.
22	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning
23			modifications for eligible projects in the R-4 Height and
24			Bulk District.
25	RESIDENTIAL STAND	ARDS AND US	ES

1	Development Standards						
2	* * * *						
3	Residential Uses		C	ontrols by Story	1		
4			1st 2nd 3rd +				
5	Residential Uses	§102	Р	Р	Р		
6	Accessory Dwelling	§§102, 207.1,	P per Planning C	Sode Sections §§ 20	07.1 and 207.2.		
7	Unit <i>Density</i>	207.2					
8	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 squ	are foot lot area, o	r the density		
9	<u>General</u>		permitted in the ne	earest R District, w	hichever is		
10			greater.Form-Based Density.				
11	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally				
12	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.				
13	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an				
14	<u>Size</u>		equivalent Floor A	area Ratio for any i	ndividual		
15			Dwelling Unit of 1	.2:1. C for Dwelli	ng Units that		
16			exceed the greater	of those threshold.	<u>s.</u>		
17	Group Housing Density	§208	1 bedroom per 275	square foot lot ar	ea, or the density		
18			permitted in the ne	earest R District, w	hichever is		
19			greater.Form-Base	ed Density.			
20	* * * *						
21	Senior Housing Density	§§102,	P up to twice the n	umber of dwelling	units otherwise		
22		202.2(f), 207	permitted as a Pris	ncipal Use in the d	istrict and		
23			meeting all the requirements of § 202.2(f)(1). C up to				
24			twice the number of	of dwelling units of	herwise		
25			permitted as a Pri	ncipal Use in the d	istrict and		

1			meeting all requirements of § 202.2(f)(1), except for §			
2			202.2(f)(1)(D)(iv), related to location.Form-Based			
3			<u>Density.</u>			
4	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>		
5	Conversion, Demolition,					
6	or Merger of Dwelling					
7	Units, including					
8	Residential Flats					
9			1st	2nd	3rd+	
10	Residential Conversion	§ 317	ϵ	ϵ	NP	
11	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
12	and Merger					
13	NON-RESIDENTIAL STA	ANDARDS AND	USES			
14	Development Standard	S				
15	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may	
16		124 <u>, 207.9</u>	apply pursuant to § 207.9.			
17	* * * *					
18	8 * * * *					
19						
00						

22

23

24

25

SEC. 737. BAYVIEW NEIGHBORHOOD COMMERCIAL DISTRICT.

21

Table 737. BAYVIEW NEIGHBORHOOD COMMERCIAL DISTRICT ZONING **CONTROL TABLE**

		Bayview NCD
Zoning Category	§ References	Controls

1	BUILDING STANDARDS					
2	Massing and Setbacks					
3	* * * *					
4	Front Setback and	§§ <u>130,</u> 131,	<i>Generally Nn</i> ot Re	<u>r</u> equired <u>.; however</u>	r, if the existing	
5	Side Yard	132, 133	sidewalk does not meet the recommended width			
6			required by the Be	etter Streets Plan, a	front setback	
7			shall be provided :	so that, when comb	ined with the	
8			existing sidewalk,	the total distance f	rom the curb to	
9			the building fronte	ige meets or exceed	ls the required	
10			recommended wid	th under the Better	Streets Plan.	
11			This setback is req	guired only up to 15	feet above street	
12			grade. See § 132(e	<u>?).</u>		
13	* * * *					
14	Miscellaneous					
15	* * * *		T			
16	Design Guidelines and	General Plan	Subject to the Ur	ban Design Guid	elines <u>, <i>Citywide</i></u>	
17	<u>Standards</u>	Commerce	Design Standards,	, and any other app	licable design	
18		and Industry	guidelines that hav	ve been approved b	y the Planning	
19		Element	Commission.			
20	RESIDENTIAL STANDA	ARDS AND USE	S			
21	Development Standard	ls				
22	* * * *		1			
23	Residential Uses		Controls by Story			
24			1st	2nd	3rd +	
25	Residential Uses	§102	Р	Р	Р	

1	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.			
2	Unit <i>Density</i>	207.2				
3	Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area.			
4	<u>General</u>					
5	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally	
6	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.	
7	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	oor Area or an	
8	<u>Size</u>		equivalent Floor A	Area Ratio for any i	individual	
9			Dwelling Unit of I	!.2:1. C for Dwelli	ng Units that	
10			exceed the greater of those thresholds.			
11	Group Housing Density	§ 208	1 bedroom per 210 square foot lot area.			
12	* * * *					
13	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC(1)			
14	Conversion, Demolition,					
15	or Merger of Dwelling					
16	<u>Units, including</u>					
17	<u>Residential Flats</u>					
18			1st	2nd	<i>3rd+</i>	
19	Residential Conversion	§ 317	ϵ	ϵ	<i>C</i> (1)	
20	Residential Demolition	§ 317	€	ϵ	ϵ	
21	and Merger					
22	NON-RESIDENTIAL STA	ANDARDS AND	USES			
23	Development Standards					
24	Floor Area Ratio	§§ 102, 123,	3.6 to 1. For Office Uses minimum intensities may			
25		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>		
	<u> </u>					

1	* * * *						
2	* Not listed below	* Not listed below					
3	(1) THIRD FLOOR RESIDENTIAL CONVERSION:						
4	Boundaries: Applicable to the Bayview NCD						
5	Controls: A Residential Use may be converted to an Institutional Use, other than a						
6	Medical Cannabis Dispensa	ary, as a Condit	ional Use on the third story and above if in addition				
7	to the criteria set forth in Se	ction<u>§</u> 303 <u>317</u> , th	ne Commission finds that:				
8	(a) The structure	in which the Re	sidential Use is to be converted has been found				
9	eligible for listing on the Na	tional Register	of Historic Places;				
10	(b) The proposed	use is to be op	erated by a nonprofit public benefit corporation;				
11	and						
12	(c) No legally res	ding residential	tenants will be displaced.				
13							
14	* * * *						
15							
16	SEC. 738. CORTLA	ND AVENUE N	EIGHBORHOOD COMMERCIAL DISTRICT.				
17	* * * *						
18	Table 738. COR	TLAND AVENU	E NEIGHBORHOOD COMMERCIAL DISTRICT				
19		ZONING	CONTROL TABLE				
20			Cortland Avenue NCD				
21	Zoning Category	§ References	Controls				
22	BUILDING STANDARDS						
23	Massing and Setbacks						
24	* * * *	* * * *					

1	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing			
2	Side Yard	132, 133	sidewalk does not	meet the recommen	nded width	
3			required by the Be	etter Streets Plan, a	front setback	
4			shall be provided so that, when combined with the			
5			existing sidewalk,	the total distance fi	rom the curb to	
6			the building fronte	age meets or exceed	ls the required	
7			recommended wid	th under the Better	Streets Plan.	
8			This setback is req	quired only up to 15	feet above street	
9			grade. See § 132(e	<u>e).</u>		
10	* * * *					
11	Miscellaneous					
12	* * * *					
13	Design Guidelines and	General Plan	Subject to the U	rban Design Guid	elines <u>, <i>Citywide</i></u>	
14	<u>Standards</u>	Commerce	Design Standards	, and any other app	licable design	
15		and Industry	guidelines that ha	ve been approved b	y the Planning	
16		Element	Commission.			
17	RESIDENTIAL STANDA	ARDS AND USES	3			
18	Development Standard	s				
19	* * * *					
20	Residential Uses		Controls by Story			
21			1st	2nd	3rd +	
22	Residential Uses	§102	Р	Р	Р	
23	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections § 207.1 and 207.2.			
24	Unit Density	207.2				

1	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density			
2	<u>General</u>		permitted in the nearest R District, whichever is			
3			greater.			
4	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	ı, but generally	
5	Densities, if Applicable		ranges between 5	0 and 100 dwelling	units per acre.	
6	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 squ</u>	are feet of Gross F	loor Area or an	
7	<u>Size</u>		equivalent Floor	Area Ratio for any	<u>individual</u>	
8			Dwelling Unit of	1.2:1. C for Dwell	ing Units that	
9			exceed the greater of those thresholds.			
10	Group Housing Density	§ 208	1 bedroom per 275 square foot lot area, or the			
11			density permitted in the nearest R District,			
12			whichever is greater.			
13	* * * *					
14	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	÷ <u>C</u>		
15	Conversion, Demolition,					
16	or Merger of Dwelling					
17	Units, including					
18	Residential Flats					
19			1st	2nd	3rd+	
20	Residential Conversion	§ 317	€	€	NP.	
21	Residential Demolition	§ 317	€	€	ϵ	
22	and Merger					
23	NON-RESIDENTIAL ST	ANDARDS AND	USES			
24	Development Standard	s				

Floor Area Ratio	§§ 102, 123,	2.5 to 1. For Office Uses minimum intensities may
	124 <u>, 207.9</u>	apply pursuant to § 207.9.
* * * *		

5 * * * *

SEC. 739. GEARY BOULEVARD NEIGHBORHOOD COMMERCIAL DISTRICT.

The Geary Boulevard Neighborhood Commercial District is located along Geary Boulevard between Masonic and 28th Avenues. It is a linear district located along a heavily trafficked thoroughfare which also serves as a major transit route. In addition to providing convenience goods and services to the surrounding neighborhood, the District offers a wide variety of comparison and specialty goods and services to a population greater than the immediate neighborhood.

The building standards permit moderately large commercial uses and buildings. Rear yards are protected at residential levels.

A diversified commercial environment is encouraged for the District, and a wide variety of uses are permitted with special emphasis on neighborhood-serving businesses. Financial service uses generally are permitted with certain limitations at the first and second stories. Other retail businesses, personal services, and offices are permitted at all stories of new buildings. Limited storage and administrative service activities are permitted with some restrictions.

Housing development in new buildings is encouraged above the second story. *Existing residential units are protected by limitations on demolitions and upper-story conversions.* Accessory Dwelling Units are permitted *within the District pursuant to Sections 207.1 and 207.2 of this Code*.

Table 739. GEARY BOULEVARD NEIGHBORHOOD COMMERCIAL DISTRICT

ZONING CONTROL TABLE 2 3 4 **Geary Boulevard NCD** 5 **Zoning Category** § References **Controls** 6 **BUILDING STANDARDS** 7 **Massing and Setbacks** 8 Height and Bulk Limits. §§ 102, 105, Varies, but generally 40-X. See Height and Bulk 9 106, 250–252, Map Sheets HT03-04 for more information. 10 260, *263.19*, Height sculpting required on Alleys per § 261.1. 11 261.1, 270, 12 *270.3*, **271**. 13 See also 14 Height and 15 **Bulk District** 16 Maps. 17 * * * * 18 Front Setback and §§ *130*, 131, Generally Anot Arequired; however, if the existing 19 Side Yard 132, 133 sidewalk does not meet the recommended width 20 required by the Better Streets Plan, a front setback 21 shall be provided so that, when combined with the 22 existing sidewalk, the total distance from the curb to 23 the building frontage meets or exceeds the required 24 recommended width under the Better Streets Plan.

Mayor Lurie
BOARD OF SUPERVISORS

25

		1			
		This setback is required only up to 15 feet above street			
		grade. See § 132(e	<u>.).</u>		
* * * *					
Miscellaneous					
* * * *					
Design Guidelines and	General	Subject to the Urban Design Guidelines, Citywide			
<u>Standards</u>	Plan	Design Standards, a	nd any other applic	cable design	
	Commerce	guidelines that have been approved by the Planning			
	and Industry	Commission.			
	Element				
Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning			
		modifications for eligible projects in the R-4 Height and			
		Bulk District.			
RESIDENTIAL STANDA	ARDS AND USE	S			
Development Standard	S				
* * * *					
Residential Uses		Controls by Story			
		1st	2nd	3rd +	
Residential Uses	§102	Р	Р	Р	
Accessory Dwelling	§§102, 207.1,	, P per Planning Code Sections § 207.1 and 207.2.			
Unit <i>Density</i>	207.2				
Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area, or the density			
<u>General</u>		permitted in the ne	earest R District, w	hichever is	
		greater.Form-Base	ed Density.		
	* * * * Design Guidelines and Standards Housing Choice-SF RESIDENTIAL STANDA Development Standard * * * * Residential Uses Residential Uses Accessory Dwelling Unit Density Dwelling Unit Density.	Design Guidelines and Standards Plan Commerce and Industry Element Housing Choice-SF RESIDENTIAL STANDARDS AND USE Development Standards * * * * Residential Uses Residential Uses Residential Uses Residential Uses Signature Residential Uses Residential Uses Residential Uses Signature Signature	Miscellaneous * * * * Miscellaneous * * * * Design Guidelines and Standards Plan Design Standards, and Commerce and Industry Element Housing Choice-SF \$206.10 Form-based density, modifications for elimont Bulk District. RESIDENTIAL STANDARDS AND USES Development Standards * * * * Residential Uses \$102 P Accessory Dwelling \$\frac{1}{2}\$	Miscellaneous * * * * Design Guidelines and Standards Plan Design Standards, and any other applia Guidelines that have been approved by Gommission. Element Housing Choice-SF \$ 206.10 Form-based density, additional height, modifications for eligible projects in the Bulk District. RESIDENTIAL STANDARDS AND USES Development Standards * * * * Residential Uses \$ 102 P P Accessory Dwelling Unit Density 207.2 Dwelling Unit Density \$ \$ 102, 207.1, P per Planning Code Sections \$ 8 20 20 20 20 20 20 20 20 20 20 20 20 20	

Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally			
<u>Densities, if Applicable</u>		ranges between 50	0 and 100 dwelling	units per acre.	
Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 squa	are feet of Gross Fl	loor Area or an	
<u>Size</u>		equivalent Floor	Area Ratio for any	individual_	
		Dwelling Unit of	1.2:1. C for Dwelli	ing Units that	
		exceed the greater	r of those threshold	<u>ls.</u>	
Group Housing Density	§208	Up to 1 bedroom	per 210 square foo	t lot area, or the	
		density permitted	in the nearest R Di	strict, whichever	
		is greater. Form-B	Cased Density.		
* * * *					
Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise			
	202.2(f), 207	permitted as a Principal Use in the district and			
		meeting all the requirements of § 202.2(f)(1). C up to			
		twice the number of dwelling units otherwise			
		permitted as a Pri	incipal Use in the d	listrict and	
		meeting all requir	rements of § 202.2(j	f)(1), except for §	
		$\frac{202.2(f)(1)(D)(iv)}{2}$, related to location	r. Form-Based	
		Density.			
Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C(2)</u>		
Conversion, Demolition,					
or Merger of Dwelling					
Units, including					
<u>Residential Flats</u>					
		1st	2nd	3rd+	
Residential Conversion	§ 317	ϵ	ϵ	C(2)	
	Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats	Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density \$\frac{\$\\$}{\$}\] Loss of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats	Densities, if Applicable Maximum Dwelling Unit Size Pup to 4,000 square equivalent Floor of Dwelling Unit of a exceed the greater. Group Housing Density *** Senior Housing Density Senior Housing Density Senior Housing Density *** Senior Housing Density Density House the receive twice the number permitted as a Primeeting all the receive twice the number permitted as a Primeeting all require 202.2(f)(1)(D)(iv) Density. Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats 1st	Densities, if Applicable Maximum Dwelling Unit Size Pup to 4,000 square feet of Gross Fire equivalent Floor Area Ratio for any Dwelling Unit of 1.2:1. C for Dwelling Units of density permitted in the nearest R Dispersion of Units of the number of dwelling Units of twice the number of dwelling Units of permitted as a Principal Use in the dispersion of Use In the dispersion of Use In the dispersion of Use In It is a Units, including Units, including Residential Flats Ist 2nd	

		-					
1	Residential Demolition	§ 317	ϵ	ϵ	ϵ		
2	and Merger						
3	NON-RESIDENTIAL ST	ANDARDS AND	USES				
4	Development Standard	ls					
5	Floor Area Ratio	Area Ratio §§ 102, 123, 3.6 to 1. For Office Uses minimum intensities may					
6		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>			
7	* * * *						
8	* * * *						
9	(2) THIRD FLOO	R RESIDENTIAL	CONVERSION:				
10	Boundaries: Appl	icable to the Gea	ry Boulevard NCI				
11	Controls: A Resid	ential Use may b	e converted to an	Institutional Use	, other than a		
12	Medical Cannabis Disper	nsary, as a Condi	tional Use on the	third story and ab	ove if in addition		
13	to the criteria set forth in	Section § 303 <u>317</u> , t	he Commission fi	nds that:			
14	(a) The structure	in which the Res	idential Use is to I	oe converted has	been found		
15	eligible for listing on the N	lational Register	of Historic Places	•			
16	(b) The proposed	use is to be ope	rated by a nonpro	fit public benefit o	corporation; and		
17	(c) No legally resi	iding residential t	enants will be disp	olaced.			
18	* * * *						
19							
20	SEC. 740. MISSION BERNAL NEIGHBORHOOD COMMERCIAL DISTRICT.						
21	* * * *	* * * *					
22	Table 740. M	ISSION BERNAL	. NEIGHBORHO	DD COMMERCIA	L DISTRICT		
23		ZONING	CONTROL TABL	.E			
24			M	ission Bernal NO	D		

§ References

Zoning Category

25

Controls

1	BUILDING STANDARDS				
2	Massing and Setbacks				
3	* * * *				
4	Front Setback and	§§ <u>130,</u> 131,	<i>Generally Nn</i> ot Re	<u>r</u> equired <u>.; however</u>	r, if the existing
5	Side Yard	132, 133	sidewalk does not	meet the recommer	nded width
6			required by the Be	etter Streets Plan, a	front setback
7			shall be provided.	so that, when comb	ined with the
8			existing sidewalk,	the total distance f	rom the curb to
9			the building fronte	ige meets or exceed	ls the required
10			recommended wid	th under the Better	Streets Plan.
11			This setback is req	guired only up to 15	feet above street
12			grade. See § 132(e	<u>?).</u>	
13	* * * *				
14	Miscellaneous				
15	* * * *		T		
16	Design Guidelines and	General Plan	Subject to the U	ban Design Guid	elines <u>, <i>Citywide</i></u>
17	<u>Standards</u>	Commerce	Design Standards	, and any other app	licable design
18		and Industry	guidelines that ha	ve been approved b	y the Planning
19		Element	Commission.		
20	RESIDENTIAL STANDA	ARDS AND USE	S		
21	Development Standard	ls			
22	* * * *		T		
23	Residential Uses		C	Controls by Story	<i>I</i>
24			1st	2nd	3rd +
25	Residential Uses	§102	Р	Р	Р

		1	1		
1	Accessory Dwelling	§§102, 207.1,	P per Planning C	Code <i>Sections</i> §§ 2	07.1 and 207.2.
2	Unit <i>Density</i>	207.2			
3	Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area, or the density		
4	<u>General</u>		permitted in the	nearest R District	, whichever is
5			greater.		
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
7	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
8	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	loor Area or an
9	<u>Size</u>		equivalent Floor A	Area Ratio for any	<u>individual</u>
10			Dwelling Unit of I	1.2:1. C for Dwelli	ing Units that
11			exceed the greater of those thresholds.		
12	Group Housing Density	§ 208	1 bedroom per 210 square foot lot area, or the		
13			density permitted	d in the nearest R	District,
14			whichever is gre	ater.	
15	* * * *				
16	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C(1)</u>	
17	Conversion, Demolition,				
18	or Merger of Dwelling				
19	<u>Units, including</u>				
20	Residential Flats				
21			1st	2nd	3rd+
22	Residential Conversion	§ 317	€	€	<i>C(1)</i>
23	Residential Demolition	§ 317	€	ϵ	ϵ
24	and Merger				
25	NON-RESIDENTIAL STANDARDS AND USES				

Development Standards				
Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>		
	124 <u>, 207.9</u>	apply pursuant to § 207.9.		
* * * *				
* Not listed below				
(1) THIRD FLOO	R RESIDENTIAL	CONVERSION:		
Boundaries: Appl	icable to the Mis	sion Bernal NCD		
Controls: A Resid	ential Use may b	be converted to an Institutional Use, other than a		
Medical Cannabis Dispen	sary, as a Cond	itional Use on the third story and above if in addition		
to the criteria set forth in a	Section § 303 <u>317</u> , 1	the Commission finds that:		
(a) The structur	e in which the R	esidential Use is to be converted has been found		
eligible for listing on the N	lational Register	of Historic Places;		
(b) The propose	ed use is to be o	perated by a nonprofit public benefit corporation;		
and				
(c) No legally re	siding residentia	al tenants will be displaced.		
* * * *				
SEC. 741. SAN BI	RUNO AVENUE	NEIGHBORHOOD COMMERCIAL DISTRICT.		
* * * *				
Table 741. SAN BRUNO AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT				
ZONING CONTROL TABLE				
		San Bruno Avenue NCD		
Zoning Category	§ References	Controls		
BUILDING STANDARDS				
	* * * * * Not listed below (1) THIRD FLOO Boundaries: Appli Controls: A Resid Medical Cannabis Dispent to the criteria set forth in a (a) The structur eligible for listing on the N (b) The propose and (c) No legally re * * * * SEC. 741. SAN BR * * * * Table 741. SAN Zoning Category	Floor Area Ratio \$\\$ 102, 123, 124, 207.9 * * * * * * Not listed below (1) THIRD FLOOR RESIDENTIAL Boundaries: Applicable to the Miss Controls: A Residential Use may be Medical Cannabis Dispensary, as a Condito the criteria set forth in Section 303317, 1 (a) The structure in which the Resignate of the Proposed use is to be open and (b) The proposed use is to be open and (c) No legally residing residential * * * * * SEC. 741. SAN BRUNO AVENUE * * * * Table 741. SAN BRUNO AVENUE * * * * * ZONING Zoning Category \$ References		

Massing and Setbacks

1	* * * *					
2	Front Setback and	§§ 130, 131,	<i>Generally</i> <u>Nn</u> ot <u>R</u>	Generally Nnot Rrequired: however, if the existing		
3	Side Yard	132, 133	sidewalk does not meet the recommended width			
4			required by the Be	etter Streets Plan, o	a front setback	
5			shall be provided	so that, when comb	pined with the	
6			existing sidewalk,	the total distance <u>f</u>	from the curb to	
7			the building fronta	ige meets or exceed	ds the required	
8			recommended wid	th under the Better	Streets Plan.	
9			This setback is req	quired only up to 1.	5 feet above street	
10			grade. See § 132(e	<u>?).</u>		
11	* * * *					
12	Miscellaneous					
13	* * * *					
14	Design Guidelines and	General Plan	Subject to the Ur	ban Design Guid	delines <u>, <i>Citywide</i></u>	
15	<u>Standards</u>	Commerce	Design Standards,	, and any other app	plicable design	
16		and Industry	guidelines that hav	ve been approved l	by the Planning	
17		Element	Commission.			
18	RESIDENTIAL STANDA	ARDS AND USE	S			
19	Development Standard	ds				
20	* * * *					
21	Residential Uses	Residential Uses		Controls by Story		
22			1st	2nd	3rd +	
23	Residential Uses	§102	Р	Р	Р	
24	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections § 207.1 and 207.2.			
25	Unit <i>Density</i>	207.2				

1	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 s	quare foot lot area	a, or the density
2	<u>General</u>		permitted in the nearest R District, whichever is		
3			greater.		
4	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	ı, but generall <u>y</u>
5	Densities, if Applicable		ranges between 5	0 and 100 dwelling	units per acre.
6	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squ	are feet of Gross F	loor Area or an
7	<u>Size</u>		equivalent Floor	Area Ratio for any	<u>individual</u>
8			Dwelling Unit of	1.2:1. C for Dwell	ing Units that
9			exceed the greate	r of those threshold	<u>ls.</u>
10	Group Housing Density	§ 208	1 bedroom per 275 square foot lot area, or the		ot area, or the
11			density permitte	ed in the nearest F	R District,
12			whichever is gre	eater.	
13	* * * *				
14	Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	÷ <u>C</u>	
15	Conversion, Demolition,				
16	or Merger of Dwelling				
17	Units, including				
18	Residential Flats				
19			1st	2nd	3rd+
20	Residential Conversion	§ 317	ϵ	ϵ	NP.
21	Residential Demolition	§ 317	ϵ	ϵ	ϵ
22	and Merger				
23	NON-RESIDENTIAL ST	ANDARDS AND	USES		
24	Development Standard	S			

1	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>
2		124 <u>, 207.9</u>	apply pursuant to § 207.9.
3	* * * *		

)

SEC. 742. COLE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICTS.

The Cole Valley Neighborhood Commercial District is located along Cole Street from Frederick to Grattan Streets and includes some parcels north of Carl Street and south of Parnassus. It is a local shopping district with a mix of retail uses in a residential neighborhood that is near a transit line.

Building controls for the Cole Valley Neighborhood Commercial District promote <u>small</u> <u>to mid-scale low-intensity</u> development which is compatible with the existing scale and character of the area. Commercial development is limited to one story <u>with some exceptions</u>.

Rear yard requirements at all levels preserve existing backyard space.

Commercial use provisions encourage the full range of neighborhood-serving convenience retail sales and services at the first story provided that the use size generally is limited to 3,000 square feet. However, commercial uses and features which could impact residential livability are prohibited, such as auto uses, financial services, general advertising signs, drive-up facilities, hotels, and late-night activity.

Housing development in new buildings is encouraged above the ground story. *Existing* residential units are protected by prohibitions of conversions above the ground story and limitations on demolitions. Accessory Dwelling Units are permitted within the District pursuant to Sections 207.1 and 207.2 of this Code.

Table 742. COLE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Cole Valley NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk
	106, 250–252,	Map Sheet HT06 for more information. Height
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	
* * * *		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired.; however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan.

		1		
				o to 15 feet above street
* * * *		grade. See §	<u> 132(e).</u>	
Miscellaneous				
* * * *				
Canopy or Marquee	§ 136.1	NP <u>(5)</u>		
* * * *				
Design Guidelines and	General Plan	Subject to th	e Urban Design G	Guidelines <u>, <i>Citywide</i></u>
<u>Standards</u>	Commerce	Design Stando	ards, and any other	applicable design
	and Industry	guidelines tha	t have been approv	ed by the Planning
	Element	Commission.		
Housing Choice-SF	<u>§ 206.10</u>	Form-based d	lensity, additional h	eight, and other zoning
		modifications	for eligible project.	s in the R-4 Height and
		Bulk District.		
RESIDENTIAL STAND	ARDS AND USE	S		
Development Standar	ds			
* * * *				
Residential Uses		Controls by Story		Story
		1st	2nd	3rd +
Residential Uses	§102	Р	Р	Р
Accessory Dwelling	§§102, 207.1,	, P per Planning Code Sections § 207.1 and 207.2.		
Unit <i>Density</i>	207.2			

24

	ī	
Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density
<u>General</u>		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
<u>Size</u>		equivalent Floor Area Ratio for any individual
		Dwelling Unit of 1.2:1. C for Dwelling Units that
		exceed the greater of those thresholds.
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density
		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
* * * *		
Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise
	202.2(f), 207	permitted as a Principal Use in the district and
		meeting all the requirements of § 202.2(f)(1). C up to
		twice the number of dwelling units otherwise
		permitted as a Principal Use in the district and
		meeting all requirements of § 202.2(f)(1), except for §
		202.2(f)(1)(D)(iv), related to location.Form-Based
		<u>Density.</u>
Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
Conversion, Demolition,		
or Merger of Dwelling		
	Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units: Conversion, Demolition,	General \$ 207.9 Minimum Dwelling Unit \$ 207.9 Densities, if Applicable \$\$ 207.10, 317 Maximum Dwelling Unit \$\$ 208 Senior Housing Density \$\$ \$208 * * * * Senior Housing Density \$\$ 102, 202.2(f), 207 Loss of Dwelling Units: ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * ** * * * ** * * ** * * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * * * ** * *

Units, including				
Residential Flats				
		1st	2nd	3rd+
Residential Conversion	§ 317	ϵ	NP	NP
Residential Demolition	§ 317	ϵ	ϵ	ϵ
and Merger				
NON-RESIDENTIAL ST	TANDARDS AND	USES		
Development Standard	ds			
Floor Area Ratio	§§ 102, 123,	1.8 to 1. <i>For Offi</i>	ice Uses minimum i	ntensities may
	124 <u>, 207.9</u>	apply pursuant to	§ 207.9.	
* * * *				

(5) Canopy is P if required as a wind mitigation feature.

SEC. 743. LOWER HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

The Lower Haight Street Neighborhood Commercial District is located along Haight Street between Webster and Steiner Streets. The District is a small-scale linear shopping street which provides convenience goods and services to the surrounding neighborhood as well as limited comparison shopping goods for a wider market.

The District controls provide for mixed-use buildings which approximate or <u>slightlymoderately</u> exceed the standard development pattern. Rear yard requirements above the ground story and at residential levels preserve open space corridors of interior blocks.

Most new commercial development is permitted at the ground and second stories.

Neighborhood-serving businesses are strongly encouraged. The second story may be used by some retail stores, personal services, and medical, business and professional offices.

Parking and hotels are monitored at all stories. Limits on late-night activity, drive-up facilities, and other automobile uses protect the livability within and around the District, and promote continuous retail frontage.

Housing development in new buildings is encouraged above the ground story. *Existing residential units are protected by limitations on demolition and upper-story conversions.* Accessory Dwelling Units are permitted *within the District pursuant to Sections 207.1 and 207.2 of this Code*.

Table 743. LOWER HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Lower Haight Street NCD			
Zoning Category	§ References	Controls			
BUILDING STANDARD	BUILDING STANDARDS				
Massing and Setbacks					
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk			
	106, 250–252,	Map Sheet HT07 for more information. Height			
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.			
	261.1, 270,				
	<u>270.3,</u> 271 .				
	See also				
	Height and				
	Bulk District				
	Maps.				
* * * *					
Front Setback and	§§ 130, 131,	Generally NnOt Rrequired: however, if the existing			
Side Yard	132, 133	sidewalk does not meet the recommended width			

			1		
1			required by the Be	etter Streets Plan,	a front setback
2			shall be provided	so that, when com	bined with the
3			existing sidewalk,	the total distance	from the curb to
4			the building frontage meets or exceeds the required		
5			recommended wid	th under the Bette	r Streets Plan.
6			This setback is req	uired only up to I	15 feet above street
7			grade. See § 132(d	<u>e).</u>	
8	* * * *				
9	Miscellaneous				
10	* * * *				
11	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
12	<u>Standards</u>	Commerce	Design Standards, and any other applicable design		
13		and Industry	guidelines that have been approved by the Planning		
14		Element	Commission.		
15	Housing Choice-SF	<u>§ 206.10</u>	Form-based densi	ty, additional heig	ght, and other
16			zoning modification	ons for eligible pro	ojects in the R-4
17			Height and Bulk L	District.	
18	RESIDENTIAL STANDA	ARDS AND USE	S		
19	Development Standard	ls			
20	* * * *				
21	Residential Uses		Controls by Story		
22			1st	2nd	3rd +
23	Residential Uses	§102	Р	Р	Р
24	Accessory Dwelling	§§102, 207.1,	P per Planning (Code <i>Sections</i> §§ 2	207.1 and 207.2.
25	Unit <i>Density</i>	207.2			

	ī	
Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density
<u>General</u>		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
<u>Size</u>		equivalent Floor Area Ratio for any individual
		Dwelling Unit of 1.2:1. C for Dwelling Units that
		exceed the greater of those thresholds.
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density
		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
* * * *		
Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise
	202.2(f), 207	permitted as a Principal Use in the district and
		meeting all the requirements of § 202.2(f)(1). C up to
		twice the number of dwelling units otherwise
		permitted as a Principal Use in the district and
		meeting all requirements of § 202.2(f)(1), except for §
		202.2(f)(1)(D)(iv), related to location.Form-Based
		<u>Density.</u>
Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
Conversion, Demolition,		
or Merger of Dwelling		
	Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units: Conversion, Demolition,	General \$ 207.9 Densities, if Applicable \$\$ 207.10, 317 Maximum Dwelling Unit Size \$\$ 207.10, 317 Group Housing Density \$208 * * * * * Senior Housing Density \$\$102, 202.2(f), 207 Loss of Dwelling Units: \$\$ 317 Conversion, Demolition, \$\$ 317

1	Units, including					
2	<u>Residential Flats</u>					
3			1st	2nd	3rd+	
4	Residential Conversion	§ 317	ϵ	ϵ	NP	
5	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
6	and Merger					
7	NON-RESIDENTIAL STA	ANDARDS AND	USES			
8	Development Standard	s				
9	Floor Area Ratio	§§ 102, 123,	2.5 to 1 <u>. For Offi</u>	ce Uses minimum i	ntensities may	
10		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>		
11	* * * *					
12	12 * * * *					

SEC. 744. LOWER POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

Table 744. LOWER POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Lower Polk Street NCD				
Zoning Category	§ References	Controls				
BUILDING STANDARD	S					
Massing and Setbacks						
* * * *	* * *					
Front Setback and	§§ <u>130,</u> 131,	Generally Nnot Rrequired: however, if the existing				
Side Yard	132, 133	sidewalk does not meet the recommended width				

1			required by the Be	tter Streets Plan, a	front setback	
2			shall be provided	so that, when comb	ined with the	
3			existing sidewalk,	the total distance f	rom the curb to	
4			the building fronte	ige meets or exceed	ds the required	
5			recommended wid	th under the Better	Streets Plan.	
6			This setback is req	uired only up to 15	<u>feet above street</u>	
7			grade. See § 132(e	<u>?).</u>		
8	* * * *					
9	Miscellaneous					
10	* * * *	,	,			
11	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
12	<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
13		and Industry	guidelines that have been approved by the Planning			
14		Element	Commission.			
15	RESIDENTIAL STANDA	RDS AND USES	S			
16	Development Standard	S				
17	* * * *		,			
18	Residential Uses	,	С	ontrols by Story	/	
19			1st	2nd	3rd +	
20	Residential Uses	§102	Р	Р	Р	
21	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections § 207.1 and 207.2.			
22	Unit <i>Density</i>	207.2				
23	Dwelling Unit Density,	§§ 102, 207	1 unit per 600 square foot lot area, or the density			
24	<u>General</u>		permitted in the nearest R District, whichever is			
25			greater.			

1	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	. but generally
2	Densities, if Applicable	<u>,, = = = = = = = = = = = = = = = = = = </u>		0 and 100 dwelling	· ·
3	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an		
4	Size		equivalent Floor	Area Ratio for any i	individual
5			Dwelling Unit of .	1.2:1. C for Dwelli	ng Units that
6				r of those threshold	-
7	Group Housing Density	§ 208	1 bedroom per 2	210 square foot lo	t area, or the
8			density permitte	d in the nearest R	District,
9			whichever is greater.		
10	* * * *				
11	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC(1)		
12	Conversion, Demolition,				
13	or Merger of Dwelling				
14	Units, including				
15	Residential Flats				
16			1st	2nd	3rd+
17	Residential Conversion	§ 317	ϵ	E	<i>C(1)</i>
18	Residential Demolition	§ 317	ϵ	ϵ	ϵ
19	and Merger				
20	NON-RESIDENTIAL ST	ANDARDS AND	USES		
21	Development Standard	s			
22	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>		
23		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
24	* * * *				

^{*} Not listed below

1 (1) THIRD FLOOR RESIDENTIAL CONVERSION: 2 Boundaries: Applicable to the Lower Polk Street NCD 3 **Controls:** A Residential Use may be converted to an Institutional Use, other than a Medical Cannabis Dispensary, as a Conditional Use on the third story and above if in addition 4 5 to the criteria set forth in Section § 303317, the Commission finds that: 6 (a) The structure in which the Residential Use is to be converted has been found 7 eligible for listing on the National Register of Historic Places; 8 (b) The proposed use is to be operated by a nonprofit public benefit corporation; 9 and (c) No legally residing residential tenants will be displaced. 10 11 12 SEC. 745. INNER TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT. 13 14 The Inner Taraval Street Neighborhood Commercial District is located along Taraval 15 Street between 19th and Forest Side Avenues in the Inner Sunset neighborhood. It is separated from the Taraval Street Neighborhood Commercial District by 19th Avenue. The 16

The District controls provide for mixed-use buildings which approximate or <u>slightlymoderately</u>-exceed the standard development pattern. Rear yard requirements above the ground story and at residential levels preserve open space corridors of interior blocks.

services to the surrounding neighborhood as well as limited comparison shopping goods for a

District is a small-scale linear shopping street which provides convenience goods and

Most new commercial development is permitted at the ground and second stories.

Neighborhood-serving businesses are strongly encouraged. The second story may be used by some retail stores, personal services, and medical, business and professional offices.

wider market.

17

18

19

20

21

22

23

24

Parking and hotels are monitored at all stories. Limits on late-night activity, drive-up facilities, and other automobile uses protect the livability within and around the District, and promote continuous retail frontage.

Housing development in new buildings is encouraged above the ground story. *Existing residential units are protected by limitations on demolition and upper-story conversions.* Accessory Dwelling Units are permitted *within the District pursuant to Sections 207.1 and 207.2 of this Code*.

Table 745. INNER TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Inner Taraval Street NCD
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 40-X. See Height and Bulk
	106, 250–252,	Map Sheets HT06 for more information. Height
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps.	
* * * *		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width

		_			
1			required by the Be	etter Streets Plan, a	front setback
2			shall be provided	so that, when comb	ined with the
3			existing sidewalk,	the total distance f	rom the curb to
4			the building fronte	age meets or exceed	ls the required
5			recommended width under the Better Streets Plan.		
6			This setback is req	quired only up to 15	<u>feet above street</u>
7			grade. See § 132(e	<u>e).</u>	
8	* * * *				
9	Miscellaneous				
10	* * * *				
11	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
12	<u>Standards</u>	Commerce	<u>Design Standards, a</u>	and any other appli	cable design
13		and Industry	guidelines that have	been approved by	the Planning
14		Element	Commission.		
15	Housing Choice-SF	<u>§ 206.10</u>	Form-based density	, additional height,	and other zoning
16			modifications for eli	igible projects in th	e R-4 Height and
17			Bulk District.		
18	RESIDENTIAL STAND	ARDS AND USE	S		
19	Development Standard	ds			
20	* * * *				
21	Residential Uses		Controls by Story		
22			1st	2nd	3rd +
23	Residential Uses	§102	Р	Р	Р
24	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections §§ 207.1 and 207.2.		
25	Unit <i>Density</i>	207.2			
	-	•			

	ī	
Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density
<u>General</u>		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
<u>Size</u>		equivalent Floor Area Ratio for any individual
		Dwelling Unit of 1.2:1. C for Dwelling Units that
		exceed the greater of those thresholds.
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density
		permitted in the nearest R District, whichever is
		greater.Form-Based Density.
* * * *		
Senior Housing Density	§§102,	P up to twice the number of dwelling units otherwise
	202.2(f), 207	permitted as a Principal Use in the district and
		meeting all the requirements of § 202.2(f)(1). C up to
		twice the number of dwelling units otherwise
		permitted as a Principal Use in the district and
		meeting all requirements of § 202.2(f)(1), except for §
		202.2(f)(1)(D)(iv), related to location.Form-Based
		<u>Density.</u>
Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC
Conversion, Demolition,		
or Merger of Dwelling		
	Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Group Housing Density * * * * Senior Housing Density Loss of Dwelling Units: Conversion, Demolition,	General \$ 207.9 Minimum Dwelling Unit \$ 207.10, 317 Densities, if Applicable \$\$ 207.10, 317 Maximum Dwelling Unit \$\$ 208 Senior Housing Density \$\$ \$102, 202.2(f), 207 Loss of Dwelling Units: Conversion, Demolition, \$\$ 317

1	Units, including					
2	<u>Residential Flats</u>					
3			1st	2nd	3rd+	
4	Residential Conversion	§ 317	ϵ	ϵ	NP	
5	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
6	and Merger					
7	NON-RESIDENTIAL STA	ANDARDS AND	USES			
8	Development Standard	s				
9	Floor Area Ratio	§§ 102, 123,	2.5 to 1 <u>. For Offi</u>	ce Uses minimum i	ntensities ma <u>y</u>	
10		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>		
11	* * * *					
12	* * *					

SEC. 746. LELAND AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT.

Table 746. LELAND AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Leland Avenue NCD			
Zoning Category	§ References	Controls			
BUILDING STANDARI	BUILDING STANDARDS				
Massing and Setback	S				
* * * *					
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired-; however, if the existing			
Side Yard	132, 133	sidewalk does not meet the recommended width			

1			required by the Be	tter Streets Plan, a	front setback	
2			shall be provided	so that, when comb	ined with the	
3			existing sidewalk,	the total distance f	rom the curb to	
4			the building fronto	ige meets or exceed	ds the required	
5			recommended wid	th under the Better	Streets Plan.	
6			This setback is req	uired only up to 15	<u>feet above street</u>	
7			grade. See § 132(e	<u>?).</u>		
8	* * * *					
9	Miscellaneous					
10	* * * *	,	,			
11	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
12	<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
13		and Industry	guidelines that have been approved by the Planning			
14		Element	Commission.			
15	RESIDENTIAL STANDA	RDS AND USES	S			
16	Development Standard	S				
17	* * * *		,			
18	Residential Uses	,	С	ontrols by Story	/	
19			1st	2nd	3rd +	
20	Residential Uses	§102	Р	Р	Р	
21	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections § 207.1 and 207.2.			
22	Unit <i>Density</i>	207.2				
23	Dwelling Unit Density,	§§ 102, 207	1 unit per 800 square foot lot area, or the density			
24	<u>General</u>		permitted in the nearest R District, whichever is			
25			greater.			

			T			
1	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally			
2	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.			
3	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an			
4	<u>Size</u>		equivalent Floor Area Ratio for any individual			
5			Dwelling Unit of 1.2:1. C for Dwelling Units that			
6			exceed the greater of those thresholds.			
7	Group Housing Density	§ 208	1 bedroom per 275 square foot lot area, or the			
8			density permitted in the nearest R District,			
9			whichever is greater.			
10	* * * *					
11	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC			
12	Conversion, Demolition,					
13	or Merger of Dwelling					
14	Units, including					
15	Residential Flats					
16			1st	2nd	3rd+	
17	Residential Conversion	§ 317	€	ϵ	NP	
18	Residential Demolition	§ 317	€	ϵ	ϵ	
19	and Merger					
20	NON-RESIDENTIAL STANDARDS AND USES					
21	Development Standards					
22	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>			
23		124 <u>, 207.9</u>	apply pursuant to § 207.9.			
24	* * * *					
25	* * * *					

SEC. 750. NCT-1 – NEIGHBORHOOD COMMERCIAL TRANSIT CLUSTER DISTRICT.

NCT-1 Districts are intended to serve as local neighborhood shopping districts, providing convenience retail goods and services for the immediately surrounding neighborhoods primarily during daytime hours. NCT-1 Districts are located near major transit services. They are small mixed-use clusters, generally surrounded by residential districts, with small-scale neighborhood-serving commercial uses on lower floors and housing above. Housing density is limited not by lot area, but by the regulations on the built envelope of buildings, including height, bulk, setbacks, and lot coverage, and standards for residential uses, including open space and exposure, and urban design guidelines. There are prohibitions on access (i.e. driveways, garage entries) to off-street parking and loading on critical stretches of commercial and transit street frontages to preserve and enhance the pedestrian-oriented character and transit function. Residential parking is not required and generally limited. Commercial establishments are discouraged from building excessive accessory off-street parking in order to preserve the pedestrian-oriented character of the district and prevent attracting auto traffic.

NCT-1 Districts are generally characterized by their location in residential neighborhoods. The commercial intensity of these districts varies. Many of these districts have the lowest intensity of commercial development in the City, generally consisting of small clusters with three or more commercial establishments, commonly grouped around a corner; and in some cases short linear commercial strips with low-scale, interspersed mixed-use (residential-commercial) development. Building controls for the NCT-1 District promote low-intensity development which is compatible with the existing scale and character of these

- 1 neighborhood areas. Commercial development is limited to one story, with certain exceptions.
- 2 Rear yard requirements at all levels preserve existing backyard space.

3 * * * *

Existing residential units are protected by prohibitions of conversions above the ground story and limitations on demolitions.

Table 750. NEIGHBORHOOD COMMERCIAL TRANSIT CLUSTER DISTRICT NCT-1 ZONING CONTROL TABLE

		NCT-1
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheets HT11
	106, 250–252,	and HT12 for more information. Height sculpting
	260, <u>263.19,</u>	required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps.	
* * * *	,	
Front Setback and	§§ 130, 131,	<u>Generally Nnot Rrequired.; however, if the existing</u>
Side Yard	132, 133	sidewalk does not meet the recommended width

1			required by the B	etter Streets Plan, a	front setback
2			shall be provided	so that, when comb	ined with the
3			existing sidewalk,	the total distance f	rom the curb to
4			the building front	age meets or exceed	ds the required
5			recommended wid	dth under the Better	Streets Plan.
6			This setback is re	quired only up to 15	<u>5 feet above street</u>
7			grade. See § 132(<u>(e).</u>	
8	* * * *				
9	Miscellaneous				
10	* * * *				
11	Canopy or Marquee	§ 136.1	NP <u>(2)</u>		
12	* * * *				
13	Design Guidelines and	General Plan	Subject to the U	Irban Design Guid	elines <u>, <i>Citywide</i></u>
14	<u>Standards</u>	Commerce	Design Standards	s, and any other app	olicable design
15		and Industry	guidelines that ho	ive been approved b	y the Planning
16		Element	Commission.		
17	Housing Choice-SF	<u>§ 206.10</u>	Form-based dens	ity, additional heigh	nt, and other
18			zoning modificati	ons for eligible proj	iects in the R-4
19			Height and Bulk	District.	
20	RESIDENTIAL STANDA	ARDS AND USE	S		
21	Development Standard	s			
22	* * * *				
23	Residential Uses			Controls by Story	<i>y</i>
24			1st	2nd	3rd +
25	Residential Uses	§102	P(1)	Р	Р
	·	·	·	·	

	1	1		
Accessory Dwelling	§§102, 207.1,	P per Planning (Code Sections §§ 2	07.1 and 207.2.
Unit	207.2			
Dwelling Units, Senior	§ 102,	No density limit b	y lot area. Density	restricted by
Housing, and Group	202.2(f), 207,	physical envelope	controls of height,	bulk, setbacks,
Housing., Generally	208	open space, expos	ure and other appl	icable controls of
		this and other Coe	des, as well as by a	pplicable design
		guidelines, applic	able elements and e	area plans of the
		General Plan, and	l design review by i	the Planning
		Department. Form	-Based Density.	
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	<u>, but generally</u>
Densities, if Applicable		ranges between 50	0 and 100 dwelling	units per acre.
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	loor Area or an
<u>Size</u>		equivalent Floor	Area Ratio for any	<u>individual</u>
		Dwelling Unit of I	1.2:1. C for Dwelli	ng Units that
		exceed the greater	r of those threshold	<u>'s.</u>
* * * *				
Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u>C</u>	
Dwelling Units:				
Conversion, Demolition,				
or Merger of Dwelling				
Units, including				
Residential Flats				
		1st	2nd	3rd+
Residential Conversion	§ 317	€	NP	NP
	Unit Dwelling Units, Senior Housing, and Group Housing., Generally Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size * * * * Loss and Division of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats	Unit 207.2 Dwelling Units, Senior § 102, Housing, and Group 202.2(f), 207, Housing:, Generally 208 Minimum Dwelling Unit § 207.9 Densities, if Applicable Maximum Dwelling Unit § 207.10, 317 Size * * * * Loss and Division of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats	Unit 207.2 Dwelling Units, Senior \$ 102,	Unit Dwelling Units, Senior Housing, and Group Housing, Generally 208 Department. Form-Based Density. Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size Minimum Dwelling Unit Size Maximum Dwelling Unit Size Dwelling Unit of 1.2:1. C for Dwelling Units: Conversion, Demolition, Or Merger of Dwelling Units, including Residential Flats No density limit by lot area. Density. No density limit by lot area. Density. No density limit by lot area. Density. Physical envelope controls of height, open space, exposure and other appl this and other Codes, as well as by a guidelines, applicable elements and of General Plan, and design review by a Department. Form-Based Density. Varies depending on project location ranges between 50 and 100 dwelling ranges between 50 and 100 dwelling Unit of 1.2:1. C for Dwelling Unit of 1.2:1. C for Dwelling Unit of 1.2:1. C for Dwelling exceed the greater of those threshold * * * * * Loss and Division-of Dwelling Units: Conversion, Demolition, Or Merger of Dwelling Units, including Residential Flats 1-st 2nd

1	Residential Demolition	§ 317	ϵ	€	ϵ
2	and Merger				
3	Division of Dwelling	§ 207.8	Division of existi	ng Dwelling Units	P per § 207.8
4	Units				
5	NON-RESIDENTIAL STA	ANDARDS AND	USES		
6	Development Standard	S			
7	Floor Area Ratio	§§ 102, 123,	1.8 to 1. <u>For Offi</u>	ce Uses minimum i	ntensities may
8		124, 207.9 apply pursuant to § 207.9.			
9	* * * *				
10	* * *				
11	1 (1) C required for ground floor Residential Use when street frontage is listed in <u>Section</u>				
12	2 145.4(b) <u>.</u>				
13	(2) [Note deleted.]	- <u>Canopy is P if req</u>	uired as a wind mi	tigation feature.	
14	* * * *				
15					
16	SEC. 751. NCT-2 -	SMALL-SCALE	NEIGHBORHO	OD COMMERCIA	AL TRANSIT
17	DISTRICT.				
18	* * * *				
19	Housing developme	ent in new buildir	ngs is encouraged	d above the groun	d story. Existing
20	residential units are protecte	ed by limitations or	n demolition and up	per story conversi	ons. <u>Accessory</u>
21	Dwelling Units are permitted	<u>d.</u>			
22					
23	Table 751. SMALL-SCA	LE NEIGHBORH	HOOD COMMER	CIAL TRANSIT D	ISTRICT NCT-2
24		ZONING	CONTROL TABL	.E	

		NCT-2
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheets HT08,
	106, 250–252,	HT11, and HT12 for more information. Height
	260, <u>263.19,</u>	sculpting required on Alleys per § 261.1.
	261.1, 270,	
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	
* * * *	T	
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired.; however, if the existing
Side Yard	132, 133	sidewalk does not meet the recommended width
		required by the Better Streets Plan, a front setback
		shall be provided so that, when combined with the
		existing sidewalk, the total distance from the curb to
		the building frontage meets or exceeds the required
		recommended width under the Better Streets Plan.
		This setback is required only up to 15 feet above street
		grade. See § 132(e).
* * * *		
Miscellaneous		

1	* * * *				
2	Design Guidelines and	General Plan	Subject to the Urba	an Design Guidel	ines <u>, Citywide</u>
3	<u>Standards</u>	Commerce	Design Standards, a	nd any other applic	cable design
4		and Industry	guidelines that have	been approved by	the Planning
5		Element	Commission.		
6	Housing Choice-SF	<u>§ 206.10</u>	Form-based density,	additional height,	and other zoning
7			modifications for eli	gible projects in the	e R-4 Height and
8			Bulk District.		
9	RESIDENTIAL STANDA	ARDS AND USE	S		
10	Development Standard	ds			
11	* * * *				
12	Dwelling Unit Mix	§ 207.6	Generally <i>Rr</i> equi	red for creation o	f five or more
13			Dwelling Units. N	lo less than 40%	of the total
14			number of propo	sed Dwelling Unit	s shall contain
15			at least two bedr	ooms; or no less	than 30% of the
16			total number of p	roposed Dwelling	Units shall
17			contain at least t	hree bedrooms.	
18	* * * *		1		
19	Residential Uses		С	controls by Story	,
20			1st	2nd	3rd +
21	Residential Uses	§102	P(1)	Р	Р
22	Accessory Dwelling	§§102, 207.1,	P per Planning C	ode Sections 207	7.1 and 207.2.
23	Unit	207.2			

	Г	1	1		
1	Dwelling Units, Senior	§ 102,	No density limit by	y lot area. Density	restricted by
2	Housing, and Group	202.2(f), 207,	physical envelope	controls of height,	bulk, setbacks,
3	Housing., Generally	208	open space, expos	ure and other appl	icable controls of
4			this and other Coe	les, as well as by ap	pplicable design
5			guidelines, applica	able elements and e	irea plans of the
6			General Plan, and	l design review by t	the Planning
7			Department.Form	-Based Density.	
8	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
9	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
10	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	oor Area or an
11	<u>Size</u>		equivalent Floor A	Area Ratio for any t	individual
12			Dwelling Unit of I	1.2:1. C for Dwelli	ng Units that
13			exceed the greater	of those threshold	<u>s.</u>
14	* * * *				
15	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u>C</u>	
16	Dwelling Units:				
17	Conversion, Demolition,				
18	or Merger of Dwelling				
19	Units, including				
20	Residential Flats				
21			1st	2nd	3rd+
22	Residential Conversion	§ 317	ϵ	ϵ	ϵ
23	Residential Demolition	§ 317	€	ϵ	ϵ
24	and Merger				
	·	•			

1	Division of Dwelling	§ 207.8	Division of existing Dwelling Units P per § 207.8	
2	Units			
3	NON-RESIDENTIAL STA	ANDARDS AND	USES	
4	Development Standard	S		
5	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>	
6		124 <u>, 207.9</u>	apply pursuant to § 207.9.	
7	* * * *			
8	* * * *			
9	(1) C required for	ground floor Res	sidential Use when street frontage is listed in <u>Section</u>	
10	145.4(b) <u>.</u>			
11	* * * *			
12				
13	SEC. 752. NCT-3 – MODERATE-SCALE NEIGHBORHOOD COMMERCIAL			
14	TRANSIT DISTRICT.			
15	* * * *			
16	(e) Housing devel	opment in new b	uildings is encouraged above the second story.	
17	Existing Residential Units ar	e protected by lim	itations on demolitions and upper-story conversions.	
18	Accessory Dwelling Units	are permitted <i>wii</i>	thin the district pursuant to Sections 207.1 and 207.2 of	
19	this Code.			
20				
21	Table 752. MODERATE	-SCALE NEIGH	IBORHOOD COMMERCIAL TRANSIT DISTRICT	
22			NCT-3	
23		ZONING	CONTROL TABLE	
24			NCT-3	
25	Zoning Category	oning Category § References Controls		

	BUILDING STANDARD	S	
2	Massing and Setbacks	,	
3	Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheets HT02
ļ		106, 250–252,	and HT07 for more information. Height sculpting
5		260, <u>263.19,</u>	required on Alleys per § 261.1.
6		261.1, 270,	
7		<u>270.3,</u> 271 .	
		See also	
		Height and	
)		Bulk District	
		Maps.	
2	* * * *		
3	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired.; however, if the existing
	Side Yard	132, 133	sidewalk does not meet the recommended width
			required by the Better Streets Plan, a front setback
			shall be provided so that, when combined with the
			existing sidewalk, the total distance from the curb to
			the building frontage meets or exceeds the required
			recommended width under the Better Streets Plan.
			This setback is required only up to 15 feet above street
			grade. See § 132(e).
	* * * *		
	Miscellaneous		
	* * * *		

Design Guidelines and	General Plan	Subject to the Urb	an Design Guidel	ines <u>, <i>Citywide</i></u>
<u>Standards</u>	Commerce	Design Standards, a	and any other appli	cable design
	and Industry	guidelines that have	been approved by	the Planning
	Element	Commission.		
Housing Choice-SF	<u>§ 206.10</u>	Form-based density	, additional height,	and other zoning
		modifications for eli	igible projects in th	e R-4 Height and
		Bulk District.		
RESIDENTIAL STANDA	SIDENTIAL STANDARDS AND USES			
Development Standard	ls			
* * * *				
Dwelling Unit Mix	§ 207.6	Generally <u>Rr</u> equ	ired for creation o	f five or more
		Dwelling Units. N	No less than 40%	of the total
		number of propo	sed Dwelling Unit	s shall contain
		at least two bedr	ooms; or no less	than 30% of the
		total number of p	proposed Dwelling	g Units shall
		contain at least t	hree bedrooms.	
* * * *				
Residential Uses		C	Controls by Story	,
		1st	2nd	3rd +
Residential Uses	§102	P(1)	Р	Р
Accessory Dwelling	§§102, 207.1,	P per Planning C	Code Sections 207	7.1 and 207.2.
Unit	207.2			
Dwelling Units, Senior	§ 102,	No density limit by	y lot area. Density 1	restricted by
Housing, and Group	202.2(f), 207,	physical envelope	controls of height,	bulk, setbacks,
Housing <u>-, Generally</u>	208	open space, expos	ure and other appli	cable controls of
	RESIDENTIAL STANDA Development Standard * * * * Dwelling Unit Mix * * * Residential Uses Residential Uses Accessory Dwelling Unit Dwelling Units, Senior Housing, and Group	Standards Commerce and Industry Element Housing Choice-SF RESIDENTIAL STANDARDS AND USI Development Standards * * * * Dwelling Unit Mix \$ 207.6 Residential Uses Residential Uses Residential Uses Residential Uses Quantity \$ 206.10	Standards Commerce and Industry guidelines that have guidelines that ha	Commerce and Industry guidelines that have been approved by Element Commission. Housing Choice-SF \$ 206.10 Form-based density, additional height, modifications for eligible projects in the Bulk District. RESIDENTIAL STANDARDS AND USES Development Standards * * * * Dwelling Unit Mix \$ 207.6 Generally Required for creation of Dwelling Units. No less than 40% number of proposed Dwelling Unit at least two bedrooms; or no less total number of proposed Dwelling contain at least three bedrooms. * * * * Residential Uses \$102 P(1) P Accessory Dwelling Units, Senior \$102, No density limit by lot area. Density of Physical envelope controls of height, Physical envelope controls of height, Physical envelope controls of height,

1			this and other Cod	es as well as by an	plicable design
2				ible elements and a	
3				design review by th	
			,	,	ic I tanitung
4			Department.Form-	·	
5	Minimum Dwelling Unit	<u>§ 207.9</u>	<u>Varies depending d</u>	on project location,	but generally
6	<u>Densities, if Applicable</u>		ranges between 50	and 100 dwelling i	units per acre.
7	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 squa</u>	re feet of Gross Flo	oor Area or an
8	<u>Size</u>		equivalent Floor A	rea Ratio for any i	ndividual
9			Dwelling Unit of 1	.2:1. C for Dwellin	ng Units that
10			exceed the greater	of those thresholds	<u>'-</u>
11	* * * *				
12	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	2	
13	Dwelling Units:				
14	Conversion, Demolition,				
15	or Merger of Dwelling				
16	<u>Units, including</u>				
17	<u>Residential Flats</u>				
18			1st	2nd	3rd+
19	Residential Conversion	§ 317	ϵ	ϵ	ϵ
20	Residential Demolition	§ 317	ϵ	ϵ	ϵ
21	and Merger				
22	Division of Dwelling	§ 207.8	Division of existing	ng Dwelling Units	P per § 207.8
23	Units				
24	NON-RESIDENTIAL ST	ANDARDS AND	USES		
25	Development Standard	s			

1	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>
2		124 <u>, 207.9</u>	apply pursuant to § 207.9.
3	* * * *		
4	* * * *		
5	(1) C required for	ground floor Res	sidential Use when street frontage is listed in <u>Section</u>
6	145.4(b) <u>.</u>		
7	* * * *		
8			
9	SEC. 753. SOMA	NEIGHBORHOC	D COMMERCIAL TRANSIT DISTRICT.
10	* * * *		
11	Table 753. S	SOMA NEIGHBO	RHOOD COMMERCIAL TRANSIT DISTRICT
12		ZONII	NG CONTROL TABLE
13			
			SoMa NCT
14	Zoning Category	§ References	SoMa NCT Controls
	Zoning Category BUILDING STANDARD		
14		S	
14 15	BUILDING STANDARD	S	
14 15 16	BUILDING STANDARD Massing and Setbacks	S	
14 15 16 17	BUILDING STANDARD Massing and Setbacks	S	Controls
14 15 16 17 18	BUILDING STANDARD Massing and Setbacks * * * * Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
14 15 16 17 18 19	BUILDING STANDARD Massing and Setbacks * * * * Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing sidewalk does not meet the recommended width
14 15 16 17 18 19 20	BUILDING STANDARD Massing and Setbacks * * * * Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing sidewalk does not meet the recommended width required by the Better Streets Plan, a front setback

24

25

the building frontage meets or exceeds the required

recommended width under the Better Streets Plan.

			T		
1			This setback is req	uired only up to 15	feet above street
2			grade. See § 132(e	<u>e).</u>	
3	* * * *				
4	Miscellaneous				
5	* * * *				
6	Design Guidelines and	General Plan	Subject to the Urb	an Design Guidel	lines <u>, <i>Citywide</i></u>
7	<u>Standards</u>	Commerce	Design Standards,	and any other app	licable design
8		and Industry	guidelines that have been approved by the Planning		
9		Element	Commission.		
10	RESIDENTIAL STANDARDS AND USES				
11	Development Standards				
12	* * * *				
13	Residential Uses		Controls by Story		
14			1st	2nd	3rd +
15	Residential Uses	§102	P(1)	Р	Р
16	Accessory Dwelling	§§102, 207.1,	P per Planning C	Code Sections 207	7.1 and 207.2.
17	Unit	207.2			
18	Dwelling Units, Senior	§ 102,	No density limit by	r lot area. Density 1	restricted by
19	Housing, and Group	202.2(f), 207,	physical envelope	controls of height,	bulk, setbacks,
20	Housing., <i>Generally</i>	208	open space, expos	ure and other appli	cable controls of
21			this and other Coa	les, as well as by ap	oplicable design
22			guidelines, applicable elements and area plans of the		
23			General Plan, and	design review by t	he Planning
24			Department.Form	-Based Density.	

1	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
2	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
3	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
4	<u>Size</u>		equivalent Floor A	Area Ratio for any i	ndividual
5			Dwelling Unit of	1.2:1. C for Dwelli	ng Units that
6			exceed the greater	of those threshold	<u>s.</u>
7	* * * *				
8	Loss <i>and Division</i> -of	<u>§ 317</u>	Controls by StoryC		
9	Dwelling Units:				
10	Conversion, Demolition,				
11	or Merger of Dwelling				
12	<u>Units, including</u>				
13	<u>Residential Flats</u>				
14			1st	2nd	3rd+
15	Residential Conversion	§ 317	€	ϵ	NP
16	Residential Demolition	§ 317	ϵ	ϵ	ϵ
17	and Merger				
18	Division of Dwelling	§ 207.8	Division of exist	ting Dwelling Unit	s P per § 207.8
19	Units				
20	NON-RESIDENTIAL ST	ANDARDS AND	USES		
21	Development Standard	S			
22	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>		
23		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
24	* * * *		1		

^{*} Not listed below

2 3 SEC. 754. MISSION STREET NEIGHBORHOOD COMMERCIAL TRANSIT 4 5 DISTRICT. 6 Table 754. MISSION STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT 7 8 **ZONING CONTROL TABLE** 9 Mission Street NCT § References 10 **Zoning Category** Controls 11 **BUILDING STANDARDS** 12 Massing and Setbacks 13 14 Front Setback and §§ 130, 131, Generally Not Rrequired; however, if the existing 15 Side Yard 132, 133 sidewalk does not meet the recommended width 16 required by the Better Streets Plan, a front setback 17 shall be provided so that, when combined with the 18 existing sidewalk, the total distance from the curb to 19 the building frontage meets or exceeds the required 20 recommended width under the Better Streets Plan. 21 This setback is required only up to 15 feet above street 22 grade. See § 132(e). 23 24 **Miscellaneous**

(1) C required for ground floor residential use when street frontage is listed in 145.4(b)

25

1	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
2	<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
3		and Industry	guidelines that have been approved by the Planning			
4		Element	Commission.	Commission.		
5	RESIDENTIAL STANDA	ARDS AND USES	S			
6	Development Standards					
7	* * * *					
8	Dwelling Unit Mix	§ § 207.6	Generally <i>Rr</i> equired for creation of five or more			
9			Dwelling Units. No less than 40% of the total			
10			number of proposed Dwelling Units shall contain			
11			at least two bedrooms; or no less than 30% of the			
12			total number of proposed Dwelling Units shall			
13			contain at least the	nree bedrooms.		
14	* * * *					
15	Residential Uses		Controls by Story			
16			1st	2nd	3rd +	
17	Residential Uses	§102	P(1)	Р	Р	
18	Accessory Dwelling	§§102, 207.1,	P per Planning C	ode Sections 207	7.1 and 207.2.	
19	Unit	207.2				
20	Dwelling Units, Senior	§ 102,	No density limit by	lot area. Density r	estricted by	
21	Housing, and Group	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,			
22	Housing, <i>Generally</i>	208	open space, exposure and other applicable controls of			
23			this and other Cod	les, as well as by ap	pplicable design	
24			guidelines, applice	ıble elements and a	erea plans of the	

1			General Plan and	l design review by t	ha Plannina	
			General Plan, and design review by the Planning			
2			Department. Form-Based Density.			
3	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location,	but generally	
4	<u>Densities, if Applicable</u>		ranges between 50	and 100 dwelling	units per acre.	
5	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 squa</u>	are feet of Gross Flo	oor Area or an	
6	<u>Size</u>		equivalent Floor A	Area Ratio for any i	ndividual	
7			Dwelling Unit of I	1.2:1. C for Dwellin	ng Units that	
8			exceed the greater	of those thresholds	5.	
9	* * * *			-		
10	Loss and Division of	<u>§ 317</u>	Controls by Story	<u>C</u>		
11	Dwelling Units:					
12	Conversion, Demolition,					
13	or Merger of Dwelling					
14	Units, including					
15	Residential Flats					
16			1st	2nd	3rd+	
17	Residential Conversion	§ 317	ϵ	ϵ	ϵ	
18	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
19	and Merger					
20	Division of Dwelling	§ 207.8	Division of exist	ing Dwelling Units	s P per § 207.8	
21	Units					
22	NON-RESIDENTIAL STA	ANDARDS AND	USES			
23	Development Standard	s				
24	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>			
25		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>		

SEC. 755. OCEAN AVENUE NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

Housing development in new buildings is encouraged above the ground story. Existing residential units are protected by limitations on demolition and upper-story conversions.

Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 755. OCEAN AVENUE NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT ZONING CONTROL TABLE

12			Ocean Avenue NCT			
13	Zoning Category	§ References	Controls			
14	BUILDING STANDARDS					
15	Massing and Setbacks					
16	Height and Bulk Limits.	§§ 102, 105,	Varies, but generally 45-X. See Height and Bulk			
17		106, 250–252,	Map Sheet HT12 for more information. Height			
18		260, 261.1,	sculpting required on Alleys per § 261.1.			
19		<u>263.19,</u> 270,				
20		<u>270.3,</u> 271. See				
21		also Height				
22		and Bulk				
23		District Maps.				
24	* * * *					

1		1			
1	Front Setback and	§§ 130, 131,	Generally №not Rrequired.: however, if the existing		
2	Side Yard	132, 133	sidewalk does not meet the recommended width		
3			required by the Better Streets Plan, a front setback		
4			shall be provided so that, when combined with the		
5			existing sidewalk, the total distance from the curb to		
6			the building frontage meets or exceeds the required		
7			recommended width under the Better Streets Plan.		
8			This setback is required only up to 15 feet above street		
9			grade. See § 132(e).		
10	* * * *				
11	Miscellaneous				
12	* * * *				
13	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
14	<u>Standards</u>	Commerce	Design Standards, and any other applicable design		
15		and Industry	guidelines that have been approved by the Planning		
16		Element	Commission.		
17	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning		
18			modifications for eligible projects in the R-4 Height and		
19			Bulk District.		
20	RESIDENTIAL STANDA	ARDS AND USE	ES .		
21	Development Standard	ls			
22	* * * *				
23	Dwelling Unit Mix	§ 207.6	Generally Rrequired for creation of five or more		
24			Dwelling Units. No less than 40% of the total		
25			number of proposed Dwelling Units shall contain		

		T	1			
1			at least two bedrooms; or no less than 30% of the			
2			total number of proposed Dwelling Units shall			
3			contain at least the	contain at least three bedrooms.		
4	* * * *					
5	Residential Uses	,	С	ontrols by Story	/	
6			1st	2nd	3rd +	
7	Residential Uses	§102	P(1)	Р	Р	
8	Accessory Dwelling	§§102, 207.1,	P per Planning C	code Sections 207	7.1 and 207.2.	
9	Unit	207.2				
10	Dwelling Units, Senior	§ 102,	No density limit by lot area. Density restricted by			
11	Housing, and Group	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,			
12	Housing., <u>Generally</u>	208	open space, exposure and other applicable controls of			
13			this and other Codes, as well as by applicable design			
14			guidelines, applice	able elements and a	area plans of the	
15			General Plan, and	design review by t	he Planning	
16			Department.Form	-Based Density.		
17	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending of	on project location	, but generally	
18	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.	
19	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 squa</u>	re feet of Gross Fl	oor Area or an	
20	<u>Size</u>		equivalent Floor A	rea Ratio for any i	<u>individual</u>	
21			Dwelling Unit of 1	.2:1. C for Dwellin	ng Units that	
22			exceed the greater	of those thresholds	<u>S.</u>	
23	* * * *					
24	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u> </u>		
25	Dwelling Units:					

			1			
1	Conversion, Demolition,					
2	or Merger of Dwelling					
3	Units, including					
4	Residential Flats					
5			1st	2nd	3rd+	
6	Residential Conversion	§ 317	€	ϵ	ϵ	
7	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
8	and Merger					
9	Division of Dwelling	§ 207.8	Division of existi	ng Dwelling Units	P per § 207.8 <u>.</u>	
10	Units					
11	NON-RESIDENTIAL STA	ANDARDS AND	USES			
12	Development Standards					
13	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may	
14		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>		
15	* * * *					

SEC. 756. GLEN PARK NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

18 * * * *

16

17

19

20

21

22

23

24

25

Commercial uses are encouraged at the ground story. Retail frontages and pedestrian-oriented streets are protected by limiting curb cuts (i.e. driveways, garage entries) as well as requiring ground floor commercial uses on portions of Diamond and Chenery Streets. Housing development is encouraged above the ground story. Housing density is not controlled by the size of the lot but by dwelling unit standards, physical envelope controls and unit mix requirements. Given the area's location and accessibility to the transit network, accessory parking for residential and commercial uses is not required. Any new parking is required to be

set back to support a pedestrian friendly streetscape. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

3

4

1

2

Table 756. GLEN PARK NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT **ZONING CONTROL TABLE**

5		ZONIN	NG CONTROL TABLE
6			Glen Park NCT
7	Zoning Category	§ References	Controls
8	BUILDING STANDARD	S	
9	Massing and Setbacks		
10	Height and Bulk Limits.	§§ 102, 105,	30-X and 40-X Varies. See Height and Bulk Map
11		106, 250–252,	Sheet HT11 for more information. Height
12		260, 261.1,	sculpting required on Alleys per § 261.1.
13		<u>263.19,</u> 270,	
14		<u>270.3,</u> 271 .	
15		See also	
16		Height and	
17		Bulk District	
18		Maps	
19	* * * *		
20	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing
21	Side Yard	132, 133	sidewalk does not meet the recommended width
22			required by the Better Streets Plan, a front setback
23			shall be provided so that, when combined with the
24			existing sidewalk, the total distance from the curb to
25			the building frontage meets or exceeds the required

ı		1	
1			recommended width under the Better Streets Plan.
2			This setback is required only up to 15 feet above street
3			grade. See § 132(e).
4	* * * *		
5	Miscellaneous		
6	* * * *		
7	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
8	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
9		and Industry	guidelines that have been approved by the Planning
10		Element	Commission.
11	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning
12			modifications for eligible projects in the R-4 Height and
13			Bulk District.
14	RESIDENTIAL STAND	ARDS AND USI	ES
15	Development Standard	ds	
16	* * * *		
17	Dwelling Unit Mix	§ 207.6	Generally, minimum percentages of two bedroom and
18			three bedroom Dwelling Units Rrequired for
19			creation of five or more Dwelling Units. No less
20			than 40% of the total number of proposed Dwelling
21			Units shall contain at least two bedrooms; or no less
22			than 30% of the total number of proposed Dwelling
23			Units shall contain at least three bedrooms.
24	* * * *		
25	Residential Uses		Controls by Story

1			1st	2nd	3rd +	
2	Residential Uses	§102	P(1)	Р	Р	
3	Accessory Dwelling	§§102, 207.1,	P per Planning (Code Sections 20	7.1 and 207.2.	
4	Unit	207.2				
5	Dwelling Units, Senior	§ 102,	No density limit b	y lot area. Density	restricted by	
6	Housing, and Group	202.2(f), 207,	physical envelope	controls of height,	bulk, setbacks,	
7	Housing, <i>Generally</i>	208	open space, expos	ure and other appl	icable controls of	
8			this and other Codes, as well as by applicable design			
9			guidelines, applicable elements and area plans of the			
10			General Plan, and design review by the Planning			
11			Department.Form-Based Density			
12	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally			
13	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.			
14	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fi	loor Area or an	
15	<u>Size</u>		equivalent Floor	Area Ratio for any	<u>individual</u>	
16			Dwelling Unit of	1.2:1. C for Dwelli	ing Units that	
17			exceed the greater	r of those threshold	<u>s.</u>	
18	* * * *					
19	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u>C</u>		
20	Dwelling Units:					
21	Conversion, Demolition,					
22	or Merger of Dwelling					
23	Units, including					
24	Residential Flats					
25			1st	2nd	3rd+	

1	Residential Conversion	§ 317	ϵ	ϵ	₩₽	
2	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
3	and Merger					
4	Division of Dwelling	§ 207.8	Division of existing Dwelling Units P per § 207.8			
5	Units					
6	NON-RESIDENTIAL STANDARDS AND USES					
7	Development Standard	s				
8	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>			
9		124 <u>, 207.9</u>	apply pursuant to § 207.9.			
10	* * * *					
11	11 * * * *					

SEC. 757. FOLSOM STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

Table 757. FOLSOM STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT ZONING CONTROL TABLE

		Folsom Street NCT		
Zoning Category	§ References	Controls		
BUILDING STANDARD	S			
Massing and Setbacks				
* * * *				
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing		
Side Yard	132, 133	sidewalk does not meet the recommended width		
		required by the Better Streets Plan, a front setback		

ı				
1			shall be provided so that, when combined with the	
2			existing sidewalk, the total distance from the curb to	
3		the building frontage meets or exceeds the re		
4			recommended width under the Better Streets Plan.	
5			This setback is required only up to 15 feet above street	
6			grade. See § 132(e).	
7	* * * *			
8	Miscellaneous			
9	* * * *			
10	Design Guidelines and	§ 823(b), and	WSoMa Design Standards, and the Urban Design	
11	<u>Standards</u>	General Plan	Guidelines, Citywide Design Standards, and any	
12		Commerce	other applicable design guidelines that have been	
13		and Industry	approved by the Planning Commission.	
14		Element		
15	RESIDENTIAL STANDA	RDS AND USE	S	
16	Development Standard	s		
17	* * * *			
18	Dwelling Unit Mix	§ § 207.6	Generally <i>R_r</i> equired for creation of five or more	
19			Dwelling Units. No less than 40% of the total	
20			number of proposed Dwelling Units shall contain	
21			at least two bedrooms; or no less than 30% of the	
22			total number of proposed Dwelling Units shall	
23			contain at least three bedrooms.	
24	* * * *			
25	Residential Uses		Controls by Story	

1			1st	2nd	3rd +	
2	Residential Uses	§102	P(1)	Р	Р	
3	Group Housing	§§ 102, 208	C(1)	С	С	
4	Accessory Dwelling	§§102, 207.1,	P per Planning C	ode Sections 207	7.1 and 207.2.	
5	Unit	207.2				
6	Dwelling Units, Senior	§ 102,	No density limit by	lot area. Density i	estricted by	
7	Housing, and Group	202.2(f), 207,	physical envelope	controls of height,	bulk, setbacks,	
8	Housing, <i>Generally</i>	208	open space, exposi	ure and other appli	cable controls of	
9			this and other Codes, as well as by applicable design			
10			guidelines, applicable elements and area plans of the			
11			General Plan, and design review by the Planning			
12			Department. Form-Based Density			
13	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally			
14	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.			
15	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an			
16	<u>Size</u>		equivalent Floor Area Ratio for any individual			
17			Dwelling Unit of 1.2:1. C for Dwelling Units that			
18			exceed the greater	of those threshold	<u>s.</u>	
19	* * * *					
20	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	2		
21	Dwelling Units:					
22	Conversion, Demolition,					
23	or Merger of Dwelling					
24	<u>Units, including</u>					
25	Residential Flats					

al Conversion al Demolition or	§ 317 § 317	€	ϵ	N P		
al Demolition or	§ 317			1,1		
		ϵ	ϵ	ϵ		
of Dwelling	§ 207.8	Division of exist	ting Dwelling Unit	s P per § 20		
NON-RESIDENTIAL STANDARDS AND USES						
ment Standard	s					
ea Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may		
	124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>			
*						
ж	_					

SEC. 758. REGIONAL COMMERCIAL DISTRICT.

Table 758. REGIONAL COMMERCIAL DISTRICT

ZONING CONTROL TABLE

		Regional Commercial District				
Zoning Category	§ References	Controls				
BUILDING STANDARI	BUILDING STANDARDS					
Massing and Setbacks						
* * * *						

1	Front Setback and	§§ 130, 131,	<u>Generally Nnot Rrequired-; however, if the existing</u>				
2	Side Yard	132, 133	sidewalk does not meet the recommended width				
3			required by the Better Streets Plan, a front setback				
4			shall be provided so that, when combined with the				
5			existing sidewalk, the total distance from the curb to				
6			the building frontage meets or exceeds the required				
7			recommended width under the Better Streets Plan.				
8			This setback is required only up to 15 feet above street				
9			grade. See § 132(e).				
10	* * * *						
11	Miscellaneous						
12	* * * *						
13	Design Guidelines and	§ 823(b), and	WSoMa Design Standards, and the Urban Design				
14	<u>Standards</u>	General Plan	Guidelines, Citywide Design Standards, and any				
15		Commerce	other applicable design guidelines that have been				
16		and Industry	approved by the Planning Commission.				
17		Element					
18	RESIDENTIAL STANDA	ARDS AND USE	S				
19	Development Standard	s					
20	* * * *						
21	Dwelling Unit Mix	§ § 207.6	Generally <i>R_r</i> equired for creation of five or more				
22			Dwelling Units. No less than 40% of the total				
23			number of proposed Dwelling Units shall contain				
24			at least two bedrooms; or no less than 30% of the				
		•	·				

1			total number of proposed Dwelling Units shall				
2			contain at least three bedrooms.				
3	* * * *						
4	Residential Uses		Controls by Story				
5			1st	2nd	3rd +		
6	Residential Uses	§102	Р	Р	Р		
7	(Except for Group						
8	Housing, see below)						
9	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections 207.1 and 207.2.				
10	Unit	207.2					
11	Group Housing	§ <u>§</u> 102, 208	C(1)	С	С		
12	Dwelling Units, Group	§ 102,	No density limit by lot area. Density restricted by				
13	Housing, and Senior	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,				
14	Housing, <i>Generally</i>	208	open space, exposure and other applicable controls of				
15			this and other Codes, as well as by applicable design				
16			guidelines, applicable elements and area plans of the				
17			General Plan, and design review by the Planning				
18			Department.Form	n-Based Density			
19	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	ı, but generally		
20	<u>Densities, if Applicable</u>		ranges between 5	0 and 100 dwelling	units per acre.		
21	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squ	are feet of Gross F	loor Area or an		
22	<u>Size</u>		equivalent Floor Area Ratio for any individual				
23			Dwelling Unit of 1.2:1. C for Dwelling Units that				
24			exceed the greater of those thresholds.				
25	* * * *						

1	Loss and Division of	<u>§ 317</u>	Controls by StoryC			
2	Dwelling Units:					
3	Conversion, Demolition,					
4	or Merger of Dwelling					
5	Units, including					
6	Residential Flats					
7			1st	2nd	3rd+	
8	Residential Conversion	§ 317	ϵ	ϵ	NP	
9	Residential Demolition	§ 317	ϵ	ϵ	ϵ	
10	and Merger					
11	Division of Dwelling	§ 207.8	Division of exist	ting Dwelling Unit	s P per § 207.8	
12	Units					
13	NON-RESIDENTIAL ST	ANDARDS AND	USES			
14	Development Standard	s				
15	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Office Uses minimum intensities may</i>			
16		124 <u>, 207.9</u>	apply pursuant to § 207.9.			
17	* * * *					
18	* Not listed below					
19	(1) NP on 1st floor on lots with more than 25 feet of street frontage.					

(1) NP on 1st floor on lots with more than 25 feet of street frontage.

20

21 22

23

24

25

SEC. 759. DIVISADERO STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

The Divisadero Street Neighborhood Commercial Transit District ("Divisadero Street NCT") extends along Divisadero Street between Haight and O'Farrell Streets. Divisadero

Street's dense mixed-use character consists of buildings with residential units above ground-story commercial use. *Buildings typically range in height from two to four stories with occasional one-story commercial buildings.* The *dD*istrict has an active and continuous commercial frontage along Divisadero Street for most of its length. Divisadero Street is an important public transit corridor and throughway street. The commercial district provides convenience goods and services to the surrounding neighborhoods as well as limited comparison shopping goods for a wider market.

The Divisadero Street NCT controls are designed to encourage and promote development that enhances the walkable, mixed-use character of the corridor and surrounding neighborhoods. Rear yard requirements above the ground story and at residential levels preserve open space corridors of interior blocks. Housing development in new buildings is encouraged above the ground story. *Existing residential units are protected by limitations on demolition and upper-story conversions.* Accessory Dwelling Units are permitted-within the district pursuant to Section 207.1 of this Code.

Consistent with Divisadero Street's existing mixed-use character, new commercial development is permitted at the ground and second stories. Most neighborhood-serving businesses are strongly encouraged. Controls on new Formula Retail uses are consistent with Citywide policy for Neighborhood Commercial Districts. The second story may be used by some retail stores, personal services, and medical, business and professional offices.

Additional flexibility is offered for second-floor Eating and Drinking, Entertainment, and Trade Shop uses in existing non-residential buildings to encourage the preservation and reuse of such buildings. Hotels are monitored at all stories. Limits on late-night activity, drive-up facilities, and other automobile uses protect the livability within and around the district, and promote continuous retail frontage.

If the Planning Department determines that any site proposed for residential development and located within the Divisadero Street NCT has received a 50% or greater increase in residential densities over prior zoning through the adoption of Ordinance No. 127-15, any development project that is subject to the Inclusionary Affordable Housing Program on such site shall pay the Affordable Housing Fee, or provide one of the Alternatives to Payment of the Affordable Housing Fee, set forth in Planning Code Sections 415 et seq., except that the amount of the Affordable Housing Fee or Alternatives to Payment of the Affordable Housing Fee shall be modified as set forth in Planning Code Sections 428 et seq.

Table 759. DIVISADERO STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT ZONING CONTROL TABLE

		Divisadero St. NCT
Zoning Category	§ References	Controls
BUILDING STANDARD	S	
Massing and Setbacks		
Height and Bulk Limits.	§§ 102, 105,	65-A, and 40-X south of Oak Street Varies. See
	106, 250–252,	Height and Bulk Map Sheets HT02 and HT07 for
	260, 261.1,	more information. Height sculpting required on
	<u>263.19,</u> 270,	Alleys per § 261.1.
	<u>270.3,</u> 271 .	
	See also	
	Height and	
	Bulk District	
	Maps	

1	* * * *					
2	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing			
3	Side Yard	132, 133	sidewalk does not meet the recommended width			
4			required by the Better Streets Plan, a front setback			
5			shall be provided so that, when combined with the			
6			existing sidewalk, the total distance from the curb to			
7			the building frontage meets or exceeds the required			
8			recommended width under the Better Streets Plan.			
9			This setback is required only up to 15 feet above street			
10			grade. See § 132(e).			
11	* * * *					
12	Miscellaneous					
13	* * * *					
14	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
15	<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
16		and Industry	guidelines that have been approved by the Planning			
17		Element	Commission.			
18	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning			
19			modifications for eligible projects in the R-4 Height and			
20			Bulk District.			
21	RESIDENTIAL STAND	ARDS AND US	ES			
22	Development Standard	ds				
23	* * * *					
24	Dwelling Unit Mix	§ 207.6	Generally <u>Rrequired</u> for creation of five or more			
25			Dwelling Units. No less than 40% of the total			

	1	1				
		number of proposed Dwelling Units shall contain				
		at least two bedrooms; or no less than 30% of the				
		total number of proposed Dwelling Units shall				
		contain at least t	contain at least three bedrooms.			
* * * *		,				
Residential Uses	,	Controls by Story				
		1st	2nd	3rd +		
Residential Uses	§102	P(1)	Р	Р		
Accessory Dwelling	§§102, 207.1,	P per Planning C	Code Sections 207	7.1 and 207.2.		
Unit	207.2					
Dwelling Units, Senior	§ 102,	No density limit by lot area. Density restricted by				
Housing, and Group	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,				
Housing, <i>Generally</i>	208	open space, exposure and other applicable controls of				
		this and other Codes, as well as by applicable design				
		guidelines, applicable elements and area plans of the				
		General Plan, and design review by the Planning				
		Department. Form-Based Density				
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally		
Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.		
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an				
<u>Size</u>		equivalent Floor Area Ratio for any individual				
		Dwelling Unit of 1.2:1. C for Dwelling Units that				
		exceed the greater of those thresholds.				
* * * *						
	Residential Uses Accessory Dwelling Unit Dwelling Units, Senior Housing, and Group Housing, Generally Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit	Residential Uses §102 Accessory Dwelling §\$102, 207.1, Unit 207.2 Dwelling Units, Senior § 102, Housing, and Group 202.2(f), 207, Housing, Generally 208 Minimum Dwelling Unit § 207.9 Densities, if Applicable Maximum Dwelling Unit §\$ 207.10, 317	at least two bedretotal number of procontain at least to total number of procontain at least total number of procontain at	at least two bedrooms; or no less total number of proposed Dwelling contain at least three bedrooms. * * * * Residential Uses Secontrols by Story		

1	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by StoryC		
2	Dwelling Units:				
3	Conversion, Demolition,				
4	or Merger of Dwelling				
5	<u>Units, including</u>				
6	<u>Residential Flats</u>				
7			1st	2nd	3rd+
8	Residential Conversion	§ 317	ϵ	ϵ	NP
9	Residential Demolition	§ 317	ϵ	ϵ	ϵ
10	and Merger				
11	Division of Dwelling	§ 207.8	Division of existi	ng Dwelling Units	P per § 207.8
12	Units				
13	NON-RESIDENTIAL STA	ANDARDS AND	USES		
14	Development Standards	S			
15	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may
16		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
17	* * * *				

SEC. 760. FILLMORE STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

22 * * * *

18

19

20

21

23

24

25

The Fillmore Street NCT controls are designed to encourage and promote development that enhances the walkable, mixed-use character of the corridor and surrounding neighborhoods. Rear yard requirements at residential levels preserve open space

1 corridors of interior blocks. Housing development in new buildings is encouraged above the

ground story. Existing residential units are protected by limitations on demolition and upper-story

conversions. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of

this Code.

* * * *

6

7

8

2

3

4

Table 760. FILLMORE STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT ZONING CONTROL TABLE

		Fillmore St. NCT		
Zoning Category	§ References	Controls		
BUILDING STANDARDS				
Massing and Setbacks				
* * * *				
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing		
Side Yard	132, 133	sidewalk does not meet the recommended width		
		required by the Better Streets Plan, a front setback		
		shall be provided so that, when combined with the		
		existing sidewalk, the total distance from the curb to		
		the building frontage meets or exceeds the required		
		recommended width under the Better Streets Plan.		
		This setback is required only up to 15 feet above street		
		grade. See § 132(e).		
* * * *				
Miscellaneous				
* * * *				
	BUILDING STANDARDS Massing and Setbacks * * * * Front Setback and Side Yard * * * *	BUILDING STANDARDS Massing and Setbacks * * * * Front Setback and \$\ \\$\ \\$\ \\$\ \\$\ \\$\ \\$\ \\$\ \\$\ \\$\		

		ľ				
1	Design Guidelines and	General Plan	Subject to the Urba	Subject to the Urban Design Guidelines, Citywide		
2	<u>Standards</u>	Commerce	Design Standards, a	nd any other appli	cable design	
3		and Industry	guidelines that have	been approved by	the Planning	
4		Element	Commission.			
5	RESIDENTIAL STAND	ARDS AND USE	ES .	S		
6	Development Standard	ds				
7	* * * *					
8	Dwelling Unit Mix	§ 207.6	Generally <i>R<u>r</u></i> equi	Generally <u>Rrequired</u> for creation of five or more		
9			Dwelling Units. No less than 40% of the total			
10			number of proposed Dwelling Units shall contain			
11			at least two bedrooms; or no less than 30% of the			
12			total number of proposed Dwelling Units shall			
13			contain at least t	contain at least three bedrooms.		
14	* * * *					
15	Residential Uses		C	ontrols by Story	,	
16			1st	2nd	3rd +	
17	Residential Uses	§102	P(1)	Р	Р	
18	Accessory Dwelling	§§102, 207.1,	P per Planning C	ode Sections 207	7.1 and 207.2.	
19	Unit	207.2				
20	Dwelling Units, Senior	§ 102,	No density limit by	lot area. Density 1	restricted by	
21	Housing, and Group	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,			
22	Housing <u>, Generally</u>	208	open space, exposi	open space, exposure and other applicable controls of		
23			this and other Cod	les, as well as by ap	oplicable design	
24			guidelines, applice	able elements and a	urea plans of the	
		•	•			

1			General Plan, and design review by the Planning		
2			Department. Form-Based Density		
3	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
4	Densities, if Applicable		ranges between 5	0 and 100 dwelling i	units per acre.
5	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squ	are feet of Gross Flo	oor Area or an
6	<u>Size</u>		equivalent Floor	Area Ratio for any in	<u>ıdividual</u>
7			Dwelling Unit of	1.2:1. C for Dwellin	ng Units that
8			exceed the greate	r of those thresholds	<u>.</u>
9	* * * *				
10	Loss and Division of	<u>§ 317</u>	Controls by StoryC		
11	Dwelling Units:				
12	Conversion, Demolition,				
13	or Merger of Dwelling				
14	Units, including				
15	Residential Flats				
16			1st	2nd	3rd+
17	Residential Conversion	§ 317	ϵ	NP	<u>NP</u>
18	Residential Demolition	§ 317	ϵ	ϵ	ϵ
19	and Merger				
20	Division of Dwelling	§ 207.8	Division of existi	ng Dwelling Units	P per § 207.8
21	Units				
22	NON-RESIDENTIAL STA	ANDARDS AND	USES		
23	Development Standard	s			
24	Floor Area Ratio	§§ 102, 123,	3.6 to 1. <i>For Office Uses minimum intensities may</i>		
25		124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>	

1 * * * *

2 * * * *

SEC. 761. HAYES-GOUGH NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

5 * * * *

The Hayes-Gough District controls are designed to allow for growth and expansion that is compatible with the existing building and use scales. Building standards protect the moderate building and Use Size and require rear yards at residential levels. To maintain the mixed-use character of the district, most commercial uses are permitted at the first and second stories and housing is strongly encouraged at the third story and above. Retail sales activity, especially neighborhood-serving businesses, is further promoted by restricting new ground-story medical, business and professional offices. To protect continuous frontage, drive-up and most automobile uses are prohibited, above-ground parking is required to be setback or below ground, and active, pedestrian-oriented ground floor uses are required on Hayes Street and portions of Octavia Boulevard.

Housing development in new buildings is encouraged above the second story, and is controlled not by lot area but by physical envelope controls. Existing residential units are protected by limitations on demolitions, mergers, subdivisions, and upper story conversions. Given the area's central location and accessibility to the downtown and to the City's transit network, accessory parking for Residential Uses is not required. The code controls for this district are supported and augmented by design guidelines and policies in the Market and Octavia Area Plan of the General Plan. Accessory Dwelling Units are permitted.

Table 761. HAYES-GOUGH NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT ZONING CONTROL TABLE

		Hayes-Gough NCT	
Zoning Category	§ References	Controls	
BUILDING STANDARD	S		
Massing and Setbacks			
Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheets HT02	
	106, 250–252,	and HT07 for more information. Height sculpting	
	260, 261.1,	required on Alleys per § 261.1.	
	<u>263.19,</u> 270,		
	<u>270.3,</u> 271 .		
	See also		
	Height and		
	Bulk District		
	Maps		
* * * *	T		
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing	
Side Yard	132, 133	sidewalk does not meet the recommended width	
		required by the Better Streets Plan, a front setback	
		shall be provided so that, when combined with the	
		existing sidewalk, the total distance from the curb to	
		the building frontage meets or exceeds the required	
		recommended width under the Better Streets Plan.	
		This setback is required only up to 15 feet above street	
		grade. See § 132(e).	
* * * *			
Miscellaneous			

1	* * * *				
2	Design Guidelines and	General Plan	Subject to the Urba	an Design Guidel	ines <u>, <i>Citywide</i></u>
3	<u>Standards</u>	Commerce	Design Standards, a	and any other applic	cable design
4		and Industry	guidelines that have	been approved by	the Planning
5		Element	Commission.		
6	Housing Choice-SF	<u>§ 206.10</u>	Form-based density,	additional height,	and other zoning
7			modifications for eligible projects in the R-4 Height and		
8			Bulk District.		
9	RESIDENTIAL STANDARDS AND USES				
10	Development Standards				
11	* * * *				
12	Dwelling Unit Mix	§ 207.6	Generally <i>Rr</i> equi	ired for creation o	f five or more
13			Dwelling Units. N	lo less than 40%	of the total
14			number of propo	sed Dwelling Unit	s shall contain
15			at least two bedr	ooms; or no less	than 30% of the
16			total number of p	roposed Dwelling	Units shall
17			contain at least t	hree bedrooms.	
18	* * * *		1		
19	Residential Uses		C	controls by Story	
20			1st	2nd	3rd +
21	Residential Uses	§102	P(1)	Р	Р
22	Accessory Dwelling	§§102, 207.1,	P per Planning Code Sections 207.1 and 207.2.		
23	Unit	207.2			

	Г	1	1		
1	Dwelling Units, Senior	§ 102,	No density limit by	y lot area. Density	restricted by
2	Housing, and Group	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,		
3	Housing, <i>Generally</i>	208	open space, exposure and other applicable controls o		
4			this and other Coe	les, as well as by ap	pplicable design
5			guidelines, applica	able elements and e	irea plans of the
6			General Plan, and	l design review by t	the Planning
7			Department.Form	-Based Density	
8	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
9	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.		
10	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
11	<u>Size</u>		equivalent Floor Area Ratio for any individual		
12			Dwelling Unit of 1.2:1. C for Dwelling Units that		
13			exceed the greater of those thresholds.		
14	* * * *				
15	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u>C</u>	
16	Dwelling Units:				
17	Conversion, Demolition,				
18	or Merger of Dwelling				
19	Units, including				
20	Residential Flats				
21			1st	2nd	3rd +
22	Residential Conversion	§ 317	ϵ	ϵ	NP
23	Residential Demolition	§ 317	€	ϵ	ϵ
24	and Merger				

1	Division of Dwelling	§ 207.8	Division of existing Dwelling Units P per § 207.8
2	Units		
3	NON-RESIDENTIAL STA	ANDARDS AND	USES
4	Development Standards	S	
5	Floor Area Ratio	§§ 102, 123,	3.0 to 1. <i>For Office Uses minimum intensities may</i>
6		124 <u>, 207.9</u>	apply pursuant to § 207.9.
7	* * * *		
8	* * * *		

SEC. 762. VALENCIA STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

Table 762. VALENCIA STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT **ZONING CONTROL TABLE**

		Valencia Street NCT			
Zoning Category	§ References	Controls			
BUILDING STANDARDS					
Massing and Setbac	ks				
* * * *					
Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing			
Side Yard	132, 133	sidewalk does not meet the recommended width			
		required by the Better Streets Plan, a front setback			
		shall be provided so that, when combined with the			
		existing sidewalk, the total distance from the curb to			

1			the building fronta	ige meets or exceed	ls the required
2			recommended wid	th under the Better	Streets Plan.
3			This setback is req	uired only up to 15	feet above street
4			grade. See § 132(e	<u>?).</u>	
5	* * * *				
6	Miscellaneous				
7	* * * *				
8	Design Guidelines and	General Plan	Subject to the Ur	ban Design Guid	elines <u>, <i>Citywide</i></u>
9	<u>Standards</u>	Commerce	Design Standards,	and any other app	licable design
10		and Industry	guidelines that hav	ve been approved b	y the Planning
11		Element	Commission.		
12	RESIDENTIAL STANDARDS AND USES				
13	Development Standard	s			
14	* * * *				
15	Dwelling Unit Mix	§ § 207.6	Generally <i>R_r</i> equi	ired for creation o	f five or more
16			Dwelling Units. N	lo less than 40%	of the total
17			number of propo	sed Dwelling Unit	s shall contain
18			at least two bedr	ooms; or no less	than 30% of the
19			total number of p	proposed Dwelling	Units shall
20			contain at least t	hree bedrooms.	
21	* * * *				
22	Residential Uses		С	Controls by Story	,
23			1st	2nd	3rd +
24	Residential Uses	§102	P(1)	Р	Р

	I	1		
Accessory Dwelling	§§102, 207.1,	P per Planning (Code Sections 20	7.1 and 207.2.
Units	207.2			
Dwelling Units, Senior	§ 102,	No residential der	isity limit by lot are	ea. Density
Housing, and Group	202.2(f), 207,	restricted by phys	ical envelope contr	ols of height,
Housing, <i>Generally</i>	208	bulk, setbacks, op	en space, exposure	and other
		applicable control	ls of this and other	Codes, as well as
		by applicable desi	ign guidelines, appi	licable elements
		and area plans of	the General Plan,	and design review
		by the Planning Department. Form-Based Density		
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.		
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
<u>Size</u>		equivalent Floor Area Ratio for any individual		
		Dwelling Unit of	1.2:1. C for Dwelli	ing Units that
		exceed the greater	r of those threshold	<u>'s.</u>
* * * *				
Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u>C</u>	
Dwelling Units:				
Conversion, Demolition,				
or Merger of Dwelling				
Units, including				
Residential Flats				
		1st	2nd	3rd+
Residential Conversion	§ 317	ϵ	NP	NP
	Units Dwelling Units, Senior Housing, and Group Housing, Generally Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size * * * * Loss and Division of Dwelling Units: Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats	Units 207.2 Dwelling Units, Senior § 102, Housing, and Group 202.2(f), 207, Housing, Generally 208 Minimum Dwelling Unit Densities, if Applicable Maximum Dwelling Unit Size \$	Units 207.2 Dwelling Units, Senior \$ 102,	Units 207.2 Dwelling Units, Senior § 102,

1	Residential Demolition or	§ 317	ϵ	ϵ	ϵ
2	Merger				
3	Division of Dwelling	§_207.8	Division of exist	ting Dwelling Unit	s P per § 207.8
4	Units				
5	NON-RESIDENTIAL STA	TANDARDS AND USES			
6	Development Standard	S			
7	Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may
8		124 <u>, 207.9</u>	apply pursuant to	<u> § 207.9.</u>	
9	* * * *				
10	* Not listed below				
11	(1) C required for ground floor residential use when street frontage is listed in 145.4(b)				
12	* * *				
13					
14	SEC. 763. 24TH S	TREET – MISSIC	ON NEIGHBORH	OOD COMMERC	IAL TRANSIT
15	DISTRICT.				
16	* * * *				
17	Table 763. 24TH STF	REET – MISSIOI	N NEIGHBORHO	OD COMMERCIA	AL TRANSIT
18			DISTRICT		
19		ZONING	CONTROL TABL	.E	
20			24th Street - M	ission NCT	
21	Zoning Category	§ References	Controls		
22	BUILDING STANDARDS				
23	Massing and Setbacks				
24	* * * *				

			,
1	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired-; however, if the existing
2	Side Yard	132, 133	sidewalk does not meet the recommended width
3			required by the Better Streets Plan, a front setback
4			shall be provided so that, when combined with the
5			existing sidewalk, the total distance from the curb to
6			the building frontage meets or exceeds the required
7			recommended width under the Better Streets Plan.
8			This setback is required only up to 15 feet above street
9			grade. See § 132(e).
10	* * * *		
11	Miscellaneous		
12	* * * *		
13	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
14	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
15		and Industry	guidelines that have been approved by the Planning
16		Element	Commission.
17	RESIDENTIAL STANDA	RDS AND USES	S
18	Development Standard	s	
19	* * * *		
20	Dwelling Unit Mix	§ § 207.6	Generally $R_{\underline{r}}$ equired for creation of five or more
21			Dwelling Units. No less than 40% of the total
22			number of proposed Dwelling Units shall contain
23			at least two bedrooms; or no less than 30% of the
24			total number of proposed Dwelling Units shall
25			contain at least three bedrooms.

1	* * * *				
2	Residential Uses	,	Controls by Story		
3			1st	2nd	3rd +
4	Residential Uses	§102	P(1)	Р	Р
5	Accessory Dwelling	§§102, 207.1,	P per Planning (Code Sections 20	7.1 and 207.2.
6	Units	207.2			
7	Dwelling Units, Senior	§ 102,	No residential der	usity limit by lot are	ea. Density
8	Housing, and Group	202.2(f), 207,	restricted by phys	ical envelope contr	ols of height,
9	Housing, <i>Generally</i>	208	bulk, setbacks, open space, exposure and other		
10			applicable controls of this and other Codes, as well as		
11			by applicable desi	ign guidelines, appl	icable elements
12			and area plans of	the General Plan, a	and design review
13			by the Planning D	Pepartment. Form-B	ased Density.
14	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
15	Densities, if Applicable		ranges between 50	0 and 100 dwelling	units per acre.
16	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Fl	oor Area or an
17	<u>Size</u>		equivalent Floor	Area Ratio for any i	individual
18			Dwelling Unit of	1.2:1. C for Dwelli	ng Units that
19			exceed the greater	r of those threshold	<u>s.</u>
20	* * * *				
21	Loss <i>and Division</i> of	<u>§ 317</u>	Controls by Story	<u>C</u>	
22	Dwelling Units:				
23	Conversion, Demolition,				
24	or Merger of Dwelling				

Units, including				
Residential Flats				
		1st	2nd	3rd+
Residential Conversion	§ 317	€	NP	NP
Residential Demolition or	§ 317	€	€	ϵ
<i>Merger</i>				
Division of Dwelling	§ 207.8	Division of exist	ting Dwelling Unit	s P per § 207.
Units				
NON-RESIDENTIAL STANDARDS AND USES				
Development Standard	S			
Floor Area Ratio	§§ 102, 123,	2.5 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may
	124 <u>, 207.9</u>	apply pursuant to	<u>§ 207.9.</u>	
* * * *		•		

SEC. 764. UPPER MARKET STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT.

18 * * * *

The Upper Market Street Transit District controls are designed to promote moderate-scale development which contributes to the definition of Market Street's design and character. They are also intended to preserve the existing mix of Commercial Uses and maintain the livability of the district and its surrounding residential areas. Large-lot and use development is reviewed for consistency with existing development patterns. Rear yards are protected at all levels. To promote mixed-use buildings, most Commercial Uses are permitted with some limitations above the second story. In order to maintain continuous retail frontage and

preserve a balanced mix of Commercial Uses, ground-story neighborhood-serving uses are encouraged, and financial service uses are limited. Ground floor-commercial space is required along Market and Church Streets. Most Automotive Service and Drive-Up *Facility Facility* uses are prohibited or conditional.

Housing development in new buildings is encouraged above the Second Story. Existing upper-story Residential Units are protected by limitations on demolitions and upper-story conversions. Accessory Dwelling Units are permitted within the district pursuant to Sections 207.1 and 207.2 of this Code.

Table 764. UPPER MARKET STREET NEIGHBORHOOD COMMERCIAL TRANSIT DISTRICT

ZONING CONTROL TABLE

13			Upper Market Street NCT
14	Zoning Category	§ References	Controls
15	BUILDING STANDARD	S	
16	Massing and Setbacks		
17	Height and Bulk Limits.	§§ 102, 105,	Varies. See Height and Bulk Map Sheet HT07 for
18		106, 250–252,	more information. Height sculpting required on
19		260, 261.1,	Alleys per § 261.1.
20		<u>263.19,</u> 270,	
21		<u>270.3,</u> 271 .	
22		See also	
23		Height and	
24		Bulk District	
25		Maps <u>.</u>	

1	* * * *					
2	Front Setback and	§§ 130, 131,	Generally Nnot Rrequired: however, if the existing			
3	Side Yard	132, 133	sidewalk does not meet the recommended width			
4			required by the Better Streets Plan, a front setback			
5			shall be provided so that, when combined with the			
6			existing sidewalk, the total distance from the curb to			
7			the building frontage meets or exceeds the required			
8			recommended width under the Better Streets Plan.			
9			This setback is required only up to 15 feet above street			
10			grade. See § 132(e).			
11	* * * *					
12	Miscellaneous	Miscellaneous				
13	* * * *					
14	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide			
15	<u>Standards</u>	Commerce	Design Standards, and any other applicable design			
16		and Industry	guidelines that have been approved by the Planning			
17		Element	Commission.			
18	Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other zoning			
19			modifications for eligible projects in the R-4 Height and			
20			Bulk District.			
21	RESIDENTIAL STAND	ARDS AND US	ES			
22	Development Standard	ds				
23	* * * *					
24	Dwelling Unit Mix	§ 207.6	Generally <u>Rrequired</u> for creation of five or more			
25			Dwelling Units. No less than 40% of the total			

	-				
1			number of propo	sed Dwelling Unit	ts shall contain
2			at least two bedr	rooms; or no less	than 30% of the
3			total number of p	proposed Dwelling	g Units shall
4			contain at least t	hree bedrooms.	
5	* * * *				
6	Residential Uses		C	Controls by Story	/
7			1st	2nd	3rd +
8	Residential Uses	§102	P(1)	Р	Р
9	Accessory Dwelling	§§102, 207.1,	P per Planning (Code Sections 20	7.1 and 207.2.
10	Unit	207.2			
11	Dwelling Units, Senior	§ 102,	No density limit by	y lot area. Density i	restricted by
12	Housing, and Group	202.2(f), 207,	physical envelope controls of height, bulk, setbacks,		
13	Housing <u>-, Generally</u>	208	open space, exposure and other applicable controls of		
14			this and other Coe	les, as well as by ap	pplicable design
15			guidelines, applica	able elements and c	area plans of the
16			General Plan, and	l design review by t	he Planning
17			Department. Form	-Based Density	
18	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location	, but generally
19	Densities, if Applicable		ranges between 50	and 100 dwelling	units per acre.
20	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 squa</u>	are feet of Gross Fl	oor Area or an
21	<u>Size</u>		equivalent Floor A	Area Ratio for any i	<u>individual</u>
22			Dwelling Unit of I	1.2:1. C for Dwelli	ng Units that
23			exceed the greater	of those threshold.	<u>s.</u>
24	* * * *				
					· · · · · · · · · · · · · · · · · · ·

1	Loss and Division of	<u>§ 317</u>	Controls by Story	<u>C</u>	
2	Dwelling Units:				
3	Conversion, Demolition,				
4	or Merger of Dwelling				
5	Units, including				
6	<u>Residential Flats</u>				
7			1st	2nd	3rd+
8	Residential Conversion	§ 317	ϵ	ϵ	NP
9	Residential Demolition	§ 317	ϵ	ϵ	ϵ
10	and Merger				
11	Division of Dwelling	§ 207.8	Division of existing Dwelling Units P per § 207.8		
12	Units				
13	NON-RESIDENTIAL STA	ANDARDS AND	USES		
14	Development Standard	5			
15	Floor Area Ratio	§§ 102, 123,	3.0 to 1. <i>For Office Uses minimum intensities may</i>		
16		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
17	* * * *				

20

21

22

23

18

SEC. 780.1. LAKESHORE PLAZA SPECIAL USE DISTRICT.

(a) Purpose and Findings. In addition to the purposes stated in Section 701 of this Code, the following purpose and findings form a basis for special regulations and provide guidance for their application in the Lakeshore Plaza Special Use District.

24

25

(3) Housing development in new buildings is encouraged.

(b) **Controls.** The controls for the NC-S District, as set forth in Section 713 of this Code, shall apply to the Lakeshore Plaza Special Use District, except as provided below:

Zoning Category No.	Controls
.10	The 26-40-X height district requires Conditional
	Use authorization for heights over 26 feet not
	exceeding 40 feet. Varies. See Height and Bulk
	District Maps.
* * * *	
.90	Residential uses are permitted at all
	stories.Residential uses are permitted as
	conditional uses at the first and second stories
	and not permitted above the second story.
.91, .92, .93	Residential density for dwelling units is one un
	per 3,000 sq. ft. of lot area; group housing is no
	permitted; minimum usable open space per
	dwelling unit is 300 sq. ft. if private and 400 sq
	ft. if common. Form-Based Density applies for a
	Residential Uses.

SEC. 780.3. NORTH BEACH SPECIAL USE DISTRICT.

22 * * * *

(c) **Controls.** The following provisions shall apply within such District:

24 * * * *

(4) Loss of Residential Units. To prevent the loss of existing Residential Units within
the district, the removal, demolition, merger, or conversion of Residential Units above the First Story
are prohibited.[Reserved]

4 * * * *

SEC. 810. CHINATOWN COMMUNITY BUSINESS DISTRICT.

The Chinatown Community Business District, located in the northeast quadrant of San Francisco, extends along Broadway from the eastern portal of the Broadway Tunnel to Columbus Avenue and along Kearny Street from Columbus to Sacramento Street. This district also includes portions of Commercial Street between Montgomery Street and Grant Avenue and portions of Grant Avenue between Bush and California Streets. It is part of the larger core area of Chinatown.

The portions of Broadway, Kearny, and Commercial Streets and Grant Avenue in this district are transitional edges or entries to Chinatown. North and east of the two blocks of Broadway contained in this district are North Beach and the Broadway Entertainment Districts. Kearny and Columbus Streets are close to intensive office development in the Downtown Financial District. Both Grant Avenue and Commercial Street provide important pedestrian entries to Chinatown. Generally, this district has more potential for added retail and commercial development than other parts of Chinatown.

This zoning district is intended to protect existing housing, encourage new housing and to accommodate modest expansion of Chinatown business activities as well as street-level retail uses. The size of individual professional or business office use is limited in order to prevent these areas from being used to accommodate larger office uses spilling over from the financial district.

Housing development in new buildings is encouraged at upper stories. *Existing housing* is protected by limitations on demolitions and upper-story conversions. Accessory dwelling units are permitted within the district pursuant to Subsection 207(c)(4) of this Code.

Table 810

CHINATOWN COMMUNITY BUSINESS DISTRICT ZONING CONTROL TABLE

		Chinatown Com	nmunity Busines	s District	
Zoning Category	§ References	Controls			
BUILDING STANDARD	S				
* * * *					
Miscellaneous					
* * * *					
Design Guidelines and	General Plan	Subject to the Ur	ban Design Guid	elines <u>, <i>Citywide</i></u>	
<u>Standards</u>	Commerce	Design Standards,	and any other app	licable design	
	and Industry	guidelines that hav	ve been approved b	y the Planning	
	Element	Commission.			
RESIDENTIAL STANDA	ARDS AND USE	S			
* * * *					
Residential Uses		Controls by Story			
		1st	2nd	3rd +	
Residential Uses	§102	Р	Р	Р	
Accessory Dwelling §§ 102,		Accessory Dwelling Units are permitted to be			
Unit <i>Density</i>	207 <u>.1(c)(4),</u>	constructed within an existing building zoned for			
	<u>207.2</u>	residential use or within an existing and			
		authorized auxilia	ary structure on th	ne same lot,	

		I			
1			provided that it of	does not eliminate	or reduce a
2			ground-story reta	ail or commercial	space.
3	Dwelling Unit Density	§ 207	Up to 1 unit per	200 sq. ft. lot area	l.
4	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending	on project location,	but generally
5	Densities, if Applicable		ranges between 50	0 and 100 dwelling	units per acre.
6	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 squa	are feet of Gross Flo	oor Area or an
7	<u>Size</u>		equivalent Floor	Area Ratio for any i	ndividual
8			Dwelling Unit of	1.2:1. C for Dwellin	ng Units that
9			exceed the greater	r of those thresholds	<u>s.</u>
10	Group Housing Density	§§ 208,	1 bedroom per 140 sq. ft. lot area.		
11		890.88(b)			
12	* * * *				
13	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC		
14	Conversion, Demolition,				
15	or Merger of Dwelling				
16	Units, including				
17	Residential Flats				
18			1st	2nd	3rd+
19	Residential Conversion,	§ 317	ϵ	ϵ	ϵ
20	Demolition or Merger				
21	* * * *				
22	NON-RESIDENTIAL STA	ANDARDS AND	USES		
23	Development Standard	s			
24	Floor Area Ratio	§§ 102, 123,	1.8 to 1. For Office Uses minimum intensities may		
25		124 <u>, 207.9</u>	apply pursuant to	§ 207.9.	
			1		

l	* * * *
2	* * * *
3	
4	SEC. 811. CHINATOWN VISITOR RETAIL DISTRICT.
5	* * * *
6	The height limit applicable to the district will accommodate two floors of housing or
7	institutional use above two floors of retail use. Existing residential units are protected by
8	prohibition of upper story conversions and limitation on demolition. Accessory dwelling units are
9	permitted within the district pursuant to Subsection 207(c)(4) of this Code.

Table 811 CHINATOWN VISITOR RETAIL DISTRICT ZONING CONTROL TABLE

		Chinatown Visitor Retail District		
Zoning Category	§ References	Controls		
BUILDING STANDARD	S			
* * * *	* * * *			
Miscellaneous				
* * * *	* * * *			
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
<u>Standards</u>	Commerce	Design Standards, and any other applicable design		
	and Industry	guidelines that have been approved by the Planning		
	Element	Commission.		
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		

		1st	2nd	3rd +
Residential Uses	§102	Р	Р	Р
Accessory Dwelling	§§ 102,	Accessory Dwelling Units are permitted to be		
Unit <i>Density</i>	207 <u>.1(c)(4),</u>	constructed within an existing building zoned for		
	<u>207.2</u>	residential use or within an existing and		
		authorized auxili	ary structure on t	he same lot,
		provided that it d	loes not eliminate	e or reduce a
		ground-story reta	ail or commercial	space.
Dwelling Unit Density	§ 207	Up to 1 unit per 2	200 sq. ft. lot area	а.
Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.		
Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
<u>Size</u>		equivalent Floor A	Area Ratio for any	<u>individual</u>
		Dwelling Unit of I	1.2:1. C for Dwelli	ing Units that
		exceed the greater	of those threshold	<u>'s.</u>
Group Housing Density	§§ 208,	1 bedroom per 1	40 sq. ft. lot area	
	890.88(b)			
* * * *				
Loss of Dwelling Units:	<u>§ 317</u>	Controls by Story	<u>C</u>	
Conversion, Demolition,				
or Merger of Dwelling				
Units, including				
<u>Residential Flats</u>				I
		1st	2nd	3rd+

1	Residential Conversion,	§ 317	ϵ	ϵ	ϵ
2	Demolition or Merger				
3	* * * *				
4	NON-RESIDENTIAL STA	ANDARDS AND	USES		
5	Development Standard	S			
6	Floor Area Ratio	§§ 102, 123,	2.0 to 1. <i>For Offi</i>	ce Uses minimum i	ntensities may
7	124 <u>, 207.9</u> apply pursuant to § 207.9.				
8	* * * *				
9	9 * * * *				
10	10				
SEC. 812. CHINATOWN RESIDENTIAL NEIGHBORHOOD COMMERCIAL					
12	12 DISTRICT.				
13	* * * *				
14	Housing develop	ment in new and	existing buildings	is encouraged a	bove the ground
15	floor. Institutional uses are	e also encourage	d. <i>Existing residen</i>	tial units are protec	sted by limits on
16	demolition and conversion.	Accessory Dwelli	ng Units are pern	nitted within the di	strict pursuant to
17	subsection 207(c)(4) of this	Code .			
18					
19					
20					
21			Table 812		
22	CHINATOWN	I RESIDENTIAL	NEIGHBORHOO	D COMMERCIAI	L DISTRICT
23		ZONIN	NG CONTROL TA	ABLE	
24					
25					

		Chinatown Res	idential Neighbo strict	rhood
Zoning Category	§ References	Controls		
BUILDING STANDAR	RDS			
* * * *				
Miscellaneous				
* * * *				
Design Guidelines and General Plan Subject to the Urban Design Guidelines, City		elines <u>, <i>Citywide</i></u>		
<u>Standards</u>	Commerce	Design Standards, and any other applicable design		licable design
	and Industry	guidelines that have been approved by the Planning		y the Planning
	Element	Commission.		
RESIDENTIAL STAN	DARDS AND USE	S		
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd +
Residential Uses	§102	Р	Р	Р
Accessory Dwelling	§§ 102,	Accessory Dwelling Units are permitted to be		
Unit <i>Density</i>	207 <u>.1(c)(4),</u>	constructed within an existing building zoned for		
	207.2	residential use o	r within an existin	g and
authorized auxiliary structure on the same lot,				
		provided that it does not eliminate or reduce a		
		ground-story reta	ail or commercial	space.
Dwelling Unit Density	§ 207	Up to 1 unit per 2	200 sq. ft. lot area	l.

		1			
1	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally		
2	<u>Densities, if Applicable</u>		ranges between 50	0 and 100 dwelling	units per acre.
3	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an		
4	<u>Size</u>		equivalent Floor Area Ratio for any individual		
5			Dwelling Unit of	1.2:1. C for Dwelli	ng Units that
6			exceed the greater	r of those threshold.	<u>s.</u>
7	Group Housing Density	§§ 208,	1 bedroom per 1	40 sq. ft. lot area	
8		890.88(b)			
9	* * * *				
10	Loss of Dwelling Units:	<u>§ 317</u>	Controls by StoryC		
11	Conversion, Demolition,				
12	or Merger of Dwelling				
13	Units, including				
14	<u>Residential Flats</u>				
15			1st	2nd	3rd+
16	Residential Conversion,	§ 317	ϵ	ϵ	ϵ
17	Demolition or Merger				
18	* * * *				
19	NON-RESIDENTIAL ST	ANDARDS AND	USES		
20	Development Standard	s			
21	Floor Area Ratio	§§ 102, 123,	1.0 to 1. <i>For Office Uses minimum intensities may</i>		
22		124 <u>, 207.9</u>	apply pursuant to § 207.9.		
23	* * * *				
24	* * * *				

1	SEC. 825. DTR – DOWNTOWN RESIDENTIAL DISTRICTS.					
2	* * * *					
3	(c) Use	(c) Use. A use is the specified purpose for which a property or building is used,				
4	occupied, main	tained, or leased. Uses	in Downtown Residen	tial Districts are either permitted,		
5	conditional, acc	cessory, temporary or a	re not permitted. If the	e are two or more uses in a		
6	structure, any u	use not classified in Sec	ction 825(c)(1)(C) below	v as accessory will be considered		
7	separately as a	ın independent permitte	ed, conditional, tempora	ary or not permitted use.		
8	* * *	*				
9	(2	2) Residential Use Co	ontrols. Unless otherwi	ise specified in a Section		
10	governing an ir	ndividual DTR District, tl	he following residential	use controls shall apply:		
11	* * *	*				
12		(C) Residential	Density. <u>Form-Based D</u>	ensity applies in the Downtown		
13	Residential Distr	<u>ricts.</u> There shall be no der	nsity limit for residential i	uses in Downtown Residential		
14	Districts. The pr	ovisions of Sections 207 to	hrough 208 related to res	idential density shall not apply.		
15	* * *	*				
16	SEC. 82	7. RINCON HILL DOW	NTOWN RESIDENTIA	L MIXED USE DISTRICT (RH-		
17	DTR).					
18	* * *	*				
19		ı				
20	No.	Zoning Category	§ References	Rincon Hill		
21				Downtown		
22				Residential Mixed		
23				Use District Zoning		
24				Controls		
25	Building and	Siting Standards				

1	* * * *			
2	.13	Setbacks	Ground Floor	Building setback of 3
3			Residential Design	to 10 ft. for all
4			Guidelines Urban	buildings except
5			Design Guidelines,	towers on Spear,
6			Citywide Design	Main, Beale,
7			Standards, and any	Fremont, and First
8			other applicable design	Streets. § 827(a)(2)
9			guidelines that have	and (6).
10			been approved by the	Upper-story setback
11			Planning Commission.	of 10 ft. required
12				above a height of 65
13				feet on both sides of
14				Spear, Main, Beale,
15				Fremont, and First
16				Streets. § 827(a)(5).
17				Sun access plane
18				setback of 50
19				degrees for all
20				buildings 85' and
21				lower on the south
22				side of east-west
23				mid-block pathways.
24				§ 827(a)(5).

1	.14	Street-Facing Uses	§§ 145.1, 145.4,	Active uses required
2			Ground Floor	on all street
3			Residential Design	frontages. See §§
4			Guidelines <u>Urban</u>	145.1, 825(b).
5			<u>Design Guidelines,</u>	Ground-level
6			Citywide Design	residential or
7			Standards, and any	commercial
8			other applicable design	requirements based
9			guidelines that have	on location. See §§
10			been approved by the	145.4 and 827(a)(2).
11			Planning Commission.	
12	* * * *			
13	Non-Residenti	al Standards and Uses		
14	* * * *			
15	.21	Use Size	§§ 890.130, 145.14 <u>,</u>	P for non-residential
16		[Non-Residential]	<u>207.9</u>	uses up to 25,000
17				sq. ft., C above. No
18				individual ground
19				floor tenant may
20				occupy more than
21				75' of frontage for a
22				depth of 25' from
23				Folsom Street.
24				§§ 145.14. <i>For Office</i>
25				<u>Uses minimum</u>

		T	T	
1				intensities may apply
2				pursuant to § 207.9.
3	* * * *			
4	Residential St	andards and Uses		
5	* * * *			
6	.47	Residential Density,	§§ 207.5(d), 207.6,	No Limit. § 207.5(d) #
7		Dwelling Units General	890.88(a)	Form-Based Density.
8				<u>Dwelling</u> Unit Mix
9				Required § 207.6
10	<u>.47b</u>	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on
11		Densities, if Applicable		project location, but
12				generally ranges
13				between 50 and 100
14				dwelling units per acre.
15	<u>.47c</u>	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 square</u>
16		<u>Size</u>		feet of Gross Floor
17				Area or an equivalent
18				Floor Area Ratio for
19				any individual
20				Dwelling Unit of 1.2:1.
21				C for Dwelling Units
22				that exceed the greater
23				of those thresholds.
24	.48	Residential Density,	§ <u>§ 207.5,</u> 890.88(b)	No Limit.
25		Group Housing		

1			<u>§ 207.5(d)Form-Based</u>
2			<u>Density</u>
3	* * * *		

SEC. 829. SOUTH BEACH DOWNTOWN RESIDENTIAL MIXED USE DISTRICT (SB-DTR).

* * * *

While lot coverage is limited for all levels with residential uses that do not face onto streets or alleys, traditional rear yard open spaces are not required. Specific height, bulk, and setback controls establish appropriate heights for both towers and mid-rise podium development and ensure adequate spacing between towers in order to establish a neighborhood scale and ensure light and air to streets and open spaces. Setbacks are required where necessary to provide transition space for ground floor residential uses and to ensure sunlight access to streets and open spaces. Off-street parking must be located below grade. Accessory Dwelling Units are permitted within the district-pursuant to Section 207.1 of this Code.

Table 829
SOUTH BEACH DOWNTOWN RESIDENTIAL MIXED USE DISTRICT ZONING CONTROL

TABLE

No. Zoning Category § References South Beach
Downtown
Residential Mixed
Use District Zoning
Controls

1	Building and	Siting Standards		
2				
3	Non-Resident	ial Standards and Uses		
4	* * * *			
5	.21	Use Size	§ <u>§</u> 890.130 <u>, 207.9</u>	P for non-residential
6		[Non-Residential]		uses up to 25,000
7				sq. ft., C above. <u>For</u>
8				Office Uses minimum
9				intensities may apply
10				pursuant to § 207.9.
11	* * * *			
12	Residential St	andards and Uses		
13	* * * *			
14	.47	Residential Density,	§ <u>§ 207.5(d),</u> 207.6,	No Limit. § 207.5(d) #
15		Dwelling Units General	890.88(a)	Form-Based Density.
16				<u>Dwelling</u> Unit Mix
17				Required § 207.6
18	<u>.47b</u>	Minimum Dwelling Unit	<u>§ 207.9</u>	<u>Varies depending on</u>
19		Densities, if Applicable		project location, but
20				generally ranges
21				between 50 and 100
22				dwelling units per acre.
23	<u>.47c</u>	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	<u>P up to 4,000 square</u>
24		<u>Size</u>		feet of Gross Floor
25				Area or an equivalent

1				Floor Area Ratio for
2				any individual
3				Dwelling Unit of 1.2:1.
4				C for Dwelling Units
5				that exceed the greater
6				of those thresholds.
7	.48	Residential Density,	§ <u>§ 207.5,</u> 890.88(b)	No Limit.
8		Group Housing		<u>§ 207.5(d)Form-Based</u>
9				<u>Density.</u>
10	* * * *			

SEC. 830. CMUO – CENTRAL SOMA MIXED USE-OFFICE DISTRICT.

* * * *

CMUO – CENTRAL SOMA MIXED USE-OFFICE DISTRICT ZONING CONTROL TABLE

Table 830

Central SoMa Mixed Use-Office Controls				
Zoning Category	§ References	Controls		
BUILDING STANDARDS				
* * * *				
Miscellaneous				
* * * *				
Design Guidelines and	General Plan	Subject to the Citywide Urban Design Guidelines.		
<u>Standards</u>	Commerce	Citywide Design Standards, and any other applicable		

		1	
1		and Industry	design guidelines that have been approved by the
2		Element;	Planning Commission.
3		Central SoMa	
4		Plan	
5	RESIDENTIAL STANDARDS AND USES		
6	Development Standards		
7	* * * *		
8	* * * *		
9	Residential Uses		
10	Residential Uses	§102	Р
11	Dwelling Units, Senior	§ 207	No residential density limit by lot area. Density
12	Housing, and Group		restricted by physical envelope controls of height,
13	Housing <u>Density,</u>		bulk, setbacks, open space, exposure and other
14	<u>General</u>		applicable controls of this and other Codes, as well as
15			by applicable design guidelines, applicable elements
16			and area plans of the General Plan, and design review
17			by the Planning Department. Form-Based Density.
18	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
19	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
20	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
21	<u>Size</u>		equivalent Floor Area Ratio for any individual
22			Dwelling Unit of 1.2:1. C for Dwelling Units that
23			exceed the greater of those thresholds.
24	Group Housing	§§ 102,	NP, except Group Housing uses that are also
25		249.78(c)(8)	defined as Student Housing or Senior Housing,

1			are designated for persons with disabilities, are
2			designated for Transition Age Youth, or are
3			contained in buildings that consist of 100%
4			affordable units.
5	* * * *		
6	NON-RESIDENTIAL STA	ANDARDS AND	USES
7	Development Standards	S	
8	Floor Area Ratio	§§ 102, 123,	In the Central SoMa SUD, <u>Pp</u> revailing Height and
9		124, 128.1,	Density limits are determined by Section 249.78,
10		<u>207.9,</u> 249.78	subject to the requirements of Section 128. For
11			Office Uses minimum intensities may apply pursuant
12			<u>to § 207.9.</u>
13	* * * *		

SEC. 831. MUG - MIXED USE-GENERAL DISTRICT.

16 * * * *

14

15

17

18

19

20

21

23

24

25

Housing is encouraged over ground floor commercial and PDR uses. New residential or mixed use developments are encouraged to provide as much mixed-income family housing as possible. Existing group housing and dwelling units would be protected from demolition or conversion to nonresidential use by requiring conditional use review. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

* * * *

MUG – MIXED USE-GENERAL DISTRICT ZONING CONTROL TABLE

Zoning Category	§ References	Mixed Use-General Controls
3	0	

Table 831

1	BUILDING STANDARDS	BUILDING STANDARDS		
2	* * * *			
3	Miscellaneous			
4	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide	
5	<u>Standards</u>	Commerce	Design Standards, and any other applicable design	
6		and Industry	guidelines that have been approved by the Planning	
7		Element;	Commission	
8		Central SoMa		
9		Plan		
10	* * * *			
11		RESIDENTIAL	STANDARDS AND USES	
12	Development Standard	S		
13	* * * *			
14	Residential Conversion,	§ 317	C for Removal of one or more Residential Units or	
15	Demolition, or Merger		Unauthorized Units.	
16	of Dwelling Units,			
17	including Residential			
18	<u>Flats</u>			
19	* * * *			
20	Residential Uses			
21	* * * *			
22	Dwelling Unit and	§ 207	No density limit. Density is regulated by the permitted	
23	Group Housing Density,		height and bulk, and required setbacks, exposure, and	
24	<u>General</u>		open space of each development lot.Form-Based	
25			Density.	

1	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
2	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
3	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an
4	<u>Size</u>		equivalent Floor Area Ratio for any individual
5			Dwelling Unit of 1.2:1. C for Dwelling Units that
6			exceed the greater of those thresholds.
7	NON-RESIDENTIAL STA	ANDARDS AND	USES
7 8	NON-RESIDENTIAL STA		USES
7 8 9			FAR based on permitted height. See §124 for
	Development Standards	S	
9	Development Standards	§§ 123, 124 <u>.</u>	FAR based on permitted height. See §124 for

* * * *

(4) Within the Central SOMA SUD, see Planning Code Section 249.78 for specific controls.

SEC. 832. MUO – MIXED USE-OFFICE DISTRICT.

The Mixed Use-Office (MUO) is designed to encourage office uses and housing, as well as small-scale light manufacturing and arts activities. Nighttime entertainment and small tourist hotels are permitted as a conditional use. Large tourist hotels are permitted as a conditional use in certain height districts. Dwelling units and group housing are permitted, while demolition or conversion of existing dwelling units or group housing requires conditional use authorization. Family-sized housing is encouraged. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

1 Table 832 2 MUO - MIXED USE-OFFICE DISTRICT ZONING CONTROL TABLE 3 4 **Zoning Category** § References **Mixed Use-Office District Controls** 5 **BUILDING STANDARDS** 6 7 Miscellaneous 8 Design Guidelines and General Plan Subject to the Urban Design Guidelines, Citywide 9 Standards Commerce Design Standards, and any other applicable design 10 and Industry guidelines that have been approved by the Planning 11 Element Commission. 12 13 RESIDENTIAL STANDARDS AND USES 14 **Development Standards** 15 16 Residential Conversion. § 317 C for Removal of one or more Residential Units or 17 Demolition, or Merger Unauthorized Units. 18 of Dwelling Units, 19 including Residential 20 Flats 21 22 **Residential Uses** 23 24

<u>P</u>

<u>§§ 102,</u>

202.2(f)

Senior Housing

1	Homeless Shelters	§§ 102, 208	Р
2	Dwelling Unit and	§ 208	No density limit. Density is regulated by the permitted
3	Group Housing Density,		height and bulk, and required setbacks, exposure, and
4	<u>General</u>		open space of each development lot. Form-Based
5			<u>Density.</u>
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
7	<u>Densities, if Applicable</u>		ranges between 50 and 100 dwelling units per acre.
8	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
9	<u>Size</u>		equivalent Floor Area Ratio for any individual
10			Dwelling Unit of 1.2:1. C for Dwelling Units that
11			exceed the greater of those thresholds.
12	* * * *		
13	NON-RESIDENTIAL STA	ANDARDS AND	USES
14	Development Standards	S	
15	Floor Area Ratio	§§ 123, 124 <u>,</u>	Varies, depending on height, as set forth in §
16		<u>207.9</u>	124. For Office Uses minimum intensities may apply
17			pursuant to § 207.9.
18	* * * *		
19	* * *		
20			

20

21

SEC. 833. MUR - MIXED USE-RESIDENTIAL DISTRICT.

22

23

24

25

MUR - MIXED USE-RESIDENTIAL DISTRICT ZONING CONTROL TABLE

Table 833

1	Zoning Category	§ References	Mixed Use-Residential District Controls
2	BUILDING STANDARDS	<u> </u>	
3	* * * *		
4	Miscellaneous		
5	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
6	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
7		and Industry	guidelines that have been approved by the Planning
3		Element;	<u>Commission</u> .
9		Central SoMa	
0		Plan	
1	* * * *		
2		RESIDENTIAL S	STANDARDS AND USES
3	Development Standard	S	
4	* * * *		
5	Residential Conversion,	§ 317	C for Removal of one or more Residential Units or
	Demolition, or Merger		Unauthorized Units.
	of Dwelling Units,		
	including Residential		
)	<u>Flats</u>		
)	* * * *		
1	Residential Uses		
2	* * * *		
3	Senior Housing	<u>§§ 102,</u>	<u>P</u>
1		202.2(f)	

1	Homeless Shelters	§ <u>§ 102,</u> 208	Р	
2	Dwelling Unit and	§ 208	No density limit. Density is regulated by the permitted	
3	Group Housing Density,		height and bulk, and required setbacks, exposure, and	
4	<u>General</u>		open space of each development lot.Form-Based	
5			Density.	
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally	
7	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.	
8	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an	
9	<u>Size</u>		equivalent Floor Area Ratio for any individual	
10			Dwelling Unit of 1.2:1. C for Dwelling Units that	
11			exceed the greater of those thresholds.	
12	* * * *			
13	NON-RESIDENTIAL STA	NON-RESIDENTIAL STANDARDS AND USES		
14	Development Standards	5		
15	Floor Area Ratio	§§ 123, 124,	FAR based on permitted height, see Section 124	
16		128.1,	for more information. (3) For Office Uses minimum	
17		249.78 <u>, 207.9</u>	intensities may apply pursuant to § 207.9.	
18	* * * *			
19	* * *			
20	(3) For projects within the Central SoMa SUD, see specific requirements in Section			

(3) For projects within the Central SoMa SUD, see specific requirements in Section 249.78.

22 * * * *

2324

21

SEC. 834. RED – RESIDENTIAL ENCLAVE DISTRICT.

25 * * * *

Dwelling units are permitted as a principal use. Nonresidential uses, except art related activities, are not permitted, except for certain uses in historic buildings. Existing commercial activities in nonresidential structures may continue as nonconforming uses subject to the termination requirements of Sections 185 and 186. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 834 RED – RESIDENTIAL ENCLAVE DISTRICT ZONING CONTROL TABLE

Zoning Category	§ References	Residential Enclave District Controls		
BUILDING STANDARDS				
* * * *				
Miscellaneous				
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
<u>Standards</u>	Commerce and	Design Standards, and any other applicable design		
	<u>Industry</u>	guidelines that have been approved by the Planning		
	<u>Element</u>	Commission.		
Large Project Review	§ 329	As required by § 329.		
* * * *				
Awnings, Canopy, or	§ 136	NP(6)		
Marquee				
* * * *				
RESIDENTIAL STANDARDS AND USES				
Development Standard	ls			
* * * *				

1	Residential Conversion,	§ 317	C for Removal of one or more Residential Units or
2	Demolition, or Merger	3011	Unauthorized Units.
			Ondumorized Onlis.
3	of Dwelling Units,		
4	including Residential		
5	<u>Flats</u>		
6	* * * *		
7	Residential Uses		
8	* * * *		
9	Senior Housing	<u>§§ 102,</u>	<u>P</u>
0		<u>202.2(f)</u>	
1	Homeless Shelters	§ 102	С
2	Dwelling Unit Density,	§§ 207, 208	No density limit. Density is regulated by the permitted
3	<u>General</u>		height and bulk, and required setbacks, exposure, and
4			open space of each development lot.Form-Based
5			<u>Density.</u>
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
7	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
3	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
9	<u>Size</u>		equivalent Floor Area Ratio for any individual
)			Dwelling Unit of 1.2:1. C for Dwelling Units that
			exceed the greater of those thresholds.
2	* * * *		
3	NON-RESIDENTIAL STA	ANDARDS AND	USES
ļ.	* * * *		
5	* * * *		

(6) <u>Awning or canopy is P if required as a wind mitigation feature.</u> Awnings are <u>also P</u> permitted only for Limited Commercial Uses, as described in Section 186 of this Code.

* * * *

SEC. 835. RED-MX - RESIDENTIAL ENCLAVE-MIXED DISTRICT.

* * * *

While residential uses are encouraged throughout these districts, group housing is limited, and student housing and single-room-occupancy units are prohibited. Small-scale retail, restaurants, arts activities, and other commercial uses are principally permitted to create the potential for more active, mixed use alleys. Some automobile-related and production, distribution, and repair uses are also permitted with limitations. Existing commercial activities in nonresidential structures may continue as nonconforming uses subject to the termination requirements of Article 1.7. Accessory Dwelling Units are permitted within the district pursuant to Section 207.1 of this Code.

Table 835

RED-MX - RESIDENTIAL ENCLAVE-MIXED DISTRICT ZONING CONTROL TABLE

Zoning Category	§ References	Residential Enclave-Mixed District Controls		
BUILDING STANDARDS				
* * * *				
Miscellaneous				
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide		
<u>Standards</u>	Commerce	Design Standards, and any other applicable design		
	and Industry	guidelines that have been approved by the Planning		
	Element.	Commission.		

	_		
1	* * * *		
2	RESIDENTIAL STANDARDS AND USES		
3	Development Standards		
4	* * * *		
5	Residential Conversion	§ 317	NP(5)
6	Residential <u>Conversion</u> ,	§ 317	C for Removal of one or more Residential Units or
7	Demolition, <u>or</u> Merger <u>of</u>		Unauthorized Units.
8	Dwelling Units, including		
9	Residential Flats		
10	* * * *		
11	Residential Uses		
12	* * * *		
13	Senior Housing	<u>§§ 102,</u>	<u>P</u>
14		<u>202.2(f)</u>	
15	Homeless Shelters	§ 102	С
16	Dwelling Unit and	§§ 207	No density limit. Density is regulated by the permitted
17	Group Housing Density,		height and bulk, and required setbacks, exposure, and
18	<u>General</u>		open space of each development lot. Form-Based
19			<u>Density.</u>
20	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
21	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
22	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an
23	<u>Size</u>		equivalent Floor Area Ratio for any individual
24			Dwelling Unit of 1.2:1. C for Dwelling Units that
25			exceed the greater of those thresholds.

1 2 **NON-RESIDENTIAL STANDARDS AND USES** 3 4 5 (5) *C in Article 10 Landmark Buildings*[Reserved] 6 7 8 SEC. 836. SALI – SERVICE/ARTS/LIGHT INDUSTRIAL DISTRICT. 9 The Service/Arts/Light Industrial (SALI) District is largely comprised of low-scale 10 buildings with production, distribution, and repair uses. The *dD*istrict is designed to protect and 11 facilitate the expansion of existing general commercial, manufacturing, home and business 12 service, and light manufacturing activities, with an emphasis on preserving and expanding arts 13 activities. Nighttime Entertainment is permitted although limited by buffers around RED and 14 RED-MX districts. Residential Uses, Offices, Hotels, and Adult Entertainment uses are not 15 permitted, except that certain Affordable Housing Projects are permitted within the district 16 pursuant to Section 846.24 of this Code, and Accessory Dwelling Units are permitted within 17 the district pursuant to Section 207.1 of this Code.

18

19

21

22

23

24

Table 836

20 SALI – SERVICE/ARTS/LIGHT INDUSTRIAL DISTRICT ZONING CONTROL TABLE

Zoning Category § References Service/Arts/Light Industrial District Control				
BUILDING STANDARDS				
* * * *				
Miscellaneous				

1	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
2	<u>Standards</u>	Commerce	Design Standards, and any other applicable design
3		and Industry	guidelines that have been approved by the Planning
4		Element.	<u>Commission.</u>
5	* * * *		
6		RESIDENTIAL S	STANDARDS AND USES
7	Development Standards	S	
8	* * * *		
9	Residential Conversion,	§ 317	C-for Removal of one or more Residential Units or
10	Demolition, or Merger		Unauthorized Units.
11	of Dwelling Units,		
12	including Residential		
13	<u>Flats</u>		
14	* * * *		
15	Residential Uses		
16	Dwelling Units	§ 102	NP(3)
17	* * * *		
18	Dwelling Unit and	§§ 207	No density limit. Density is regulated by the permitted
19	Group Housing Density,		height and bulk, and required setbacks, exposure, and
20	<u>General</u>		open space of each development lot.Form-Based
21			Density.
22	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
23	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
24	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an
25	<u>Size</u>		equivalent Floor Area Ratio for any individual

1 Dwelling Unit of 1.2:1. C for Dwelling Units that 2 exceed the greater of those thresholds. 3 4 NON-RESIDENTIAL STANDARDS AND USES 5 * * * * 6 7 (3) NP, Except Affordable Housing Projects meeting the requirements of Section 8 803.8. 9 10 11 SEC. 837. SPD - SOUTH PARK DISTRICT. 12 South Park is an attractive affordable mixed-use neighborhood. The South Park District 13 (SPD) is intended to preserve the scale, *density* and mix of commercial and residential 14 activities within this unique neighborhood. The district is characterized by small-scale, 15 continuous-frontage warehouse, retail and residential structures built in a ring around an oval-16 shaped, grassy park. Retention of the existing structures is encouraged, as is a continued mix 17 of uses, family-sized housing units, and in-fill development which contributes positively to the 18 neighborhood scale and use mix. Accessory Dwelling Units are permitted within the $d\underline{D}$ istrict 19 pursuant to Section 207.1 of this Code. 20 21 22 Table 837 23 SPD - SOUTH PARK DISTRICT ZONING CONTROL TABLE

§ References

Zoning Category

BUILDING STANDARDS

24

25

South Park District Controls

1	* * * *		
2	Miscellaneous	,	
3	Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
4	<u>Standards</u>	Commerce and	Design Standards, and any other applicable design
5		<u>Industry</u>	guidelines that have been approved by the Planning
6		<u>Element</u>	Commission.
7	Large Project Review	§ 329	As required by § 329.
8	* * * *		
9	Awning, Canopy, or	§ 136, 136.1	NP <u>(4)</u>
10	Marquee		
11	* * * *		
12		RESIDENTIAL S	STANDARDS AND USES
13	Development Standard	S	
14	* * * *		
15	Residential Conversion,	§ 317	C-for Removal of one or more Residential Units or
16	Demolition, or Merger		Unauthorized Units.
17	of Dwelling Units,		
18	including Residential		
19	<u>Flats</u>		
20	* * * *		
21	Residential Uses		
22	* * * *		
23	Senior Housing	<u>§§ 102,</u>	<u>P</u>
24		<u>202.2(f)</u>	

1	Homeless Shelters	§ 102	С
2	Dwelling Unit and	§§ 207	No density limit. Density is regulated by the permitted
3	Group Housing Density,		height and bulk, and required setbacks, exposure, and
4	<u>General</u>		open space of each development lot.Form-Based
5			<u>Density.</u>
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
7	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
8	Maximum Dwelling Unit	<u>§§ 207.10, 317</u>	P up to 4,000 square feet of Gross Floor Area or an
9	<u>Size</u>		equivalent Floor Area Ratio for any individual
10			Dwelling Unit of 1.2:1. C for Dwelling Units that
11			exceed the greater of those thresholds.
12	* * * *		
13	NON-RESIDENTIAL STA	ANDARDS AND	USES
14	Development Standards	5	
15	Floor Area Ratio	§§ 102, 123,	FAR based on permitted height. See Section
16		124 <u>, 207.9</u>	124. Childcare Facilities and Residential Care
17			Facilities are exempt from FAR limits. For Office
18			Uses minimum intensities may apply pursuant to §
19			<u>207.9.</u>
20	* * * *		
21	· · · ·		

21 * * * *

22

24

(4) [Note Deleted] Awning or canopy is P if required as a wind mitigation feature.

23 * * * *

SEC. 838. UMU – URBAN MIXED USE DISTRICT.

25 * * * *

Table 838 1

UMU – URBAN MIXED USE DISTRICT ZONING CONTROL TABLE

UMU – UF	RBAN MIXED US	SE DISTRICT ZONING CONTROL TABLE
Zoning Category	§ References	Urban Mixed Use District Controls
BUILDING STANDARD	S	
* * * *		
Miscellaneous		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywide
<u>Standards</u>	Commerce	Design Standards, Citywide Design Standards, and
	and Industry	any other applicable design guidelines that have been
	Element	approved by the Planning Commission.
* * * *		
	RESIDENTIAL S	STANDARDS AND USES
Development Standard	S	
* * * *		
Residential Conversion,	§ 317	C for Removal of one or more Residential Units or
Demolition, or Merger		Unauthorized Units.
of Dwelling Units,		
including Residential		
<u>Flats</u>		
* * * *		
Residential Uses		
* * * *		
Senior Housing	<u>§§ 102,</u>	<u>P</u>
	<u>202.2(f)</u>	

1	Homeless Shelters	§ 102	P
2	Dwelling Unit and	§ § 207	No density limit. Density is regulated by the permitted
3	Group Housing Density,		height and bulk, and required setbacks, exposure, and
4	<u>General</u>		open space of each development lot. Form-Based
5			<u>Density.</u>
6	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
7	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
8	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an
9	<u>Size</u>		equivalent Floor Area Ratio for any individual
10			Dwelling Unit of 1.2:1. C for Dwelling Units that
11			exceed the greater of those thresholds.
12	* * * *		
13	NON-RESIDENTIAL STA	ANDARDS AND	USES
14	Development Standards		
15	Floor Area Ratio	§§ 123, 124 <u>,</u>	Section 124 sets forth Basic FAR based on
16		<u>207.9</u>	height. For Office Uses minimum intensities may
17			apply pursuant to § 207.9.
18	* * * *		
19	* * * *		

19 * * * *

20

21

SEC. 839. WMUG - WSOMA MIXED USE-GENERAL DISTRICT.

22 * * * *

23 Table 839

WMUG - WSOMA MIXED USE-GENERAL DISTRICT ZONING CONTROL TABLE

25

Zoning Category	§ References	Western SoMa Mixed Use-General District
		Controls
BUILDING STANDARD	S	
Massing and Setbacks	T	
Height and Bulk Limits	§§ , 261.1,	Varies; see also Height and Bulk District Maps.
	<u>263.19,</u> 270,	Height sculpting required on Alleys as set forth
	270.1, 270.2,	§ 261.1. Horizontal mass reduction required as
	<u>270.3,</u> 271	set forth in §270.1. Mid-block alleys required as
		set forth in §270.2.
* * * *		
Miscellaneous		
Design Guidelines and	General Plan	Subject to the Urban Design Guidelines, Citywi
<u>Standards</u>	Commerce	Design Standards, and any other applicable design
	and Industry	guidelines that have been approved by the Planning
	Element.	Commission.
* * * *		
Signs	§ 607.2	As permitted by Section § 607.2
* * * *		
Housing Choice-SF	<u>§ 206.10</u>	Form-based density, additional height, and other
		zoning modifications for eligible projects in the R-4
		Height and Bulk District.
	RESIDENTIAL S	STANDARDS AND USES
Development Standard	ls	
* * * *		

1	Residential Conversion,	§ 317	C for Removal of one or more Residential Units or
2	Demolition, or Merger		Unauthorized Units.
3	of Dwelling Units,		
4	including Residential		
5	<u>Flats</u>		
6	Dwelling Unit Mix	§ 207.6	Generally required for creation of five or more
7			Dwelling Units. At least 40% of all Dwelling Units
8			must contain two or more bedrooms or 30% of all
9			Dwelling Units must contain three or more
10			bedrooms.
11	* * * *		
12	Residential Uses		
13	* * * *		
14	Senior Housing	<u>§§ 102,</u>	<u>P</u>
15		<u>202.2(f)</u>	
16	Homeless Shelters	§ 208	Р
17	Dwelling Unit and	§ § 207	No density limit. Density is regulated by the permitted
18	Group Housing Density,		height and bulk, and required setbacks, exposure, and
19	<u>General</u>		open space of each development lot.Form-Based
20			Density.
21	Minimum Dwelling Unit	<u>§ 207.9</u>	Varies depending on project location, but generally
22	Densities, if Applicable		ranges between 50 and 100 dwelling units per acre.
23	Maximum Dwelling Unit	§§ 207.10, 317	P up to 4,000 square feet of Gross Floor Area or an
24	<u>Size</u>	<u>-</u> _	equivalent Floor Area Ratio for any individual
			= -

		Dwelling Unit of 1.2:1. C for Dwelling Units that
		exceed the greater of those thresholds.
* * * *		
ION-RESIDENTIAL ST	ANDARDS AND	USES
Development Standard	ls	
Floor Area Ratio	§§ 123, 124 <u>,</u>	FAR based on permitted height, see Section 124
	<u>207.9</u>	for more information. For Office Uses minimum
		intensities may apply pursuant to § 207.9.
: * * *		
* * * *		
SEC. 840. WMUO	- WSOMA MIXE	ED USE-OFFICE DISTRICT.
* * * *		
		Table 840
WMUO - WSO	MA MIXED USE-	OFFICE DISTRICT ZONING CONTROL TABLE
Zoning Category	§ References	Western SoMa Mixed Use-Office District
		Controls
BUILDING STANDARD	S	

General Plan

Commerce

and Industry

Commission.

Element.

Design Guidelines $\underline{\it and}$

Miscellaneous

Standards

19

20

21

22

23

24

25

Subject to the Urban Design Guidelines, Citywide

Design Standards, and any other applicable design

guidelines that have been approved by the Planning

RESIDENTIAL STANDARDS AND USES			
Development Standards			
* * * *			
Residential Conversion,	§ 317	C for Removal of one or more Residential Units or	
Demolition, or Merger		Unauthorized Units.	
of Dwelling Units,			
including Residential			
<u>Flats</u>			
Dwelling Unit Mix	§ 207.6	At least 40% of all Dwelling Units must contain two	
		or more bedrooms or 30% of all Dwelling Units must	
		contain three or more bedrooms.	
* * * *			
NON-RESIDENTIAL STA	NON-RESIDENTIAL STANDARDS AND USES		
Development Standards			
Floor Area Ratio	§§ 102, 123,	Section 124 sets forth the Basic FAR based on	
	124 <u>, 207.9</u>	height. For Office Uses minimum intensities may	
		apply pursuant to § 207.9.	
* * * *			
	Pevelopment Standards * * * * Residential Conversion, Demolition, or Merger of Dwelling Units, including Residential Flats Dwelling Unit Mix * * * * NON-RESIDENTIAL STA	Development Standards * * * * Residential Conversion, § 317 Demolition, or Merger of Dwelling Units, including Residential Flats Dwelling Unit Mix \$ 207.6 * * * * NON-RESIDENTIAL STANDARDS AND Development Standards Floor Area Ratio §§ 102, 123,	

19 * * * * *

21

22

23

24

25

Section 14. Article 1 of the Business and Tax Regulations Code is hereby amended to revise Section 8, as follows:

SEC. 8. METHOD OF APPEAL TO THE BOARD OF APPEALS.

(a) Except for variance decisions and permits issued by the Entertainment

Commission or its Director, and as otherwise specified in this Section 8, appeals to the Board

of Appeals shall be taken within 15 days from the making or entry of the order or decision 2 from which the appeal is taken. Appeals of variance decisions shall be taken within 10 days.

- (b) Appeals to the Board of Appeals of permit decisions made pursuant to a Housing Sustainability District Planning Code Section 343 shall be taken within 10 days of the permit decision. This subsection (b) shall expire on the *latter of the* Sunset Date of Planning Code Section 343 or Section 344, as defined in that those Sections. Upon the expiration of this subsection, the City Attorney shall cause this subsection to be removed from the Business and Tax Regulations Code.
- 9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

1

3

4

5

6

7

- Section 15. Local Coastal Program. The Local Coastal Program is hereby amended to:
- (a) Add Planning Code Sections 206.10, 334, and 344, as set forth above in Section 3 of this ordinance ["Housing Choice – San Francisco Program"];
 - (b) Add Planning Code Section 270.3 and modify Planning Code Sections 260, 263.19, 263.20, and 270, as set forth above in Section 4 of this ordinance ["Height and Bulk Limits"]:
 - (c) Modify Planning Code Sections 209, 209.1, and 209.2, as set forth above in Section 6 of this ordinance ["Residential Districts"]. For the purposes of certification by the Coastal Commission, Planning Code Tables 209.1 and 209.2 are reprinted in their entirety, which include the relevant use and development controls for RH, RM-1, and RM-2 properties in the Coastal Zone;
 - (d) Modify Planning Code Sections 121.2, 124, 132, 134, 135, 144, 186, 186.3, 201, 207.6, 207.7, 208, 209.4, 231, 303, 304, 603, 606, and 607.1, as set forth above in Section 7 of this ordinance ["Residential, Transit Oriented (RTO) Districts"]. For the purposes of certification by the Coastal Commission, Planning Code Table 209.4 is reprinted in its entirety,

1	which includes the relevant use and development controls for RTO-C properties in the Coastal
2	Zone;
3	(e) Add Planning Code Sections 207.9 and 207.10 and modify Planning Code
4	Sections 151.1, 153, 154, 155, and 161, as set forth above in Section 8 of this ordinance
5	["Transit Oriented Communities and Parking"];
6	(f) Modify Planning Code Section 155, as set forth above in Section 9 of this ordinance
7	["Off-Street Parking and Curb Cuts"];
8	(g) Add Planning Code Section 249.11, as set forth above in Section 10 of this
9	ordinance ["San Francisco Municipal Transportation Agency Special Use District"];
10	(h) Add Planning Code Section 202.17, as set forth above in Section 11 of this
11	ordinance ["Legacy Businesses"];
12	(i) Modify Planning Code Sections 102, 311, and 317, as set forth above in Section 12
13	of this ordinance ["Miscellaneous Amendments"]; and
14	(j) Modify Planning Code Sections 710 and 711, as set forth above in Section 13 of
15	this ordinance ["Conforming Changes to Zoning Tables"]. For the purposes of certification by
16	the Coastal Commission, Planning Code Tables 710 and 711 are reprinted in their entirety,
17	which include the relevant use and development controls for NC-1 and NC-2 properties in the
18	Coastal Zone.
19	
20	Section 16. Effective and Operative Dates Outside the Coastal Zone.
21	(a) In the portions of the City that are not located in the Coastal Zone Permit Area, as
22	that permit area is designated on Section Maps CZ4, CZ5, and CZ13 of the Zoning Map, this

ordinance shall become effective 30 days after enactment. Enactment occurs when the

Mayor signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the

23

24

1 ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's 2 veto of the ordinance. 3 (b) In the portions of the City that are not located in the Coastal Zone Permit Area, this ordinance shall become operative upon its effective date. 4 5 6 Section 17. Effective and Operative Dates in the Coastal Zone. 7 (a) In the portions of the City that are located in the Coastal Zone Permit Area, this 8 ordinance shall become effective 30 days after enactment. Enactment occurs when the Mayor 9 signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's veto of the 10 ordinance. 11 12 (b) Upon enactment, the Director of the Planning Department shall submit this 13 ordinance to the California Coastal Commission for certification as a Local Coastal Program 14 Amendment. This ordinance shall become operative in the Coastal Zone Permit Area upon 15 final certification by the California Coastal Commission. If the California Coastal Commission 16 certifies this ordinance subject to modifications, this ordinance, as so modified, shall become 17 operative in the Coastal Zone Permit Area 30 days after enactment of the modifications. 18 19 Section 18. Transmittal of Ordinance. Upon certification by the California Coastal 20 Commission, the Director of the Planning Department shall transmit a copy of the certified 21 Local Coastal Program Amendment to the Clerk of the Board for inclusion in File No. 22 ____. The Planning Department shall also retain a copy of the certified Local Coastal

Program Amendment in its Local Coastal Program files.

23

24

Section 19. Scope of Ordinance. In enacting this ordinance, the Board of Supervisors intends to amend only those words, phrases, paragraphs, subsections, sections, articles, numbers, punctuation marks, charts, diagrams, or any other constituent parts of the Municipal Code that are explicitly shown in this ordinance as additions, deletions, Board amendment additions, and Board amendment deletions in accordance with the "Note" that appears under the official title of the ordinance.

Section 20. If any section, subsection, sentence, clause, phrase, or word of this ordinance, or any application thereof to any person or circumstance, is held to be invalid or unconstitutional by a decision of a court of competent jurisdiction, such decision shall not affect the validity of the remaining portions or applications of the ordinance; provided that if either Planning Code Section 206.10 or Section 334 is in any respect held to be invalid or unconstitutional by decision of a court of competent jurisdiction, both sections shall become inoperative and have no legal effect. Except as stated in the proviso above, the Board of Supervisors hereby declares that it would have passed this ordinance and each and every section, subsection, sentence, clause, phrase, and word not declared invalid or unconstitutional without regard to whether any other portion of this ordinance or application thereof would be subsequently declared invalid or unconstitutional.

APPROVED AS TO FORM: DAVID CHIU, City Attorney

By: /s/
AUSTIN M. YANG
Deputy City Attorney

n:\legana\as2025\2500203\01857833.docx