



MEMO

TO: Ronald Alameida, San Francisco Public Works

FROM: Don Lewis, Senior Environmental Planner

DATE: September 6, 2023

PROJECT: Bayview Vehicle Triage Center

SUBJECT: Planning Department / Environmental Review Officer Concurrence
California Environmental Quality Act (CEQA) Exemption per AB 101

This memorandum is in response to a memorandum from San Francisco Public Works dated August 30, 2023 requesting Planning Department confirmation that no environmental review is required for the proposed Bayview Vehicle Triage Center at Candlestick Point State Recreation Area at 500 Hunters Point Expressway. The memo will confirm that the proposed Bayview Vehicle Triage Center is not subject to the California Environmental Quality Act (CEQA) pursuant to California law set forth in Assembly Bill 101, California Government Code Sections 65660 – 65668 (AB 101).

AB 101 provides that a low barrier navigation center that meets certain criteria and is located in a mixed-use zoning district or a non-residential zone that permits multifamily uses is a use by right and is not subject to CEQA (Government Code Section 65660(b)). A “use by right” is defined in Government Code Section 65583.2(i) to mean that the local government’s review of the use may not require a conditional use permit, planned unit development permit, or other discretionary local government review or approval that would constitute a “project” for purposes of CEQA.

The zoning designation for this site is Public (P). This zoning district could be classified as a “non-residential zone” because most of the allowed uses are non-residential. Further, the P zoning can be classified as permitting “multifamily uses” because homeless shelters serve multifamily populations. A homeless shelter that is owned, operated, or leased by the City and County of San Francisco is a principally permitted use in the P District on a permanent basis pursuant to Planning Code Section 211.1(b). Therefore, the Bayview Triage Center would be considered a principally permitted use in the P zoning district.

The memorandum dated August 30, 2023 from Public Works explained how the proposed Vehicle Triage Center complies with the criteria set forth in AB 101. While this proposed Vehicle Triage Center is a little different from other navigation centers currently operating in the City, the proposal meets the definition of a low barrier navigation center set forth in Government Code Section 65660(a) and meets the criteria set forth in Government Code Section 65662. Accordingly, the Bayview Vehicle Triage Center is not subject to CEQA.