

File No. 130029

Committee Item No. 2

Board Item No. 5

COMMITTEE/BOARD OF SUPERVISORS

AGENDA PACKET CONTENTS LIST

Committee: Land Use and Economic Development Date March 4, 2013

Board of Supervisors Meeting Date March 19, 2013

Cmte Board

- | | | |
|-------------------------------------|-------------------------------------|--|
| <input type="checkbox"/> | <input type="checkbox"/> | Motion |
| <input type="checkbox"/> | <input type="checkbox"/> | Resolution |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Ordinance |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Legislative Digest |
| <input type="checkbox"/> | <input type="checkbox"/> | Budget and Legislative Analyst Report |
| <input type="checkbox"/> | <input type="checkbox"/> | Youth Commission Report |
| <input type="checkbox"/> | <input type="checkbox"/> | Introduction Form |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | Department/Agency Cover Letter and/or Report |
| <input type="checkbox"/> | <input type="checkbox"/> | MOU |
| <input type="checkbox"/> | <input type="checkbox"/> | Grant Information Form |
| <input type="checkbox"/> | <input type="checkbox"/> | Grant Budget |
| <input type="checkbox"/> | <input type="checkbox"/> | Subcontract Budget |
| <input type="checkbox"/> | <input type="checkbox"/> | Contract/Agreement |
| <input type="checkbox"/> | <input type="checkbox"/> | Form 126 – Ethics Commission |
| <input type="checkbox"/> | <input type="checkbox"/> | Award Letter |
| <input type="checkbox"/> | <input type="checkbox"/> | Application |
| <input type="checkbox"/> | <input type="checkbox"/> | Public Correspondence |

OTHER (Use back side if additional space is needed)

- | | | |
|-------------------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <u>Environmental Review Determination, dtd 1/17/13</u> |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <u>Building Inspection Commission Recommendation, dtd 1/18/13</u> |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | _____ |

Completed by: Alisa Miller Date March 1, 2013

Completed by: Alisa Miller Date March 7, 2013

** Due to the large size of the document, a complete copy can be found in file.

1 [Building Code - Seismic Standards]

2
3 Ordinance amending the Building Code and adding various sections concerning
4 seismic standards and making conforming changes; making environmental findings;
5 making findings pursuant to California Health and Safety Code, Section 17958.5; and
6 directing the Clerk of the Board to forward this legislation to the California Building
7 Standards Commission.

8 NOTE: Additions are *single-underline italics Times New Roman*;
9 deletions are *strike through italics Times New Roman*.
10 Board amendment additions are double-underlined;
11 Board amendment deletions are ~~strikethrough normal~~.

12 Be it ordained by the People of the City and County of San Francisco:

13 Section 1. Findings.

14 (a) The Building Inspection Commission, at a duly noticed public hearing on January
15 18, 2012, heard the attached legislation in accordance with San Francisco Charter Section
16 D3.750-5.

17 (b) Environmental Findings. The Planning Department has determined that the
18 actions contemplated in this ordinance comply with the California Environmental Quality Act
19 (California Public Resources Code Sections 21000 et seq.). Said determination is on file with
20 the Clerk of the Board of Supervisors in File No. 130029 and is incorporated
21 herein by reference.

22 (c) Health and Safety Code Section 17958.5 Findings Based on Local Climatic,
23 Geological, or Topographical conditions for amendments to Sections 3401.8, 3402.1,
24 3405.2.1, 3405.4.1, and 3405.4.2.

1 (1) Geological. Certain structures in San Francisco are at increased risk for
2 earthquake-induced structural damage due to proximity to at least two major active fault lines.

3 (2) Geological. Certain buildings in San Francisco are at increased risk for
4 earthquake-induced failure and consequent fire damage due to local hazardous microzones,
5 slide area, and local liquefaction hazards.

6 (3) Other amendments contained in this legislation are not a building standard, and no
7 local finding is required.

8 Section 2. The San Francisco Building Code is hereby amended by amending Section
9 1604.11.1, 1604.11.3, 3401.8, 3402.1, 3403.4.1.1, 3404.7.1, 3404.7.2, 3405.1.3, 3405.2.1,
10 3408.4.1 and adding Section 3401.10, 3405.4.1, 3405.4.2, to read as follows:

11 *1604.11. Revise the following sections:*

12 **1604.11. Minimum lateral force for existing buildings.**

13 **1604.11.1 General.** This section is applicable to existing buildings when invoked by
14 Section ~~3401.8~~ 3401.10. This section may be used as a standard for voluntary upgrades.

15 An existing building or structure which has been brought into compliance with the
16 lateral force resistance requirements of the San Francisco Building Code in effect on or after
17 May 21, 1973, shall be deemed to comply with this section except when a vertical extension
18 or other alterations are to be made which would increase the mass or reduce the seismic
19 resistance capacity of the building or structure.

20 **1604.11.3 Seismic forces.** Buildings and structures shall comply with the applicable
21 provisions of Sections 1613, except that, when compliance with this section is required by
22 Section ~~3401.8~~ 3401.10, then structures and elements may be designed for seismic forces of
23 not less than 75 percent of those given in Section 1613, and the building separation limitations
24 of Section 1613.8 do not apply.

1 When upper floors are exempted from compliance by Section ~~3401.8~~ 3401.10, the lateral
2 forces generated by their masses shall be included in the analysis and design of the lateral
3 force resisting systems for the strengthened floor. Such forces may be applied to the floor
4 level immediately above the topmost strengthened floor and distributed in that floor in a
5 manner consistent with the construction and layout of the exempted floor.

6 In lieu of meeting the specific requirements of this section, an alternative lateral
7 analysis procedure incorporating inelastic behavior may be submitted and approved in
8 accordance with rules and regulations adopted by the Building Official pursuant to Section
9 104A.2.1.

10 3401.8. *Replace section number 3401.8 in the San Francisco Building Code with a new*
11 *section number as follows:*

12 ~~3401.8~~ 3401.10 **Lateral force design requirements for existing buildings.** Whenever
13 other provisions of this code require compliance with this section, the lateral force provisions
14 of Section 1604.11 shall apply to the entire building or structure except as otherwise provided
15 therein.

16 3401.8. *Revise this section as follows:*

17 3401.8 **Alternative compliance.** Work performed in accordance with the International
18 Existing Building Code shall be deemed to comply with the provisions of this chapter.

19 **Exceptions:** *1. [OSHPD 2 & 3] Section 3401.8 not permitted by OSHPD.*

20 *2. Requirements of Section 3404.7.1 shall still apply.*

21 3402.1. *Add the following definition:*

22 **3402.1 Definitions.**

23 **DISPROPORTIONATE DAMAGE.** A condition of earthquake-related damage where:

24 1. The 0.3-second spectral acceleration at the building site as estimated by the United States

25 Geological Survey for the earthquake in question is not more than 0.40 g; and

1 2. In any story, the vertical elements of the lateral-force-resisting system have suffered damage
2 such that the lateral load-carrying capacity of the structure in any horizontal direction has been
3 reduced by more than 10 percent from its predamage condition.

4 3403.4.1 Revise this section as follows:

5 3403.4.1.1 **Horizontal additions.** Horizontal additions shall meet the following
6 requirements:

7 When the cumulative area of horizontal additions, excluding basement additions,
8 exceeds 30 percent of the area of the original building or structure, excluding basements, and
9 the additions are structurally interconnected to, or not separated to comply with Section
10 1604.3.7, the entire structure shall comply with Section ~~3401.8~~ 3401.10.

11 For the purpose of this section, the term "original building or structure" shall mean the
12 building or structure as it existed on May 21, 1973. The combined building or structure may be
13 used for more restrictive occupancy classifications as determined in Chapter 3 only when the
14 structure as a whole meets the requirements in this code for such occupancy.

15 3404.7. Revise this section as follows:

16 3404.7. **Substantial change.**

17 3404.7.1 **Non-structural alterations.** Whenever alteration work in a building or
18 structure involves substantial changes to elements such as walls, partitions or ceilings, on 2/3
19 or more of the number of stories excluding basements, the building or structure as a whole
20 shall comply with Section ~~3401.8~~ 3401.10. The term "substantial change" includes the addition,
21 removal, repair or modification of such elements. All such work included in alteration permits
22 issued within two years of the date of a permit application shall be included in the
23 determination of whether the application is proposing substantial change to the building or
24 structure.

1 3404.7.2 **Structural alterations.** When more than 30 percent, cumulative since May
2 21, 1973, of the floor and roof areas of the building or structure have been or are proposed to
3 be involved in substantial structural alteration, the building or structure shall comply with
4 Section ~~3401.8~~ 3401.10. The areas to be counted towards the 30 percent shall be those areas
5 tributary to the vertical load carrying components (joists, beams, columns, walls and other
6 structural components) that have been or will be removed, added or altered, as well as areas
7 such as mezzanines, penthouses, roof structures and infilled courts and shafts.

8 **EXCEPTIONS:**

9 1. When such alterations involve only the lowest story of a wood frame building or
10 structure and Section 3408 does not apply, only the lateral force resisting components in and
11 below that story need comply with Section ~~3401.8~~ 3401.10, or

12 2. When such alterations involve the lowest story of a Type V building or structure of
13 R3 occupancy and that floor's proposed use is as a garage, that level is exempt from Section
14 3404.7.2. Such alterations need not be counted as part of the cumulative total of tributary area
15 of structural alterations.

16 *3405.1 Revise this section as follows:*

17 **3405.1.3 Repairs.** Unless otherwise approved by the building official, all structural
18 damage shall be repaired.

19 Repairs to buildings or structures which have sustained substantial structural damage
20 to lateral force resisting elements shall comply with the minimum lateral force design
21 requirements of Section ~~3401.8~~ 3401.10 or with the code under which the building or structure
22 was designed, whichever is more restrictive.

23 Damage may be caused by events or a combination of events, including, but not
24 limited to, fire, explosion, structural pest or wood-destroying organism attack, earthquake,
25 wind storm, vehicular impact, ground subsidence or failure, or the collapse or dislodgement of

1 any portion of any adjacent building or structure. The removal or alteration of structural
2 elements as part of the work described in an approved building permit application shall not be
3 considered to be "damage."

4 *3405.2. Revise this section as follows:*

5 **3405.2.1 Evaluation.** The building shall be evaluated by a registered design
6 professional, and the evaluation findings shall be submitted to the code official within 60 days
7 of completion of the evaluation. The evaluation shall establish whether the damaged building, if
8 repaired to its predamage state, would comply with the provisions of this code for wind and
9 earthquake loads. Evaluation for earthquake loads shall be required if the substantial
10 structural damage was caused by or related to earthquake effects or if the building is in
11 Seismic Design Category C, D, E or F.

12 Wind loads for this evaluation shall be those prescribed in Section 1609. Earthquake
13 loads for this evaluation, if required, shall be permitted to be 75 percent of those prescribed in
14 Section 1613. Values of R, Ω_0 and Cd for the existing seismic force-resisting system shall be
15 those specified by this code for an ordinary system unless it is demonstrated that the existing
16 system will provide performance equivalent to that of an intermediate or special system.

17 *3405.4. Revise this section as follows:*

18 **3405.4. Less than substantial structural damage.**

19 *3405.4.1 Disproportionate damage. Buildings with disproportionate damage shall be subject to*
20 *the requirements of Section 3405.2 for earthquake evaluation and rehabilitation as if they had*
21 *substantial structural damage to vertical elements of the lateral-force-resisting system.*

22 *Permit applications for required rehabilitation work shall be submitted to the Department*
23 *within one (1) year after the earthquake, and the work shall be completed as specified in Table B of*
24 *Section 106A.4.4.*

1 3405.4.2 Other damage. For damage less than substantial structural damage *that is not*
2 *disproportionate damage*, repairs shall be allowed that restore the building to its predamage
3 state using materials and strengths that existed prior to the damage. New structural members
4 and connections used for this repair shall comply with the detailing provisions of this code for
5 new buildings of similar structure, purpose and location.

6 *3408.4. Revise this section as follows:*

7 3408.4.1 Change of occupancy. In addition to the other requirements of this code, the
8 term "comply with the requirements of this code for such division or group of occupancy," as
9 used in this section, shall also mean compliance with the lateral force provisions of Section
10 ~~3401.8~~ 3401.10 when the change results in an increase of more than 10 percent in the
11 occupant load of the entire building or structure, and which also increases the occupant load
12 by more than 100 persons as compared to the occupant load of the existing legal use or the
13 use for which the building was originally designed.

14 EXCEPTIONS:

15 1. When a change of occupancy or use involves only one story of a building or
16 structure, only the lateral force resisting elements in that story and all lateral force resisting
17 elements below need comply with Section ~~3401.8~~ 3401.10.


18 2. A change from a Group R, Division 3 to a Group R, Division 1 or Division 2
19 Occupancy caused by the construction of a third dwelling unit in the lowest story of a building
20 or structure shall comply with Section ~~3401.8~~ 3401.10 as provided in Exception 1 above.

21 Section 3. The Board hereby directs the Clerk to forward this legislation to the
22 California Building Standards Commission for its review.

23 Section 4. Effective Date. This ordinance shall become effective 30 days from the
24 date of passage, but in no case shall it be effective earlier than the Clerk of the Board's filing
25 of the legislation with the California Building Standards Commission.

1 Section 5. This section is uncodified. In enacting this Ordinance, the Board intends to
2 amend only those words, phrases, paragraphs, subsections, sections, articles, numbers,
3 punctuation, charts, diagrams, or any other constituent part of the Building Code that are
4 explicitly shown in this legislation as additions, deletions, Board amendment additions, and
5 Board amendment deletions in accordance with the "Note" that appears under the official title
6 of the legislation.

7
8 APPROVED AS TO FORM:
9 DENNIS J. HERRERA, City Attorney

10 By: 
11 John D. Malamut
12 Deputy City Attorney

LEGISLATIVE DIGEST

[Building Code - Seismic Standards]

Ordinance amending the San Francisco Building Code and adding various sections concerning seismic standards and making conforming changes; making environmental findings; making findings pursuant to California Health and Safety Code, Section 17958.5; and directing the Clerk of the Board to forward this legislation to the California Building Standards Commission.

Existing Law

The existing Building Code requires building repair to meet pre-earthquake conditions unless a building suffers substantial structural damage. In addition, the existing Building Code requires that building structural evaluation reports be submitted to the City but does not specify a time limit for such submittals.

Amendments to Current Law


The proposed legislation would amend the Building Code to require higher levels of building repair or retrofit if certain specified disproportionate damage is caused by a relatively small earthquake. The Ordinance would require submission to the Department of Building Inspection of an earthquake damage report within 60 days after a registered design professional completes a post-earthquake evaluation.

Background Information

These code changes were recommended in the Community Action Plan for Seismic Safety (CAPSS). The Code Advisory Committee and the Building Inspection Commission support these changes and have already created regulations in the form of Administrative Bulletins, conditioned upon adoption of these code changes, to implement these disproportionate damage repair/retrofit requirements. Although few buildings are expected to be impacted to the level of "disproportionately damage" in such small earthquakes, such damage would indicate an exceptionally vulnerable building that would likely suffer severe damage or collapse in the expected significant earthquake and would be a valuable source of information for property owners and City Officials.

Received 1/17/13
all

BOARD of SUPERVISORS



City Hall
Dr. Carlton B. Goodlett Place, Room 244
San Francisco 94102-4689
Tel. No. 554-5184
Fax No. 554-5163
TDD/TTY No. 554-5227

January 17, 2013

File No. 130029

Bill Wycko
Environmental Review Officer
Planning Department
1650 Mission Street, 4th Floor
San Francisco, CA 94103

Dear Mr. Wycko:

On January 15, 2013, the Department of Building Inspection introduced the following proposed legislation:

File No. 130029

Ordinance amending the San Francisco Building Code, by amending, and adding various sections concerning seismic standards and making conforming changes; making environmental findings; making findings pursuant to California Health and Safety Code, Section 17958.5; and directing the Clerk of the Board to forward this legislation to the California Building Standards Commission.

This legislation is being transmitted to you for environmental review, pursuant to Planning Code Section 306.7(c).

Angela Calvillo, Clerk of the Board

Alisa Miller


By: Alisa Miller, Committee Clerk

Land Use & Economic Development Committee

Attachment

c: John Rahaim, Director
Scott Sanchez, Zoning Administrator
AnMarie Rodgers, Legislative Affairs Manager
Monica Pereira, Environmental Planning
Joy Navarrete, Environmental Planning

*Not a project pursuant
to CEQA Guidelines
Section 15060 (c)(2).*



BUILDING INSPECTION COMMISSION (BIC)

Department of Building Inspection Voice (415) 558-6164 - Fax (415) 558-6509
1660 Mission Street, San Francisco, California 94103-2414

January 18, 2013

Edwin M. Lee
Mayor

COMMISSION

Angus McCarthy
President

Warren Mar
Vice-President

Kevin Clinch
Frank Lee
Dr. James McCray, Jr.
Myrna Melgar
Debra Walker

Sonya Harris
Secretary

Tom Hui
Acting Director

Ms. Angela Calvillo
Clerk of the Board
Board of Supervisors, City Hall
1 Dr. Carlton B. Goodlett Place, Room 244
San Francisco, CA 94102-4694

RE: Proposed revised Ordinance (File No. 130029) amending the Building Code, by amending and adding various sections concerning seismic standards and making conforming changes; making environmental findings; making findings pursuant to California Health and Safety Code, Section 17958.5; and directing the Clerk of the Board to forward this legislation to the California Building Standards Commission.

Dear Ms. Calvillo:

On January 18, 2012 the Building Inspection Commission held a public hearing on the proposed amendment to the San Francisco Building Code referenced above. The Commissioners voted unanimously to support this proposed amendment.

The Commissioners voted as follows:

President Hechanova	Yes	Vice-President Mar	Yes
Commissioner Clinch	Yes	Commissioner Lee	Yes
Commissioner Murphy	Yes	Commissioner Walker	Yes


Should you have any questions, please do not hesitate to call me at 558-6164.

Sincerely,

Sonya Harris
Commission Secretary

cc: Tom Hui, S.E., Acting Director

BOARD of SUPERVISORS



City Hall
Dr. Carlton B. Goodlett Place, Room 244
San Francisco 94102-4689
Tel. No. 554-5184
Fax No. 554-5163
TDD/TTY No. 554-5227

January 17, 2013

File No. 130029

Bill Wycko
Environmental Review Officer
Planning Department
1650 Mission Street, 4th Floor
San Francisco, CA 94103

Dear Mr. Wycko:

On January 15, 2013, the Department of Building Inspection introduced the following proposed legislation:

File No. 130029

Ordinance amending the San Francisco Building Code, by amending, and adding various sections concerning seismic standards and making conforming changes; making environmental findings; making findings pursuant to California Health and Safety Code, Section 17958.5; and directing the Clerk of the Board to forward this legislation to the California Building Standards Commission.

This legislation is being transmitted to you for environmental review, pursuant to Planning Code Section 306.7(c).

Angela Calvillo, Clerk of the Board

A handwritten signature in cursive script that reads "Alisa Miller".

By: Alisa Miller, Committee Clerk
Land Use & Economic Development Committee

Attachment

c: John Rahaim, Director
Scott Sanchez, Zoning Administrator
AnMarie Rodgers, Legislative Affairs Manager
Monica Pereira, Environmental Planning
Joy Navarrete, Environmental Planning

Miller, Alisa

From: Caldeira, Rick
Sent: Wednesday, January 23, 2013 4:40 PM
To: Miller, Alisa
Subject: FW: Cosponsorship of File 130029

For file.

From: Chan, Amy
Sent: Wednesday, January 23, 2013 4:38 PM
To: Caldeira, Rick
Cc: True, Judson; Strawn, William
Subject: Cosponsorship of File 130029

Hi Rick,

Could you please add Supervisor Chiu as a cosponsor to File 130029 (Building Code - Seismic Standards) introduced by the Department of Building Inspection on 1/15/13?

Thanks,
Amy

Amy Chan
Legislative Aide
Office of Supervisor David Chiu
President, San Francisco Board of Supervisors
City Hall, Room 264
San Francisco, CA 94102
Phone: (415) 554-7419
Fax: (415) 554-7454