

[Planning Code - Density Exception on Specified Lots with Numerical Density Limits Calculation in RC, RTO, NC, and certain Named NCDs]

Ordinance amending the Planning Code to allow density exceptions on lots subject to Numerical Density Limits ~~form-based density in Residential-Commercial, Residential Transit Oriented, Neighborhood Commercial, and certain Named Neighborhood Commercial Districts, except for specified lots located in the Priority Equity Geographies Special Use District; amending the Priority Equity Geographies Special Use District; affirming the Planning Department's determination under the California Environmental Quality Act; and making public necessity, convenience, and welfare findings under Planning Code, Section 302, and findings of consistency with the General plan and the eight priority policies of Planning Code, Section 101.1.~~

NOTE: **Unchanged Code text and uncodified text** are in plain Arial font.
Additions to Codes are in *single-underline italics Times New Roman font*.
Deletions to Codes are in ~~*strikethrough italics Times New Roman font*~~.
Board amendment additions are in double-underlined Arial font.
Board amendment deletions are in ~~Arial font~~.
Asterisks (* * * *) indicate the omission of unchanged Code subsections or parts of tables.

Be it ordained by the People of the City and County of San Francisco:

Section 1. Environmental and Planning Code Findings

(a) The Planning Department has determined that the actions contemplated in this ordinance comply with the California Environmental Quality Act (California Public Resources Code Sections 21000 et seq.). Said determination is on file with the Clerk of the Board of Supervisors in File No. 230734 and is incorporated herein by reference. The Board affirms this determination.

1 (b) On _____, the Planning Commission, in Resolution No. _____,
2 adopted findings that the actions contemplated in this ordinance are consistent, on balance,
3 with the City's General Plan and eight priority policies of Planning Code Section 101.1. The
4 Board adopts these findings as its own. A copy of said Resolution is on file with the Clerk of
5 the Board of Supervisors in File No. _____, and is incorporated herein by reference.

6 (c) Pursuant to Planning Code Section 302, the Board of Supervisors find that this
7 ordinance will serve the public necessity, convenience, and welfare for the reasons set forth in
8 Planning Commission Resolution No. _____, and incorporates such reasons by this
9 reference thereto. A copy of said resolution is on file with the Clerk of the Board of
10 Supervisors in File No. _____.

11
12 Section 2. Article 2 of the Planning Code is hereby amended by revising Sections 207,
13 208, 209.3, and 209.4 to read as follows:

14
15 **SEC. 207. DWELLING UNIT DENSITY LIMITS.**

16 (a) **Applicability.** The density of Dwelling Units permitted in the various Districts shall
17 be as set forth in the Zoning Control Table for the district in which the lot is located. The term
18 "Dwelling Unit" is defined in Section 102 of this Code. There are two types of density districts:

19 (1) **Form-Based Density District:** Form-based density districts are ~~in~~ districts where
20 no density limit is specified, ~~and where~~ density ~~shall is not be~~ limited by lot area but rather by the
21 applicable requirements and limitations set forth elsewhere in this Code. Such requirements
22 and limitations include, but are not limited to, height, bulk, setbacks, open space, exposure
23 and unit mix as well as applicable design guidelines, elements and area plans of the General
24 Plan and design review by the Planning Department.

1 (2) Numerical Density Limit Districts: These are districts that establish a maximum
2 number of Dwelling Units per lot or lot area.

3 (b) **Rules for Calculating Dwelling Unit Density in Numerical Density Limit Districts.**

4 In Numerical Density Limit Districts~~districts that establish a maximum dwelling unit density~~, the
5 following rules shall apply in the calculation of dwelling unit density under this Code:

6 (1) A remaining fraction of one-half or more of the minimum of lot area per
7 Dwelling Unit shall be adjusted upward to the next higher whole number of Dwelling Units.

8 (2) Where permitted by this Code, two or more of the dwelling and other
9 housing uses specified in the Code may be located on a single lot, either in one structure or in
10 separate structures, provided that the specified density limits are not exceeded by the total of
11 such combined uses. Where Dwelling Units and Group Housing are combined and located on a
12 lot in a district that establishes a maximum dwelling unit density per lot area, the maximum
13 permitted density for Dwelling Units and for Group Housing shall be prorated to the total lot
14 area according to the quantities of these two uses that are combined on the lot.

15 (3) Where any portion of a lot is narrower than five feet, such a portion shall not
16 be counted as part of the lot area for purposes of calculating the permitted dwelling density.

17 (4) No private right-of-way used as the principal vehicular access to two or more
18 lots shall be counted as part of the lot area of any such lot for purposes of calculating the
19 permitted dwelling unit density.

20 (5) Where a lot is divided by a use district boundary line, the dwelling unit
21 density limit for each district shall be applied to the portion of the lot in that district, and none
22 of the Dwelling Units attributable to the district permitting the greater density shall be located
23 in the district permitting the lesser density.

24 (6) On lots in ~~the~~ Neighborhood Commercial Districts and Named Neighborhood
25 Commercial Districts controlled by numerical density limits, the dwelling unit density shall be at a

1 density ratio not exceeding the number of Dwelling Units permitted in the nearest R District,
2 provided that the maximum density ratio shall in no case be less than the amount set forth in
3 the Zoning Control Table for the district in which the lot is located. The distance to each R
4 District shall be measured either from the midpoint of the front lot line or from a point directly
5 across the street therefrom, whichever permits the greater density.

6 * * * *

7 (c) **Exceptions to Dwelling Unit Density Limits.** An exception to the calculations
8 under this Section 207 shall be made in the following circumstances:

9 * * * *

10 (10) **Density Exception on Lots Subject to Numerical Density Limits.**

11 (A) **Purpose.** The purpose of this subsection (c)(10) is to encourage
12 additional housing development throughout the City in order to ease the City's housing
13 shortage, within the height limits as set forth in the Planning Code.

14 (B) **Eligibility.** A Project must meet all of the following criteria:

- 15 (i) is located on a lot subject to a Numerical Density Limit;
16 (ii) is located in an Residential-Commercial (RC); Residential
17 Transit Oriented (RTO); Neighborhood-Commercial (NC); or any of the following Named
18 Neighborhood Commercial Districts: Castro Street (Planning Code Section 715); Inner
19 Clement (Planning Code Section 716); Outer Clement (Planning Code Section 717); Upper
20 Fillmore (Planning Code Section 718); Haight Street (Planning Code Section 719); Excelsior
21 Outer Mission (Planning Code Section 720); Polk Street (Planning Code Section 723);
22 Sacramento Street (Planning Code Section 724); Union Street (Planning Code Section 725);
23 Pacific Ave (Planning Code Section 726); Lakeside Village (Planning Code Section 727); 24th
24 Street-Noe Valley (Planning Code Section 728); West Portal Avenue (Planning Code Section
25 729); Inner Sunset (Planning Code Section 730); Noriega Street (Planning Code Section 731);

1 Irving Street (Planning Code Section 732); Taraval Street (Planning Code Section 733); Judah
2 Street (Planning Code Section 734); Inner Balboa Street (Planning Code Section 735); Outer
3 Balboa Street (Planning Code Section 736); Cortland Avenue (Planning Code Section 738);
4 Geary Boulevard (Planning Code Section 739); Mission Bernal (Planning Code Section 740);
5 Cole Valley (Planning Code Section 742); Lower Haight Street (Planning Code Section 743);
6 and Inner Taraval Street (Planning Code Section 745).

7 (iii) is not located within the Priority Equity Geographies Special
8 Use District, Planning Code section 249.97; and

9 (iv) is not seeking and receiving a density or development bonus
10 under the provisions of California Government Code Sections 65915 et seq., Planning Code
11 Section 206, any other density exception in this Planning Code Section 207, Section 124(f),
12 Section 202.2(f), Section 304, or any other State or local program that provides additional
13 density.

14 (C) **Density Exception.** Projects that meet the eligibility criteria in
15 subsection (c)(10)(B) are exempt from the residential density limits otherwise applicable in the
16 zoning district where the project is located. Density shall be regulated by the permitted height
17 and bulk, and required setbacks, exposure, open space, and any adopted design standards or
18 guidelines for each parcel as a Principally Permitted Use.

19 (D) **Other Planning Code Requirements.** Except as otherwise noted in
20 this subsection (c)(10), all applicable Planning Code requirements shall continue to apply.

21 (E) **Applicability of Rent Ordinance; Regulatory Agreements.** Project
22 sponsors of projects using the density exception of this subsection (c)(10) shall enter into a
23 regulatory agreement with the City, subjecting the new units created pursuant to the exception
24 to the San Francisco Residential Rent Stabilization and Arbitration Ordinance (Chapter 37 of
25

1 the Administrative Code), as a condition of approval of the density exception (“Regulatory
2 Agreement”). At a minimum, the Regulatory Agreement shall contain the following:

3 (i) a statement that the new units created pursuant to the density exception are not
4 subject to the Costa-Hawkins Rental Housing Act (California Civil Code Sections 1954.50 et
5 seq.) because, under Section 1954.52(b), the property owner has entered into and agreed to
6 the terms of this agreement with the City in consideration of an exception from residential
7 density limits, or other direct financial contribution or other form of assistance specified in
8 California Government Code Sections 65915 et seq.; (ii) a description of the exception of
9 residential density or other direct financial contribution or form of assistance provided to the
10 property owner; and (iii) a description of the remedies for breach of the agreement and other
11 provisions to ensure implementation and compliance with the agreement. The property owner
12 and the Planning Director (or the Director’s designee), on behalf of the City, will execute the
13 Regulatory Agreement, which shall be reviewed and approved by the City Attorney’s Office.
14 The Regulatory Agreement shall be executed prior to the City’s issuance of the First
15 Construction Document for the project, as defined in Section 107A.13.1 of the San Francisco
16 Building Code. Following execution of the Regulatory Agreement by all parties and approval
17 by the City Attorney, the Regulatory Agreement or a memorandum thereof shall be recorded
18 to the title records in the Office of the Assessor-Recorder against the property and shall be
19 binding on all future owners and successors in interest.

20
21 **SEC. 208. DENSITY LIMITATIONS FOR GROUP HOUSING OR HOMELESS**
22 **SHELTERS.**

23 The density limitations for Group Housing or Homeless Shelters, as described in
24 Sections 102 and 890.88(b) and (c) of this Code, shall be as follows: ~~follows: specified in the~~
25 ~~Zoning Control Table for the District in which the Lot is located.~~

(a) For Group Housing ~~on lots in districts where group housing is governed by numerical density limits, the maximum number of Bedrooms on each Lot shall be as specified in the Zoning Control Table for the District in which the Lot is located, except that in RTO, RTO-M, RCD, UMU, MUG, WMUG, MUR, MUO, CMUO, WMUO, RED, RED-MX, SPD, DTR, and all NCT Districts the density of Group Housing shall not be limited by lot area, and except that for Lots in NC Districts, the group housing~~ the maximum number of Bedrooms on each Lot shall be as specified in the Zoning Control Table for the District in which the Lot is located, except that in RTO, RTO-M, RCD, UMU, MUG, WMUG, MUR, MUO, CMUO, WMUO, RED, RED-MX, SPD, DTR, and all NCT Districts the density of Group Housing shall not be limited by lot area, and except that for Lots in NC Districts, the group housing density shall not exceed the number of Bedrooms permitted in the nearest R District provided that the maximum density not be less than the amount permitted by the ratio specified for the ~~NC~~ NC District in which the lot is located. For Homeless Shelters ~~in such districts~~, the maximum number of beds on each lot shall be regulated pursuant to the requirements of the Standards of Care for City Shelters contained in Administrative Code, Chapter 20, Article XIII, in addition to the applicable requirements of the Building Code and Fire Code.

(b) For purposes of calculating the maximum density for Group Housing as set forth in this Section 208, the number of Bedrooms on a lot shall in no case be considered to be less than one Bedroom for each two beds. Where the actual number of beds exceeds an average of two beds for each Bedroom, each two beds shall be considered equivalent to one Bedroom.

(c) The rules for calculating dwelling unit density set forth in Section 207 shall also apply in calculating the density limits for Group Housing.

(d) ~~The group housing~~ The group housing ~~Group Housing on lots in districts with form-based density in all RTO Districts and all NCT Districts, as listed in Section 702.1(b);~~ in all RTO

1 Districts and all NCT Districts, as listed in Section 702.1(b), shall not be limited by lot area, but
2 by the applicable requirements and limitations elsewhere in this Code, including but not
3 limited to height, bulk, setbacks, open space, and exposure, as well as by the Residential
4 Design Guidelines in RTO Districts, other applicable design guidelines, applicable elements
5 and area plans of the General Plan, and design review by the Planning Department. ~~For~~
6 ~~Homeless Shelters in such districts, the maximum number of beds on each lot shall be~~
7 ~~regulated pursuant to the requirements of the Standards of Care for City Shelters contained in~~
8 ~~Administrative Code, Chapter 20, Article XIII, in addition to the applicable requirements of the~~
9 ~~Building Code and Fire Code.~~

11 **SEC. 209.3. RC (RESIDENTIAL-COMMERCIAL) DISTRICTS.**

12 These Districts are intended to recognize, protect, conserve, and enhance areas
13 characterized by structures combining Residential uses with neighborhood-serving
14 Commercial uses. The predominant Residential uses are preserved, while provision is made
15 for supporting Commercial uses, usually in or below the ground story, that meet the frequent
16 needs of nearby residents without generating excessive vehicular traffic. The compact,
17 walkable, transit-oriented and mixed-use nature of these Districts is recognized by no off-
18 street parking requirements. The RC Districts are composed of two separate districts, as
19 follows:

20 RC-3 Districts: ~~Medium Density.~~ Medium Density. These Districts provide for Residential
21 ~~uses a mixture of medium-density Dwellings similar to those in RM-3 Districts~~ a mixture of medium-
22 density Dwellings similar to those in RM-3 Districts, with supporting Commercial uses. Open
23 spaces are required for Dwellings in the same manner as in RM-3 Districts, except that rear
24 yards need not be at ground level and front setback areas are not required.

RC-4 Districts: ~~High Density.~~ High Density. These Districts provide for Residential uses ~~a mixture of high-density Dwellings similar to those in RM-4 Districts~~ a mixture of high-density Dwellings similar to those in RM-4 Districts with supporting Commercial uses. Open spaces are required for Dwellings in the same manner as in RM-4 Districts, except that rear yards need not be at ground level and front setback areas are not required.

Table 209.3
ZONING CONTROL TABLE FOR RESIDENTIAL-COMMERCIAL DISTRICTS

Zoning Category	§ References	RC-3	RC-4
<p>* * * *</p> <p>RESIDENTIAL STANDARDS AND USES</p> <p>* * * *</p>			
Residential Uses			
Residential Density, Dwelling Units (7)	§ 207	3 units per lot or up to one unit per 400 square feet of lot area.	3 units per lot or up to one unit per 200 square feet of lot area. No density limits in the Van Ness SUD (§ 243). (8)
<u>Residential Density, Dwelling Units (7)</u>	<u>§ 207</u>	<u>3 units per lot or up to one unit per 400 square feet of lot area.</u>	<u>3 units per lot or up to one unit per 200 square feet of lot area. No density limits in the Van Ness SUD (§243). (8)</u>
Residential Density, Dwelling Unit (7)	§ 207	No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department. (8)	

1			P up to twice the number of dwelling units otherwise permitted as a principal use in the district and meeting all the requirements of § 202.2(f)(1).
2			C up to twice the number of dwelling units otherwise permitted as a principal use in the district and meeting all requirements of Section § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.
3			P up to twice the number of dwelling units otherwise permitted as a principal use in the district and meeting all the requirements of § 202.2(f)(1).
4			C up to twice the number of dwelling units otherwise permitted as a principal use in the district and meeting all requirements of Section § 202(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.
5	Senior Housing	§§ 102, 202.2(f)	No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
6	<u>Density</u>		
7			
8			
9			
10			
11			
12	<u>Residential Density, Group Housing</u>	§ 208	P up to one bedroom for every 140 square feet of lot area. (9)
13			P up to one bedroom for every 70 square feet of lot area (9).
14	<u>Residential Density, Group Housing</u>	§208	P up to one bedroom for every 140 square feet of lot area. (9)
15			P up to one bedroom for every 70 square feet of lot area (9).
16	Residential Density, Group Housing	§ 208	No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department. (9)
17			
18			
19			
20	* * * *		

* * * *

(8) Except for lots also within the Van Ness Special Use District, in the Priority Equity Geography Special Use District established by Planning Code Section 249.97, P up to three units per lot or up to one unit per 400 square feet of lot area, whichever is higher, in RC-3

Districts; P up to three units per lot or up to one unit per 200 square feet of lot area, whichever is higher, in RC-4 Districts. ~~For purposes of this calculation, a Dwelling Unit in this district containing no more than 500 square feet of net floor area and consisting of not more than one habitable room in addition to a kitchen and a bathroom may be counted as equal to three-quarters of a Dwelling Unit.~~ For purposes of this calculation, a Dwelling Unit in this district containing no more than 500 square feet of net floor area and consisting of not more than one habitable room in addition to a kitchen and a bathroom may be counted as equal to three-quarters of a Dwelling Unit.

(9) ~~Except for lots also within the Van Ness Special Use District, in the Priority Equity Geography Special Use District established by Planning Code Section 249.97, P up to one bedroom for every 140 square feet of lot area in RC-3 Districts; P up to one bedroom for every 70 square feet of lot area in RC-4 Districts; and C required if the Group Housing is affiliated with and operated by a Hospital or an Institutional Educational Use as defined in Section 102.~~

* * * *

SEC. 209.4. RTO (RESIDENTIAL TRANSIT ORIENTED) DISTRICTS.

These Districts are intended to recognize, protect, conserve, and enhance areas characterized by a mixture of houses and apartment buildings, covering a range of densities and building forms. RTO and RTO-M (Residential Transit Oriented Mission) Districts are composed of multi-family moderate-density ~~moderate-density~~ areas, primarily areas formerly designated RM and RH-3, and are well served within short walking distance, generally less than one-quarter mile, of transit and neighborhood commercial areas. Transit available on nearby streets is frequent and/or provides multiple lines serving different parts of the City or region. Limited small-scale neighborhood-oriented retail and services is common and permitted throughout the neighborhood on Corner Lots only to provide goods and services to

residents within walking distance, but the districts are otherwise residential. Only retail compatible with housing, generally those permitted in NC-1 Districts, is permitted and auto-oriented uses are not permitted. Hours of operation are restricted and off-street parking is not permitted for these very locally-oriented uses.

* * * *

Table 209.4
ZONING CONTROL TABLE FOR RTO DISTRICTS

Zoning Category	§ References	RTO	RTO-M
<p>* * * *</p> <p>RESIDENTIAL STANDARDS AND USES</p> <p>* * * *</p>			
Residential Uses			
Residential Density, Dwelling Units (7)	§ 207	<p>P up to one unit per 600 square feet of lot area (8). C above, per criteria of § 207(a). <u>P up to one unit per 600 square feet of lot area (8). C above, per criteria of § 207(a).</u></p> <p>No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the</p>	<p>No density limit by lot area. Density is regulated by the permitted height and bulk, and required setbacks, exposure, and open space of each <u>lot</u> parcel, along with Residential Design Guidelines.</p>

		General Plan, and design review by the Planning Department. (8)	
Senior Housing <u>Density</u>	§§ 102, 202.2(f)	P up to twice the number of dwelling units otherwise permitted as a principal use in the district; C density not limited by lot area, but by the applicable requirements and limitations elsewhere in this Code, including but not limited to height, bulk, setbacks, open space, exposure, unit mix and relevant design guidelines. No density limit by lot area. <u>Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</u>	No density limit <u>by lot area</u> . Density is regulated by the permitted height and bulk, and required setbacks, exposure, and open space of each <u>lot parcel</u> , along with Residential Design Guidelines.
Residential Density, Group Housing	§ 208	No density limit <u>by lot area</u> . Density is regulated by the permitted height and bulk, and required setbacks, exposure, and open space of each <u>lot parcel</u> , along with Residential Design Guidelines.	
* * * *			

* * * *

(8) ~~In the Priority Equity Geography Special Use District established by Planning Code Section 249.97, P up to one unit per 600 square feet of lot area. C above per criteria of Section 207(a).~~ With Conditional Use authorization, for purposes of this calculation, a Dwelling Unit in this district containing no more than 500 square feet of net floor area and consisting of not more than one habitable room in addition to a kitchen and a bathroom may be counted as equal to three-quarters of a Dwelling Unit.

* * * *

Section 3. Article 2 of the Planning Code is hereby amended by revising Section 249.97 to read as follows:

SEC. 249.97. PRIORITY EQUITY GEOGRAPHIES SPECIAL USE DISTRICT.

(a) **General.** A Special Use District entitled the Priority Equity Geographies Special Use District (SUD) is hereby established, the boundaries of which are designated on Sectional Maps SU01, SU02, SU07, SU08, SU09, SU10, SU11, SU12, and SU13 of the Zoning Maps of the City and County of San Francisco.

(b) **Purpose.** The Priority Equity Geographies SUD is comprised of areas or neighborhoods with a higher density of vulnerable populations. The 2022 Update of the Housing Element of the General Plan (2022 Housing Element) identifies several neighborhoods in the City that qualify as Priority Equity Geographies, based on the Department of Public Health's Community Health Needs Assessment. The 2022 Housing Element encourages targeted direct investment in these areas and identifies them as requiring improved access to well-paid jobs and business ownership; where the City needs to expand permanently affordable housing investment; where zoning changes must be tailored

1 to serve the specific needs of the communities that live there; and where programs that
2 stabilize communities and meet community needs need to be prioritized. The purpose of the
3 Priority Equity Geographies SUD is to help implement the goals and policies outlined in the
4 2022 Housing Element.

5 (c) **Controls.** ~~Except as provided in this Section 249.97, and as set forth in Sections~~
6 ~~311 and 317, In addition to~~ In addition to all other applicable provisions of the Planning Code,
7 ~~shall apply, the specific controls applicable~~ the specific controls applicable in the Priority Equity
8 Geographies SUD. ~~are set forth in Sections 311 and 317.~~ are set forth in Sections 311 and 317.

9 (d) ~~Density.~~ Within the Priority Equity Geographies SUD, maximum residential
10 densities on lots in Residential Commercial (RC), Residential Transit Oriented (RTO),
11 Neighborhood Commercial (NC), and Named Neighborhood Commercial Districts are
12 governed by a maximum Dwelling Unit per lot or lot area, as set forth in the control tables for
13 those districts. ~~This subsection (d) shall not apply to Residential Transit Oriented-Mixed~~
14 ~~(RTO-M) districts and the following districts:~~

15 (1) ~~The Excelsior Outer Mission Neighborhood Commercial District (Planning Code~~
16 ~~Section 720);~~

17 (2) ~~the Polk Street Neighborhood Commercial District (Planning Code Section 723); or~~

18 (3) ~~the Van Ness Special Use District (Planning Code Section 243).~~

19
20 Section 4. Article 7 of the Planning Code is hereby amended by revising Sections 702,
21 710, 711, 712, 713, 715, 716, 717, 718, 719, 720, 723, 724, 725, 726, 727, 728, 729, 730,
22 731, 732, 733, 734, 735, 736, 738, 739, 740, 742, 743, and 745 to read as follows (with
23 portions of Section 702 reprinted for informational purposes):

24
25 **SEC. 702. CLASSES OF NEIGHBORHOOD COMMERCIAL DISTRICTS.**

1 The following classes of districts are established for Neighborhood Commercial
2 Districts.

3 **(a) Neighborhood Commercial and Neighborhood Commercial Transit Districts.**

4 The Neighborhood Commercial and Neighborhood Commercial Transit Districts, listed in
5 Section 201 of this Code, are established for the purpose of implementing the Commerce and
6 Industry element and other elements of the General Plan, according to the objective and
7 policies stated therein. Description and Purpose Statements outline the main functions of
8 each Neighborhood Commercial and Neighborhood Commercial Transit District in the Zoning
9 Plan for San Francisco, supplementing the statements of purpose contained in Section 101 of
10 this Code.

11 The description and purpose statements and land use controls applicable to each of
12 the general and individual area districts are set forth in this Code for each district class. The
13 boundaries of the various Neighborhood Commercial and Neighborhood Commercial Transit
14 Districts are shown on the Zoning Map referred to in Sections 105 and 106 of this Code,
15 subject to the provisions of that Section.

16 **(1) Neighborhood Commercial Districts.** Neighborhood Commercial Districts
17 are low to high density mixed-use neighborhoods of varying scale established around
18 historical neighborhood commercial centers. The Neighborhood Commercial Districts are
19 intended to support neighborhood-serving uses on the lower floors and housing above. These
20 Districts tend to be linear commercial corridors, but may also include small clusters of
21 commercial activity in Residential Districts. Individually named Neighborhood Commercial
22 Districts are intended to provide for more targeted residential and commercial controls to fit
23 the needs of their respective neighborhoods.

24 **(2) Neighborhood Commercial Transit Districts.** Neighborhood Commercial
25 Transit Districts are transit-oriented moderate- to high-density mixed-use neighborhoods of

1 varying scale concentrated near transit services. The Neighborhood Commercial Transit
2 Districts are mixed use districts that support neighborhood-serving commercial uses on lower
3 floors and housing above. These districts are well-served by public transit and aim to
4 maximize residential and commercial opportunities on or near major transit services. The
5 district’s form can be either linear along transit-priority corridors, concentric around transit
6 stations, or broader areas where transit services criss-cross the neighborhood. Housing
7 density is limited not by lot area, but by the regulations on the built envelope of buildings,
8 including height, bulk, setbacks, and lot coverage, and standards for Residential Uses,
9 including open space and exposure, and urban design guidelines. Residential parking is not
10 required and generally limited. Commercial establishments are discouraged or prohibited from
11 building accessory off-street parking in order to preserve the pedestrian-oriented character of
12 the district and prevent attracting auto traffic. There are prohibitions on access (i.e. driveways,
13 garage entries) to off-street parking and loading on critical stretches of commercial and transit
14 streets to preserve and enhance the pedestrian-oriented character and transit function.

15 * * * *

17 **SEC. 710. NC-1 – NEIGHBORHOOD COMMERCIAL CLUSTER DISTRICT.**

18 * * * *

19 **Table 710. NEIGHBORHOOD COMMERCIAL CLUSTER DISTRICT NC-1**
20 **ZONING CONTROL TABLE**

		NC-1	
Zoning Category	§ References	Controls	
* * * *			
RESIDENTIAL STANDARDS AND USES			
* * * *			
Residential Uses	Controls by Story		
	1st	2nd	3rd+

* * * *				
Accessory Dwelling Unit Density	§§ 102, 207(c)(4), 207(c)(6)	P per Planning Code Sections 207(c)(4) and 207(c)(6).		
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. (4)		
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. (4)		
* * * *				
Senior Housing Density	§§102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. (4)		

* * * *

(4) ~~[Note deleted]-Outside of the Priority Equity Geography Special Use District established by Planning Code Section 249.97, no density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.~~

* * * *

SEC. 711. NC-2 – SMALL-SCALE NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 711. SMALL-SCALE NEIGHBORHOOD COMMERCIAL DISTRICT NC-2
ZONING CONTROL TABLE**

			NC-2	
Zoning Category		§ References	Controls	
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Accessory Dwelling Unit Density	§§ 102, 207(c)(4), 207(c)(6)	P per Planning Code Sections 207(c)(4) and 207(c)(6).		
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. (3)		
Group Housing Density	§ 208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. (3)		
* * * *				
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. (3)		

* * * *

(3) ~~[Note deleted.] [Note deleted.]~~ Outside of the Priority Equity Geography Special Use District established by Planning Code Section 249.97, no density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.

* * * *

SEC. 712. NC-3 – MODERATE-SCALE NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 712. MODERATE-SCALE NEIGHBORHOOD COMMERCIAL DISTRICT NC-3
ZONING CONTROL TABLE**

		NC-3		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Accessory Dwelling Unit Density	§§ 102, 207(c)(4), 207(c)(6)	P per Planning Code Sections 207(c)(4) and 207(c)(6).		
Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. (10)		

Group Housing Density	§ 208	1 bedroom per 210 square foot lot area, or the density permitted in the nearest R, whichever is greater. (10)
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. (10)

* * * *

(10) ~~[Note deleted.] [Note deleted.] Outside of the Priority Equity Geography Special Use District established by Planning Code Section 249.97, no density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.~~

* * * *

SEC. 713. NC-S – NEIGHBORHOOD COMMERCIAL SHOPPING CENTER DISTRICT.

* * * *

Table 713. NEIGHBORHOOD COMMERCIAL SHOPPING CENTER DISTRICT NC-S ZONING CONTROL TABLE

		NC-S
--	--	------

Zoning Category	§ References	Controls
* * * *		
RESIDENTIAL STANDARDS AND USES		
* * * *		
Residential Uses		Controls by Story
		1st 2nd 3rd+
* * * *		
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square feet lot area, or the density permitted in the nearest R District, whichever is greater.(1){2}(4)
Group Housing Density	§ 208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.(1) {2}
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. {2}

* * * *

(2) ~~[Note deleted.] [Note deleted.] Outside of the Priority Equity Geography Special Use District established by Planning Code Section 249.97, no density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.~~

* * * *

SEC. 715. CASTRO STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 715. CASTRO STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Castro Street NCD		
Zoning Category	§ References		Controls	
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 unit per 600 square foot of lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing Density	§ 208	Up to 1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. Up to 1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		

* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 716. INNER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 716. INNER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Inner Clement Street		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+

1	* * * *			
2				
3				
4				
5	Dwelling Unit	§§ 102, 207		1 unit per 600 square foot lot area or the
6	Density			density permitted in the nearest R District,
7				whichever is greater. <u>1 unit per 600</u>
8				square foot lot area or the density
9				permitted in the nearest R District,
10				whichever is greater. No density limit
11				by lot area. Density restricted by
12				physical envelope controls of height,
13				bulk, setbacks, open space, exposure
14				and other applicable controls of this
15				and other Codes, as well as by
16				applicable design guidelines, applicable
17				elements and area plans of the General
18				Plan, and design review by the
19				Planning Department.
20				
21				
22	Group	§ 208		1 bedroom per 210 square foot lot area or
23	Housing			the density permitted in the nearest R
24	Density			District, whichever is greater <u>1 bedroom</u>
25				per 210 square foot lot area or the
				density permitted in the nearest R
				District, whichever is greater. No
				density limit by lot area. Density
				restricted by physical envelope controls
				of height, bulk, setbacks, open space,
				exposure and other applicable controls
				of this and other Codes, as well as by
				applicable design guidelines, applicable
				elements and area plans of the General
				Plan, and design review by the
				Planning Department.
	* * * *			
	Senior	§§ 102, 202.2(f), 207		P up to twice the number of dwelling units
	Housing			otherwise permitted as a Principal Use in
	Density			the district and meeting all the
				requirements of § 202.2(f)(1). C up to twice
				the number of dwelling units otherwise
				permitted as a Principal Use in the district
				and meeting all requirements of §
				202.2(f)(1), except for § 202.2(f)(1)(D)(iv),
				related to location. <u>P up to twice the</u>
				number of dwelling units otherwise

		permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

SEC. 717. OUTER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 717. OUTER CLEMENT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Outer Clement Street		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				

Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
Group Housing Density	§ 208	1 bedroom per 210 square foot lot area or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 210 square foot lot area or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

1 **SEC. 718. UPPER FILLMORE STREET NEIGHBORHOOD COMMERCIAL**
2 **DISTRICT.**

3 * * * *

4 **Table 718. UPPER FILLMORE STREET NEIGHBORHOOD COMMERCIAL**
5 **DISTRICT**
6 **ZONING CONTROL TABLE**

		Upper Fillmore Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 600 square foot lot area or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing Density	§ 208	1 bedroom per 210 square foot lot area or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 210 square foot lot area or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				

Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 719. HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 719. HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Haight Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 600 square foot lot area or the density permitted in the nearest R District,</u>		

		whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
Group Housing Density	§ 208	1 bedroom per 210 square foot lot area or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 210 square foot lot area or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 720. EXCELSIOR OUTER MISSION NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 720. EXCELSIOR OUTER MISSION STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		Excelsior Outer Mission NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <i>Density</i>	§§ 102, 207	1 unit per 600 square foot lot area <u>1 unit per 600 square foot lot area.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing <i>Density</i>	§ 208	1 bedroom per 210 square foot lot area <u>1 bedroom per 210 square foot lot area.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				

1			<i>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</i>
2			
3			
4			
5			
6			
7			
8	Senior Housing	§§ 102, 202.2(f), 207	
9	<u>Density</u>		
10			
11			
12			
13			
14			
15			
16	* * * *		

* * * *

SEC. 723. POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 723. POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Polk Street NCD
Zoning Category	§ References	Controls
* * * *		
RESIDENTIAL STANDARDS AND USES		

* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 400 square foot lot area; or the density permitted in the nearest R district, whichever is greater. 1 unit per 400 square foot lot area; or the density permitted in the nearest R district, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				
Residential Density, Group Housing <u>Density</u>	§208	1 bedroom per 140 square foot lot area or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 140 square foot lot area or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in		

		the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 724. SACRAMENTO STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 724. SACRAMENTO STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Sacramento Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <i>Density</i>	§§ 102, 207	1 unit per 800 square foot lot area or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical		

		envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area. 1 bedroom per 275 square foot lot area. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 725. UNION STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 725. UNION STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Union Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 600 square foot lot area or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 600 square foot lot area or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing <u>Density</u>	§208	1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of</u>		

		<u>Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</u>
* * * *		

* * * *

SEC. 726. PACIFIC AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 726. PACIFIC AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Pacific Avenue NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <i>Density</i>	§§ 102, 207	<i><u>1 unit per 1,000 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 unit per 1,000 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space,</u></i>		

		exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.

* * * *		
---------	--	--

* * * *

SEC. 727. LAKESIDE VILLAGE NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 727. LAKESIDE VILLAGE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE				
		Lakeside Village NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and		

		area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	<i>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of dwelling units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</u></i>
* * * *		

SEC. 728. 24TH STREET – NOE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 728. 24TH STREET – NOE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		24th Street - Noe Valley NCD
Zoning Category	§ References	Controls
BUILDING STANDARDS		

1	* * * *			
2	RESIDENTIAL STANDARDS AND USES			
3	* * * *			
4	Residential Uses		Controls By Story	
5			1st	2nd
6				3rd+
7	* * * *			
8	Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
9				
10				
11				
12				
13	Group Housing <u>Density</u>	§208	1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
14				
15				
16				
17				
18				
19	* * * *			
20				
21	Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise	
22				
23				
24				
25				

		permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 729. WEST PORTAL AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 729. WEST PORTAL AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE

		West Portal Avenue NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <i>Density</i>	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the		

		General Plan, and design review by the Planning Department.
Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 730. INNER SUNSET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 730. INNER SUNSET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Inner Sunset NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a</u>		

		Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 731. NORIEGA STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 731. NORIEGA STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Noriega Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and		

		other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area

		plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 732. IRVING STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 732. IRVING STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Irving Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 275 square foot lot area,</u>		

		or the density permitted in the nearest R District, <u>whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 733. TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 733. TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Taraval Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls By Story		
		1st	2nd	3rd+
* * * *				
Dwelling Units <i>Density</i>	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing <i>Density</i>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				

1			<i>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</i>
2			
3			
4			
5			
6	Senior Housing	§§ 102, 202.2(f), 207	
7	<u>Density</u>		
8			
9			
10			
11			
12			
13	* * * *		

* * * *

SEC. 734. JUDAH STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 734. JUDAH STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Judah Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses	Controls By Story			
	1st	2nd	3rd+	

	* * * *			
	Dwelling Units <u>Density</u>	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
	Group Housing <u>Density</u>	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
	* * * *			
	Senior Housing <u>Density</u>	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
	* * * *			

* * * *

SEC. 735. INNER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

**Table 735. INNER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT
ZONING CONTROL TABLE**

		Inner Balboa Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				

Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</u>
* * * *		

SEC. 736. OUTER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 736. OUTER BALBOA STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE				
		Outer Balboa Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				

1			1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.
2			1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.
3	Dwelling Unit Density	§§ 102, 207	No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
4			
5			
6			
7			
8			1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.
9			1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.
10	Group Housing Density	§208	No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
11			
12			
13			
14			
15	* * * *		
16			
17			P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.
18			P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.
19	Senior Housing Density	§§ 102, 202.2(f), 207	No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of
20			
21			
22			
23			
24			
25			

		this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 738. CORTLAND AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 738. CORTLAND AVENUE NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE				
		Cortland Avenue NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		

1			<i>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom</i>
2			<i>per 275 square foot lot area, or the</i>
3			<i>density permitted in the nearest R</i>
4			<i>District, whichever is greater. No density</i>
5	Group Housing Density	§208	<i>limit by lot area. Density restricted by</i>
6			<i>physical envelope controls of height,</i>
7			<i>bulk, setbacks, open space, exposure</i>
8			<i>and other applicable controls of this and</i>
9			<i>other Codes, as well as by applicable</i>
10			<i>design guidelines, applicable elements</i>
11			<i>and area plans of the General Plan, and</i>
12			<i>design review by the Planning</i>
13			<i>Department.</i>
14	* * * *		
15			
16			<i>P up to twice the number of Dwelling Units</i>
17			<i>otherwise permitted as a Principal Use in</i>
18			<i>the district and meeting all the requirements</i>
19			<i>of § 202.2(f)(1). C up to twice the number of</i>
20			<i>Dwelling Units otherwise permitted as a</i>
21			<i>Principal Use in the district and meeting all</i>
22			<i>requirements of § 202.2(f)(1), except for §</i>
23			<i>202.2(f)(1)(D)(iv), related to location. P up</i>
24			<i>to twice the number of Dwelling Units</i>
25			<i>otherwise permitted as a Principal Use</i>
	Senior Housing Density	§§ 102, 202.2(f), 207	<i>in the district and meeting all the</i>
			<i>requirements of § 202.2(f)(1), except for</i>
			<i>§ 202.2(f)(1)(D)(iv), related to location.</i>
			<i>No density limit by lot area. Density</i>
			<i>restricted by physical envelope controls</i>
			<i>of height, bulk, setbacks, open space,</i>
			<i>exposure and other applicable controls</i>
			<i>of this and other Codes, as well as by</i>
			<i>applicable design guidelines, applicable</i>
			<i>elements and area plans of the General</i>
			<i>Plan, and design review by the Planning</i>
			<i>Department.</i>

* * * *		
---------	--	--

* * * *

SEC. 739. GEARY BOULEVARD NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 739. GEARY BOULEVARD NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE				
		Geary Boulevard NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing Density	§208	1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the		

		General Plan, and design review by the Planning Department.
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	<i>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</i>
* * * *		

* * * *

SEC. 740. MISSION BERNAL NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 740. MISSION BERNAL NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE		
		Mission Bernal NCD
Zoning Category	§ References	Controls
* * * *		
RESIDENTIAL STANDARDS AND USES		
* * * *		
Residential Uses		Controls by Story

		1st	2nd	3rd+
	* * * *			
	Dwelling Unit Density	§§ 102, 207	1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 600 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
	Group Housing Density	§208	1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 210 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.	
	* * * *			
	Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and	

		other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 742. COLE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICTS.

* * * *

Table 742. COLE VALLEY NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE				
		Cole Valley NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		

Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. 1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		

* * * *

SEC. 743. LOWER HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

* * * *

Table 743. LOWER HAIGHT STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE				
		Lower Haight Street NCD		
Zoning Category	§ References	Controls		
* * * *				
RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	<i>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</i>		
Group Housing Density	§208	<i>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as</i>		

		well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.
* * * *		
Senior Housing Density	§§ 102, 202.2(f), 207	<i>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</i>
* * * *		

* * * *

SEC. 745. INNER TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT.

Table 745. INNER TARAVAL STREET NEIGHBORHOOD COMMERCIAL DISTRICT ZONING CONTROL TABLE		
		Inner Taraval Street NCD
Zoning Category	§ References	Controls
* * * *		

RESIDENTIAL STANDARDS AND USES				
* * * *				
Residential Uses		Controls by Story		
		1st	2nd	3rd+
* * * *				
Dwelling Unit Density	§§ 102, 207	1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 unit per 800 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
Group Housing Density	§208	1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater. <u>1 bedroom per 275 square foot lot area, or the density permitted in the nearest R District, whichever is greater.</u> No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.		
* * * *				
Senior Housing Density	§§ 102, 202.2(f), 207	P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all the requirements of § 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. <u>P up to twice the number of Dwelling Units otherwise permitted as a Principal Use in</u>		

		the district and meeting all the requirements of <u>§ 202.2(f)(1). C up to twice the number of Dwelling Units otherwise permitted as a Principal Use in the district and meeting all requirements of § 202.2(f)(1), except for § 202.2(f)(1)(D)(iv), related to location. No density limit by lot area. Density restricted by physical envelope controls of height, bulk, setbacks, open space, exposure and other applicable controls of this and other Codes, as well as by applicable design guidelines, applicable elements and area plans of the General Plan, and design review by the Planning Department.</u>
* * * *		

* * * *

Section 5. Effective Date. This ordinance shall become effective 30 days after enactment. Enactment occurs when the Mayor signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's veto of the ordinance.

Section 6. Scope of Ordinance. In enacting this ordinance, the Board of Supervisors intends to amend only those words, phrases, paragraphs, subsections, sections, articles, numbers, punctuation marks, charts, diagrams, or any other constituent parts of the Municipal Code that are explicitly shown in this ordinance as additions, deletions, Board amendment additions, and Board amendment deletions in accordance with the "Note" that appears under the official title of the ordinance.

Section 7. At the time of introduction of this ordinance, the ordinance in Board of Supervisor's File No. 230446 had been approved by the Board of Supervisors at two regularly scheduled meetings of the Board, and had been presented to the Mayor for

signature. Section 3 of the ordinance in Board of Supervisor's File No. 230446 added Planning Code Section 249.97, the Priority Equity Geographies Special Use District. Section 3 of this ordinance amends Section 249.97 and treats that section as existing text in plain Arial font, with additions shown in single-underline italic Times New Roman font and deletions in strikethrough italic Times New Roman font, or additions shown in Arial double-underline font, and deletions in Arial strikethrough font, in accordance with the "NOTE" that appears underneath the long title of this ordinance.

APPROVED AS TO FORM:
DAVID CHIU, City Attorney

By: /s/ Audrey Pearson
AUDREY PEARSON
Deputy City Attorney

n:\legana\as2023\2300334\01740782.docx