ABBREVIATIONS

LEVATION
ON
ELEVATION

NOTE:

1. THE LINE AND CURVE DATA SHOWN MAY OVERLAP ON MULTIPLE SHEETS.

LEGEND


 PROPERTY LINE
 CENTERLINE
 PROPOSED CURB
 EXISTING OFFICIAL CURB TO REMAIN
NEW CURB RAMP

REFERENCES:

- 1. A-17-22 OPENING 22ND ST MARYLAN & COUN
- 2. "FINAL M PHASE 1' BOOK 1 THE OFFI RECORDE

EXISTING OFFICIAL CURB TO REMAIN NEW CURB RAMP		_
22 TITLED "MAP SHOWING THE OF 20TH STREET, 21ST STREET, TREET, LOUISIANA STREET AND ND STREET", IN THE OFFICE OF CITY TY SURVEYOR MAP 9585, PIER 70; PID 9585 – ", RECORDED OCTOBER 23, 2020 IN	MOUN	
OF FINAL MAPS, PAGES 94-103, IN ICE OF THE CITY & COUNTY ER.	MICHAEL A. O'CONNELL SENIOR ASSOCIATE PRINC BKF ENGINEERS	PA
ED:	CITY AND COUNTY OF S	4

SSONAL LAND SUR IFYOR	APPROVED:		CIT	TY AND COUNTY SAN FRANCISC
★ NO. 8251 /★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEV MICHIGAN STREET, 21ST ST	
ST PAR OF CALLFORNIT	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 1 OF 1



LINE TABLE - SIDEWALK					
LINE NO.	LENGTH	DIRECTION			
L1	10.00	S85 ° 38'01"W			
L2	11.84	S04°21'59"E			
L3	69.58	N04 ° 21'59"W			
L4	9.00	N04°21'59"W			
L5	513.65	S85°38'01"W			
L6	12.85	S04 ° 22'05"E			
L7	9.00	S04*21'59"E			
L8	223.00	S85*38'01"W			

CURVE TABLE						
CURVE NO.	LENGTH	RADIUS	DELTA			
C1	18.85	12.00	090°00'00"			
C2	12.87	20.00	036*52'12"			
C3	6.44	10.00	036*52'45"			
C4	15.71	10.00	090 ° 00'00"			
C5	12.49	45.21	015 * 49'41"			
C7	10.72	9.62	063 ° 49'18"			
C8	12.87	20.00	036 ° 51'51"			
C9	6.44	10.00	036*52'19"			
C10	15.71	10.00	090°00'00"			

<u>NOTES:</u>

¥ | | | | |

1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.

SIONAL LAND

E. BLACK

NO. 8251

STEAL OF CALLFOR

AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE. *


Я


*

ON	1		I			LINE	NO. LENGTH	I DIRECTION
1"W			_			L10	0 800.00	S85*38'01"W
9"E	APN 4058-002					L10	01 762.07	′ N85 * 38'01"E
9"W		•						
9"W								
1"W	I	STR.		PN 3941-027				
5"E	TC 31.27 FL 30.77	LLINOIS STREET (80' ROW)	D ¹ <u>TC 30.59</u> J FL 30.09		_	-		
9"E	TC 31.50 FL 31.50		<u>ା ଅ</u> ଆରୁ	22	편양			
1"W	<u>TC 31.87</u>	_ &	999 1-30 72 70 70 70 70 70 70	<u>26.12</u> 25.62	<u>21.81</u> 21.39			
	FL 31.53		FL 30.24 원균	임료	입로			
		TC 30.89 FL 30.47	, <u> </u>	<u>L100 </u>	- ©. 55,14**			
		FL 30.47	60.00 S/W	<u>35.00' 60.00'</u> L5	× - ↓ 55./4**	ຕ		
			28		1.5%			
	20TH STREET		[,] 38.00'	<u></u>	<u>-1</u>	SHE		
	(66' ROW)	<u>LP 30.52</u>	o o	б <i>50.00</i> ′ L8 5	4			
	C5 * ***	c?\$	<i>69.59</i> 14.00'	50.00' L8 5	· · · · ·	Z		
S DELTA				L <u>10</u> 1		MATCHL		
090'00'00"	<u>TC 32.39</u>	و بي 21.00' TC 31 39 × S/W	FL 30.59			l'A N		
036*52'12"	FL 32.00 TC 32.30	$\frac{\text{TC} 31.39}{\text{FL} 31.03}$	27.51 27.09	<u>24.59</u> 24.17	<u>21.74</u> 21.32	-		
036*52'45"	<u>TC 32.30</u> FL 31.71 TC 31.85	15.00		FL 22	IC 21 FL 21			
090'00'00"	<u>TC 31.85</u> FL 31.74	S/W		нш				
015*49'41"								
063*49'18"	APN 4109-001			APN 4110-012			KEY MAP	
036*51'51"								
036*52'19"			1		1			
090'00'00"			I	P.DEFSS/0			20TH STREET	<u> </u>
			lle	A. O'CO				FUTURE 21ST STREET
			ers?		1			
T THE DISTANCE			E State Stat	≤No. 75811 - 5	Ţ			
T THE DISTANCE			*	EXP. 6/30/24 *	graphic scale			T FUTURE 22ND STREET
E NEXT ELEVATION LOWING PAGE.				TE OF CALIFORNIU	40 0	но 80		
APPROVED: CITY AND COUNTY OF SAN FRANCISCO								
			SAN FRANCISCO PUBLIC WORKS					
	OFFICIAL GRADES OF SIDEWALK AND CURB ELEVATIONS ALONG 20TH STREET, ILLINOIS STR MILLIAM E BLACKWELL ID DIS 8251 DATE DICHIGAN STREET, 21ST STREET, LOUISIANA STREET, MARYLAND STREET, AND 22ND STREE							
WILLIAM E. BLA	ACKWELL JR., PLS 8251	DATE			IANA SIREEI,	MARTLAND SIREEI, A	IND ZZNI	
CITY &	COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 2	2 OF 17	SCALE: 1"= 4	<i>'</i> 0'	REVISION
					- · · ·	$\bigcirc \bigcirc $	~	

.70_PH1_CD\ENG\EXHIBITS\@_Map\Q_Maps_Streets\P70-QMAP_STREETS.dwg Ki\2017\170209_Pler 9:47am Feb 27, 2024


LINE TABLE - BSW & ROW					
LINE NO. LENGTH DIRECTION					
L100	800.00	S85°38'01"W			
L101	762.07	N85*38'01"E			





LINE TABLE - SIDEWALK						
LINE NO.	LENGTH	DIRECTION				
L5	513.65	S85°38'01"W				
L8	223.00	S85*38'01"W				
L9	220.90	N85'38'01"E				
L61	150.00	N04°21'59"W				
L62	4.24	N04 ° 21'37"W				

APN 3941-027



CURVE TABLE					
CURVE NO.	LENGTH	RADIUS	DELTA		
C11	15.71	10.00	090°00'00"		
C12	15.80	10.00	090 ° 32'46"		

1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.

IONAL LAND

NO. 8251

OF CALIFO

BLAC

AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

APPROVED:

NOTES:

Ē


*

LINE TABLE - BSW & ROW					
LINE NO. LENGTH DIRECTION					
L100	800.00	S85*38'01"W			
L101	762.07	N85 ° 38'01"E			


LINE	LINE TABLE - SIDEWALK					
LINE NO.	LENGTH	DIRECTION				
L5	513.65	S85*38'01"W				
L10	4.88	S04°21'59"E				
L11	10.14	N25°01'42"W				
L12	148.59	S85°38'01"W				
L13	69.38	N72°53'43"W				
L14	46.76	N85*38'01"E				
L15	191.89	S85°38'01"W				
L16	8.26	S85*41'09"W				
L29	259.09	S04°21'59"E				

	CURVE TABLE			
CURVE NO.	LENGTH	RADIUS	DELTA	
C13	23.56	15.00	090°00'00"	
C14	6.80	30.00	012 ° 59'39"	
C15	12.10	10.00	069 ° 20'17"	
C16	18.74	50.00	021*28'15"	
C17	18.74	50.00	021*28'15"	
C18	9.76	20.00	027 * 57'10"	
C19	4.88	10.00	027 • 57'12"	
C20	6.53	10.00	037 ° 23'50"	
C21	13.06	20.00	037 ° 24'02"	
C22	17.28	11.00	090°00'00"	
C23	15.71	10.00	090*00'48"	
C24	11.60	20.00	03313'14"	
C25	11.60	20.00	03313'14"	

- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- 2. BSW AT EXISTING BUILDING WALL.
- AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.








SSONAL LAND SURVEYOR	APPROVED:		CIT	Y AND COUNTY O SAN FRANCISCO P
(★ NO. 8251 /★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEV MICHIGAN STREET, 21ST ST	
STRATOF CALLFORNIT	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 4 OF 17

LINE TABLE - BSW & ROW			
LINE NO.	LENGTH	DIRECTION	
L100	800.00	S85•38'01"W	
L101	762.07	N85 * 38'01"E	
L129	41.76	S21°03'56"E	

LINE TABLE - SIDEWALK				
LINE NO.	LENGTH	DIRECTION		
L17	280.80	S85*38'01"W		
L18	183.51	S85*38'01"W		
L19	16.48	S85•38'01"W		
L33	253.06	N04 ° 21'58"W		
L34	251.09	S04 ° 21'59"E		

CURVE TABLE			
CURVE NO.	LENGTH	RADIUS	DELTA
C26	18.85	12.00	090°00'00"
C27	18.86	12.00	090 ° 02'04"








- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

SS MAL LAND SURVEYOR	APPROVED:		CIT	TY AND COUNTY C SAN FRANCISCO
(★ NO. 8251 /★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEV MICHIGAN STREET, 21ST ST	
STATE OF CALLFORNIA	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 5 OF 17

LINE TABLE - BSW & ROW			
LINE NO.	LENGTH	DIRECTION	
L102	288.28	S85*40'45"W	
L103	208.50	S85 * 38'01"W	




SCALE: 1"= 40'

REVISION

LINE	LINE TABLE - SIDEWALK			
LINE NO.	LENGTH	DIRECTION		
L20	3.94	S34°23'53"E		
L21	14.00	S04°21'59"E		
L22	3.94	S25 * 39'56"W		
L23	222.06	S04°21'59"E		
L47	366.25	S04°21'59"E		
L48	246.80	S04°21'59"E		

CURVE TABLE				
LENGTH	RADIUS	DELTA		
10.48	20.00	030°01'54"		
5.24	10.00	030°01'54"		
5.24	10.00	030 ° 01'54"		
10.48	20.00	030°01'54"		
	LENGTH 10.48 5.24 5.24	LENGTH RADIUS 10.48 20.00 5.24 10.00 5.24 10.00		



Ē

*

ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.

ONAL LAND

NO. 8251

OF CALIFO

BLAC


AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

APPROVED:

LINE TABLE - BSW & ROW				
LINE NO.	LENGTH	DIRECTION		
L104	394.46	S04°21'59"E		
L105	517.71	N04 * 21'59"W		


LINE TABLE – SIDEWALK			
LINE NO.	LENGTH	DIRECTION	
L23	222.06	S04 ° 21'59"E	
L24	2.13	S24*48'40"E	
L25	14.21	N85 * 38'01"E	

CURVE TABLE				
CURVE NO.	LENGTH	RADIUS	DELTA	
C32	35.75	100.00	020*29'00"	
C33	12.14	10.00	069*33'18"	
C34	19.41	90.00	012•21'27"	
C35	11.05	10.00	063 ° 17'07"	




1.	DTES: ITALIC NUMBERS REPRESENT BETWEEN ELEVATIONS. AN ASTERISK INDICATES THE IS CONTINUED ON THE FOLLO	NEXT ELEVATION		No. EXP. OF	ESS/01/4 0 'COLUTION 758/11 /30/24 * CALIFORNIT CALIFORNIT 40 0
	SONAL LAND SUB SUNAL LAND SUB LUCKINE. BLACOURT PL	APPROVED:		CI7	Y AND COUNTY O SAN FRANCISCO I
		WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEW MICHIGAN STREET, 21ST ST	
	PTP OF CALIFORNIP	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 7 OF 17

LINE TABLE - BSW & ROW				
LINE NO. LENGTH DIRECTION				
L104	394.46	S04°21'59"E		
L105	517.71	N04 ° 21'59"W		
L106	13.09	S26*49'04"E		
L106	13.09	S26 ⁻ 49'04"		



LINE NO. LENGTH DIRECTION L54 517.71 N04*21'58	
L54 517.71 N04°21'58	N
	"W
L55 519.71 N04*21'58	"W







- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

SUNAL LAND SURVEYOR	APPROVED:		CIT	TY AND COUNTY C SAN FRANCISCO
(★ NO. 8251 /★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEV MICHIGAN STREET, 21ST ST	
STATE OF CALLFORNIT	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 8 OF 17


LINE TABLE - BSW & ROW			
LINE NO. LENGTH DIRECTIO		DIRECTION	
L109	517.71	N04 ° 21'59"W	
L110	519.71	N04 * 21'59"W	



LINE TABLE - SIDEWALK			
LINE NO.	LENGTH	DIRECTION	
L54	517.71	N04 ° 21'58"W	
L55	519.71	N04 ° 21'58"W	









- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

SS ME. BLACKTOR	APPROVED:		CIT	TY AND COUNTY C SAN FRANCISCO
★ NO. 8251 ★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEV MICHIGAN STREET, 21ST ST	
STATE OF CALLFORNIA	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 9 OF 17

LINE TABLE - BSW & ROW				
LINE NO. LENGTH DIRECTIO		DIRECTION		
L109	517.71	N04 ° 21'59"W		
L110	519.71	N04 * 21'59"W		

	LINE TABLE - SIDEWALK			
	LINE NO.	LENGTH	DIRECTION	
L34 251.09 S04*21'59"F	L33	253.06	N04 ° 21'58"W	
	L34	251.09	S04°21'59"E	







LINE TABLE - BSW & ROW				
LINE NO. LENGTH DIRECTION		DIRECTION		
L111	255.09	N04°21'59"W		
L112	255.09	N04°21'59"W		

LINE TABLE – SIDEWALK				
LINE NO.	LENGTH	DIRECTION		
L26	68.43	N04 ° 21'59"W		
L27	29.93	N85*38'01"E		
L28	1.32	N72°26'47"E		
L29	259.09	S04°21'59"E		
L30	179.75	N85*38'02"E		
L31	283.07	S85•38'02"W		
L105	517.71	N04°21'59"W		

	CURVE TABLE				
CURVE NO.	LENGTH	RADIUS	DELTA		
C36	31.42	20.00	090°00'00"		
C37	23.16	100.01	013"15'59"		
C38	9.38	7.00	076*48'46"		
C39	15.71	10.00	090°00'00"		
C40	15.71	10.00	090°00'00"		






LINE TABLE - BSW & ROW				
LINE NO. LENGTH DIRECTION				
L113	98.46	S04°21'57"E		
L114	89.57	S85•38'02"W		
L115	188.75	N85°38'01"E		
L116	281.07	N85°38'01"E		
L130	27.73	S2116'29"W		




LINE TABLE - SIDEWALK			
LINE NO.	LENGTH	DIRECTION	
L30	179.75	N85*38'02"E	
L31	283.07	S85*38'02"W	
L32	11.55	N74°12'37"E	
L33	253.06	N04 ° 21'58"W	
L34	251.09	S04°21'59"E	
L35	6.58	S54•42'33"E	
L36	1.06	N85•38'01"E	
L37	4.97	N85°38'01"E	
L54	517.71	N04 ° 21'58"W	
L55	519.71	N04 ° 21'58"W	

CURVE TABLE				
CURVE NO.	LENGTH	RADIUS	DELTA	
C41	19.94	100.00	011*25'24"	
C42	16.46	12.00	078 • 34'36"	
C43	13.18	15.00	050 ° 20'34"	
C44	2.34	10.00	013 ° 24'39"	
C45	18.85	12.00	090 ° 00'00"	
C46	18.85	12.00	090 ° 00'00"	

- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.










LINE TABLE - BSW & ROW			
LINE NO. LENGTH DIRECTION			
L115	188.75	N85°38'01"E	
L116	281.07	N85*38'01"E	
L117	20.15	N74"11'04"E	
L118	7.55	S62*21'39"E	



LINE TABLE - SIDEWALK			
LINE NO. LENGTH DIREC		DIRECTION	
L38	15.15	N85 ° 38'01"E	
L39	13.20	N04°21'59"W	
L40	14.00	N04*22'06"W	
L41	530.84	S85*38'01"W	
L42	9.88	S85*38'01"W	
L43	4.17	N04°21'59"W	
L44	7.00	S04°21'59"E	
L45	486.24	N85 ° 38'01"E	

APN 4109-001	Ш	APN 4110-008A	
<u>TC 37.96</u> FL 37.49 <u>LP 37.43</u> <u>TC 38.31</u> FL 37.86	ILLINOIS STREET (80' ROW)	14.50 S/W TC 38.03 FL 37.55 V C S/W TC S/W S/W TC S/W S/W TC S/W S	1.0%
		42.00' 22ND STREET (66' ROW)	66.00
L42 <u>TC 37.61</u> FL 37.39 <u>TC/FL 37.00</u> <u>TC 37.28</u> FL 36.80		44.60' 54.32' L45 38.6' 44.60' 54.32' L45 38.6' 44.60' 54.32' L45 38.6' 44.60' 54.32' L45 38.6' 44.60' 5.00' 12.00' 12.00' 5/W 12.00' 12.00' 12.00' 5/W FL 37.31 88 15.00' 15.00 9' 9' 9' 5/W 9' 9' 9'	1.0%
APN 4173-001		APN 4175-018	


EXP. 6/30/24


GRAPHIC SCALE


CURVE TABLE					
CURVE NO. LENGTH RADIUS DELTA					
C47	18.85	12.00	090°00'00"		
C48	15.71	10.00	090°00'00"		
C49	21.99	14.00	090°00'00"		
C50	12.87	20.00	036*51'22"		
C51	6.44	10.00	036*52'12"		
C52	15.71	10.00	090°00'00"		


- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

				_
SS THE BLACTRATT UR	APPROVED:		CIT	TY AND COUNTY C SAN FRANCISCO
(★ NO. 8251 /★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEV MICHIGAN STREET, 21ST ST	
STRAT OF CALIFORNIA	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 13 OF 17









۱				
	LINE	TABLE -	SIDEWALK	
	LINE NO.	LENGTH	DIRECTION	
	L41	530.84	S85*38'01"W	
	L45	486.24	N85 * 38'01"E	

*

LINE TABLE - BSW & ROW			
LINE NO. LENGTH DIRECTION			
L119	480.00	N85 * 38'01"E	
L120	480.00	N85 * 38'01"E	

LINE '	LINE TABLE – SIDEWALK			
LINE NO.	LENGTH	DIRECTION		
L46	14.74	S85°38'01"W		
L47	366.25	S04 ° 21'59"E		
L48	246.80	S04°21'59"E		
L49	285.07	N85 * 38'01"E		
L50	27.02	N85 * 38'01"E		
L51	21.66	N85 * 38'01"E		
L52	36.00	S85°38'01"W		
L53	53.64	S85°38'01"W		

CURVE TABLE				
CURVE NO.	LENGTH	RADIUS	DELTA	
C53	61.69	283.00	012 * 29'25"	
C54	69.10	317.00	012•29'25"	
C55	39.27	25.00	090°00'00"	
C56	15.71	10.00	090°00'00"	
C57	13.68	20.00	03911'42"	
C58	13.68	20.00	039"11'05"	
C59	61.35	316.50	011*06'23"	
C60	54.68	282.00	011*06'36"	
C61	12.30	20.00	03514'51"	
C62	6.15	10.00	03514'39"	

*

ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.

LAND


NO. 8251

OF CALIFS

AN ASTERISK INDICATES THE NEXT ELEVATION IS CONTINUED ON THE FOLLOWING PAGE.

WILLIAM E. BLACKWELL JR., PLS 8251

CITY & COUNTY SURVEYOR



DATE


LINE TABLE - BSW & ROW			
LINE NO.	LENGTH	DIRECTION	
L121	21.08	S85°38'01"W	
L122	9.05	N42*28'11"E	
L123	281.07	S85°38'01"W	
L124	17.91	N55°28'14"E	
L125	26.17	N85*38'01"E	
L126	368.74	S85*38'01"W	

BSW & ROW CURVE TABLE				
CURVE NO.	LENGTH	RADIUS	DELTA	
C100	58.94	270.50	012 ° 29'06"	
C101	71.91	330.00	012*29'06"	
C102	63.65	328.50	011°06'07"	
C103	52.32	270.00	011°06'07"	

		NS ALONG 20TH STREET, ILL MARYLAND STREET, AND 22	
FILE: Q—20—1194	SHEET 15 OF 17	SCALE: 1"= 40'	REVISION

LINE TABLE - SIDEWALK			
LINE NO.	LENGTH	DIRECTION	
L49	285.07	N85°38'01"E	
L54	517.71	N04 ° 21'58"W	
L55	519.71	N04 ° 21'58"W	
L56	294.00	S85 * 38'01"W	
L57	232.12	S85 ° 38'01"W	
L58	11.24	N04 ° 21'54"W	
L59	15.74	N04 ° 21'58"W	
L60	293.00	N85*38'01"E	

	CURVE TABLE			
CURVE NO.	LENGTH	RADIUS	DELTA	
C63	15.71	10.00	090°00'00"	
C64	15.71	10.00	090°00'00"	
C65	31.42	20.00	089*59'53"	
C66	15.71	10.00	090°00'00"	





- 1. ITALIC NUMBERS REPRESENT THE DISTANCE BETWEEN ELEVATIONS.
- AN ASTERISK INDICATES THE NEXT ELEVATION

IS CONTINUED ON THE FOLLO	DWING PAGE.			
4550NAL LAND SCHART	APPROVED:		CIT	Y AND COUNTY OF SAN FRANCISCO PL
(ੴ 🗐 NO. 8251)★	WILLIAM E. BLACKWELL JR., PLS 8251	DATE	OFFICIAL GRADES OF SIDEM MICHIGAN STREET, 21ST ST	
PAR OF CALIFORNIE	CITY & COUNTY SURVEYOR		FILE: Q-20-1194	SHEET 16 OF 17

LINE TABLE - BSW & ROW			
LINE NO.	LENGTH	DIRECTION	
L123	281.07	S85°38'01"W	
L126	368.74	S85*38'01"W	

LINE TABLE – SIDEWALK			
LINE NO.	LENGTH	DIRECTION	
L56	294.00	S85*38'01"W	
L60	293.00	N85 ° 38'01"E	





LINE TABLE - BSW & ROW		
LINE NO.	LENGTH	DIRECTION
L127	292.00	S85•38'01"W
L128	291.00	S85 • 38'01"W