Ordinance amending the Planning Code to correct and update provisions, delete
obsolete or redundant sections, and reinstate the distinction between Historic and
Vintage Signs; amending the Zoning Map to delete the Showplace Square Special Sign
District, the South of Market General Advertising Special Sign District, and the Hamm's
Building Historic Special Sign District; affirming the Planning Department's
determination under the California Environmental Quality Act; and making findings of
consistency with the General Plan and the eight priority policies of Planning Code,
Section 101.1, and findings of public convenience, necessity, and welfare under
Planning Code, Section 302.
NOTE: Unchanged Code text and uncodified text are in plain Arial font.
Additions to Codes are in single-underline italics Times New Roman font.  Deletions to Codes are in strikethrough italics Times New Roman font.  Board amendment additions are in double-underlined Arial font.
Board amendment additions are in <u>double-undenined Arial font.</u> Board amendment deletions are in strikethrough Arial font.  Asterisks (* * * *) indicate the omission of unchanged Code
subsections or parts of tables.
Be it ordained by the People of the City and County of San Francisco:
Section 1. Findings.
(a) The Planning Department has determined that the actions contemplated in this
ordinance comply with the California Environmental Quality Act (California Public Resources
Code Sections 21000 et seq.). Said determination is on file with the Clerk of the Board of
Supervisors in File No and is incorporated herein by reference. The Board
affirms this determination.

1	(b)	On	, the Pla	nning C	Commission	n, in Reso	lution No.		_,
2	adopted find	dings that the ac	ions conten	nplated	in this ord	inance are	e consiste	nt, on bala	ance,
3	with the City	y's General Plan	and eight p	riority p	olicies of F	Planning C	ode Secti	on 101.1.	The
4	Board adop	ts these findings	as its own.	A cop	y of said R	esolution i	is on file w	vith the Cl	erk of
5	the Board o	f Supervisors in	File No		, and is inc	orporated	herein by	reference	<b>}.</b>
6	(c)	Pursuant to Pl	anning Cod	e Section	on 302, the	Board of	Superviso	ors finds th	nat
7	these Plann	ning Code amend	lments will s	serve th	ne public ne	ecessity, c	convenien	ce, and w	elfare
8	for the reason	ons set forth in F	lanning Co	mmissi	on Resolut	ion No	, a	and the Bo	oard
9	incorporates	s such reasons h	erein by ref	erence					
10									
11	Secti	ion 2. The Plann	ng Code is	hereby	amended	by revisin	g Sections	s 102, 188	3, 260,
12	429.4, 429.6	6, 601, 602 (inclu	ıding deletir	ng the e	existing sec	ction numb	ers for Se	ections 60	2.1,
13	602.2, 602.3	3, 602.4, 602.5,	602.6, 602.7	7, 602.8	3, 602.9, 60	02.10, 602	.11, 602.1	2, 602.13	<b>,</b>
14	602.14, 602	2.15, 602.16, 602	.17, 602.18	, 602.1	9, 602.20,	602.21, 60	02.21A, 60	02.22, 602	2.23,
15	602.24, 602	2.25, and 602.26	all of which	n will no	w be enco	mpassed	within Sed	ction 602)	, 607,
16	607.1, 607.2	2, 608.3, 608.4,	608.5, 608.8	8, 608.9	9, 608.13, 6	608.15, 60	9.10, 609	.11, 609.1	3, and
17	609.14, and	Zoning Control	Tables 810	, 811, 8	12 and 81	7, and del	eting Sect	ions 608.	12,
18	803.1 and 8	321, to read as fo	llows:						
19	SEC. 102.	DEFINITIONS.							
20	For the	he purposes of t	nis Code, ce	ertain w	ords and to	erms used	l herein ar	e defined	as set
21	forth in this	and the following	sections. <u>/</u>	<u>Addition</u>	al definition	ıs applicab	le to Signs	are set for	th in
22	Section 602.	Additional definiti	ons applicab	ole to de	velopment i	mpact fees	and requir	ements tha	<u>t</u>
23	authorize the	payment of in-lie	u fees are set	forth in	Section 40	1. Addition	nal definition	ons applic	able to
24	Article 7, Ne	eighborhood Cor	nmercial Dis	stricts, a	and to Artic	cle 9, Miss	ion Bay D	istricts, ar	e set

forth in Section 790. Additional definitions applicable only to Article 8, Mixed Use Districts, are

set forth in Section 890. Additional definitions applicable only to the Bernal Heights Special
Use District are set forth in Section 242. Additional definitions applicable only to Article 9,
Mission Bay Districts, are set forth in Section 996. All words used in the present tense shall
include the future. All words in the plural number shall include the singular number, and all
words in the singular number shall include the plural number, unless the natural construction
of the wording indicates otherwise. The word "shall" is mandatory and not directory.
Whenever any of the following terms is used it shall mean the corresponding officer,
department, board or commission or its successor of the City and County of San Francisco,
State of California, herein referred to as the City: Assessor, Board of Supervisors, Planning
Department, Department of Public Works, Director of Planning, Planning Commission, or
Zoning Administrator. In each case, the term shall be deemed to include an employee of any
such officer or department of the City who is lawfully authorized to perform any duty or
exercise any power as a representative or agent of that officer or department.
Department, Department of Public Works, Director of Planning, Planning Commission, or Zoning Administrator. In each case, the term shall be deemed to include an employee of any
exercise any power as a representative or agent of that officer or department.

SEC. 188. NONCOMPLYING STRUCTURES: ENLARGEMENTS, ALTERATIONS AND RECONSTRUCTION.

17 \* \* \* \*

(e) <u>Historic Movie Theater Marquees and Projecting Signs</u>. Notwithstanding Subsection (a) of this Section, and in order that certain character-defining architectural elements of Qualified Movie Theaters be preserved and enhanced, a noncomplying Historic Movie Theater Projecting Sign, as defined in Section 602.25, and/or a noncomplying Historic Movie Theater Marquee, as defined in Section 602.26, may be preserved, rehabilitated, or restored. A noncomplying Historic Movie Theater Projecting Sign or a noncomplying Historic Movie Theater Marquee removed from a Qualified Movie Theater prior to or in absence of an application for replacement may be reconstructed.

1	(1) For the purposes of this Section, "Qualified Movie Theater" shall mean a
2	building that: (A) is currently or has been used as a $m\underline{M}$ ovie $t\underline{T}$ heater; and (B) is listed on or
3	eligible for listing on the National Register of Historic Places or the California Register of
4	Historical Resources, designated a City Landmark or a contributor to a City Landmark District
5	under Article 10, or designated as a Significant or Contributory Building under Article 11.
6	(2) Any preservation, rehabilitation, restoration, or reconstruction permitted
7	under this Section shall be in strict conformity with the overall design, scale, and character of
8	the existing or previously existing Historic Movie Theater Sign or Historic Movie Theater
9	Marquee and:
10	(A) For a Qualified Movie Theater that retains its Historic Movie
11	Theater Projecting Sign and/or Historic Movie Theater Marquee, the signage features shall be
12	limited to the following:
13	(i) On a Historic Movie Theater Projecting Sign, the historic
14	name associated with a previous theater occupant;
15	(ii) On a Historic Movie Theater Marquee, the historic name
16	associated with a previous theater occupant and, where applicable, on the signboard, other
17	information that is an Identifying Sign, as defined in Section 602.10, provided such information
18	shall be contained within the signboard, shall not consist of any logos, and shall be in the
19	character of lettering historically found on $m\underline{M}$ ovie $\underline{t}\underline{T}$ heater signboards in terms of size, font,
20	and detail.
21	(B) For a Qualified Movie Theater where the Historic Movie Theater
22	Projecting Sign and/or Historic Movie Theater Marquee has been removed and is proposed to
23	be reconstructed, the overall design and signage features shall be limited to the following:
24	(i) On a Historic Movie Theater Projecting Sign, the historic
25	name associated with a previous theater occupant;

1	(ii) On a Historic Movie Theater Marquee, the historic name
2	associated with a previous theater occupant and, where applicable, on the signboard, other
3	information that is an Identifying Sign, as defined in Section 602.10, provided such information
4	shall be contained within the signboard, shall not consist of any logos, and shall be in the
5	character of lettering historically found on $m\underline{M}$ ovie $t\underline{T}$ heater signboards in terms of size, font,
6	and detail.
7	* * * *
8	SEC. 260. HEIGHT LIMITS: MEASUREMENT.
9	* * * *
10	(b) <b>Exemptions</b> . In addition to other height exceptions permitted by this Code, the
11	features listed in this Subsection shall be exempt from the height limits established by this
12	Code, in an amount up to but not exceeding that which is specified.
13	* * * *
14	(2) The following features shall be exempt, without regard to their horizontal
15	area, provided the limitations indicated for each are observed:
16	* * * *
17	(Q) Historic signs and Vintage Signs within an historic sign district
18	permitted pursuant to Sections 302, 303 and Article 6 608.14 of this Code.
19	* * * *
20	SEC. 429.4. COMPLIANCE BY PROVIDING ON-SITE PUBLIC ARTWORK.
21	(a) <b>Installation</b> . The project sponsor must install the public art in compliance with
22	this Section (1) in areas on the site of the building or addition so that the public art is clearly
23	visible from the public sidewalk or the open-space feature required by Section 138, or (2) on
24	the site of the open-space feature provided pursuant to Section 138, or (3) in a publicly
25	accessible lobby area of a #Hotel ("On-Site Public Artwork"). Said On-Site Public Artwork shall

- 1 be installed prior to issuance of the first certificate of occupancy; provided, however, that if the 2 Zoning Administrator concludes that it is not feasible to install the works Artwork within that 3 time and that adequate assurance is provided that the works Artwork will be installed in a timely manner, the Zoning Administrator may extend the time for installation for a period of not 4 5 less more than 12 months. Said works of art may include sculpture, bas-relief, murals, 6 mosaics, decorative water features, tapestries or other artworks permanently affixed to the 7 building or its grounds, or a combination thereof, but may not include architectural features of 8 the building, nor artwork designed by the architect, except as permitted with respect to the in 9 lieu contribution regarding publicly owned owner buildings meeting the criteria described above. Artworks shall be displayed in a manner that will enhance their enjoyment by the 10 11 general public. The type and location of aArtwork, but not the artistic merits of the specific 12 artwork proposed, shall be approved by the Zoning Administrator in accordance with the 13 provisions of Section 309 of this Code.
  - (b) Recognition of Artists. An ADA-compliant plaque identifying the creator, name (if any), and installation date of the On-Site Public Artwork required by Subsection (a) above shall be placed at a publicly conspicuous location within view of the On-Site Public Artwork at the same time the Artwork is installed.
  - (c) Removal, Relocation, or Alteration of Artwork. Once the project sponsor has installed and completed the final Artwork, the project sponsor, building owner and any third party may not remove, relocate or alter the Artwork without notifying and consulting with the Planning Department at least 120 days prior to the proposed removal, relocation or alteration. The Planning Department shall not approve any removal, relocation, or alteration unless it finds any removed Artwork will be replaced with Artwork of equal or greater value or that any relocation or alteration is only a minor modification. If a project sponsor does remove, relocate, or alter the Artwork without notification and approval of the Planning Department, the

15

16

17

18

19

20

21

22

23

24

1	Planning Department is authorized to pursue enforcement of this Section under Section 176
2	or 176.1 of this Code or to pursue any other remedy permitted by law.
3	SEC. 429.6. RECOGNITION OF ARCHITECTS <u>IN C-3 DISTRICTS</u> <u>AND ARTISTS.</u>
4	In the case of construction of a new building or an addition of floor area in excess of
5	25,000 square feet to an existing building in a C-3 District, an ADA compliant plaque or
6	cornerstone identifying the project architect and the creator of the On-Site Public Artwork provided
7	pursuant to this Section 429 and the erection date of the building On-Site Public Artwork-shall be
8	placed at a publicly conspicuous location on or in the building prior to the issuance of the first
9	certificate of occupancy.
10	SEC. 601. SPECIAL PURPOSES OF SIGN CONTROLS.
11	This Article 6 is adopted in recognition of the important function of signs and of the
12	need for their regulation under the Planning Code. In addition to those purposes of the City
13	Planning Code stated in Section 101, it is the further purpose of this Article 6 to:
14	(a) promote the aesthetic and environmental values of San Francisco by providing
15	for signs that serve as effective means of communication and do not impair the attractiveness of
16	the City as a place to live, work, visit, and shop safeguard and enhance property values in
17	residential, commercial and industrial areas;
18	$\underline{(b)}$ $\underline{to}$ protect public investment in and the character and dignity of public buildings,
19	streets, and open spaces and thoroughfares;
20	$\underline{(c)}$ $\underline{to}$ protect the distinctive appearance of San Francisco which is produced by its
21	unique geography, topography, neighborhoods, street patterns, skyline, and architectural
22	features;
23	(d) ensure that signs are designed and proportioned in relation to the structures to

which they are attached, adjacent structures, and the streets on which they are located;

24

1	<u>(e)</u>	enhance sidewalks as public spaces by preserving sunlight and views, and foster
2	the unobstru	cted growth of street trees;
3	<u>(f)</u>	to provide an environment which will safeguard and enhance neighborhood livability
4	and property	values, and promote the development of business in the City;
5	<u>(g)</u>	$\varpi$ encourage sound practices and lessen the objectionable effects of
6	competition	in respect to size and placement of signs;
7	<u>(h)</u>	$\varpi$ aid in the attraction of tourists and other visitors who are so important to the
8	economy of	the City and County;
9	<u>(i)</u>	to reduce hazards to motorists, bicyclists, and pedestrians caused by visual
10	distractions a	and obstructions traveling on the public way; and
11	<u>(j)</u>	thereby $\varpi$ promote the public health, safety and welfare.
12	SEC. 602. <u>S</u>	IGN SPECIAL DEFINITIONS.
13	The fo	ollowing definitions shall apply to this Article 6, in addition to such definitions
14	elsewhere ir	this Code as may be appropriate.
15	SEC. 602.1.	AREA (OF A SIGN).
16	Area (of a Sig	<u>gn).</u>
17	(a)	All Signs Except on Windows, Awnings and Marquees. The entire area
18	within a sing	le continuous rectangular perimeter formed by extending lines around the
19	extreme limi	ts of writing, representation, emblem, or any figure of similar character, including
20	any frame o	r other material or color forming an integral part of the display or used to
21	differentiate	such $\pm \underline{S}$ ign from the background against which it is placed; excluding the
22	necessary s	upports or uprights on which such $\pm \underline{S}$ ign is placed but including any $\pm \underline{S}$ ign $\pm \underline{T}$ ower.
23	Where a £Siq	gn has two or more faces, the area of all faces shall be included in determining the
24	a <u>A</u> rea of the	$s\underline{S}$ ign, except that where two such faces are placed back to back and are at no
25	point more t	han two feet from one another, the $a\underline{A}$ rea of the $s\underline{S}$ ign shall be taken as the area of

- one face if the two faces are of equal area, or as the area of the larger face if the two faces 2 are of unequal area.
  - (b) On Windows. The Area of any Sign painted directly on a window shall be the area within a rectangular perimeter formed by extending lines around the extreme limits of writing, representation, or any figure of similar character depicted on the surface of the window. The aArea of any sSign placed on or behind the window glass shall be as described above in Paragraph (a).
  - (c) On Awnings or Marquees. The aArea of any sSign on an aAwning or mMarquee shall be the total of all signage on all faces of the structure. All sign copy on each face shall be computed within one rectangular perimeter formed by extending lines around the extreme limits of writing, representation, or any figure of similar character depicted on the surface of the face of the awning or marquee.
- 13 SEC. 602.2. ATTACHED TO A BUILDING.
- 14 Attached to a Building. Supported, in whole or in part, by a building.
- SEC. 602.3. BUSINESS SIGN. 15

3

4

5

6

7

8

9

10

11

12

16

17

18

19

20

21

22

23

24

25

Business Sign. A &Sign which directs attention to the primary business, commodity, service, industry or other activity which is sold, offered, or conducted on the premises upon which such #Sign is located, or to which it is affixed. Where a number of businesses, services, industries, or other activities are conducted on the premises, or a number of commodities, services, or other activities with different brand names or symbols are sold on the premises, up to onethird of the area of a bBusiness sSign, or 25 square feet of sSign area, whichever is the lesser, may be devoted to the advertising of one or more of those businesses, commodities, services, industries, or other activities by brand name or symbol as an accessory function of the bBusiness sSign, provided that such advertising is integrated with the remainder of the *₽B* usiness *₽S*ign, and provided also that any limits which may be imposed by this Code on the

- area of individual  $\underline{sS}$  igns and the area of all  $\underline{sS}$  igns on the property are not exceeded. The
- 2 primary business, commodity, service, industry, or other activity on the premises shall mean
- 3 the use which occupies the greatest area on the premises upon which the  $b\underline{B}$  usiness  $s\underline{Sig}$  is
- 4 located, or to which it is affixed.
- 5 SEC. 602.4. DIRECTLY ILLUMINATED SIGN.
- 6 <u>Directly Illuminated Sign.</u> A <u>sSign</u> designed to give forth artificial light directly (or through
- 7 transparent or translucent material) from a source of light within such sign, including but not
- 8 limited to neon and exposed lamp signs.
- 9 SEC. 602.5. FREESTANDING.
- 10 <u>Freestanding.</u> In no part supported by a building.
- 11 *SEC. 602.6. FREEWAY.*
- 12 <u>Freeway</u>. A highway, in respect to which the owners of abutting lands have no right or
- easement of access to or from their abutting lands or in respect to which such owners have
- only limited or restricted right or easement of access, the precise route for which has been
- determined and designated as a #Freeway by an authorized agency of the State or a political
- 16 subdivision thereof. The term shall include the main traveled portion of the trafficway and all
- 17 ramps and appurtenant land and structures. Trans-Bay highway crossings shall be deemed to
- be  $f\underline{F}$  reeways within the meaning of this definition for purposes of this Code.
- 19 SEC. 602.7. GENERAL ADVERTISING SIGN.
- 20 <u>General Advertising Sign.</u> A <u>sSign</u>, legally erected prior to the effective date of Section 611 of
- 21 this Code, which directs attention to a business, commodity, industry or other activity which is
- sold, offered or conducted elsewhere than on the premises upon which the sSign is located, or
- to which it is affixed, and which is sold, offered or conducted on such premises only
- 24 incidentally if at all.

- 1 *SEC. 602.8. HEIGHT (OF A SIGN).*
- 2 *Height (of a Sign)*. The vertical distance from the uppermost point used in measuring the aArea
- of a sSign, as defined in this Section 602.4, to the ground immediately below such point or to
- 4 the level of the upper surface of the nearest curb of a street, alley or highway (other than a
- 5 structurally elevated roadway), whichever measurement permits the greater elevation of the
- 6 <u>s</u>Sign.
- 7 SEC. 602.25. HISTORIC MOVIE THEATER PROJECTING SIGN.
- 8 <u>Historic Movie Theater Projecting Sign.</u> A projecting bB usiness sS ign attached to a Qualified
- 9 Movie Theater, as defined in Section 188(e)(1), when such sign was originally constructed in
- association with the Qualified Movie Theater or similar historic use. Such sSigns are typically
- 11 characterized by (a)(i) perpendicularity to the primary facade of the building, (b)(i) fixed
- display of the name of the establishment, often in large lettering descending vertically
- throughout the length of the  $\pm Sign$ ; (c)(iii) a narrow width that extends for a majority of the
- vertical distance of a building's facade, typically terminating at or slightly above the  $\neq R$  cofline,
- and (d)(iv) an overall scale and nature such that the  $\pm S$ ign comprises a significant and
- 16 character defining architectural feature of the building to which it is attached. Elimination or
- 17 change of any lettering or other inscription from a <u>Historic</u>  $m\underline{M}$  ovie  $t\underline{T}$  heater  $p\underline{P}$  rojecting  $s\underline{S}$  ign,
- such as that which may occur with a change of ownership, change of use, or closure does not
- preclude classification of the sSign under this Section. For specific controls on the
- 20 preservation, rehabilitation, or restoration of these signs, refer to Section 188(e) of this Code.
- 21 SEC. 602.26. HISTORIC MOVIE THEATER MARQUEE.
- 22 <u>Historic Movie Theater Marquee.</u> A <u>mM</u> arquee, as defined in Section <u>102</u> <del>790.58</del>, attached to a
- Qualified Movie Theater, as defined in Section 188(e)(1), when such mM arguee was originally
- constructed in association with a mM ovie tT heater or similar historic use. Elimination or
- change of any lettering or other inscription from a <u>Historic</u> mM ovie tT heater mM arquee such as

1	that which may occur with a change of ownership, change of use or closure, does not
2	preclude classification of the $m\underline{M}$ arquee under this Section. For specific controls on the
3	preservation, rehabilitation, or restoration of these & Signs, refer to Section 188(e) of this Code
4	SEC. 602.9. HISTORIC SIGNS AND HISTORIC SIGN DISTRICTS.
5	<u>Historic Sign</u> . An <u>hH</u> istoric <u>sS</u> ign <u>is any sign listed on or eligible for listing on the National Register</u>
6	of Historic Places or the California Register of Historical Resources, designated a City Landmark or a
7	contributor to a City Landmark District under Article 10, or designated as a Significant or
8	Contributory Building under Article 11 is a sign that depicts a land use, a business activity, a public
9	activity, a social activity or historical figure or an activity or use that recalls the City's historic past, as
10	further defined in Section 608.14 of this Code, and as permitted by Sections 303 and 608.14 of this
11	Code.
12	An historic sign district is a specific geographic area depicted on the Zoning Map of the City
13	and County of San Francisco, pursuant to Section 302 of this Code, within which historic signs may be
14	permitted by conditional use authorization by the Planning Commission pursuant to Sections 303 and
15	608.14 of this Code.
16	SEC. 602.10. IDENTIFYING SIGN.
17	<u>Identifying Sign</u> . A sSign for a use listed in Article 2 of this Code as either a principal or a
18	conditional use permitted in an R District, regardless of the district in which the use itself may
19	be located, which $s\underline{S}$ ign serves to tell only the name, address and lawful use of the premises
20	upon which the $\pm \underline{S}$ ign is located, or to which it is affixed. A bulletin board of a public, charitable
21	or religious institution, used to display announcements relative to meetings to be held on the
22	premises, shall be deemed an $iI$ dentifying $sS$ ign. With respect to shopping malls containing
23	five or more stores or establishments in NC Districts, and shopping centers containing five or
24	more stores or establishments in NC-S Districts or in the City Center Special Sign District,
25	$i\underline{I}$ dentifying $\underline{s}\underline{S}$ igns shall include $\underline{s}\underline{S}$ igns which tell the name of and/or describe aspects of the

- operation of the mall or center. Shopping malls, as that term is used in this Section, are
- 2 characterized by a common pedestrian passageway which provides access to the businesses
- 3 located therein.
- 4 SEC. 602.11. INDIRECTLY ILLUMINATED SIGN.
- 5 <u>Indirectly Illuminated Sign</u>. A <u>sSign</u> illuminated with a light directed primarily toward such <u>sSign</u>
- and so shielded that no direct rays from the light are visible elsewhere than on the lot where
- 7 said illumination occurs. If not effectively so shielded, such sign shall be deemed to be a
- 8 dDirectly iIlluminated sSign.
- 9 SEC. 602.12. LANDSCAPED FREEWAY.
- 10 Landscaped Freeway. Any part of a fFreeway that is now or hereafter classified by the State or
- 11 a political subdivision thereof as a lL and scaped fE reeway, as defined in the California Outdoor
- Advertising Act. Any part of a  $f\underline{F}$  reeway that is not so designated shall be deemed a
- 13 nonlandscaped *Freeway*.
- 14 *SEC. 602.13. NAME PLATE.*
- 15 Name Plate. A sign affixed flat against a wall of a building and serving to designate only the
- 16 name or the name and professional occupation of a person or persons residing in or
- 17 occupying space in such building.
- 18 SEC. 602.14. NONILLUMINATED SIGN.
- 19 <u>Nonilluminated Sign.</u> A <u>sSign</u> which is not illuminated, either directly or indirectly.
- 20 *SEC. 602.15. PROJECTION.*
- 21 <u>Projection.</u> The horizontal distance by which the furthermost point used in measuring the
- 22  $a\underline{A}$  rea of a  $s\underline{S}$  ign, as defined in  $\underline{this}$  Section 602.1, extends beyond a street property line or a
- building setback line. A <u>sSign</u> placed flat against a wall of a building parallel to a <u>sS</u>treet or
- 24 aAlley shall not be deemed to project for purposes of this definition. A sSign on an aAwning,

- 1 eCanopy or e
- 2 beyond a street property line or a building setback line.
- 3 *SEC. 602.16. ROOFLINE.*
- 4 **Roofline.** The upper edge of any building wall or parapet, exclusive of any  $\pm \underline{S}$  ign  $\pm \underline{T}$  ower.
- 5 *SEC. 602.17. ROOF SIGN.*
- 6 <u>Roof Sign.</u> A sign or any portion thereof erected or painted on or over the roof covering any
- 7 portion of a building, and either supported on the roof or on an independent structural frame or
- 8  $\underline{s}\underline{S}$ ign  $\underline{t}\underline{T}$ ower, or located on the side or roof of a penthouse, roof tank, roof shed, elevator
- 9 housing or other roof structure.
- 10 SEC. 602.18. SALE OR LEASE SIGN.
- 11 Sale or Lease Sign. A sign which serves only to indicate with pertinent information the
- availability for sale, lease or rental of the lot or building on which it is placed, or some part
- 13 thereof.
- 14 *SEC. 602.19. SIGN.*
- 15 Sign. Any structure, part thereof, or device or inscription which is located upon, attached to, or
- painted, projected or represented on any land or right-of-way, or on the outside of any building
- or structure including an  $a\underline{A}$  wning,  $e\underline{C}$  anopy,  $m\underline{M}$  arquee or similar appendage, or affixed to the
- glass on the outside or inside of a window so as to be seen from the outside of the building,
- and which displays or includes any numeral, letter, word, model, banner, emblem, insignia,
- 20 symbol, device, light, trademark, or other representation used as, or in the nature of, an
- announcement, advertisement, attention-arrester, direction, warning, or designation by or of
- any person, firm, group, organization, place, commodity, product, service, business,
- 23 profession, enterprise or industry.
- A " $_{\text{-}S}$ Sign" is composed of those elements included in the  $_{\text{-}A}$ Area of the  $_{\text{-}S}$ Sign as defined
- in this Section 602. 1 of this Code, and in addition the supports, uprights and framework of the

- display. Except in the case of gG eneral gA display, two or more faces shall be
- deemed to be a single  $\pm Sign$  if such faces are contiguous on the same plane, or are placed
- 3 back to back to form a single structure and are at no point more than two feet from one
- 4 another. Also, on  $a\underline{A}$  wrings or  $m\underline{M}$  arquees, two or more faces shall be deemed to be a single
- 5  $\underline{s}\underline{S}$ ign if such faces are on the same  $\underline{a}\underline{A}$  wning or  $\underline{m}\underline{M}$  arquee structure.
- 6 *SEC. 602.20. SIGN TOWER.*
- 7 Sign Tower. A tower, whether attached to a building, freestanding, or an integral part of a
- 8 building, which is erected for the primary purpose of incorporating a sSign, or having a sSign
- 9 attached thereto.
- 10 SEC. 602.21. STREET PROPERTY LINE.
- 11 Street Property Line. For purposes of this Article 6 only, "street property line" shall mean any
- line separating private property from either a  $\pm S$ treet or an  $\pm A$ lley.
- 13 *SEC. 602.21A. VIDEO SIGN.*
- 14 Video Sign. A &Sign that displays, emits, or projects or is readily capable of displaying, emitting
- or projecting a visual representation or image; an animated video, visual representation, or
- image; or other video image of any kind onto a building, fabric, screen, sidewalk, wall, or other
- surface through a variety of means, including, but not limited to: camera; computer; digital
- cinema, imaging, or video; electronic display; fiber optics; film; internet; intranet; light emitting
- diode screen or video display; microprocessor or microcontroller microcontolled based
- 20 systems; picture frames; plasma display; projector; satellite; scrolling display; streaming video;
- 21 telephony; television; VHS; wireless transmission; or other technology that can transmit
- 22 animated or video images.
- Vintage Sign. A Vintage Sign is a Sign that depicts a land use, a business activity, a public activity, a
- 24 social activity or historical figure or an activity or use that recalls the City's historic past, as further
- 25 *defined in Section 608.14 of this Code, and as permitted by Sections 303 and 608.14 of this Code.*

1	SEC. 602.22. WALL SIGN.
2	Wall Sign. A &Sign painted directly on the wall or placed flat against a building wall with its copy
3	parallel to the wall to which it is attached and not protruding more than the thickness of the
4	sign cabinet.
5	SEC. 602.23. WIND SIGN.
6	Wind Sign. Any ₅Sign composed of two or more banners, flags, or other objects, mounted
7	serially and fastened in such a manner as to move upon being subjected to pressure by wind
8	or breeze.
9	SEC. 602.24. WINDOW SIGN.
10	Window Sign. A sSign painted directly on the surface of a window glass or placed behind the
11	surface of a window glass.
12	SEC. 607. COMMERCIAL AND INDUSTRIAL DISTRICTS.
13	Signs in C, M, and PDR Districts, other than those $\pm \underline{S}$ igns exempted by Section 603 of
14	this Code, shall conform to the following provisions:
15	(a) <b>General Advertising Signs.</b> No $gG$ eneral $gG$ eneral $gG$ or shall be permitted
16	in any C, M, or PDR District. within 200 feet of the park known as Union Square and visible from said
17	park. No general advertising sign shall be permitted to cover part or all of any windows.
18	(b) Roof Signs. <u>Except for Historic Signs and Vintage Signs</u> , Roof <u>sSigns</u> are not
19	permitted in C. Districts, and shall be permitted in all-M. and PDR Districts. only if Subsections (1)
20	through (3) below are satisfied; except that a roof sign that is designated historic pursuant to Section
21	608.14 of this Code may be permitted without regard to Subsections (1) through (3) below:
22	(1) The sign does not extend more than 25 feet above the roofline of the building on
23	or over which the sign is placed; and
24	

	(2) The parts of the sign are within 25 feet of, and the sign is mounted at not more
2	than a 45-degree angle from, a wall of a building the roofline of which is at least as high as the top of
3	the sign; and
4	(3) Such wall forms a complete backdrop for the sign, as the sign is viewed from al
5	points from which the sign is legible from a public street or alley.
6	(c) <b>Wind Signs.</b> No $wW$ ind
7	(d) Window Signs. The total Area of all Window Signs shall not exceed one-third the area
8	of the window or clear door on or in which the Signs are located. Such Signs may be nonilluminated,
9	indirectly illuminated, or directly illuminated.
10	(e) Moving Parts. No $\underline{sS}$ ign shall have or consist of any moving, rotating, or
11	otherwise physically animated part (as distinguished from lights that give the appearance of
12	animation by flashing, blinking or fluctuating), except as follows:
13	(1) Moving or rotating or otherwise physically animated parts may be used
14	for the rotation of barber poles and the indication of time of day and temperature.
15	(2) In the case of a general advertising sign in C-2, C-3, C-M, M-1, M-2, and PDR
16	Districts, except for signs located within 200 feet of the park known as Union Square and visible from
17	said park and signs located so as to be primarily viewed by persons traveling on any portion of a
18	freeway, moving or otherwise physically animated parts may be used if such parts do not exceed a
19	velocity of one complete cycle in a four-second period where such parts constitute less than 30 percen
20	of the area of the sign or if, where such parts constitute a greater area of the sign, they do not exceed
21	velocity of one complete cycle in a four-second period and are stationary at least half of each eight-
22	second period; except that signs designated historic pursuant to Section 608.14 of this Code may have
23	such moving features otherwise prohibited for signs located so as to be primarily viewed by persons

traveling on any portion of a freeway.

24

1	$\underline{(2)}$ (3) Notwithstanding the type of $\underline{s}$ igns permissible under Subparagraph $\underline{(e)}$
2	$\frac{\partial}{\partial t}$ , a $\frac{\partial}{\partial t}$ ideo $\frac{\partial}{\partial t}$ is prohibited.
3	(4) Notwithstanding the type of signs permissible under Subparagraph (d)(2), a sign that
4	rotates is prohibited.
5	$\underline{(f)(e)}$ Illumination. Any $\underline{s}\underline{S}$ ign may be nonilluminated or indirectly or directly illuminated.
6	Signs in PDR, C-3, $M-1$ and M-2 Districts shall not be limited in any manner as to type of
7	illumination, but no £Sign in a C-2 or M-1 District shall have or consist of any flashing, blinking,
8	fluctuating or otherwise animated light except as specifically designated as "Special Districts
9	for Sign Illumination" on Sectional Map SSD of the Zoning Map of the City and County of San
10	Francisco, described in Section 608 of this Code, in the C-2 area consisting of five blocks in
11	the vicinity of Fisherman's Wharf. Notwithstanding the type of $\mathfrak{s}\underline{\mathcal{S}}$ igns permissible under
12	subparagraph $\underline{(f)}$ $\underline{(e)}$ , a $\underline{v}\underline{V}$ ideo $\underline{s}\underline{Si}$ gn is prohibited in the district.
13	(g)(f) <b>Projection.</b> Except for Historic Signs, Vintage Signs, Historic Theater Marquees, and
14	Historic Theater Projecting Signs, no No sSign shall project more than 75% percent of the
15	horizontal distance from the street property line to the curbline and in no case shall a $\pm \underline{S}$ ign
16	project more than $\underline{six}$ 10 feet beyond the street property line or building setback line.
17	$\underline{(h)}_{(g)}$ Height and Extension Above Roofline.
18	(1) Signs Attached to Buildings. Except as provided in Section 260 for
19	hHistoric-sSigns, and in Section 608.14 for Vintage Signs, and Section 188(e) for Historic Movie
20	Theater Marquees and Historic Movie Theater Projecting Signs in historic districts, no sSign
21	$a\underline{A}$ ttached to a $b\underline{B}$ uilding shall extend or be located above the roofline of the building to which
22	it is attached. In addition, no $\pm \underline{S}$ ign $\pm \underline{A}$ ttached to a $\pm \underline{B}$ uilding shall under any circumstances
23	exceed a maximum height of:
24	In C-3: 100 feet;
25	In all other C, M, and PDR Districts: 60 feet.

1	Such <u>sSigns</u> may contain letters, numbers, a logo, service mark and/or trademark and
2	may be nonilluminated or indirectly illuminated
3	(2) Freestanding Signs. The maximum height for $f\underline{F}$ reestanding $\underline{s}\underline{S}$ igns shall
4	be as follows:
5	In C-2: 36 feet;
6	In all other C and M Districts: 40 feet.
7	$\underline{(i)}$ (h) Special Standards for $\underline{Automobile}$ $\underline{Automotive}$ Service Stations. For $\underline{automobile}$
8	$\underline{Automotive}$ - $\underline{sS}$ ervice $\underline{sS}$ tations, only the following $\underline{sS}$ igns are permitted, subject to the standards
9	in this Subsection $\underline{(i)}$ $\underline{(h)}$ and to all other standards in this Section 607.
10	(1) A maximum of two oil company-sSigns, which shall not extend above the
11	+R oofline if $aA$ ttached to a $AB$ uilding, or exceed the maximum height permitted for
12	$f\underline{F}$ reestanding $\underline{s}\underline{S}$ igns in the same district if freestanding. The $\underline{a}\underline{A}$ rea of any such $\underline{s}\underline{S}$ ign shall not
13	exceed 180 square feet, and along each street frontage all parts of such a sSign or sSigns that
14	are within 10 feet of the street property line shall not exceed 80 square feet in area. No such
15	$\pm \underline{S}$ ign shall project more than five feet beyond any street property line or building setback line.
16	The areas of other permanent and temporary & Signs as covered in Paragraph 607 (i) (h)(2)
17	below shall not be included in the calculation of the areas specified in this paragraph.
18	(2) Other permanent and temporary $b\underline{B}$ usiness $\underline{s}\underline{S}$ igns, not to exceed 30
19	square feet in aArea for each such sSign or a total of 180 square feet for all such sSigns on the
20	premises. No such $\underline{s}\underline{S}$ ign shall extend above the $\underline{r}\underline{R}$ of line if $\underline{a}\underline{A}$ ttached to a $\underline{b}\underline{B}$ uilding, or in any
21	case project beyond any street property line or building setback line.
22	(3) General advertising signs meeting the provisions of this Section 607.
23	SEC. 607.1. NEIGHBORHOOD COMMERCIAL AND RESIDENTIAL-COMMERCIAL
24	DISTRICTS.

1	(b)	Sign	s or Si	ign Features Not Permitted in NC and RC Districts. Roof &Signs
2	as defined ir	Section	on 602	2.16 of this Code, wWind sSigns as defined in Section 602.22 of this
3	<i>Code</i> , and ₅§	igns o	n <u>C</u> ean	opies, as defined in Section 136.1(b) of this Code, are not permitted
4	in NC and R	C Dist	ricts. N	lo $\pm \underline{S}$ ign shall have or consist of any moving, rotating, or otherwise
5	physically ar	nimate	d part,	or lights that give the appearance of animation by flashing, blinking,
6	or fluctuating	g, exce	pt as p	permitted by Section 607.1(i) of this Code. In addition, all sSigns or
7	sign features	s not o	therwis	se specifically regulated in this Section 607.1 shall be prohibited.
8	(c)	Ident	ifying	<b>Signs</b> . Identifying $\pm \underline{S}$ igns, as defined in Section 602.40, shall be
9	permitted in	all Nei	ghborh	nood Commercial and Residential-Commercial Districts subject to the
10	limits set for	th belo	w.	
11	* *	* *		
12	(d)	Name	eplate	<b>s</b> . One nameplate, as defined in Section 602.12 of this Code, not
13	exceeding a	n area	of two	square feet, shall be permitted for each noncommercial use in NC
14	Districts.			
15	(e)	Gene	ral Ad	Ivertising Signs. General $a\underline{A}$ divertising $\underline{s}\underline{S}$ igns, as defined in Section
16	602 <del>.7</del> , are no	ot pern	nitted in	n Neighborhood Commercial and Residential-Commercial Districts.
17	(f)	Busi	ness S	<b>Signs</b> . Business <u>ச</u> Signs, as defined in Section 602. <del>3</del> shall be
18	permitted in	all Nei	ghborh	nood Commercial and Residential-Commercial Districts subject to the
19	limits set for	th belo	w.	
20		(1)	NC-1	and NCT-1 Districts.
21			(A)	Window Signs. The total area of all $\frac{W}{W}$ indow- $\frac{S}{S}$ igns, as defined in

Section 602.1(b), shall not exceed 1/3 one-third the area of the window on or in which the signs

**Wall Signs**. The area of all  $\#\underline{W}$ all  $\underline{s}\underline{S}$ igns shall not exceed one

are located. Such signs may be nonilluminated, indirectly illuminated, or directly illuminated.

square foot per square foot of street frontage occupied by the business measured along the

(B)

22

23

24

1	wall to which the $\pm \underline{S}$ igns are attached, or 50 square feet for each street frontage, whichever is
2	less. The height of any $\frac{1}{2}$ Mall $\frac{1}{2}$ Sign shall not exceed 15 feet or the height of the wall to which it
3	is attached. Such signs may be nonilluminated or indirectly illuminated; or during business
4	hours, may be directly illuminated.

- (C) **Projecting Signs**. The number of projecting  $\pm \underline{S}$ igns shall not exceed one per business. The  $\pm \underline{A}$ rea of such  $\pm \underline{S}$ ign, as defined in Section 602. $\pm \underline{I}$ ( $\pm \underline{A}$ ), shall not exceed 24 square feet. The  $\pm \underline{A}$ eight of such  $\pm \underline{S}$ ign shall not exceed 15 feet or the height of the wall to which it is attached. No part of the  $\pm \underline{S}$ ign shall project more than  $\pm \underline{S}$ 0 free the horizontal distance from the street property line to the curbline, or six feet six inches, whichever is less. The  $\pm \underline{S}$ 1 ign may be nonilluminated or indirectly illuminated, or during business hours, may be directly illuminated.
- (D) **Signs on Awnings**. Sign copy may be located on permitted #Awnings in lieu of #Wall #Signs and projecting #Signs. The area of such sign copy as defined in Section 602.4(c) shall not exceed 20 square feet. Such sign copy may be nonilluminated or indirectly illuminated.
- (2) RC, NC-2, NCT-2, NC-S, Broadway, Castro Street, Inner Clement Street, Outer Clement Street, Divisadero Street, Excelsior Outer Mission Street, Fillmore Street, Upper Fillmore Street, Folsom Street, Glen Park, Inner Sunset, Irving Street, Haight Street, Hayes-Gough, Japantown, Judah Street, Upper Market Street, Noriega Street, North Beach, Ocean Avenue, Pacific Avenue, Polk Street, Regional Commercial District, Sacramento Street, SoMa, Taraval Street, Union Street, Valencia Street, 24th Street-Mission, 24th Street-Noe Valley, and West Portal Avenue Neighborhood Commercial Districts.
- (A) **Window Signs**. The total  $\underline{aA}$  rea of all  $\underline{wW}$  indow  $\underline{sS}$  igns, as defined in Section 602. $\underline{H(b)}$ , shall not exceed  $\underline{H/3}$  one-third the area of the window on or in which the

1	$\pm \underline{S}$ igns are located. Such $\pm \underline{S}$ igns may be nonilluminated, indirectly illuminated, or directly
2	illuminated.
3	(B) <b>Wall Signs</b> . The $a\underline{A}$ rea of all $w\underline{W}$ all $s\underline{S}$ igns shall not exceed two
4	square feet per foot of street frontage occupied by the use measured along the wall to which
5	the $\pm \underline{S}$ igns are attached, or 100 square feet for each street frontage, whichever is less. The
6	$h\underline{H}$ eight of any $w\underline{W}$ all $s\underline{S}$ igns shall not exceed 24 feet, or the height of the wall to which it is
7	attached, or the height of the lowest of any residential windowsill on the wall to which the ssign
8	is attached, whichever is lower. Such &Signs may be nonilluminated, indirectly, or directly
9	illuminated.
10	(C) Projecting Signs.
11	* * * *
12	(iv) Except as provided for in subsection (v) below, the $a\underline{A}$ rea of
13	such $\pm \underline{S}$ ign, as defined in Section 602. $\underline{\mathcal{H}(a)}$ , shall not exceed 24 square feet. The $\underline{h}\underline{H}$ eight of
14	such $\mathfrak{s}\underline{S}$ ign shall not exceed 24 feet, or the height of the wall to which it is attached, or the
15	height of the lowest of any residential windowsill on the wall to which the sSign is attached,
16	whichever is lowest.
17	(v) Within the Fillmore Street Neighborhood Commercial
18	Transit District, one projecting $b\underline{B}$ usiness $s\underline{S}$ ign per building may exceed the size and height
19	limits specified in subsection (iv) above, provided all of the following criteria are met:
20	a. The $a\underline{A}$ rea of the $s\underline{S}$ ign, as defined in Section
21	602.1(a), does not exceed 125 square feet.
22	* * * *
23	(D) Signs on Awnings and Marquees. Sign copy may be located on
24	permitted $a\underline{A}$ wnings or $m\underline{M}$ arquee in lieu of projecting $\underline{s}\underline{S}$ igns. The area of such sign copy as
25	defined in Section 602.1(c) shall not exceed 30 square feet. Such sign copy may be

1	nonilluminated or indirectly illuminated; except that sign copy on $m\underline{M}$ arquees for $m\underline{M}$ ovie
2	<i>tT</i> heaters or places of <i>eE</i> ntertainment may be directly illuminated during business hours.

- (E) Freestanding Signs and Sign Towers. With the exception of 
  #Automotive \*gas and \*Service \*Stations\*, which are regulated under Paragraph 607.1(f)(4), one 
  #Freestanding \*Sign or \*Sign \*Tower per lot shall be permitted in lieu of a projecting \*Sign, if the 
  building or buildings are recessed from the street property line. The existence of a

  #Freestanding \*Business \*Sign shall preclude the erection of a \*Freestanding \*Identifying \*Sign 
  on the same lot. The \*Area of such \*Freestanding \*Sign or \*Sign \*Tower, as defined in Section 
  602:\*H(a)\*, shall not exceed 20 square feet nor shall the \*Height of the \*Sign exceed 24 feet. No 
  part of the \*Sign shall project more than 75% \*percent\* of the horizontal distance from the street 
  property line to the curbline, or six feet, whichever is less. Such \*Signs may be nonilluminated 
  or indirectly illuminated; or during business hours, may be directly illuminated.
- (3) Mission Street NCT, NC-3, and NCT-3 Neighborhood Commercial Districts.
- (A) **Window Signs**. The total area of all #\frac{W}{indow \( \frac{S}{igns} \), as defined in Section 602.\( \frac{I(b)}{O} \), shall not exceed \( \frac{I/3}{3} \) \( \frac{one-third}{O} \) the area of the window on or in which the \( \frac{s}{S} \)igns are located. Such \( \frac{s}{S} \)igns may be nonilluminated, indirectly illuminated, or directly illuminated.
- (B) **Wall Signs**. The area of all #Wall #Signs shall not exceed three square feet per foot of street frontage occupied by the use measured along the wall to which the #Signs are attached, or 150 square feet for each street frontage, whichever is less. The #Height of any #Wall #Signs shall not exceed 24 feet, or the height of the wall to which it is attached, or the height of the lowest of any residential windowsill on the wall to which the #Sign is attached, whichever is lower. Such #Signs may be nonilluminated, indirectly, or directly illuminated.

(C) <b>Projecting Signs</b> . The number of projecting <u>s</u> igns shall not
exceed one per business. The $a\underline{A}$ rea of such $s\underline{S}$ ign, as defined in Section 602. $\underline{A}(a)$ , shall not
exceed 32 square feet. The $h\underline{H}$ eight of the $s\underline{S}$ ign shall not exceed 24 feet, or the height of the
wall to which it is attached, or the height of the lowest of any residential windowsill on the wall
to which the $\underline{s}\underline{S}$ ign is attached, whichever is lower. No part of the $\underline{s}\underline{S}$ ign shall project more than
75% percent of the horizontal distance from the street property line to the curbline, or six feet
six inches, whichever is less. Such $\mathfrak{H}\underline{S}$ igns may be nonilluminated, indirectly, or directly
illuminated.

- (D) **Sign Copy on Awnings and Marquees**. Sign copy may be located on permitted <u>aA</u>wnings or <u>mM</u>arquee in lieu of projecting <u>sSigns</u>. The <u>aA</u>rea of such <u>sSign</u> copy, as defined in Section 602. <u>I(c)</u>, shall not exceed 40 square feet. Such sign copy may be nonilluminated or indirectly illuminated; except that sign copy on <u>mM</u>arquees for <u>mM</u>ovie <u>fT</u>heaters or places of <u>eE</u>ntertainment may be directly illuminated during business hours.
- (E) **Freestanding Signs and Sign Towers**. With the exception of 
  #Automotive #as and #Service #Stations, which are regulated under Paragraph 607.1(f)(4) of 
  this Code, one #Ereestanding #Sign or #Sign #Tower per lot shall be permitted in lieu of a 
  projecting #Sign if the building or buildings are recessed from the street property line. The 
  existence of a freestanding #Business #Sign shall preclude the erection of a #Ereestanding 
  #Identifying #Sign on the same lot. The area of such #Ereestanding #Sign or #Sign #Tower, as 
  defined in Section 602.\*\*H(a), shall not exceed 30 square feet nor shall the #Height of the #Sign 
  exceed 24 feet. No part of the #Sign shall project more than 75% percent of the horizontal 
  distance from the street property line to the curbline, or six feet, whichever is less. Such #Signs 
  may be nonilluminated or indirectly illuminated, or during business hours, may be directly 
  illuminated.

1	(4) Special Standards for Automotive <i>Gas and</i> -Service Stations. For
2	$a\underline{A}$ utomotive $gas$ $and$ $s\underline{S}$ ervice $s\underline{S}$ tations in Neighborhood Commercial Districts, only the
3	following $\underline{s}\underline{S}$ igns are permitted, subject to the standards in this Paragraph (f)(4) and to all other
4	standards in this Section 607.1.
5	(A) A maximum of two oil company signs, which shall not extend
6	above the $rR$ of line if attached to a building, or exceed the maximum height permitted for
7	$f\underline{F}$ reestanding $\underline{s}\underline{S}$ igns in the same district if freestanding. The $\underline{a}\underline{A}$ rea of any such $\underline{s}\underline{S}$ ign shall not
8	exceed 180 square feet, and along each street frontage, all parts of such a £Sign or £Signs that
9	are within 10 feet of the street property line shall not exceed 80 square feet in area. No such
10	±Sign shall project more than five feet beyond any street property line. The areas of other
11	permanent and temporary $\pm \underline{S}$ igns as covered in Subparagraph (B) below shall not be included
12	in the calculation of the areas specified in this Subparagraph.
13	(B) Other permanent and temporary $bB$ usiness $sS$ igns, not to exceed 30
14	square feet in area for each such $\underline{sS}$ ign or a total of 180 square feet for all such $\underline{sS}$ igns on the
15	premises. No such $\underline{sS}$ ign shall extend above the $\underline{rR}$ oofline if attached to a building, or in any
16	case project beyond any street property line or building setback line.
17	* * * *
18	(j) Other Sign Requirements. Within Neighborhood Commercial and Residential-
19	Commercial Districts, the following additional requirements shall apply:
20	(1) Temporary Signs. The provisions of Section 607.1(g) of this Code shall apply.
21	(2) Special Standards for Automotive Gas and Service Stations. The provisions of
22	Section 607.1(f)(4) of this Code shall apply.
23	SEC. 607.2. MIXED USE DISTRICTS.
24	* * * *

(b) Signs or Sign Features Not Permitted in Mixed Use Districts. General
aAdvertising sSigns are not permitted in the Eastern Neighborhoods, and South of Market Mixed
Use districts, except in the South of Market General Advertising Special Sign District. Roof Signs
as defined in Section 602.16 of this Code, wWind sSigns as defined in Section 602.21 of this
$\underline{Code}$ , and $\underline{s}\underline{S}$ igns on $\underline{e}\underline{C}$ anopies, as defined in Section 136.1(b) of this Code, are not permitted
in Mixed Use Districts. No &Sign shall have or consist of any moving, rotating, or otherwise
physically animated part, or lights that give the appearance of animation by flashing, blinking,
or fluctuating. In addition, all $\pm \underline{S}$ igns or sign features not otherwise specifically regulated in this
Section 607.2 shall be prohibited.

(c) **Identifying Signs**. Identifying <u>s</u>Signs, as defined in Section 602.<u>10</u>, shall be permitted in all Mixed Use Districts subject to the limits set forth below.

12 \* \* \* \*

- (d) **Nameplate**. One nonilluminated or directly illuminated nameplate, as defined in Section 602.13 of this Code, not exceeding an area of two square feet, shall be permitted for each noncommercial use in Mixed Use Districts.
- (e) **General Advertising Signs.** General <u>advertising solutions</u> solutions (e) General Advertising Signs. General advertising signs are not allowed in the South of Market\_and Downtown Residential Mixed Use Districts, except in the Eastern Neighborhoods and South of Market General Advertising Special Sign District or where a permit was approved by the City prior to January 1, 2001. In Mixed Use Districts where such signs are permitted, general advertising signs may be either a wall sign or freestanding, provided that the surface of any freestanding sign shall be parallel to and within three feet of an adjacent building wall. In either case, the building wall shall form a complete backdrop for the sign, as the sign is viewed from all points from a street or alley from which it is legible. No general advertising sign shall be permitted

1	to cover part or all of any windows. Any extension of the copy beyond the rectangular perimeter of the
2	sign shall be included in the calculation of the sign area, as defined in Section 602.1(a) of this Code.
3	(1) Chinatown Residential Neighborhood Commercial District. No more than one
4	general advertising sign shall be permitted per lot. Such sign shall not exceed 72 square feet in area
5	nor exceed 12 feet in height. Such sign may be either nonilluminated or indirectly illuminated.
6	(2) Chinatown Visitor Retail and Chinatown Community Business Districts. No
7	more than one general advertising sign not exceeding 300 square feet in area or two general
8	advertising signs of 72 square feet each shall be permitted per lot. The height of any such wall sign
9	shall not exceed 24 feet, or the height of the wall to which it is attached, or the height of the lowest of
10	any residential windowsills on the wall to which it is attached, whichever is lower. If the advertising
11	sign is a freestanding sign, the height shall not exceed 24 feet or the height of the adjacent wall,
12	whichever is lower.
13	(A) Signs may be either nonilluminated or indirectly or directly illuminated.
14	(3) South of Market General Advertising Special Sign District. Within the area
15	designated as a South of Market General Advertising Special Sign District, as described in Section 821
16	of this Code and shown on Sectional Map SSD of the Zoning Map, the following provisions shall apply
17	to general advertising signs: (1) No more than two general advertising signs not to exceed 300 square
18	feet in area or one general advertising sign not to exceed 672 square feet in area shall be permitted per
19	lot; (2) No more than one double-sided or multiple-sided sign shall be permitted per lot; and (3) Roof
20	signs shall be permitted and shall not exceed the standards established by Section 607(b) of this Code
21	for roof signs lying within M Districts.
22	(f) <b>Business Signs</b> . Business £Signs, as defined in Section 602.3 shall be
23	permitted in all Mixed Use Districts subject to the limits set forth below.
24	(1) Chinatown Residential Neighborhood Commercial District.

1	(A) <b>Window Signs</b> . The total area of all $wW$ indow $w$
2	Section 602.1(b), shall not exceed $\frac{1}{3}$ one-third the area of the window on or in which the sSigns
3	are located. Such &Signs may be nonilluminated, indirectly illuminated, or directly illuminated.
4	(B) <b>Wall Signs</b> . The $a\underline{A}$ rea of all $w\underline{W}$ all $s\underline{S}$ igns shall not exceed one
5	square foot per foot of street frontage occupied by the business measured along the wall to
6	which the sgigns are attached, or 50 square feet for each street frontage, whichever is less;
7	provided, however, that in no case shall the $\frac{W}{W}$ all $\frac{d}{dS}$ ign or combination of $\frac{dW}{W}$ all $\frac{dS}{dS}$ igns cover
8	more than $75\underline{\%}$ percent of the surface of any wall, excluding openings. The height of any $\underline{w}\underline{W}$ all
9	sSign shall not exceed 15 feet or the height of the wall to which it is attached. Such sSigns may
10	be nonilluminated or indirectly illuminated; or during business hours, may be directly
11	illuminated.
12	(C) <b>Projecting Signs</b> . The number of projecting <u>sSigns</u> shall not
13	exceed one per business. The $a\underline{A}$ rea of such $s\underline{S}$ ign, as defined in Section 602.1(a), shall not
14	exceed 24 square feet. The $h\underline{H}$ eight of such $s\underline{S}$ ign shall not exceed 15 feet or the height of the
15	wall to which it is attached. No part of the &Sign shall project more than 75% percent of the
16	horizontal distance from the street property line to the curbline, or six feet six inches,
17	whichever is less. The $\pm \underline{S}$ ign may be nonilluminated or indirectly illuminated, or during
18	business hours, may be directly illuminated.
19	(D) Signs on Awnings. Sign copy may be located on permitted
20	$a\underline{A}$ wnings in lieu of $w\underline{W}$ all $s\underline{S}$ igns and projecting $s\underline{S}$ igns. The area of such sign copy $as$ $defined$ $in$
21	Section 602.1(c) shall not exceed 20 square feet. Such sign copy may be nonilluminated or
22	indirectly illuminated.
23	(2) Chinatown Visitor Retail District.
24	

1	(A) <b>Window Signs</b> . The total area of all $\frac{W}{W}$ indow $\frac{S}{S}$ igns, as defined in
2	$\underline{Section~602.1(b)}$ , shall not exceed $\underline{1/3}~\underline{one\text{-third}}$ the area of the window on or in which the $\underline{sSigns}$
3	are located. Such £Signs may be nonilluminated, indirectly illuminated, or directly illuminated.
1	(P) Wall Signs. The garage of all wWall gSigns shall not exceed two

- **Wall Signs**. The  $\underline{aA}$  rea of all  $\underline{w}\underline{W}$  all  $\underline{sS}$  igns shall not exceed two (B) square feet per foot of street frontage occupied by the use measured along the wall to which the &Signs are attached, or 100 square feet for each street frontage, whichever is less. The #Height of any #Wall #Sign shall not exceed 24 feet, or the height of the wall to which it is attached, or the height of the lowest of any residential windowsill on the wall to which the &Sign is attached, whichever is lower. Such & Signs may be nonilluminated, indirectly, or directly illuminated.
- (C) **Projecting Signs.** The number of projecting sSigns shall not exceed one per business. The <u>aA</u>rea of such <u>sSign</u>, <u>as defined in Section 602.1(a)</u>, shall not exceed 24 square feet. The hHeight of such sSign shall not exceed 24 feet, or the height of the wall to which it is attached, or the height of the lowest of any residential windowsill on the wall to which the &Sign is attached, whichever is lower. No part of the &Sign shall project more than 75% percent of the horizontal distance from the street property line to the curbline, or six feet six inches, whichever is less. Such &Signs may be nonilluminated or indirectly illuminated; or during business hours, may be directly illuminated.
- (D) Signs on Awnings and Marquees. Sign copy may be located on permitted <u>aA</u> wrings or <u>mM</u> arquee in lieu of projecting <u>sSigns</u>. The area of such sign copy <u>as</u> defined in Section 602.1(c) shall not exceed 30 square feet. Such sign copy may be nonilluminated or indirectly illuminated, except that sign copy on mMarquees for mMovie *tT*heaters or places of *eE*ntertainment may be directly illuminated during business hours.
- (E) Freestanding Signs and sSign tTower s. One fFreestanding sSign or sSign tTower per lot shall be permitted in lieu of a projecting sSign, if the building or

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

1	buildings are recessed from the street property line. The existence of a $fF$ reestanding
2	$b\underline{B}$ usiness $s\underline{S}$ ign shall preclude the erection of a $f\underline{F}$ reestanding $i\underline{I}$ dentifying $s\underline{S}$ ign on the same
3	lot. The area of such $f\underline{F}$ reestanding $\underline{s}\underline{S}$ ign or $\underline{s}\underline{S}$ ign $\underline{t}\underline{T}$ ower, as defined in Section 602.1(a), shall
4	not exceed 20 square feet nor shall the $h\underline{H}$ eight of the $s\underline{S}$ ign exceed 24 feet. No part of the
5	$\underline{s}\underline{S}$ ign shall project more than 75% $\underline{percent}$ of the horizontal distance from the street property
6	line to the curbline, or six feet, whichever is less. Such $\pm \underline{S}$ igns may be nonilluminated or
7	indirectly illuminated; or during business hours, may be directly illuminated.

- (3) Chinatown Community Business District, Eastern Neighborhoods, South of Market Mixed Use Mixed Use Districts, and the Downtown Residential Districts.
- (A) **Window Signs**. The total area of all <u>\*\*Window sSigns</u>, <u>as defined in</u>

  <u>Section 602.1(b)</u>, shall not exceed <u>1/3 one-third</u> the area of the window on or in which the <u>sSigns</u> are located. Such <u>sSigns</u> may be nonilluminated, indirectly illuminated, or directly illuminated.

#### (B) Wall Signs.

(i) In districts other than the Urban Mixed Use District. The area of all #Wall &Signs shall not exceed three square feet per foot of street frontage occupied by the use measured along the wall to which the &Signs are attached, or 150 square feet for each street frontage, whichever is less; provided, however, that in no case shall the #Wall &Sign or combination of #Wall &Signs cover more than 75% percent of the surface of any wall, excluding openings. The #Height of any #Wall &Sign shall not exceed 24 feet, or the height of the wall to which it is attached, or the height of the lowest of any residential windowsill on the wall to which the sign is attached, whichever is lower. Such &Signs may be nonilluminated, indirectly, or directly illuminated.

(ii) In the Urban Mixed Use District. The area of all #Wall #Signs shall not exceed three square feet per foot of street frontage occupied by the use

- measured along the wall to which the <u>\*Signs</u> are attached for up to 50 feet of street frontage, and an additional one square foot per foot of street frontage thereafter; provided, however, that in no case shall the <u>\*Wall \*Sign</u> or combination of <u>\*Wall \*Signs</u> cover more than 75% <u>\*percent\*</u> of the surface of any wall, excluding openings. The <u>\*hHeight\*</u> of any <u>\*Wall \*Sign\*</u> shall not exceed 60 feet, or the height of the wall to which it is attached, or the height of the lowest of any residential windowsill on the wall to which the sign is attached, whichever is lower. Such <u>\*Signs\*</u> may be nonilluminated, indirectly, or directly illuminated.
  - exceed one per business. The area of such sign or  $\mathfrak{s}\underline{S}$ igns combined when there are multiple  $\mathfrak{s}\underline{S}$ igns, as defined in Section 602.1(a), shall not exceed 32 square feet. The  $h\underline{H}$  eight of the  $\mathfrak{s}\underline{S}$ ign shall not exceed 24 feet, or the height of the wall to which it is attached, or the height of the lowest of any residential windowsill on the wall to which the sign is attached, whichever is lower. No part of the  $\mathfrak{s}\underline{S}$ ign shall project more than 75% percent of the horizontal distance from the street property line to the curbline, or six feet six inches, whichever is less. Such  $\mathfrak{s}\underline{S}$ igns may be nonilluminated, indirectly, or directly illuminated.
  - (D) **Sign Copy on Awnings and Marquees**. Sign copy may be located on permitted <u>aA</u>wnings or <u>mM</u>arquees in lieu of projecting <u>sSigns</u>. The area of such sign copy, <u>as defined in Section 602.1(c)</u>, shall not exceed 40 square feet. Such sign copy may be nonilluminated or indirectly illuminated; except that sign copy on <u>mM</u>arquees for <u>mM</u>ovie <u>tTheaters or places of eEntertainment may be directly illuminated during business hours.</u>
  - (E) **Freestanding Signs and Sign Towers**. One  $f\underline{F}$  reestanding  $f\underline{S}$  ign or  $f\underline{S}$  ign  $f\underline{T}$  ower per lot shall be permitted in lieu of a projecting sign if the building or buildings are recessed from the street property line. The existence of a  $f\underline{F}$  reestanding  $f\underline{S}$  ign shall preclude the erection of a  $f\underline{F}$  reestanding  $f\underline{S}$  ign on the same lot. The area of such fF reestanding  $f\underline{S}$  ign or f so f ign or f in f ign or f ign

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

square feet nor shall the <u>hH</u>eight of the <u>sSign</u> exceed 24 feet. No part of the <u>sSign</u> shall project more than 75% <u>percent</u> of the horizontal distance from the street property line to the curbline, or six feet, whichever is less. Such <u>sSigns</u> may be nonilluminated or indirectly illuminated, or during business hours, may be directly illuminated.

5 \*\*\*\*

#### SEC. 608.3. WITHIN CIVIC CENTER AREA SPECIAL SIGN DISTRICTS.

No <u>&General &Addression</u> and no other <u>&Sign</u> exceeding 200 square feet in area, shall be located within the Civic Center Special Sign Districts Numbers 1 and 2, as designated on Sectional Map SSD of the Zoning Map of the City and County of San Francisco. Within such districts, no <u>&Sign</u> that is located on publicly owned property, or that is located on a street frontage facing publicly owned property, shall have any moving, rotating or otherwise animated part; or have any flashing, blinking, fluctuating or otherwise animated light; or project beyond any street property line or building setback line; or be <u>&Attached</u> to a <u>Bauilding</u> in any manner other than with its entire area flat against a wall of such building that directly faces a street.

### SEC. 608.4. WITHIN CANDLESTICK PARK AREA SPECIAL SIGN DISTRICT.

No <u>gG</u>eneral <u>aA</u>dvertising <u>sSign</u>, and no other <u>sSign</u> exceeding 200 square feet in area, shall be located within the Candlestick Park Special Sign District, as designated on Sectional Map SSD of the Zoning Map of the City and County of San Francisco; <u>provided, however, that signs in a parking lot immediately adjacent to or on the exterior of the stadium which are designed primarily to be viewed by patrons arriving at or departing from the stadium, and include directional information for the control of traffic and functions of the stadium, shall be permitted.</u>

#### SEC. 608.5. NEAR FREEWAYS.

Except for  $\frac{h}{H}$  istoric  $\frac{h}{S}$  igns  $\frac{and\ Vintage\ Signs}{s}$  designated pursuant to Section 608.14 of this Code, no  $\frac{h}{S}$  eneral  $\frac{h}{S}$  eneral  $\frac{h}{S}$  ign, and no other  $\frac{h}{S}$  ign exceeding 200 square feet in

area, shall be located after the date of determination and designation of the route of a landscaped or nonlandscaped fFreeway so that it is primarily to be viewed by persons traveling on any portion of such fFreeway. When located so as to be viewed primarily by persons traveling on any portion of a landscaped fFreeway, bBusiness sSigns not exceeding 200 square feet in area which are permitted by this Section 608.5, and hHistoric sSigns, and Vintage Signs designated pursuant to Section 608.14 which may exceed 200 square feet in area shall, regardless of any other provision of this Code, be limited to sSigns which designate the name of the owner or occupant of the premises upon which the sSign is placed, or which identify such premises, or which direct attention to goods manufactured or produced, or services rendered, on the property upon which the sSign is placed.

#### SEC. 608.8. MARKET STREET SPECIAL SIGN DISTRICT.

There shall be a special sign district known as the "Market Street Special Sign District" in the vicinity of Market Street, from The Embarcadero to Octavia Boulevard as designated on Sectional Map SS02 of the Zoning Map of the City and County of San Francisco. The original copy of said Sectional Map with this Special Sign District indicated thereon is on file with the Clerk of the Board of Supervisors under File No. 112-70. With respect to said Special Sign District, the following regulations shall apply:

- (a) **Purpose and Findings**. In addition to the purposes stated in Sections 101 and 601 of this Code, the following purposes apply to the Market Street Special Sign District.

  These purposes constitute findings that form a basis for these regulations and provide guidance for their application.
- (1) In November 1962, the electorate of San Francisco voted approval of an investment in a City and regional rapid transit system that will rung beneath Market Street. In June 1968, the electorate approved a bonded indebtedness of \$24,500,000, including payment for reconstruction and improvement of Market Street from The Embarcadero to the

1	Central Skyway overpass. The street has been completely rebuilt at public expense, with
2	special paving, furnishings, plazas and landscaping. Market Street is the transit spine of the
3	Downtown area, with heavy concentrations of pedestrians, and is a central domain of the
4	people of the City and of the region. It is a purpose of the Market Street Special Sign District
5	to further this public endeavor.
6	* * * *
7	(b) <u>Controls</u> . General Advertising Signs. Except as specified in Paragraph 608.8(e)(2)
8	below,
9	(1) No general advertising sign shall be permitted at any location within said
10	Special Sign District; and
11	(2) No general advertising sign shall be located within 200 feet of said Special Sign
12	District, if any portion of a face of such sign would be visible from any point on a street, alley or plaza
13	within the Special Sign District.
14	$\underline{(1)}$ Projection of Signs and Other Features. Within said Special Sign
15	District:
16	$\underline{(A)(I)}$ No projection shall exceed a horizontal distance of six feet beyond
17	any street property line. This limitation shall apply to $\pm \underline{S}$ igns and to all other features including
18	but not limited to $\underline{m}\underline{M}$ arquees, $\underline{a}\underline{A}$ wnings and $\underline{e}\underline{C}$ anopies, with the sole exception of flagpoles
19	for flags of any nation or political subdivision.
20	$(B)$ (2) Projecting $\pm S$ igns for each establishment shall be limited to one
21	${\scriptstyle \pm\underline{S}ign\ on\ each\ street\ frontage\ occupied\ by\ the\ establishment,\ in\ addition\ to\ any\ {\scriptstyle \pm\underline{S}igns\ that\ are}}$
22	placed flat upon or otherwise integrated in the design of $m\underline{M}$ arquees and $a\underline{A}$ wnings.
23	(2)(d) <b>Height</b> and Extension Above Roofline. Within said Special Sign District, all
24	of the following limitations shall apply:

1	(1) With the exception of Historic Signs, no sign attached to a building shall
2	extend or be located above the roofline of the building to which it is attached.
3	$\underline{(A)(2)}$ A projecting $\underline{s}\underline{S}$ ign with lettering or other inscription arranged in a
4	vertical manner shall have a maximum height of 60 feet; except that a greater height shall be
5	permitted, up to a maximum height of 100 feet, provided the hHeight of the sSign shall remain
6	at least 20 feet below the $+R$ oofline of the building as measured directly above the $+R$ of line at least 20 feet below th
7	(B)(3) Except as provided in Subsection (D) Paragraph 608.8(d)(5) below, all
8	other $\pm \underline{S}$ igns shall be located no higher than the windowsill level of the lowest story (if any) that
9	has a window or windows on the building facade on which the $\pm \underline{S}$ igns are placed, exclusive of
10	the ground story and mezzanine, provided that no such $\pm \underline{S}$ ign shall in any case exceed a
11	height of 60 feet.
12	(C)(4) In addition, except as provided in Paragraph 608.8(d)(5) Subsection
13	$(\underline{D})$ below, uniformity of height shall be maintained in both the upper and lower edges of
14	$\pm \underline{S}$ igns placed flat upon or essentially parallel to each facade of a single building.
15	$(\underline{D})(5)$ As to the requirements of <u>Subsections (B)</u> <u>Paragraphs 608.8(d)(3)</u> and
16	$\underline{(C)}$ (4) above, deviation from the requirements may be permitted to the extent an alternative
17	placement of $\pm \underline{S}$ igns is made necessary by the location of arches, entrances and other
18	architectural features, as determined by the Zoning Administrator, or for the purpose of
19	installing special lighting effects and temporary holiday decorations, or for the purpose of
20	modifying or replacing currently existing noncomplying business $wW$ all $sSigns$ as provided by
21	Subsection 607(g).
22	(e) Other Requirements. Within said Special Sign District, the following additional
23	requirements shall apply:
24	$(3)(1)$ <b>Temporary Signs</b> . With the exception of holiday decorations, no $\pm Sign$
25	composed of paper or other temporary material shall be placed on the outside of any building

1	or structure or affixed to the glass on the outside or inside of any window, unless such $\pm \underline{S}$ ign is
2	placed in a frame or on a structure specifically designed for this purpose.
3	(2) Public Areas. No sign or other structure or feature shall be placed upon any
4	public street, alley or public plaza, or in any portion of a transit system, except such signs, structures
5	and features as are specifically approved by the appropriate public authorities under applicable laws
6	and regulations not inconsistent with this Code and under such conditions as may be imposed by such
7	authorities.
8	(3) Maintenance. Every sign pertaining to an active establishment shall be
9	adequately maintained in its appearance, or else removed or obscured. When the space occupied by
10	any establishment has been vacated, all signs pertaining to such establishment shall be removed or
11	obscured within 60 days following the date of vacation.
12	SEC. 608.9. IN JACKSON SQUARE SPECIAL SIGN DISTRICT.
13	* * * *
14	(b) Regulations. Within such Special Sign District:
15	(1) No general advertising sign shall be permitted.
16	(2) The $a\underline{A}$ rea of all $s\underline{S}$ igns on a building shall not exceed an area of two
17	square feet for each foot of street frontage occupied by the building, and shall in no event
18	exceed a total of 100 square feet on each street frontage.
19	(3) Notwithstanding the exceptions stated in Subsection 607(b) of this Code, no roof
20	sign shall be permitted.
21	(4) Notwithstanding the exceptions stated in Subsection 607(g) of this Code, no sign
22	attached to a building shall extend or be located above the roofline of the building to which it is
23	attached.
24	(2)(5) No $pP$ rojection shall exceed a horizontal distance of six feet beyond any
25	street property line. This limitation shall apply to $\pm \underline{S}$ igns and to all other features including but

1	not limited to $m\underline{M}$ arquees and $a\underline{A}$ wnings, with the sole exception of flagpoles for flags of any
2	nation or political subdivision. All- $\underline{s}\underline{S}$ igns, $\underline{m}\underline{M}$ arquees, $\underline{a}\underline{A}$ wnings and other features shall be
3	supported entirely by a building; no $e\underline{C}$ anopies shall be permitted.
4	(3)(6) Projecting $5$ Signs for each establishment shall be limited to one $5$ Sign on
5	each street frontage occupied by the establishment.
6	$\underline{(4)(7)}$ All $\underline{sSigns}$ shall be placed entirely below the level of the lowest cornice or
7	strong horizontal element located above the ground story of the building, but in no event
8	higher than three feet above the top of the ceiling level of the ground story.
9	$\underline{(5)}(8)$ No $\underline{dD}$ irectly $\underline{iI}$ lluminated $\underline{sS}$ ign shall be permitted.
10	SEC. 608.12. IN SHOWPLACE SQUARE.
11	There shall be a special sign district known as the "Showplace Square Special Sign District," as
12	designated on Sectional Map SSD of the Zoning Map of the City and County of San Francisco.
13	(a) Purposes and Findings. In addition to furthering the purposes stated in Sections 101
14	and 601 of this Code, creation of the Showplace Square Special Sign District is intended to facilitate
15	the transition of the Showplace Square area from its former industrial character to an area of design
16	showrooms. Presently, wholesale and trade design showrooms and accessory uses have located in this
17	area, replacing industrial-type uses. The showroom-type activities enhance the Showplace Square area
18	and attract investments, development and other design improvements. Due to the changed environment
19	the existence of general advertising signs in the area is no longer appropriate and detracts from the
20	emerging quality and character of the area.
21	(b) Regulations. Within such special sign district:
22	1. No general advertising sign shall be permitted.
23	SEC. 608.13. <u>IN THE</u> RINCON HILL <u>DOWNTOWN RESIDENTIAL MIXED USE DISTRICT</u>
24	AREA.

1	Within the boundaries of the Rincon Hill Downtown Residential Mixed Use District set		
2	forth in Section 827 and generally bounded by Folsom Street, The Embarcadero, Bryant		
3	Street, and Essex Street, notwithstanding any other provisions of this Code, the existing		
4	$\pm \underline{S}$ igns and/or $\pm \underline{S}$ ign $\pm \underline{T}$ owers may be changed, modified or replaced provided that all the		
5	following criteria are met:		
6	* * * *		
7	SEC. 608.15. NORTHEAST WATERFRONT <u>SPECIAL SIGN DISTRICT</u> .		
8	* * * *		
9	(b) Regulations within the Special Sign District:		
10	(1) No general advertising sign shall be permitted.		
11	(2) Notwithstanding the exceptions stated in Subsection 607(b) of this Code, no roof		
12	sign shall be permitted.		
13	(3) Notwithstanding the exceptions stated in Subsection 607(g) of this Code, no sign		
14	attached to a building shall extend or be located above the roofline of the building to which it is		
15	attached.		
16	$\frac{(4)}{p}$ No $p\underline{P}$ rojection shall exceed a horizontal distance of six feet beyond any		
17	street property line. This limitation shall apply to $\pm \underline{S}$ igns and to all other features, including but		
18	not limited to, $m\underline{M}$ arquees and $a\underline{A}$ wnings, with the sole exception of flagpoles for flags. All		
19	$\pm \underline{S}$ igns, $\underline{m}\underline{M}$ arquees, $\underline{a}\underline{A}$ wnings, and other features shall be supported entirely by a building. No		
20	canopies shall be permitted.		
21	$(2)(5)$ All $\pm Signs$ shall be placed entirely below the level of the lowest cornice or		
22	strong horizontal element located above the ground story of the building, and in no event		
23	higher than three feet above the top of the ceiling level of the ground story.		
24	$(3)(6)$ No $d\underline{D}$ irectly $i\underline{I}$ lluminated $s\underline{S}$ ign, as defined in Section 602.4 of this Code,		
25	shall be permitted.		

# SEC. 609.10. <u>IN THE ON AND NEAR MARKET STREET SPECIAL SIGN DISTRICT FROM</u> THE EMBARCADERO TO THE CENTRAL SKYWAY OVERPASS.

(a) **General Advertising Signs.** Any lawfully existing <u>&General &Advertising &Sign</u> within the Market Street Special Sign District, other than such a <u>&Sign</u> located on a wall immediately adjacent to the establishment to which it directs attention, shall be removed within five years after the effective date of said Special Sign District or such later date as the location of such <u>&Sign</u> may be designated as part of said Special Sign District; provided, however, that if the public street and plaza improvements within any of the sections of the Market Street Special Sign District listed below have not been substantially completed at the end of said five-year period in accordance with the architectural plans entitled "Market Street Reconstruction," Transit Task Force File No. 810.00R1 through 810.28R1, dated September 10, 1970, and "Surface Plan - Hallidie Plaza," Transit Task Force File No. 1000, dated July 15, 1970, including permanent pavement of sidewalk and roadway areas, planting of trees and placement of furnishings, then said <u>&General &Ad</u>dvertising <u>&Signs</u> within any such section need not be removed until 30 days after the date of substantial completion of said improvements in the section in which said <u>&Signs</u> are located:

17 \*

### SEC. 609.11. IN THE JACKSON SQUARE SPECIAL SIGN DISTRICT.

Any lawfully existing  $\pm \underline{S}$ ign which does not conform to Section 608.9 of this Code shall be removed or altered to conform therewith within five years after the effective date of said Section or such later date as the  $\pm \underline{S}$ ign becomes nonconforming.

# SEC. 609.13. NONCONFORMING <u>GENERAL ADVERTISING</u> SIGNS IN NEIGHBORHOOD COMMERCIAL DISTRICTS.

If state and/or federal statutes, as applicable, which currently required local governments to pay monetary compensation to the owners of nonconforming <u>sSigns</u> as a

25	No.	Zoning Control Categories	Section Number	Section Number		
23 24	<u>-</u>	<del>CHINAI OWN MI</del>	<del>iaed use districts</del>			
			IXED USE DISTRICTS			
21		TABLE 803.1  BUILDING STANDARD CATEGORIES IN THE				
20	conju <del>ct with</del>	conflict with other provisions of this Code, the remainder of the Code shall govern.				
20						
19		Table 803.1 below is set forth for convenience; in the event of any omission from the table or				
18	1	Sections 810.10 through 812.1 of this Code for each district class.				
17		development in Chinatown Mixed Use Districts are set forth, or summarized or cross-referenced in				
16	Building standards which regulate the general size, shape, character, and design of					
15	SEC. 803.1. BUILDING STANDARDS IN THE CHINATOWN MIXED USE DISTRICTS.					
14	Section 608.15 or such later date as the sign becomes nonconforming.					
13	be removed	be removed or altered to conform to that Section within five years after the effective date of				
12	Any lawfully existing <u>sSign</u> that does not conform to Section 608.15 of this Code shall					
11	SEC. 609.14. IN <u>THE</u> NORTHEAST WATERFRONT <u>SPECIAL SIGN DISTRICT</u> .					
10	years after the effective date of said Code amendment.					
9	amendment first makes Section 607.1 applicable to a sign, then that sign need not be removed until five					
8	effective date	e of said repeal or amendment of sai	d state and/or federal legislatic	<del>on, which Code</del>		
7	state and/o	r federal legislation, as applicable	; provided, however, if this Co	<del>de is amended after th</del>		
6	shall be ren	moved within five years of the effe	ective date of the repeal of the	ne amendment of sai		
5		scent property and does not conform				
4		any lawfully existing general advertising sign which directs attention to a business on the same or				
3	Commercial District which does not conform to the provisions of Section 607.1(e), (h), (i), and (j) or					
2		that requirement, then any lawfully existing $gG$ eneral $gG$ eneral $gG$ within a Neighborhood				
1	condition of	condition of requiring removal of such ssigns is/are repealed, or amended so as to eliminate				

1		for Building Standards	of Standard	of Definition
2	<del>803.1.10</del>	Height and Bulk	Zoning Map, § 270	<del>§§ 102.12, 102.21,</del> <del>270</del>
4	<del>803.1.11</del>	Lot Size (Per Development)	<del>§ 121.5</del>	<del>§§ 121(c), 890.56</del>
5	<del>803.1.12</del>	Rear Yard/Site Coverage	<del>§ 134(a) (e)</del>	<del>§ 134</del>
6	<del>803.1.13</del>	Sun Access Setback	<del>§ 132.3</del>	
7	<del>803.1.14</del>	Maximum Street Frontage	<del>§ 145.2</del>	
8	<del>803.1.15</del>	Awning	<del>§ 136.2(a)</del>	<del>§ 890.21</del>
9	<del>803.1.16</del>	<i>Canopy</i>	<del>§ 136.2(b)</del>	<del>§ 890.24</del>
10	<del>803.1.18</del>	<i>Marquee</i>	<del>§ 136.2(c)</del>	<del>§ 890.58</del>
11	<del>803.1.19</del>	Floor Area Ratio	<del>§§ 123 - 124</del>	<del>§§ 102.9, 102.11</del>
12 13	<del>803.1.20</del>	Use Size (Nonresidential)	<del>§ 121.9</del>	<del>§ 890.130</del>
13	<del>803.1.21</del>	<del>Open Space</del>	<del>§ 135.1</del>	
15 16	<del>803.1.22</del>	Off Street Parking, Commercial and Institutional	<del>§ 151</del>	<del>§ 150</del>
17	<del>803.1.23</del>	Off Street Freight Loading	<del>§ 152</del>	<del>§ 150</del>
18	<del>803.1.30</del>	General Advertising Sign	<del>§ 607.2(c)</del>	<del>§ 602.7</del>
19	<del>803.1.31</del>	Business Sign	<del>§ 607.2(d)</del>	<del>§ 602.3</del>
20	<del>803.1.32</del>	Other Signs	<del>§ 607.2(g) - (j)</del>	<del>§ 602.9, § 602.2</del>
21 22	<del>803.1.91</del>	Residential Density, Dwelling Units	<del>§ 207.4</del>	<del>§ 207.1</del>
23	<del>803.1.92</del>	Residential Density, Other	<del>§ 208</del>	<del>§ 208</del>
24	<del>803.1.93</del>	Usable Open Space	<del>§ 135(d)</del>	<del>§ 135</del>
25	<del>803.1.94</del>	Off Street Parking, Residential	<del>§ 151</del>	<del>§ 150</del>

1 \* \* \* \*

#### **Table 810. CHINATOWN COMMUNITY BUSINESS DISTRICT**

#### **ZONING CONTROL TABLE**

			Chinatown Community Business District
No.	Zoning Category	§ References	Controls
* * * *			
.30	General Advertising Sign	§§ <u>607.2</u> <u>602 - 604, 608.1,</u> 608.2	<u>N</u> P <del>§ 607.2(e)</del>
* * * *			

# **Table 811. CHINATOWN VISITOR RETAIL DISTRICT**

# **ZONING CONTROL TABLE**

			T
			Chinatown Visitor Retail District
No.	Zoning Category	§ References	Controls
* * * *			
.30	General Advertising Sign	§§ <u>607.2</u> <u>602 - 604, 608.1,</u> 608.2	<u>N</u> P <del>§ 607.2(e)</del>
* * * *			

### Table 812. CHINATOWN RESIDENTIAL NEIGHBORHOOD COMMERCIAL DISTRICT

# ZONING CONTROL TABLE

			Chinatown Residential Neighborhood Commercial District
No.	Zoning Category	§ References	Controls
* * * *			
.30	General Advertising Sign	§ <del>§</del> 607.2 602 - 604, 608.1,	<u>N</u> P <del>§ 607.2(e)</del>
		608.2	
* * * *			

# Table 817. SLI – SERVICE/LIGHT INDUSTRIAL DISTRICT ZONING CONTROL TABLE

No.	Zoning Category	§ References	Service/Light Industrial
			District Controls
* * * *			
817.76	General Advertising Sign	§ 607.2 <del>(b) and (e)</del>	P in South of Market General  Advertising Special Sign  District, Otherwise NP
* * * *			,,

#### SEC. 821. SOUTH OF MARKET SPECIAL GENERAL ADVERTISING SIGN DISTRICT.

The South of Market Special General Advertising Sign District, as shown on Sectional Map

SSD-2 of the Zoning Map, is governed by Section 607.2(e)(3) of this Code.

Section 3. Pursuant to Sections 106 and 302(c) of the Planning Code, the following amendments to Sheets SS01 and SS02 of the Zoning Map of the City and County of San Francisco, duly approved and recommended to the Board of Supervisors by the Planning Commission, are hereby adopted:

Delete the Showplace Square Special Sign District from Maps SS01 and SS02.

Delete the South of Market General Advertising Special Sign District from Maps SS01 and SS02.

Delete the Hamm's Building Historic Special Sign District from Map SS02.

Section 4. Effective Date. This ordinance shall become effective 30 days after enactment. Enactment occurs when the Mayor signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's veto of the ordinance.

15

16

17

18

19

20

21

14

Section 5. Scope of Ordinance. In enacting this ordinance, the Board of Supervisors intends to amend only those words, phrases, paragraphs, subsections, sections, articles, numbers, punctuation marks, charts, diagrams, or any other constituent parts of the Municipal Code that are explicitly shown in this ordinance as additions, deletions, Board amendment additions, and Board amendment deletions in accordance with the "Note" that appears under the official title of the ordinance. Notwithstanding the previous sentence, the Board intends to

22

23

24

1	relocate existing Planning Code Sections 602.25 and 602.26 within the alphabetical sequence		
2	of Section 602, as indicated in the sequencing within Section 602 in this ordinance.		
3			
4	APPROVED AS TO FORM:		
5	DENNIS J. HERRERA, City Attorney		
6	By:		
7	JUDITH A. BOYAJIAN Deputy City Attorney		
8	n:\legana\as2016\1600664\01098560.docx		
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			