

Calaveras Dam Rebuild file  
New rubble Deed for  
Calaveras  
Road

668 DEED
SPRING VALLEY WATER CO. (a corporation) to COUNTY OF ALAMEDA
Dated Nov. 16-1921.
Recorded Jan. 30-1922 Book 148 Official Records of Alameda County page 80.
DEED 668
ENGR LAND FILE S. F. W. CO.

1130122

DESCRIPTION CORRECT

.....*A. E. F. Co.*.....  
ENGINEERING DEPT. S.V.W.Co.

THIS INSTRUMENT, made this *Fifteenth* day of November  
A.D. 1921 by and between

SPRING VALLEY WATER COMPANY

a corporation, duly organized and existing under and by virtue  
of the laws of the STATE OF CALIFORNIA and having its principal  
place of business in the City and County of San Francisco in  
said State, the party of the first part, and

DEED

6 68

COUNTY OF ALAMEDA

ENGR LAND FILE  
S. F. W. C.

a political sub-division of the State of California and a body  
corporate and politic, the party of the second part -

WITNESSETH:-

That the said party of the first part in  
consideration of the sum of \$10.00 lawful money of the United  
States of America, the receipt of which is hereby acknowledged  
and in consideration of the location and establishment of a  
public highway along the hereinafter described center line, and  
in further consideration of the closing and abandonment by said  
party of the second part of the roads or portions of roads  
approaching the Colavoras Reservoir of said party of the first  
part altered and replaced by the right of way hereby granted,  
does hereby, grant, bargain, sell, convey and confirm unto said  
party of the second part and its successors in interest forever,  
an easement or right of way for the use and purpose of a public  
highway and County Road over the property of the party of the  
first part situate in the County of Alameda, State of California,  
said surface easement being of a uniform width of fifty (50) feet, lying

1138173

twenty-five (25) feet on each side of the following described center line to-wit:-

Commencing at a 2" x 2" stake Station "0" buried 2 inches under surface of road at the intersection of center lines of Calaveras-Sunol road and New Calaveras Milpitas Road, from which stake a brad in bench in a Sycamore tree 7 feet in diameter bears south  $36^{\circ} 55'$  east 32.87 feet, and a 2" x 2" stake in fence bears north  $36^{\circ} 55'$  west, 34.44 feet, and 2" x 2" stake buried 2 inches under surface in center line of said New Milpitas road bears south  $14^{\circ} 23'$  west 100.00 feet; thence following along the center line of the present graded Calaveras-Sunol Road by the following courses and distances; from Station 0, North  $3^{\circ} 05'$  west 164.9 feet, to Station 1; north  $11^{\circ} 55'$  west 276.1 feet to Station 2, north  $19^{\circ} 33'$  west 223.0 feet to Sta. 3, north  $14^{\circ} 23'$  west 110.0 feet to Station 4, north  $4^{\circ} 20'$  west 134.0 feet to Station 5, north  $24^{\circ} 02'$  west 114.9 feet to Station 6, north  $7^{\circ} 43'$  west 101.2 feet to Station 7, north  $11^{\circ} 25'$  west 165.3 feet to Station 8, north  $1^{\circ} 54'$  west 135.2 feet to Station 9, north  $5^{\circ} 26'$  east 103.3 feet to Station 10, north  $11^{\circ} 52'$  east 128.8 feet to Station 11 and north  $4^{\circ} 40'$  west, 62.0 feet to an iron bolt buried in road Station 12 from which a 1 1/2" x 2" Oak Stake bears South  $49^{\circ} 48'$  East and a nail (the center nail of a cluster of 5-6d nails in P.G. & M. Pole #6/7) bears North  $49^{\circ} 48'$  west; thence north  $11^{\circ} 27'$  west 438.5 feet to Station 13, north  $17^{\circ} 56'$  west 104.1 feet to Station 14, North  $24^{\circ} 35'$  west 476.8 feet to Station 15, north  $32^{\circ} 10'$  west 90.8 feet to Station 16, north  $41^{\circ} 30'$  west 105.0 feet to Station 17, north  $53^{\circ} 03'$  west 86.7 feet to Station 18; north  $74^{\circ} 54'$  west 91.2 feet to Station 19, north  $14^{\circ} 32'$  west 233.5 feet to Station 20, north  $26^{\circ} 32'$  west 93.6 feet to Station 21, north  $41^{\circ} 15'$  west 90.3 feet to Station 22, north  $74^{\circ} 51'$  west 135.5

DEED

6 68

ENGR LAND FILE  
S. F. W. O.

1138124

feet to Station 23, north  $88^{\circ} 36'$  west 119.5 feet to Station 24, north  $62^{\circ} 52'$  west 60.2 feet to Station 25, north  $10^{\circ} 40'$  west 50.5 to Station 26, north  $12^{\circ} 28'$  east 69.1 feet to Station 27, north  $5^{\circ} 25'$  east 55.0 feet to Station 28, north  $23^{\circ} 35'$  west 68.9 feet to Station 29, north  $38^{\circ} 29'$  west 72.9 feet to Station 30, north  $50^{\circ} 38'$  west 75.3 feet to Station 31, north  $43^{\circ} 42'$  west 73.8 feet to Station 32, north  $51^{\circ} 01'$  west 65.6 feet to Station 33, north  $51^{\circ} 41'$  west 69.0 feet to Station 34, north  $52^{\circ} 15'$  west 58.0 feet to Station 35, north  $69^{\circ} 55'$  west 142.0 feet to Station 36, north  $62^{\circ} 19'$  west 114.7 feet to Station 37 north  $69^{\circ} 07''$  west 156.1 feet to Station 38, north  $49^{\circ} 45'$  west 60.6 feet to Station 39 north  $13^{\circ} 04'$  west 44.5 feet to Station 40 and north  $18^{\circ} 55'$  east 54.8 feet to a 2" x 2" stake Station 41 buried in road 15 feet south of Lyden Creek Bridge from which a brad in bench on Sycamore tree 14 inches in diameter bears south  $62^{\circ} 20'$  east 25.80 feet and a brad in bench on Alder tree 18" in diameter bears north  $52^{\circ} 20'$  west 24.57 feet; thence north  $59^{\circ} 56'$  East 57.8' to Station 42; thence north  $88^{\circ} 23'$  east 80.1 feet to Station 43, north  $80^{\circ} 14'$  east 104.7 feet to Station 44 north  $84^{\circ} 45'$  east 122.8 feet to Station 45, south  $82^{\circ} 57'$  east 79.0 feet to Station 46, South  $78^{\circ} 28'$  East 144.6 feet to Station 47, South  $87^{\circ} 52'$  east 65.2 feet to Station 48, north  $64^{\circ} 42'$  East 73.2 feet to Station 49, north  $66^{\circ} 46'$  east 85.1 feet to Station 50, north  $67^{\circ} 43'$  east 94.2 feet to Station 51 north  $62^{\circ} 23'$  east 94.0 feet to Station 52, north  $50^{\circ} 48'$  east 52.6 feet to Station 53, north  $48^{\circ} 40'$  east 77.5 feet to Station 54, north  $50^{\circ} 35'$  east 47.2 feet to Station 55, north  $55^{\circ} 56'$  east 51.3 feet to Station 56 and north  $49^{\circ} 21'$  east 44.3 feet to a 2" x 2" stake, Station 57, buried in road from which a brad in blaze on Oak tree 3 feet in diameter bears south  $47^{\circ} 02'$  east 89.64 feet and a brad in blaze on Oak Tree 8 inches in diameter bears north  $11^{\circ} 05'$  east 99.95 feet and a 2" x 2" stake bears north  $47^{\circ} 02'$  west 43.09 feet and also the Southwest corner of the North East 1/4 of Section 11 Township 5 South Range 1

DEED

6 68

ENGR LAND FILE  
S. F. W. D.

East bears North  $21^{\circ} 55' 30''$  east 676.21 feet, said south west corner being also the south west corner of lands now or formerly belonging to Pat Geary Et. Ux; thence north  $15^{\circ} 45'$  East 54.2 feet to Station 58, north  $28^{\circ} 02'$  West 50.7 feet to Station 59, north  $61^{\circ} 17'$  west 64.2 feet to Station 60, north  $51^{\circ} 04'$  west 56.8 feet to Station 61, north  $60^{\circ} 08'$  west 66.7 feet to Station 62, north  $65^{\circ} 50'$  west 60.2 feet to Station 63, north  $61^{\circ} 48'$  west 65.0 feet to Station 64, north  $55^{\circ} 51'$  west 66.1 feet to Station 65, north  $69^{\circ} 50'$  west 45.2 feet to Station 66, north  $78^{\circ} 20'$  west 66.9 feet to Station 67, north  $69^{\circ} 27'$  west 57.5 feet to Station 68, north  $67^{\circ} 26'$  west 67.1 feet to Station 69, north  $79^{\circ} 25'$  west 117.5 feet to Station 70, north  $76^{\circ} 02'$  west 54.5 feet to Station 71, north  $49^{\circ} 18'$  west 54.7 feet to Station 72, north  $33^{\circ} 42'$  west 73.1 feet to Station 73, north  $43^{\circ} 38'$  west 38.5 feet to Station 74, north  $62^{\circ} 38'$  west 40.9 feet to Station 75 north  $70^{\circ} 50'$  west 49.6 feet to Station 76, north  $60^{\circ} 12'$  west 47.2 feet to Station 77, north  $50^{\circ} 05'$  west 44.0 feet to Station 78, north  $58^{\circ} 45'$  west 58.3 feet to Station 79, north  $79^{\circ} 17'$  west 70.8 feet to Station 80, South  $89^{\circ} 58'$  west 122.0 feet to Station 81, South  $82^{\circ} 23'$  west 63.6 feet to Station 82, south  $80^{\circ} 18'$  west 142.1 feet to Station 83, South  $87^{\circ} 15'$  west 69.7 feet to Station 84, north  $66^{\circ} 01'$  west 47.7 feet to Station 85, and north  $43^{\circ} 53'$  west 50.3 feet to a 2" x 2" stake, Station 86, buried in road from which a brad in blaze on Oak Tree 12" in diameter bears south  $8^{\circ} 45'$  east 26.87 feet, a brad in blaze on twin oak 6" in diameter bears north  $88^{\circ} 49'$  west 19.49 feet, a brad in blaze on Oak 10" in diameter bears north  $26^{\circ} 41'$  east 21.77 feet and a brad in blaze on Live Oak 8" in diameter bears north  $77^{\circ} 21'$  east 18.26 feet; thence north  $34^{\circ} 03'$  west 54.1 feet to Station 87, north  $38^{\circ} 23'$  west 59.2 feet to Station 88, north  $47^{\circ} 58'$  west 35.7 feet to Station 89, north  $35^{\circ} 20'$  west 48.5 feet to Station 90, north  $6^{\circ} 50'$  west 54.5 feet to Station 91, north  $2^{\circ} 42'$  east 76.8 feet to Station 92, north  $14^{\circ} 43'$  west 50.2 feet to Station 93, north  $51^{\circ} 49'$  west 52.2 feet to Station 94, north  $68^{\circ} 13'$  west 63.9 feet to Station 95, north  $65^{\circ} 13'$  west 99.3 feet to Station 96, north  $52^{\circ} 18'$  west 55.1 feet

DEED

6 68

ENGR LAND FILE  
S. F. W. D.

to Station 97, north  $48^{\circ} 20'$  west 36.4 feet to Station 98, north  $69^{\circ} 19'$  west 59.5 feet to Station 99, north  $76^{\circ} 56'$  west 52.9 feet to Station 100, north  $67^{\circ} 12'$  west 50.1 feet to Station 101, north  $43^{\circ} 10'$  west 38.3 feet to Station 102 north  $26^{\circ} 16'$  west 29.5 feet to Station 103, north  $35^{\circ} 10'$  west 50.4 feet to Station 104, north  $45^{\circ} 22'$  west 131.6 feet to Station 105, north  $35^{\circ} 33'$  west 67.3 feet to Station 106, north  $24^{\circ} 09'$  west 140.1 feet to Station 107, north  $29^{\circ} 40'$  west 50.3 feet to Station 108, north  $43^{\circ} 19'$  west 46.2 feet to Station 109, north  $64^{\circ} 31'$  west 43.4 feet to Station 110, north  $74^{\circ} 42'$  west 78.0 feet to Station 111, north  $65^{\circ} 41'$  west 97.9 feet to Station 112, north  $71^{\circ} 40'$  west 67.9 feet to Station 113, north  $59^{\circ} 17'$  west 46.8 feet to Station 114, north  $37^{\circ} 01'$  west 54.5 feet to Station 115, north  $26^{\circ} 39'$  west 62.0 feet to Station 116, north  $31^{\circ} 22'$  west 57.2 feet to Station 117, north  $43^{\circ} 21'$  west 50.6 feet to Station 118, north  $48^{\circ} 52'$  west 101.0 feet to Station 119, north  $40^{\circ} 53'$  west 57.0 feet to Station 120, north  $23^{\circ} 46'$  west 72.8 feet to Station 121 north  $14^{\circ} 55'$  west 111.5 feet to Station 122, north  $21^{\circ} 25'$  west 54.9 feet to Station 123, north  $37^{\circ} 20'$  west 60.4 feet to Station 124, north  $42^{\circ} 46'$  west 48.7 feet to Station 125, north  $37^{\circ} 26'$  west 64.9 feet to Station 126, north  $28^{\circ} 40'$  west 53.0 feet to Station 127, north  $32^{\circ} 38'$  west 60.3 feet to Station 128, north  $17^{\circ} 46'$  west 67.2 feet to Station 129, north  $22^{\circ} 52'$  west 74.7 feet to Station 130 north  $37^{\circ} 08'$  west 66.9 feet to Station 131, north  $43^{\circ} 55'$  west 75.9 feet to Station 132 north  $69^{\circ} 56'$  west 43.3 feet to Station 133, north  $82^{\circ} 33'$  west 96.1 feet to Station 134 north  $88^{\circ} 55'$  west 114.8 feet to Station 135, south  $85^{\circ} 15'$  west 46.5 feet to Station 136 north  $81^{\circ} 35'$  west 26.0 feet to Station 137, and north  $51^{\circ} 55'$  west 37.9 feet to a 2" x 2" stake Station 138 buried in road at Donahue Creek near thorough cut and opposite water stand pipe from which a brad in bench on Sycamore 2 feet in diameter bears South  $50^{\circ} 00'$  west 39.0 feet, brad in blaze on leaning Sycamore 18 inches in diameter bears south  $89^{\circ} 03'$  east 34.63 feet and center nail in group of 5-6d nails on post

DEED

6 68

ENGR LAND FILE  
S. F. W. D.

at water stand pipe 3 feet above ground bears north 8° 18' west  
 24.92 feet; thence north 40° 10' west 100.8 feet to Sta. 139,  
 north 22° 10' west 48.1 feet to Station 140, north 1° 07' west  
 20.4 feet to Station 141, north 20° 12' east 50.0 feet to Station  
 142, north 33° 46' east 07.4 feet to Station 143, north 45°  
 39' east 72.4 feet to Station 144, north 48° 48' east 62.1 feet  
 to Station 145, north 20° 02' east 41.0 feet to Station 146,  
 north 12° 14' west 22.9 feet to Station 147, north 25° 10' west  
 114.8 feet to Station 148, north 20° 31' west 67.0 feet to Station  
 149, north 8° 22' west 26.8 feet to Station 150, north 1° 06'  
 west 77.7 feet to Station 151, north 8° 08' east 55.8 feet to  
 Station 152, north 11° 11' east 62.5 feet to Station 153, north  
 6° 21' east 67.6 feet to Station 154, north 7° 54' west 57.7  
 feet to Station 155, north 13° 08' west 20.9 feet to Station 156,  
 north 4° 55' east 48.6 feet to Station 157, north 21° 31' east  
 28.0 feet to Sta. 158, north 0° 08' east 51.3 feet to Station 159,  
 north 10° 20' west 92.3 feet to Sta. 160, north 12° 50' west  
 119.5 feet to Sta. 161, north 10° 37' west 139.7 feet to Sta. 162,  
 north 24° 03' west 220.8 feet to Sta. 163, north 28° 22' west  
 54.4 feet to Sta. 164, north 27° 40' west 76.4 feet to Sta. 165,  
 north 21° 29' west 62.8 feet to Sta. 166, north 25° 50' west  
 68.7 feet to Sta. 167, north 27° 32' west 50.7 feet to Sta. 168,  
 north 21° 00' west 33.8 feet to Sta. 169, north 23° 22' west  
 42.1 feet to Sta. 170, north 23° 27' west 50.7 feet to Sta. 171,  
 north 9° 30' west 74.7 feet to Sta. 172, north 17° 30' west 66.0  
 feet to Sta. 173, north 20° 57' west 68.5 feet to Sta. 174, north  
 40° 02' west 94.5 feet to Sta. 175, north 22° 29' west 62.3 feet  
 to Sta. 176, north 30° 25' west 48.2 feet to Sta. 177, north  
 23° 49' west 61.3 feet to Sta. 178, north 25° 50' west 244.0  
 feet to Sta. 179, north 30° 29' west 62.5 feet to Sta. 180, north  
 22° 53' west 66.1 feet to Sta. 181, north 29° 55' west 151.2 feet  
 to Sta. 182, north 27° 20' west 60.1 feet to Sta. 183, north 23°  
 30' west 62.9 feet to Sta. 184, north 27° 39' west 100.5 to Sta. 185,

DEED  
6 68

ENGR LAND FILE  
S. F. M. O.

north 53° 02' West 98.1 feet to Sta. 186, north 27° 28' west 102.0 feet to Sta. 187, north 51° 01' west 64.1 feet to Sta. 188, north 36° 48' west 117.1 feet to Sta. 189 north 29° 52' west 63.2 feet to a 2" x 2" stake, Sta. 190, buried in road, and north 14° 02' west 85.7 feet to a 2" x 2" stake, Sta. 191, buried in road from which a 6d nail in blaze on Oak, 12" in diameter in a cluster of ten oaks bears north 68° 13' west 16.00 feet and a 6d nail in blaze on Live Oak 12" in diameter bears south 68° 19' east 40.48 feet; thence north 9° 55' west 489.1 feet to Sta. 192, north 10° 08' west 716.7 feet to Sta. 193, north 6° 30' west 100.0 feet to Sta. 194, north 1° 02' east 100.0 feet to Sta. 195, and north 5° 35' east 174.1 feet to a 2" x 2" stake, Sta. 196, buried in road 8.5 feet south of south end of Rosedale Bridge Crossing Calaveras Creek from which stake the head of top bolt in a concrete post bears south 24° 15' west 61.35 feet and nail in tin on east railing post of bridge bears north 67° 31' east 10.60 feet and nail in tin on west railing post of Bridge bears north 17° 22' west 10.08 feet, and also a pipe set in concrete set at the north 1/4 section corner of Section 3, Township 5, South Range 1 East bears north 34° 23' 20" west 404.74 feet, said corner is also set in the south boundary line of the Sunol Portion of the Rancho El Valle de San Jose; thence north 25° 36' east 391.95 feet across said Bridge to a 2" x 2" stake buried in road 8.1 feet north of north end of said bridge and from which stake a nail in tin set in west railing post of bridge bears south 70° 26' west 10.78 feet and a nail in tin set in east railing post of bridge bears south 16° 12' west 10.38 feet; thence north 25° 36' east 448.1 feet to Sta. 196, north 19° 02' east 100.0 feet to Sta. 198, north 2° 40' east 100.0 feet to Sta. 200, north 11° 31' west 100.0 feet to Sta. 201 north 22° 25' west 100.0 feet to Sta. 202, north 29° 19' west 842.3 feet to Sta. 203 north 31° 20' west 100.0 feet to Station 204, north 35° 17' west 100.0 feet to Sta. 205, north 23° 04' West 100.0 feet to Station 206, north 25° 50'

DEED

6 68

ENGR LAND FILE  
S. F. W. P.

west 75.0 feet to Sta. 207 north  $38^{\circ} 59'$  west 100.0 feet to Sta.  
 208, north  $45^{\circ} 06'$  west 138.8 feet to Sta. 209 north  $40^{\circ} 26'$   
 west 100.0 feet to Sta. 210, north  $35^{\circ} 23'$  west 116.9 feet to  
 Sta. 211, north  $33^{\circ} 33'$  west 765.2 feet to Sta. 212, north  $29^{\circ} 28'$   
 west 100.0 feet to Sta. 213, north  $18^{\circ} 38'$  west 100.0 feet to  
 Sta. 214, north  $8^{\circ} 56'$  west 100.0 feet to Sta. 215, north  $3^{\circ} 46'$   
 west 100.0 feet to Sta. 216, north  $3^{\circ} 58'$  west 142.2 feet to Sta.  
 217 north  $1^{\circ} 52'$  west 283.3 feet to a 2" x 2" stake, Sta. 218,  
 buried in road, and north  $5^{\circ} 41'$  west 90.8 feet to a 2" x 2" stake,  
 Sta. 219, buried in road from which a 6d nail in blaze on White  
 Oak 5 feet in diameter bears south  $88^{\circ} 25'$  west 114.05 feet and  
 a 6d nail in blaze on White Oak 5 feet in diameter bears north  
 $88^{\circ} 25'$  east 56.60 feet; thence north  $3^{\circ} 41'$  west 378.3 feet  
 to Sta. 220, north  $2^{\circ} 35'$  west 562.5 feet to Sta. 221, north  $2^{\circ} 12'$   
 west 100.0 feet to Sta. 222, north  $0^{\circ} 19'$  east 172.7 feet to Sta.  
 223, north  $6^{\circ} 40'$  west 165.0 feet to Sta. 224, north  $0^{\circ} 36'$  west  
 100.0 feet to Sta. 225, north  $9^{\circ} 31'$  east 100.0 feet to Sta. 226,  
 north  $19^{\circ} 13'$  east 100.0 feet to Sta. 227, north  $24^{\circ} 08'$  east  
 161.3 feet to Sta. 228, north  $21^{\circ} 18'$  east 60.0 feet to Sta. 229,  
 north  $6^{\circ} 28'$  east 100.0 feet to Sta. 230, north  $5^{\circ} 33'$  west 100.0  
 feet to Sta. 231, and north  $20^{\circ} 14'$  west 96.4 feet to a 2" x 2"  
 Stake, Sta. 232, buried in road from which a nail in tin on south  
 end of mud sill of water tank bears north  $85^{\circ} 57'$  east 18.01 ft.  
 and nail in tin on north end of said mud sill bears north  $55^{\circ}$   
 $47'$  east 18.07 feet; thence north  $24^{\circ} 52'$  west 413.7 feet to Sta. 233,  
 north  $25^{\circ} 44'$  west 477.7 feet to Sta. 234, north  $22^{\circ} 20'$  west  
 100.0 feet to Sta. 235, north  $16^{\circ} 20'$  west 100.0 feet to Sta. 236,  
 north  $12^{\circ} 36'$  west 147.5 feet to Sta. 237, north  $7^{\circ} 50'$  West 100.0  
 feet to Sta. 238, north  $3^{\circ} 28'$  west 100.0 feet to Sta. 239, north  
 $2^{\circ} 08'$  west 149.0 feet to Sta. 240, north  $4^{\circ} 15'$  west 100.0 feet  
 to Sta. 241, north  $8^{\circ} 26'$  west 100.0 feet to Sta. 242, north  $13^{\circ}$   
 $10'$  west 241.9 feet to Sta. 243, north  $13^{\circ} 20'$  west 235.9 feet.

DEED

668

ENGR LAND FILE  
S. F. W. O.

to Sta. 244, north  $12^{\circ} 28'$  west 455.2 feet to Sta. 245, north  $12^{\circ} 58'$  west 527.8 feet to Sta. 246, north  $12^{\circ} 26'$  west 317.2 feet to Sta. 247, north  $14^{\circ} 30'$  west 137.5 feet to Sta. 248 north  $18^{\circ} 55'$  west 100.0 feet to Sta. 249, north  $20^{\circ} 38'$  west 175.1 feet to 2" x 2" stake Sta. 250, buried in road from which a 6d nail in blaze in White Oak 4 feet in diameter bears south  $73^{\circ} 04'$  west 72.08 feet; thence north  $19^{\circ} 53'$  west 401.0 feet to Sta. 251, north  $12^{\circ} 05'$  west 83.9 feet to Sta. 252 north  $2^{\circ} 26'$  west 500.4 feet to Sta. 253, north  $8^{\circ} 54'$  west 105.0 feet to a 2" x 2" stake Sta. 254, buried in road opposite water tank from which a nail in tin on south end of mud sill of said tank bears south  $76^{\circ} 38'$  east 12.47 feet and a nail in tin on north end of said mud sill bears north  $64^{\circ} 23'$  east 12.65 feet; thence north  $12^{\circ} 12'$  west 311.7 feet to Sta. 255, north  $13^{\circ} 03'$  west 1258.7 feet to Sta. 256, north  $11^{\circ} 49'$  west 100.0 feet to Sta. 257, north  $6^{\circ} 28'$  west 100.0 feet to Sta. 258, north  $4^{\circ} 28'$  west 145.6 feet to Sta. 259, north  $6^{\circ} 16'$  west 140.2 feet to Sta. 260, north  $13^{\circ} 39'$  west 130.0 feet to Sta. 261, north  $19^{\circ} 12'$  west 183.1 feet to Sta. 262, north  $17^{\circ} 50'$  west 175.2 feet to a 2" x 2" stake, Sta. 263, buried in road from which a 6d nail in blaze on White Oak 3 feet in diameter bears south  $81^{\circ} 55'$  east 32.47 feet and a nail in tin on P.G.&E.Co.'s pole. No. 1/9 bears north  $24^{\circ} 18'$  east 19.41 feet; thence north  $17^{\circ} 50'$  west 384.5 feet to Sta. 264 north  $15^{\circ} 32'$  west 100.0 feet to Sta. 265, north  $9^{\circ} 23'$  west 100.0 feet to Sta. 266, north  $5^{\circ} 52'$  west 100.0 feet to Sta. 267, north  $4^{\circ} 37'$  west 137.2 feet to Sta. 268, north  $6^{\circ} 52'$  west 459.7 feet to Sta. 269, north  $9^{\circ} 10'$  west 224.3 feet to Sta. 270, north  $11^{\circ} 02'$  west 707.3 feet to a 2" x 2" stake Sta. 271, buried in road 10 feet south of south end of bridge across San Antonio Creek from which a nail in tin on west Batter Post of said bridge bears north  $35^{\circ} 46'$  west 17.03 feet and a nail in tin on east batter post bears north  $11^{\circ} 20'$  east 16.95 feet; thence north  $11^{\circ} 02'$  west across said bridge 198.4 feet Sta. 272, north  $9^{\circ} 59'$  west 168.3 feet to Sta. 273,

DEED

6 68

ENGR LAND FILE  
S. F. W. D.

1138131

north  $11^{\circ} 59'$  west 323.9 feet to Sta. 274, north  $17^{\circ} 12'$  west 201.6 feet to Sta. 275, north  $17^{\circ} 26'$  west 2715.7 feet to Sta. 276, north  $22^{\circ} 33'$  west 100.0 feet to Sta. 277, north  $48^{\circ} 26'$  west 100.0 feet to Sta. 278 north  $62^{\circ} 04'$  west 50.0 feet to a Harrow tooth Sta. 279, buried in road, thence north  $67^{\circ} 15'$  west 701.5 feet to a bolt buried in road at intersection with the center line of County Road #819 running from Mission San Jose to Livermore, from which bolt nail in tin on F.G.&E.Co's pole 90/35 bears south  $44^{\circ} 19'$  west 89.46 feet, and the Common Corner between properties of Mrs. Eye and the Spring Valley Water Company on the fence line of said County Road #819 bears north  $29^{\circ} 42'$  east 293.75 feet, and also the intersection of the Center line of said County Road #819 and the center line of County Road No. 1469, bears north  $22^{\circ} 45'$  east, along said center line of said County Road #819, 583.1 feet.

The grantee hereundershall be under no obligation to construct a fence or fences along said highway.

TO HAVE AND TO HOLD, the above mentioned and described easement unto the said party of the second part and its successors in interest forever subject to the following condition to-wit:

The grant hereby made shall constitute a surface easement for the purposes of a public highway and county road only and the party of the first part expressly reserves to itself and its successors and assigns the right to lay down pipes or conduits in said road for the conveyance of water or any other commodity, and also any other right or use requisite or essential to its corporate purposes and not inconsistent with the use of said surface easement for highway purposes.

IN WITNESS WHEREOF, the said party of the first part has caused these presents to be duly executed and it a corporate

DEED

-10-

6 68

ENGR LAND FILE  
S. F. W. P.

1123132

seal to be hereunto affixed by its officers thereunto duly authorized, the day and year first herein written.

SERENO VALLEY WATER COMPANY.

Seal

(Signed)

By S. P. Eastman  
Vice-President.

(Signed)

By John E. Behan  
Secretary.

Signatures Acknowledged  
before O. Eggers, N.P.  
November 16<sup>th</sup> 1921.

DEED

668

ENGR LAND FILE  
S. F. L. D.



