From: <u>Anatolia Lubos</u>
To: <u>Carroll, John (BOS)</u>

Subject: San Francisco Public Utilities Commission Response (by the Commission President) to the 2018-2019 AWSS

Report

Date: Friday, September 13, 2019 10:14:02 AM

Attachments: President Caen Letter to CGJ.pdf

From: Civil Grand Jury < CGrandJury@sftc.org> **Sent:** Wednesday, September 11, 2019 11:11 AM

To: Anatolia Lubos <ALubos@sftc.org>

Subject: FW: Response of the San Francisco Public Utilities Commission to the 2018-2019 Civil Grand

Jury Report

From: Hood, Donna

Sent: Wednesday, September 11, 2019 11:10:54 AM (UTC-08:00) Pacific Time (US & Canada)

To: Civil Grand Jury

Cc: Kelly Jr, Harlan; Breed, London (MYR)

Subject: Response of the San Francisco Public Utilities Commission to the 2018-2019 Civil Grand Jury

Report

<u>MARNING</u>: This email was generated from an external source. You should only open files from a trustworthy source.

Good Morning,

In accordance with Penal Code Sections 933 and 933.05, and pursuant to the request of Mr. Rasha Harvey, Foreperson of the City and County of San Francisco 2018-19 Civil Grand Jury, attached please find the response of the San Francisco Public Utilities Commission to the 2018-2019 Civil Grand Jury Report, *Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System*.

Thank you,

Donna Hood

Commission Secretary

San Francisco Water, Power and Sewer/Services of the San Francisco Public Utilities Commission

525 Golden Gate Ave., 13th Floor

San Francisco, CA 94102

415-554-0761 (direct)

http://sfwater.org/

Conserve a drop today for a drink tomorrow! Learn how at www.sfwater.org/conservation



525 Golden Gate Avenue, 13th Floor San Francisco, CA 94102 T 415.554.3155 F 415.554.3161 TTY 415.554.3488

September 11, 2019

Sent via U.S. Mail and email to CGrandJury@sftc.org

The Honorable Garrett L. Wong Presiding Judge Superior Court of California, County of San Francisco 400 McAllister Street, Room 008 San Francisco, CA 94102-4512

Dear Judge Wong:

In accordance with Penal Code Sections 933 and 933.05, and pursuant to the request of Mr. Rasha Harvey, Foreperson of the City and County of San Francisco 2018-19 Civil Grand Jury, attached please find the response of the San Francisco Public Utilities Commission to the 2018-2019 Civil Grand Jury Report, *Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System.* At its regularly scheduled public meeting of September 10, 2019, the Commission voted to approve the attached responses by Resolution No. 19-0178.

The response of the General Manager of the San Francisco Public Utilities Commission is being sent under separate cover.

The Commission would like to thank the members of the 2018-2019 Civil Grand Jury for their service and their interest in our vital water infrastructure that supports firefighting in all communities in San Francisco.

Sincerely,

Ann Moller Caen

President

San Francisco Public Utilities Commission

cc: Harlan Kelly, SFPUC General Manager

Marko

Mayor London Breed

London N. Breed Mayor

Ann Moller Caen President

Francesca Vietor Vice President

> Anson Moran Commissioner

Sophie Maxwell

Commissioner
Tim Paulson

Commissioner

Harlan L. Kelly, Jr. General Manager



PUBLIC UTILITIES COMMISSION

City and County of San Francisco

RESOLUTION NO. 19-0178

	WH	EREAS,	On	July 17	, 2019	, the 20	18-201	9 Civil (Grand	Jury rel	eased a	report entitled,
"Act	Now	Before	It I	s Too	Late:	Aggre	ssively	Expand	and	Enhand	ce Our	High-Pressure
Emer	gency	Firefigl	nting	Water	Syste	em," a	copy	of which	h is o	n file	with th	e Commission

Secretary and has been provided to this Commission for review; and

WHEREAS, The Civil Grand Jury requires written responses from this Commission to the Report's Findings Nos. 1, 2, 4, 5, 6, 8, 9, 10, 11, 12, and 13, and Recommendations Nos. 1, 2, 6, 7, 9, and 10; and

WHEREAS, California Penal Code §933(c) requires such written responses be submitted to the Presiding Judge no later than September 15, 2019; and

WHEREAS, Attached hereto are the Commission's responses to the above stated Findings and Recommendations in the 2018-19 Civil Grand Jury Report; now, therefore be it

RESOLVED, That this Commission hereby approves the Commission's responses, attached hereto, to the relevant findings and recommendations of the July 17, 2019 Civil Grand Jury Report entitled, "Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System" and authorizes and directs the Commission President to submit the response to the Presiding Judge of the Civil Grand Jury by September 15, 2019, as required by California Penal Code §933(c).

I hereby certify that the foregoing resolution was adopted by the Public Utilities Commission at its meeting of September 10, 2019.

Secretary, Public Utilities Commission

Clonna Alood

Report Title [Publication Date]	F#	Finding (text may be duplicated due to spanning and multiple respondent effects)	Respondent Assigned by CGJ [Response Due Date]	Finding Response (Agree/Disagree)	Finding Response Text	R# [for F#]	Recommendation (text may be duplicated due to spanning and multiple respondent effects)	Respondent Assigned by CGJ [Response Due Date]	Recommendation Response (Implementation)	Recommendation Response Text
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	F1		President, San Francisco Public Utilities Commission [September 15, 2019]	Agree with the finding		[for F1-F6]		President, San Francisco Public Utilities Commission [September 15, 2019]		Ensuring that San Francisco has the infrastructure and resources to be well prepared to fight fires in all parts of San Francisco is something that will be a focus of the next 10-Year Capital Plan. Per Administrative Code 3.20, that Plan must be submitted to the Mayor and Board no later than March 1 of each odd-numbered year for approval no later than May 1. The requested presentation would be delivered as part of that Plan's submission to enable holistic planning across San Francisco's resilience challenges. Updates available on this timeline would be included. The City cannot discuss the project and timeline until the ESER 2020 plan passes. For this reason, the City will sync this recommendation with the Capital Plan, and push back the timeline to December 31, 2021.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	F1	Fires resulting from an earthquake represent a significant risk of widespread damage and potential loss of life in San Francisco.	President, San Francisco Public Utilities Commission [September 15, 2019]	Agree with the finding		[for F1-F6]	The plan discussed in Recommendation R1 should include a detailed proposal, including financing sources, for the installation within 15 years of a high-pressure, multi-sourced, seismically safe emergency water system for those parts of the City that don't currently have one, i.e., by no later than June 30, 2034.	President, San Francisco Public Utilities Commission [September 15, 2019]		The commitment of sources for specific uses on specific timelines for San Francisco's public infrastructure is the work of the 10-Year Capital Plan. The plan discussed in Recommendation 1 will be acknowledged in the Capital Plan, and based on analysis, will be done on the capital plan timeline. The capital planning process gathers, documents, and balances planned funding for needs across the public infrastructure portfolio and across San Francisco's resilience challenges. The Capital Plan has longstanding funding principles to guide the prioritization of public infrastructure investments. These investments are tiered: (1) address legal and/or regulatory mandates; (2) ensure public safety and enhance resilience; (3) preserve assets and promote sustainability; (4) advance planned and programmatic needs; and (5) promote economic development. In the next 10-Year Capital Plan and those that follow, the City will continue to analyze priority projects and programs and identify sources to advance those priorities. Committing to entirely funding a single program out of context and without regard for the trade-offs of that commitment would be out of step with the City's longstanding and highly regarded capital planning process and likely create significant vulnerabilities elsewhere in the portfolio.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	F2		President, San Francisco Public Utilities Commission [September 15, 2019]		The MWSS has been significantly upgraded in the last 15 years through the Water Supply Improvement Program (WSIP) initiated by the SFPUC. The goals of WSIP included to reduce vulnerability of the water system to damage from earthquakes and increase overall water system reliability. There were 35 in-city projects within the \$4.8 billion-dollar program. The WSIP was the largest capital program ever undertaken by San Francisco, and one of the largest water infrastructure programs in the nation. Additionally, it is one of the only comprehensive and strategic infrastructure programs targeted specifically at improving a water system's seismic reliability and resiliency. Additionally, it is unique because the WSIP utilized a 7.8 magnitude earthquake as its seismic Level of Service.	[for F1-F6]		President, San Francisco Public Utilities Commission [September 15, 2019]	Will be implemented	Ensuring that San Francisco has the infrastructure and resources to be well prepared to fight fires in all parts of San Francisco is something that will be a focus of the next 10-Year Capital Plan. Per Administrative Code 3.20, that Plan must be submitted to the Mayor and Board no later than March 1 of each odd-numbered year for approval no later than May 1. The requested presentation would be delivered as part of that Plan's submission to enable holistic planning across San Francisco's resilience challenges. Updates available on this timeline would be included. The City cannot discuss the project and timeline until the ESER 2020 plan passes. For this reason, the City will sync this recommendation with the Capital Plan, and push back the timeline to December 31, 2021.

Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	The municipal water supply system (MWSS) is highly vulnerable to damage from a major earthquake and is not a reliable source for water supply for firefighting after a major earthquake. President, San Francisco Public Utilities Commissio [September 15, 2019]	Disagree, partially	The MWSS has been significantly upgraded in the last 15 years through the Water Supply Improvement Program (WSIP) initiated by the SFPUC. The goals of WSIP included to reduce vulnerability of the water system to damage from earthquakes and increase overall water system reliability. There were 35 in-city projects within the \$4.8 billion-dollar program. The WSIP was the largest capital program ever undertaken by San Francisco, and one of the largest water infrastructure programs in the nation. Additionally, it is one of the only comprehensive and strategic infrastructure programs targeted specifically at improving a water system's seismic reliability and resiliency. Additionally, it is unique because the WSIP utilized a 7.8 magnitude earthquake as its seismic Level of Service.	[for F1-F6]	The plan discussed in Recommendation R1 should include a detailed proposal, including financing sources, for the installation within 15 years of a high-pressure, multi-sourced, seismically safe emergency water system for those parts of the City that don't currently have one, i.e., by no later than June 30, 2034. President, San Francisco Public Utilities Commission [September 15, 2019] Requires further analysis	The commitment of sources for specific uses on specific timelines for San Francisco's public infrastructure is the work of the 10-Year Capital Plan. The plan discussed in Recommendation 1 will be acknowledged in the Capital Plan, and based on analysis, will be done on the capital plan timeline. The capital planning process gathers, documents, and balances planned funding for needs across the public infrastructure portfolio and across San Francisco's resilience challenges. The Capital Plan has longstanding funding principles to guide the prioritization of public infrastructure investments. These investments are tiered: (1) address legal and/or regulatory mandates; (2) ensure public safety and enhance resilience; (3) preserve assets and promote sustainability; (4) advance planned and programmatic needs; and (5) promote economic development. In the next 10-Year Capital Plan and those that follow, the City will continue to analyze priority projects and programs and identify sources to advance those priorities. Committing to entirely funding a single program out of context and without regard for the trade-offs of that commitment would be out of step with the City's longstanding and highly regarded capital planning process and likely create significant vulnerabilities elsewhere in the portfolio.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	The City's high-pressure emergency water supply system, known as the Auxiliary Water Supply System (AWSS), does not cover large parts of Supervisorial Districts 1, 4, 7 and 11, roughly one-third of the City's developed area. As a result, these districts are not adequately protected from fires after a major earthquake.	Agree with the finding	The SFPUC, SFFD, and San Francisco Public Works (SFPW) are committed to increasing fire protection throughout San Francisco. Since the passage of the first Earthquake Safety and Emergency Response Bond in 2010, the three agencies have been implementing projects to improve the AWSS system's seismic reliability and range of coverage. Enhancing the AWSS range of coverage to all areas of the City would require the allocation of funds to do so. The three agencies will continue to develop and implement projects utilizing new and proven technologies that improve upon the original system design. There have been many advancements in earthquake resistant pipeline design and materials, hydrants, and seismic valves since the early 1900s, and the City intends to use the best possible technology available to meet the performance standards of the SFFD.	[for F1-F6]	By no later than December 31, 2020, the Mayor, the SFPUC, the SFFD, and the Office of Resilience and Capital Planning should jointly present to the Board of Supervisors a detailed plan to ensure the City is well prepared to fight fires in all parts of San Francisco in the event of a 1906-magnitude (7.8) earthquake. Will be implemented by bublic Utilities Commission [September 15, 2019]	Ensuring that San Francisco has the infrastructure and resources to be well prepared to fight fires in all parts of San Francisco is something that will be a focus of the next 10-Year Capital Plan. Per Administrative Code 3.20, that Plan must be submitted to the Mayor and Board no later than March 1 of each odd-numbered year for approval no later than May 1. The requested presentation would be delivered as part of that Plan's submission to enable holistic planning across San Francisco's resilience challenges. Updates available on this timeline would be included. The City cannot discuss the project and timeline until the ESER 2020 plan passes. For this reason, the City will sync this recommendation with the Capital Plan, and push back the timeline to December 31, 2021.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	The City's high-pressure emergency water supply system, known as the Auxiliary Water Supply System (AWSS), does not cover large parts of Supervisorial Districts 1, 4, 7 and 11, roughly one-third of the City's developed area. As a result, these districts are not adequately protected from fires after a major earthquake.	Agree with the finding	The SFPUC, SFFD, and San Francisco Public Works (SFPW) are committed to increasing fire protection throughout San Francisco. Since the passage of the first Earthquake Safety and Emergency Response Bond in 2010, the three agencies have been implementing projects to improve the AWSS system's seismic reliability and range of coverage. Enhancing the AWSS range of coverage to all areas of the City would require the allocation of funds to do so. The three agencies will continue to develop and implement projects utilizing new and proven technologies that improve upon the original system design. There have been many advancements in earthquake resistant pipeline design and materials, hydrants, and seismic valves since the early 1900s, and the City intends to use the best possible technology available to meet the performance standards of the SFFD.	[for F1-F6]	The plan discussed in Recommendation R1 should include a detailed proposal, including financing sources, for the installation within 15 years of a high-pressure, multi-sourced, seismically safe emergency water system for those parts of the City that don't currently have one, i.e., by no later than June 30, 2034.	The commitment of sources for specific uses on specific timelines for San Francisco's public infrastructure is the work of the 10-Year Capital Plan. The plan discussed in Recommendation 1 will be acknowledged in the Capital Plan, and based on analysis, will be done on the capital plan timeline. The capital planning process gathers, documents, and balances planned funding for needs across the public infrastructure portfolio and across San Francisco's resilience challenges. The Capital Plan has longstanding funding principles to guide the prioritization of public infrastructure investments. These investments are tiered: (1) address legal and/or regulatory mandates; (2) ensure public safety and enhance resilience; (3) preserve assets and promote sustainability; (4) advance planned and programmatic needs; and (5) promote economic development. In the next 10-Year Capital Plan and those that follow, the City will continue to analyze priority projects and programs and identify sources to advance those priorities. Committing to entirely funding a single program out of context and without regard for the trade-offs of that commitment would be out of step with the City's longstanding and highly regarded capital planning process and likely create significant vulnerabilities elsewhere in the portfolio.

Act Now Before It Is	F5	A high-pressure, multi-sourced, seismically safe	President, San Francisco	Agree with the	As the City considers what is essential to protect San Francisco, it is	R1	By no later than December 31, 2020, the Mayor, President, San Francisco	Will be implemented	Ensuring that San Francisco has the infrastructure and
Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]			Public Utilities Commission [September 15, 2019]		important to acknowledge our multiple, complex resilience challenges. These challenges are documented in the Resilient SF strategy (2016) and underlie the strategic efforts of our capital investments as represented in the 10-Year Capital Plan (last updated 2019). These challenges are: Earthquakes, Sea Level Rise/Climate Change, Aging Infrastructure, Unaffordability, and Social Inequity. All of these challenges represent meaningful threats to San Franciscans, their property, and their ability to make a life in the city. In making decisions about priority investments, San Francisco must keep an eye on all of these challenges, identify the areas of greatest need across them, and make progress on all fronts simultaneously. The City has taken significant steps since 2010 to ensure that the City has a high-pressure multi-sourced, seismically safe EFWS. Since the passage of the first Earthquake Safety and Emergency Response Bond in 2010, SFPUC, SFFD, SF Public Works have been implementing projects to improve the system's seismic reliability and range of coverage. The three agencies will continue to implement projects utilizing new and proven technologies that improve upon the original system design.		the SFPUC, the SFFD, and the Office of Resilience and Capital Planning should jointly present to the Board of Supervisors a detailed plan to ensure the City is well prepared to fight fires in all parts of San Francisco in the event of a 1906-magnitude (7.8) earthquake.		resources to be well prepared to fight fires in all parts of San Francisco is something that will be a focus of the next 10-Year Capital Plan. Per Administrative Code 3.20, that Plan must be submitted to the Mayor and Board no later than March 1 of each odd-numbered year for approval no later than May 1. The requested presentation would be delivered as part of that Plan's submission to enable holistic planning across San Francisco's resilience challenges. Updates available on this timeline would be included. The City cannot discuss the project and timeline until the ESER 2020 plan passes. For this reason, the City will sync this recommendation with the Capital Plan, and push back the timeline to December 31, 2021.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	F5	emergency firefighting water supply will be	President, San Francisco Public Utilities Commission [September 15, 2019]	finding	As the City considers what is essential to protect San Francisco, it is important to acknowledge our multiple, complex resilience challenges. These challenges are documented in the Resilient SF strategy (2016) and underlie the strategic efforts of our capital investments as represented in the 10-Year Capital Plan (last updated 2019). These challenges are: Earthquakes, Sea Level Rise/Climate Change, Aging Infrastructure, Unaffordability, and Social Inequity. All of these challenges represent meaningful threats to San Franciscans, their property, and their ability to make a life in the city. In making decisions about priority investments, San Francisco must keep an eye on all of these challenges, identify the areas of greatest need across them, and make progress on all fronts simultaneously. The City has taken significant steps since 2010 to ensure that the City has a high-pressure multi-sourced, seismically safe EFWS. Since the passage of the first Earthquake Safety and Emergency Response Bond in 2010, SFPUC, SFFD, SF Public Works have been implementing projects to improve the system's seismic reliability and range of coverage. The three agencies will continue to implement projects utilizing new and proven technologies that improve upon the original system design.	[for F1-F6]	The plan discussed in Recommendation R1 should include a detailed proposal, including financing sources, for the installation within 15 years of a high-pressure, multi-sourced, seismically safe emergency water system for those parts of the City that don't currently have one, i.e., by no later than June 30, 2034.	Requires further analysis	The commitment of sources for specific uses on specific timelines for San Francisco's public infrastructure is the work of the 10-Year Capital Plan. The plan discussed in Recommendation 1 will be acknowledged in the Capital Plan, and based on analysis, will be done on the capital plan timeline. The capital planning process gathers, documents, and balances planned funding for needs across the public infrastructure portfolio and across San Francisco's resilience challenges. The Capital Plan has longstanding funding principles to guide the prioritization of public infrastructure investments. These investments are tiered: (1) address legal and/or regulatory mandates; (2) ensure public safety and enhance resilience; (3) preserve assets and promote sustainability; (4) advance planned and programmatic needs; and (5) promote economic development. In the next 10-Year Capital Plan and those that follow, the City will continue to analyze priority projects and programs and identify sources to advance those priorities. Committing to entirely funding a single program out of context and without regard for the trade-offs of that commitment would be out of step with the City's longstanding and highly regarded capital planning process and likely create significant vulnerabilities elsewhere in the portfolio.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	F6	be several decades (i.e., after the USGS predicts	President, San Francisco Public Utilities Commission [September 15, 2019]		Decisions about programming and funding levels of future ESER bonds and other complementary sources that could support the expansion of the AWSS have yet to be made.	[for F1-F6]	By no later than December 31, 2020, the Mayor, the SFPUC, the SFFD, and the Office of Resilience and Capital Planning should jointly present to the Board of Supervisors a detailed plan to ensure the City is well prepared to fight fires in all parts of San Francisco in the event of a 1906-magnitude (7.8) earthquake.	•	Ensuring that San Francisco has the infrastructure and resources to be well prepared to fight fires in all parts of San Francisco is something that will be a focus of the next 10-Year Capital Plan. Per Administrative Code 3.20, that Plan must be submitted to the Mayor and Board no later than March 1 of each odd-numbered year for approval no later than May 1. The requested presentation would be delivered as part of that Plan's submission to enable holistic planning across San Francisco's resilience challenges. Updates available on this timeline would be included. The City cannot discuss the project and timeline until the ESER 2020 plan passes. For this reason, the City will sync this recommendation with the Capital Plan, and push back the timeline to December 31, 2021.

Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	Unless the City increases funding levels, it will be several decades (i.e., after the USGS predicts one or more major earthquakes will occur) before the southern parts of the City have a high-pressure, multi-sourced, seismically safe emergency firefighting water supply. President, San Francisco Public Utilities Commiss [September 15, 2019]		Decisions about programming and funding levels of future ESER bonds and other complementary sources that could support the expansion of the AWSS have yet to be made.	[for F1-F6]	The plan discussed in Recommendation R1 should include a detailed proposal, including financing sources, for the installation within 15 years of a high-pressure, multi-sourced, seismically safe emergency water system for those parts of the City that don't currently have one, i.e., by no later than June 30, 2034.	analysis	The commitment of sources for specific uses on specific timelines for San Francisco's public infrastructure is the work of the 10-Year Capital Plan. The plan discussed in Recommendation 1 will be acknowledged in the Capital Plan, and based on analysis, will be done on the capital plan timeline. The capital planning process gathers, documents, and balances planned funding for needs across the public infrastructure portfolio and across San Francisco's resilience challenges. The Capital Plan has longstanding funding principles to guide the prioritization of public infrastructure investments. These investments are tiered: (1) address legal and/or regulatory mandates; (2) ensure public safety and enhance resilience; (3) preserve assets and promote sustainability; (4) advance planned and programmatic needs; and (5) promote economic development. In the next 10-Year Capital Plan and those that follow, the City will continue to analyze priority projects and programs and identify sources to advance those priorities. Committing to entirely funding a single program out of context and without regard for the trade-offs of that commitment would be out of step with the City's longstanding and highly regarded capital planning process and likely create significant vulnerabilities elsewhere in the portfolio.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	Redundancy is an important feature of an emergency firefighting water system. President, San Francisco Public Utilities Commiss [September 15, 2019]	_		[for F8-F9]	The SFPUC, the SFFD and the SF Department of the Environment should study adding salt-water pump stations to improve the redundancy of water sources, especially on the west side. Findings and recommendations from this study should be presented to the Board of Supervisors by no later than June 30, 2021.	Will be implemented	SFPUC and SFFD will complete this study by June 30, 2021.
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	Current plans to extend protections to the western part of the City do not include any high-pressure water sources north of Golden Gate Park. President, San Francisco Public Utilities Commiss [September 15, 2019]		While it is true that the SFPUC and SFFD are studying four potential water sources proposed to supply a potable EFWS on the west side of the City, which are not located north of Golden Gate Park, which by no means would reduce the proposed system's resiliency, reliability, performance, or ability to provide abundant high-pressure water for fire suppression to the Richmond District after a seismic event. San Francisco is unique in that there are 11 in-city reservoirs, with a total water capacity of approximately 413,000,000 gallons. Additionally, Lake Merced, also located within City Limits, has an additional approximately 1,000,000,000 gallons. The potable EFWS system for the Westside of San Francisco that is being developed and analyzed would provide that the new EFWS pipeline in the Sunset and Richmond Districts could be supplied from four sources of water at two locations. The first two water sources could be supplied to the EFWS pipeline via a 30,000 gallon per minute pump station in the vicinity of Lake Merced, which has a water supply of approximately one billion gallons, and a 60" seismically resilient SFPUC Hetch Hetchy Regional Water System pipeline. The proposed potable EFWS also is analyzing the inclusion of a second 30,000 gallons per minute pump station in the vicinity of the SFPUC's Sunset Reservoir that could be supplied water by two sources: (1) the 90 million gallon north basin of the Sunset Reservoir, which recently underwent a \$64 million seismic retrofit, and (2) a 54" seismically resilient SFPUC Hetch Hetchy Regional Water system pipeline.	[for F8-F9]	The SFPUC, the SFFD and the SF Department of the Environment should study adding salt-water pump stations to improve the redundancy of water sources, especially on the west side. Findings and recommendations from this study should be presented to the Board of Supervisors by no later than June 30, 2021.	Will be implemented	SFPUC and SFFD will complete this study by June 30, 2021.

At two indices is 10 To To Underland y come? Very location provided. The Condition of the	
Agreement Figures Figures (Figures) Agreement (Fi	complete this analysis by June 30, 20
Indications to it in the process of	
In the Pressure Prompting Profession of the Commands Agent Commands Commands Commands Profession of the Commands Profession of th	
Circipatory System (Iby 17, 2011) AAI, Now Server It Is AAI, Now Server It AAI, Now Serv	
Investigating Water Spream (July 17, 2015) ### An City User not have a simulation to find and office of the complete Company for the production of the complete Company for the City Company for the	
well-old similar to those used for the Community. The file significant subsequently were used to she percent the significant subsequently were used to she percent subsequently shared to shared the sheet of shared to shared the sheet of shared to shared the shared the shared to shared the shared to shared the shared t	
Safety (CA-SSS) stortly (AC 2010). The first gentoms assistance, under protection to the control of the control	
Octobelop water cenands that were aggregated into the filled for earth FAX. The control to the control to the cenar of the control to the cenar of the control to the cenar of	
dimands for cost PRA. The vator supplies for each PRA were developed using the refinibility movemed part of reliability across PRA. The vator supplies for each PRA were developed using the refinibility to preference increase. Moreov Carlo analysis to develope the part of control of the PRA were regigned in the field year of the part of the PRA were regigned in the field year of the part of the PRA were regigned in the field year of the PRA were for the PRA were region of the PR	
system the reliability modeling tool GRAPE, exceledance in Cornel University by Professor Trionals D (CRAPE) performs internal Monte Carlo acables to demand to the CRAPE performs internal Monte Carlo acables to the agreement of the carlo acables to the acables to the agreement of the acables to the agreement of the acables to the agreement of the acables to the a	
Act Now Before It IS The City does not have a timeline to fund and Agressively spand and shapes Out of frequency depends on the span of the City. How a simeline to fund and Agressively spand and shapes Out of the City. Including port inglify-resulters of spany of the City, including or of registration and text that the City of the City, including or of registration and text that the City of the City, including or of registration and text that the City of the City, including or of registration that this city, the result of the city of the City, including or of registration that the city of the City, including or of registration that this city, they are not been as well problemed in the given of the city, including or of registration that the city of the city of the city, including or of registration that the city of the city, including or of registration that the city of the city, including or of registration that that city, the results of the city of the city, including or of registration that the city of the city, including or of registration than that city, the results of the city, including or of registration than that city, the results of the city, including or of registration that that city, the results of the city, including or of registration that that city, the results of the city, including or of registration that that city, the results of the city, including or of registration that that city, the results of the city, including or of registration that that city, the results of the city, including or of registration that that city, the results of the city, including or of registration that that city, the results of the city, the city of the city, the city of the city, the city of the city of the city, the city of the ci	
Act Now Before It is Act Now Before It is FST1 The City does not have a timeline to fund and complete development of a high pressure, and the commission of the complete development of a high pressure, and the commission of the complete development of a high pressure, water funding World or the commission of the complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure, and be controlled and complete development of a high pressure and the controlled and complete development of a high pressure, and be controlled and complete development of a high pressure and the controlled and th	
Supples for each feel tilely water supples for each feel feel yet assumed no water from the City's municipal valest system (MVSS), which is plant delived in by the feel water a selsinic evert. The reliability some de each feel assumed no water from the City's municipal valest system (MVSS), which is plant and deliver feel by the feel of the	
supplies for each FRA. This chould be noted that the likely water supplies for each FRA. The collidation content from the City's owner from the City's owner from the City's owner for each FRA is collidated using the sum of all water supplies for each FRA and dividing it by the FRA water demand. The reliability scores of the sum of all water supplies for each FRA and dividing it by the FRA water demand. The reliability scores are not removed to report with the sum of all water supplies for each FRA is collidated using the sum of all water supplies for each FRA and dividing it by the FRA water demand. The reliability scores are not removed to the protection for a general product of the protection of an expert will be available for liredigiting seamed in a given FRA. The reliability scores are not remove of the FRAS control that is a given FRA. The reliability scores are not removed to the protection for a general product of the protection of the protecti	
Act two 8dors it is Fit The City does not have a timeline to find and complete development of high pressure contained and sourced, destinating safe energency High-Pressure Emergency High-Pressure Emergency High-Pressure Emergency High-Pressure Emergency High-Pressure Emergency Frieflything Water System (July 17, 2019) High Pressure Emergency High-Pressure Emergency High-Pressure Emergency Emergency Frieflything Water System (July 17, 2019) High-Pressure Emergency High-Pressure Emergency Emergency Frieflything Water System (July 17, 2019) High-Pressure Emergency High-Pressure Emergency Emergency Emergency High-Pressure Emergency Emergency Emergency Frieflything Water System (July 17, 2019) High-Pressure Emergency Emergency Emergency Emergency Emergency High-Pressure Emergency Emerg	
(MWS), which is quite conservative and highly unlikely even after a setemic event. The reliability score for each TRIA calculated unity and sevaled will be available for irrefighting demands in a given FIA. The reliability score are not extract to exactly that - estimate how much FEAV seaker will be available for firefighting demands in a given FIA. The reliability score are not extract to exactly that - estimate how much FEAV seaker will be available for firefighting demands in a given FIA. The reliability score are not extract to the fire protection for the protection for the fire protection of the fire protection of the fire protection for the fire protection of the fir	
Act Now Before it is The City does not have a timeline to fund and Complient Georgian State of the City of the Cit	
Act Now Before It Is Act Now Before It Is F11 The City does not have a timeline to fund and complete development of a high-pressure, metals and many control and and complete development of a high-pressure, source, sesmically safe emergency are supply for all parts of the City, including poor neighborhoods shall historically have not been as well protected as the downtrown business firreflighting Water System [July 17, 2019] Act Now Before It Is F11 The City does not have a timeline to fund and complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure source, sesmically as the emergency are supply for all parts of the City, including poor neighborhoods shall historically have not been as well protected as the downtrown business district and many richer neighborhoods. September 15, 2019] Act Now Before It Is F11 The City does not have a timeline to fund and complete development of a high-pressure in the control of the through the complete development of a high-pressure in the complete development of a high-pressure in the complete development of a high-pressure in the morthest portion of San Francisco, corresponds to the location of the morthest portion of San Francisco, ornerable to the first portion of the morthest portion of San Francisco, ornerable to the first portion of San Francisco, orner	
Act Now Before It Is Act Now Before It Is F11 The City does not have a timeline to fund and complete development of a high-pressure, metals and many control and and complete development of a high-pressure, source, sesmically safe emergency are supply for all parts of the City, including poor neighborhoods shall historically have not been as well protected as the downtrown business firreflighting Water System [July 17, 2019] Act Now Before It Is F11 The City does not have a timeline to fund and complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure, must be added to the complete development of a high-pressure source, sesmically as the emergency are supply for all parts of the City, including poor neighborhoods shall historically have not been as well protected as the downtrown business district and many richer neighborhoods. September 15, 2019] Act Now Before It Is F11 The City does not have a timeline to fund and complete development of a high-pressure in the control of the through the complete development of a high-pressure in the complete development of a high-pressure in the complete development of a high-pressure in the morthest portion of San Francisco, corresponds to the location of the morthest portion of San Francisco, ornerable to the first portion of the morthest portion of San Francisco, ornerable to the first portion of San Francisco, orner	
Act Now Before It Is Too Late: And The City does not have a timeline to fund and complete development of a high-pressure, multi-plants of the City form of the	
Act Now Before It is F11 The City does not have a timeline to fund and complete development of a high-pressure, multi-special parts of the City, Including poor neighborhoods that historically have not been as well protected as the downtown business (Fireflighting, Water System [Usly 17, 2019] Disagree, partially The EFWS capability for the City, Including poor neighborhoods that historically have not been as well protected as the downtown business (Strict and many richer neighborhoods.) Disagree, partially The EFWS was built after the 1906 earthquake, and its location, primarily in the northeast portion of San Francisco, corresponds to the location of the naily of the City, protected as the downtown business (Steptember 15, 2019) and Public Works have made critical improvements to the existing EFWS system. Expanding the EFWs for the creating that the existing EFWS is resilient and realistic would implement a realised, robust, and resilient high-pressure needs of riceflighting, developed and an artistic end the resilience of the City, Including poor neighborhoods that historically have not been as well protected as the downtown business (strict and many richer neighborhoods.) Disagree, partially The EFWS was built after the 1906 earthquake, and its location, primarily in the northeast portion of San Francisco, corresponds to the location of the naintenance of the protected as the construction of the naintenance of the protected as the location of the naintenance of the city including poor neighborhoods that historically have not been strong as the protected as the downtown business (strict and many richer neighborhoods that shorting a transfer of the City, Including poor neighborhoods that historically have not been strong as a well protected as the downtown business (strict and many richer neighborhoods that shorting and the development of the City for the City protected as the downtown business (strict and many richer neighborhoods that shorting and the development of the city for the City prot	
Act Now Before It Is The City does not have a timeline to fund and complete development of a high-pressure, multi- Aggressively Expand and Ehmance Dus- High-Pessure Emergency High-Pessure High-High-Pessure High-Pessure High-Pessure High-High-Pessure High-High-Pessure High-Pessure High-High-Pessure High-Hi	
Act Now Before It Is Too Late: Act Now Before It Is Too Late: Complete development of a high-pressure, multi Sourced, sesmically safe emergency water supply for all parts of the City, Industing por neighborhoods that historically have not been saw ell protected as well protected as the downtown business firefighting Water System [July 17, 2019] The City does not have a timeline to fund and complete development of a high-pressure, multi Complete development of a high-pressure, multi Sourced, sesmically safe emergency water supply for all parts of the City, Indusing por neighborhoods that historically have not been saw ell protected as the downtown business district and many richer neighborhoods. System [July 17, 2019] The City does not have a timeline to fund and complete development of a high-pressure, multi Complete development of a high-pressure, multi Complete development of the historically have not been segmency self-principle and very complete the complet	
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019] Act Now Before It Is The City does not have a timeline to fund and complete development of a high-pressure, multi- bublic Utilities Commission September 15, 2019 Se	
Act Now Before it is Too Late: Too Late: Sourced, sesmically safe emergency water and Enhance Our High-Pressure Emergency Sireflying Water System [July 17, 2019] The City does not have a timeline to fund and sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. Sourced, sesmically safe emergency water as well protected as the downtown business district and many richer neighborhoods. The SFPUC and SFFP or edveloping plans that would implement a resilient, robust, and resilient high-pressure religible to fish rings are toward of bringing are obtained to bringing as robust and resilient high-pressure religible to fish richers at the high-pressure religible to the steps of the richers at the high-pressure religible to the steps of the richers at the high-pressure religible to the steps of the richers and the steps of the	
Act Now Before It Is Too Late: Agressively Expand and Enhance Our High-Pressure supply for all parts of the City, including poor Emergency Emergency Emergency Liuly 17, 2019] The City does not have a timeline to fund and complete development of a high-pressure, multi- public Utilities Commission September 15, 2019] September 15, 2019] The EFWS was built after the 1906 earthquake, and its location, primarily in the northeast portion of San Francisco, corresponds to the location of the majority of the city's propulation at that time. Since 2010, the SEPUC, SFPD, and Public Works have made critical improvements to the existing EFWS system. Expanding the EFWS prior to ensuring that the existing EFWS is resilient and reliable would have contradicted best engineering practices. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Vestside of San Francisco. The potable EFWS that is being developed and analyzed would propose the best method for bringing a robust and resilient high-pressure freefighting water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD (reflepting water system to the Western neighborhoods in San Francisco. That is capable of providing water to the SFFD (reflepting water system to the Western neighborhoods in San Francisco High Pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS is being designed in a manner that allows for agility and the existing of the Mestern neighborhoods in a manner that allows for agility and the flexibility to do the wetchnologies and water sources, and in	
Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Out High-Pressure Emergency and High-Pressure Emergency Expend as well protected as the downtown business offirefighting Water System [July 17, 2019] July 17, 2019] July 17, 2019] July 17, 2019 July 18, American Complete development of a high-pressure, water a seigner of freelighten on the protected as the downtown business of freelighten water sources. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Westside of San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS plealines and optentially two new pump stations likely to be supplied by four water sources, and in additional possible of the firefighters and water sources, and in additional possible for a significant water sources, and in the flexibility to add new technologies and water sources, and in a significant water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the sixte	
Too Late: Aggressively Expand sourced, seismically safe emergency water supply for all parts of the (City, including poor neighborhoods that historically have not been as well protected as the downtown business (firefighting Water System [July 17, 2019] The strict and many richer neighborhoods. Sourced, seismically safe emergency water supply for all parts of the (City, including poor neighborhoods that historically have not been as well protected as the downtown business district and many richer neighborhoods. Sourced, seismically safe emergency water supply for all parts of the (City, including poor neighborhoods that historically have not been as well protected as the downtown business of sirring that the existing EFWS is resilient and reliable would have contradicted best engineering practices. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Westside of San Francisco. The potable EFWS for the Western neighborhoods in San Francisco. The potable EFWS for the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWs is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
Too Late: Aggressively Expand sourced, seismically safe emergency water supply for all parts of the (City, including poor neighborhoods that historically have not been as well protected as the downtown business (firefighting Water System [July 17, 2019] The strict and many richer neighborhoods. Sourced, seismically safe emergency water supply for all parts of the (City, including poor neighborhoods that historically have not been as well protected as the downtown business district and many richer neighborhoods. Sourced, seismically safe emergency water supply for all parts of the (City, including poor neighborhoods that historically have not been as well protected as the downtown business of sirring that the existing EFWS is resilient and reliable would have contradicted best engineering practices. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Westside of San Francisco. The potable EFWS for the Western neighborhoods in San Francisco. The potable EFWS for the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWs is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Out High-Pressure Emergency and High-Pressure Emergency Expend as well protected as the downtown business offirefighting Water System [July 17, 2019] July 17, 2019] July 17, 2019] July 17, 2019 July 18, American Complete development of a high-pressure, water a seigner of freelighten on the protected as the downtown business of freelighten water sources. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Westside of San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS plealines and optentially two new pump stations likely to be supplied by four water sources, and in additional possible of the firefighters and water sources, and in additional possible for a significant water sources, and in the flexibility to add new technologies and water sources, and in a significant water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the flexibility to add new technologies and water sources, and in the sixte	
Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Out High-Pressure Emergency as well protected as the downtown business offirefighting Water System [July 17, 2019] Live 17, 2019] Live 18, 2019 Public Utilities Commission (September 15, 2019] The sourced, seismically safe emergency water as well protected as the downtown business of Friefighting Water (System (July 17, 2019) Live 19, 2019 Public Very Rava emade critical improvements to the existing EFWS is resilient and reliable would have contradicted best engineering practices. The SFPUC and SFFD are developing polls and resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Westside of San Francisco on the location of the majority of the city's population at that time. Since 2010, the SFPUC, SFFD, and PFPUD (SFFD, and PFPUD Review) is resilient and reliable would have contradicted best engineering practices. The SFPUC and SFFD are developing polls and state would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Western neighborhoods in San Francisco. The potable EFWS for the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS's is being developed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
Aggressively Expand and Enhance Our High-Pressure neighborhoods that historically have not been as well protected as the downtown business (Breighting Water System (July 17, 2019) Firefighting Wat	
and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019] Supply for all parts of the City, including poor neighborhoods that historically have not been as well protected as the downtown business district and many richer neighborhoods. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS for the Western neighborhoods in San Francisco. The best method for bringing a robust and resilient high-pressure needed for firefighters at the high-pressure needed for firefighters to combat large fires after a selsmic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
High-Pressure Emergency as well protected as the downtown business firefighting Water System [July 17, 2019] [July 17, 2019] System as well protected as the downtown business In SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFFWS for the Westside of San Francisco. The potable EFWS that is being developed and analyzed would propose the best method for bringing a robust and resilient high-pressure firefighting water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFP's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
Emergency Firefighting Water System [July 17, 2019] Ignit and reliable would have contradicted best engineering practices. The SFPUC and SFFD are developing plans that would implement a resilient, robust, and redundant potable EFWS for the Westside of San Francisco. The potable EFWS that is being developed and analyzed would propose the best method for bringing a robust and resilient high-pressure firefighting water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
Firefighting Water System [July 17, 2019] Individual content of the Service of the Mestside of San Francisco. The potable EFWS for the Westside of San Francisco. The potable EFWS for the Westerd potable EFWS for the Westerd potable EFWS for the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFU's potable EFWS is being developed and analyzed would propose the best method for bringing a robust and resilient, robust, and redundant potable EFWS is being developed and analyzed would propose the best method for bringing a robust and resilient, robust, and redundant potable EFWS is being developed and analyzed would propose the best method for bringing a robust and resilient, robust, and redundant potable EFWS is being developed and analyzed would propose the best method for bringing a robust and resilient, robust, and redundant potable EFWS is pering developed and analyzed would propose the best method for bringing a robust and resilient, robust, and redundant potable is potable in the Western neighborhoods in San Francisco. The potable is a reduced for firefighters at the high-pressure needed for firefighters at the high-pressure needed for firefighters at the high-pressure needed for firefighters at the high-pressure in the potable is a reduced for firefighters at the high-pressure firefighting water system to the Western neighborhoods in San Francisco. The potable is a reduced for firefighting water system to the Western neighborhoods in San Francisco that is capable in the potable in the potable in the potable is a reduced for firefighting water system to the Western neighborhoods in San Francisco that is capable in the potable	
robust, and redundant potable EFWS for the Westside of San Francisco. The [July 17, 2019] potable EFWS that is being developed and analyzed would propose the best method for bringing a robust and resilient high-pressure firefighting water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
[July 17, 2019] potable EFWS that is being developed and analyzed would propose the best method for bringing a robust and resilient high-pressure firefighting water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
best method for bringing a robust and resilient high-pressure firefighting water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
water system to the Western neighborhoods in San Francisco that is capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
capable of providing water to the SFFD firefighters at the high-pressure needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
needed for firefighters to combat large fires after a seismic event, and is likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
likely to include over 14 miles of new EFWS pipelines and potentially two new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
new pump stations likely to be supplied by four water sources. The SFPUC and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
and SFFD's potable EFWS is being designed in a manner that allows for agility and the flexibility to add new technologies and water sources, and in	
agility and the flexibility to add new technologies and water sources, and in	
a manner that allows the piping network to be extended in the future to	
serve additional areas.	

Act Now Before It Is Too Late:	F12	The SFPUC has not developed a number of the routine maintenance plans recommended in a	President, San Francisco Public Utilities Commission	Disagree, wholly	Since taking over maintenance responsibilities, SFPUC has completed significant maintenance activities. For example, on a monthly basis, staff	R9 By no later than December 31, 2020 the SFPUC, President, San Francisco Has been with the advice and subject to the approval of Public Utilities Commission implemented	(a) SFPUC implements "best practices" for the maintenant of AWSS assets in collaboration with SFFD, and consistent
aggressively Expand		2014 report (CS-199), and has not adequately	[September 15, 2019]		from the SFPUC test both Pump Station #1 and Pump Station #2. There are	the SFFD, should (a) implement "best practices" [September 15, 2019]	with the terms of the Memorandum of Understanding
nd Enhance Our		defined which AWSS valves are "critical" and	[September 15, 2019]		6 maintenance recommendations provided in the CS-199 study as shown	for the maintenance of AWSS assets, and (b)	Regarding Operation and Maintenance of San Francisco
ligh-Pressure		therefore require increased attention.			below in Table 7-1 from CS-199. The SFPUC has developed several of the	redefine which AWSS valves in the system are	Water Supply Systems Related to Fire Suppression (MOU)
· ·		therefore require increased attention.			routine maintenance plans recommended in the report or has determined	"critical," and, therefore, require more	SFPUC will seek SFFD's written approval for "any
mergency							
irefighting Water					the recommended maintenance practice is not necessary (i.e. flushing of a	attention and priority in the SFPUC's	modifications that could compromise" the system's
ystem July 17, 2019]					non-potable water system).	maintenance plans.	function as a high pressure firefighting system (MOU, pag
July 17, 2019]					Maintenance Recommendations, CS. 199 Task 11 TM:		(b) The AWSS critical valves have been identified and will
					Maintenance Recommendation 1: Confirm that all AWSS assets are entered		· '
					into CDD's asset management system and PM's are established		exercised every year through the AWSS Critical Valve Exercise Program.
					SFPUC Response: All AWSS asset locations are entered into CDD's Maximo		Exercise Program.
					and GIS databases. PM's are established for regular maintenance.		
					and the databases in the data conditioned for its gainst maintenance.		
					Maintenance Recommendation 2: Perform Regular maintenance and		
					testing		
					SFPUC Response: According to SFPUC Maximo maintenance/testing		
					records, regular maintenance and testing is performed in accordance with		
					maintenance plans.		
					Maintenance Recommendation 3: Check, flush and repair all suction		
					connections regularly		
					SFPUC Response: All suction connections were assessed 4-5 years ago.		
					Some were cleaned as needed at that time. A high-pressure jetting machine		
					was recently purchased, and personnel is being trained on its use.		
					was recently parenased, and personner is being trained on its use.		
					Maintenance Recommendation 4: Establish pipeline flushing program for		
					AWSS		
					SFPUC Response: Non-potable fire-fighting water systems are not typically		
					flushed as part of regular flushing maintenance program. However, flushing		
					naturally occurs when the AWSS is utilized approximately 20 times per		
					year.		
					Maintenance Recommendation 5: Establish leak detection program and a		
					pipeline leak database to monitor potential hot spots		
					SFPUC Response: SFPUC maintenance activities have helped reduced EFWS		
					leakage by over 500,000 gallons per day, improving system performance		
					while reducing water waste. A condition assessment project was		
					implemented using Smart Ball technology. In addition, the system water		
					supply sources are regularly monitored for water levels/filling requirements		
					which will indicate potential leaks in the pipeline system.		
					Maintenance Recommendation 6: Establish a cistern inspection, filling and		
					testing program		
					SFPUC Response: A cistern inspection and testing program has been		
					developed for implementation in 2019. In addition, a filling procedure has		
					been established with SFFD.		
					As part of the AWSS Critical Valve Exercise Program, CDD has identified 66		
					AWSS valves as "critical" (66 of 1,685 valves, or approximately 4 percent		
					(source: CDD GIS). Critical valves for AWSS were defined based on the		
					following criteria for operational importance:		
					• Tank bypass valves		
					Tank supply valve from higher pressure to lower pressure tank supply		
					source		
					Closed control valves to isolate piping within an infirm area		
					Distribution system divide gate valve, manual operation (allows higher)		
1			1		proceure zone to food into lower proceure zone within the distribution		

					system) Distribution system divide gate valve, motorized operation (allows higher pressure zone to feed into lower pressure zone within the distribution system) Open control valves to allow a single supply source to feed an infirm area Balancing valve, TP reservoir only (allows the two TP reservoir basins to equalize in level) Critical Valves: These EFWS critical valves are broken down by type below. All 66 of the AWSS critical valves were exercised in 2018-2019 and will be exercised every year. Valve Type (# of Critical Valves per type): Ashbury Tank By-Pass Valves (10) Ashbury Tank Supply Valve #1 [Ashbury to Jones] (1) Close Control Gate Valve (15) Division Gate Valve (14) Jones Street Tank By-Pass Valves (10) Motorized Division Gate Valve or Motorized Line Gate Valve (6) Open Control Gate Valve [Infirm Area] (6) Twin Peaks East Reservoir Lead Valve [Supply, TP to Ashbury] (1) Twin Peaks West Reservoir Lead Valve [Supply, TP to Ashbury] (1) Total AWSS Critical Valves (66)				
Act Now Before It Is Too Late: Aggressively Expand and Enhance Our High-Pressure Emergency Firefighting Water System [July 17, 2019]	F13	In the 2015 MOU between the SFFD and the SFPUC, the two agencies agreed to conduct joint AWSS trainings annually, but there is no formal protocol outlining specific joint AWSS exercises or drills using hypothetical disaster scenarios, such as a major earthquake.	President, San Francisco Public Utilities Commission [September 15, 2019]	Disagree, partially	There are no formal protocol outlining specific joint AWSS exercises or drills in the MOU; however, there are multiple opportunities to train together during operation, maintenance, and construction of improvement projects for the AWSS facilities as previously described in the response to the Grand Jury questions sent in May 2019. The SFFD and SFPUC have had multiple field training opportunities during the maintenance and start-up testing of AWSS facilities in the last 5 years. For example, on December 20, 2018, SFFD and SFPUC personnel conducted emergency generator start-up procedures for Pump Station No. 2 (PS2). On April 5, 2018 SFPUC and SFFD performed joint-department full-scale test of AWSS Pump Station No. 1 (PS1) including pumping seawater into an isolated section of the AWSS distribution through system hydrants. On August 29, 2018, SFPUC, SFFD and DPW personnel conducted a seawater drafting drill and confirmation test from the new suction connection at Pier 50. In addition, SFFD and SFPUC periodically test different facilities to assure systems are in good working order, and to train personnel on operations and joint-agency communications. For example, a full-scale emergency exercise was performed between SFFD and SFPUC staff in January 2016 at Islais Creek, which involved the Phoenix Fireboat pumping sea water directly into an isolated section of the Jones pressure system via AWSS manifold connection. Sea water discharged from select hydrants within the isolated section of the system where pressure and flow were monitored at each discharge point. The SFFD uses their Disaster Response Manual and Water Supply Manual to provide guidelines for training. Training occurs throughout the year and is ongoing. In March 2018, the SFPUC sponsored a tabletop drill focused on CDD emergency response in coordination with SFFD response. Participants were asked to utilize Incident Command Structure (ICS) principles to	[for F13] between the SFPUC and the SFFD should be amended to include a detailed roadmap for annual emergency response exercises, including simulated disaster and earthquake drills involving the AWSS and the PWSS.	President, San Francisco Public Utilities Commission [September 15, 2019]	Will be implemented	SFFD and SFPUC will work together to amend the MOU by June 30, 2020.

	respond to a hypothetical earthquake event (determine ICS, formulate specific objectives, and document findings). It is anticipated that this tabletop exercise will be repeated at least every other year, and that a larger scale simulation of post-earthquake response will be conducted within the next two years for SFFD and SFPUC joint-exercise.		
	In February 2018 the SFPUC and SFFD staff convened to review the SFPUC's Division Emergency Operations Plan (DEOP), the CDD's Emergency Action Plan (EAP), and the CDD's Emergency Response Plan (ERP). The ERP overview focused on the Incident Command structure specific to CDD staff responsibilities, communication methods, critical facilities and assets, first responders for each facility (PWS and AWSS) and updated "critical facilities map" for all major pressure zones.		