BOARD of SUPERVISORS



City Hall
1 Dr. Carlton B. Goodlett Place, Room 244
San Francisco 94102-4689
Tel. No. (415) 554-5184
Fax No. (415) 554-5163
TDD/TTY No. (415) 554-5227

July 2, 2021

File No. 210536

Lisa Gibson Environmental Review Officer Planning Department 49 South Van Ness Ave, Suite 1400 San Francisco, CA 94103

Dear Ms. Gibson:

On June 29, 2021, Supervisor Mandelman introduced the following legislation as a substitute:

[Health, Business and Tax Regulations Codes - Alternate Water Sources for Non-Potable Applications]

Ordinance amending the Health Code to 1) lower the threshold, from 250,000 to 100,000 square feet of gross floor area, for requiring that new buildings be constructed, operated, and maintained using specified alternate water sources for required non-potable uses; 2) exempt certain affordable housing projects and property uses from that requirement; 3) require that certain categories of new buildings use specific sources of nonpotable water for specific purposes; 4) modify certain administrative review fees; 5) require the payment of excess use charges and penalties for failure to properly use and maintain alternate water source systems; and 6) the completion of reports on purified water, recycled water, and Non-potable District Systems; amending the Business and Tax Regulations Code to update certain annual license fee amounts for operating alternate water source systems; and affirming the Planning Department's determination under the California Environmental Quality Act.

This legislation is being transmitted to you for environmental review.

Angela Calvillo, Clerk of the Board By: John Carroll, Assistant Clerk Public Safety and Neighborhood Services Committee

Attachment

Devyani Jain, Deputy Environmental Review Officer Joy Navarrete, Environmental Planner Don Lewis, Environmental Planner

Not defined as a project under CEQA Guidelines Sections 15378 and 15060(c)(2) because it would not result in a direct or indirect physical change in the environment.

07/02/2021

Joy Navarrete