File No.	190136	Committee Item No.	 3
		Board Item No.	8

### **COMMITTEE/BOARD OF SUPERVISORS**

AGENDA PACKET CONTENTS LIST

0 144	1	0 ""	D ( ** .	44 0040		
Committee:	Land Use and Transportation		-			
	pervisors Meeting		Date	4/2/19		
<b>Cmte Board</b>				, ,		
	Motion					
	Resolution					
$\boxtimes$ $\boxtimes$	Ordinance			·		
$\boxtimes$	Legislative Digest					
	<b>Budget and Legislative Ana</b>	alyst Repo	rt			
	Youth Commission Report					
	Introduction Form					
	Department/Agency Cover	Letter and	lor Report	•		
	MOU					
	Grant Information Form			•		
	Grant Budget		•			
	Subcontract Budget		•			
	Contract/Agreement					
	Form 126 – Ethics Commis	sion				
	Award Letter					
	Application			•		
	Public Correspondence					
OTHER	(Use back side if additional	space is i	needed)			
<b>X V</b>	BIC Ltr 012819					
	Referral CEQA 021519	-				
			,			
				•		
,	•			•		
Completed I		Date_	March 7, 20	19		
Completed I	ov: Frica Major	Date	31412019			

[Various Department of Building Inspection Codes - Technical Corrections to Existing Code]

Ordinance amending various sections of the Building, Existing Building, Plumbing, Electrical, and Housing Codes to correct or clarify existing Code language, re-enact a longstanding permit requirement for fences with the finding required by the California Health and Safety Code, and add enforcement provisions for the Building Facade Inspection and Maintenance Program; affirming the Planning Department's

determination under the California Environmental Quality Act; adopting a finding under

the California Health and Safety Code; and directing the Clerk to forward this

Ordinance to the California Building Standards Commission upon final passage.

NOTE: Unchanged Code text and uncodified text are in plain Arial font.

Additions to Codes are in single-underline italics Times New Roman font.

Deletions to Codes are in strikethrough italics Times New Roman font.

Board amendment additions are in double-underlined Arial font.

Board amendment deletions are in strikethrough Arial font.

Asterisks (\* \* \* \*) indicate the omission of unchanged Code subsections or parts of tables.

Be it ordained by the People of the City and County of San Francisco:

Section 1. Findings.

(a) The Planning Department has determined that the actions contemplated in this ordinance comply with the California Environmental Quality Act (California Public Resources Code Sections 21000 et seq.). Said determination is on file with the Clerk of the Board of Supervisors in File No. 190136 and is incorporated herein by reference. The Board affirms this determination.

(b) On January 16, 2019, the Building Inspection Commission considered this ordinance at a duly noticed public hearing pursuant to Charter Section D3.750-5 and recommended its passage by the Board of Supervisors.

Section 2. California Health and Safety Code Section 17958.7.

- (a) Section 105.2 of the California Building Code provides that fences are exempt from the permit requirements if they are not over seven feet high. The San Francisco Building Code has long provided that the only fences exempt from the permit requirement are (1) all fences not over three feet in height and (2) fences located at the rear and side lot lines at the rear of the property that are not over six feet. This provision is currently in Section 106A.2 of the San Francisco Building Code. The following local findings support San Francisco's deviation from the state code's permit requirement for fences:
- (1) The topography of San Francisco has led to the development of a high density of buildings on small lots. In most residential zoning districts, housing is constructed close to the side property lines with no side yards; historically, buildings in San Francisco are also constructed to the front property lines. Given this historic pattern of development, any exterior construction in San Francisco has the capacity to negatively impact neighboring property and requiring a permit to construct fences over a certain height particularly along the side and rear property lines affords neighbors an opportunity for input.
- (2) San Francisco is also in an earthquake hazard zone and needs to ensure that all construction over a certain height is constructed safely.
- (b) No finding is required under Health and Safety Code Section 17958.7 for the other amendments in this ordinance because they do not amend a "building standard," as defined in Section 18909 of the Health and Safety Code.

Section 3. The Building Code is hereby amended by revising Sections 102A.3.1, 105A.4.2, 106A.2, 106A.3.2.3, 106A.3.8, 106A.4.1.4.2, 106A.4.6, 107A.5, 107A.13.9.1, 109A.3, 109A.7, 435.3.5, 456.1, 912.6, 1011.12, 1016.2, 1106D, 1304D, 1305D, 1306D.2, 1501.1, 1505.1, 1607.1, 1705.20, 2304.12.2.3, and 2304.12.3.2, Chapters 13A and 11C, and Appendix J, to read as follows:

### SECTION 102A – UNSAFE BUILDINGS, STRUCTURES OR PROPERTY

102A.3.1 Dwelling Units constructed or installed without required permit(s). In the case of an unauthorized Dwelling Unit constructed or installed in an existing building without the required permit or permits, in addition to the above requirements the written notice of violation shall order the property owner to file an application for a building and other permits required to legalize the unit pursuant to Building Code Section 106A.3.1.3 and Planning Code Section 207.3.

### **EXCEPTIONS:**

- 1. Removal of the unit has been approved by the Planning Commission pursuant to Planning Code Section 317; or
- 2. After performing a screening under Section 106A.3.1.3(a) of this Code, the Department has determined that the unauthorized Dwelling Unit is not able to be legalized under Section 106A.3.1.3 of this Code; or
- 3. The Building Official has determined that a serious and imminent hazard under Section 102A.16 of this Code exists on the subject property.

Upon submission of an application for legalization or removal of an unauthorized Dwelling Unit by the owner or the owner's authorized agent, the Department will suspend a notice of violation issued pursuant to this Section 102A.3.1 pending a decision on the application unless the Building Official has determined that a serious and imminent hazard

exists on the property. If approval of either legalization or removal of the unauthorized  $\underline{D}$  welling Unit occurs within one year of issuance of the notice of violation, the notice of violation and any liens recorded against the property with respect to the violation will be rescinded. The Building Official may extend this time if a delay in obtaining approval is not the fault of the property owner.

## SECTION 105A – BOARDS, COMMISSIONS, AND COMMITTEES

105A.1 Board of Examiners.

### 105A.4.2 Functions. Its functions shall be:

- 1. To review recommendations for code changes made by the Building Official <u>or</u> the Building Inspection Commission pursuant to Section 104A.2.11.
- 2. To develop, review and recommend code changes to the Building Official and the Building Inspection Commission.
- 3. To review rules and regulations promulgated by the Building Official and the Building Inspection Commission pursuant to Section 104A.2.1.
- 4. To recommend to the Building Official and the Building Inspection Commission, within 30 days after the effective date of a new edition of a code, which existing Section 104A.2 rules and regulations should remain in effect, be modified or be canceled.

  SECTION 106A PERMITS

106A.2 Work exempt from permit. [Section 105.2 of the California Building Code.]
Exemptions from the permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of this jurisdiction. A building permit shall not be required for the following:

21

22

23

24

25

2. Fences not over 6 feet (1829 mm) high located at the rear and side lot lines at the rear of the property, and all fences not over 3 feet (914.4 m) in height. [NOTE: This language is in the existing San Francisco Building Code but is being re-enacted with the finding required by Section 17958.7 of the Health and Safety Code.]

106A.3.2.3 Substantial alterations – Notification, sign posting and affidavits. In addition to any other requirements for notice set forth in this code, the following shall apply:

Any person filing an application to (1) substantially alter, as that term is defined by the Building Official, an apartment house or residential hotel (as defined in Section 41.4(p)) of the Administrative Code) that contains five or more dwelling units, or (2) remove a legal or illegal dwelling unit, as defined in the Housing Code, shall post a sign at least 15 inches by 15 inches (381 mm × 381 mm) in a conspicuous common area of the apartment house or residential hotel for at least 15 days with the following information: notice that the application has been made, the nature of the work to be performed, the means of obtaining information from the Department, and the procedure for appealing the issuance of building permits. When the permit application proposes to remove a legal or illegal dwelling unit, the posted sign shall also contain a list of tenant counseling or legal services that can provide assistance to tenants with understanding and participating in the City's processes, and notice of such application shall be delivered via hand delivery or U.S. mail to all tenants in the building. Such notice shall also include contact information for translation services into Spanish, Chinese, and Russian. In occupied residential unreinforced masonry buildings, required signs shall also include specified information provided by the Building Official. The applicant shall thereafter submit an affidavit signed under penalty of perjury stating that the sign has been posted as required by this section. See Section 110A, Table 1A-L - Public Information - for fee to defray the cost of

maintaining records of said affidavits. The Building Official shall not approve the application until this affidavit is submitted. If there is reason to believe that the sign was not posted as required, the Building Official shall investigate the matter, shall provide the applicant an opportunity to respond to any complaint of noncompliance, shall determine whether the requirements of this section have been substantially met, and shall cancel an application or revoke the permit if it is determined they have not been substantially met.

106A.3.8 Disapproval of application. Any application that does not meet the requirements of this code or any other laws, ordinances or regulations enforced by any interested departments or agencies shall be disapproved by the Building Official or upon request by the applicant. If such a request is not made by the applicant to disapprove an application, the Building Official shall notify the applicant that the application will be disapproved cancelled in 60 days and the application revoked.

drainage issues, and subsidence are likely to occur on or near steeply sloped properties and within other defined areas causing severe damage and destruction to public and private improvements, the Board of Supervisors finds that the public health, safety, and welfare is best protected if the Building Official causes permit applications for the construction of new buildings or structures and certain other construction work on property subject to the Slope and Seismic Hazard Zone Protection Act to undergo additional review for structural integrity and effect on hillside or slope stability. The requirements for projects subject to the Slope and Seismic Hazard Zone Protection Act are in addition to all other applicable laws and regulations, including any and all requirements for environmental review under the California Environmental Quality Act; compliance with the requirements contained herein does not excuse a project sponsor from compliance with any other applicable laws and regulations.

.25

**106A.4.6** Notice of permit issuance. Within 24 hours after the issuance of a building permit authorizing the types of work described below, notice of such issuance shall be given in the manner set forth below.

1. For permits to demolish or erect a building or structure, or to move a structure to a new site, the permittee shall obtain from the Department a sign containing the following information: permit number; filing date; address and phone number of the agency to contact for information regarding permit issuance; the date of permit issuance; address and phone of agency to contact to appeal issuance of permit; name, address and phone number of permittee.

For unreinforced masonry buildings, additional information shall be provided, as required by the Building Official.

See Section 110A, Table 1A-L – Public Information – for applicable fee.

The permittee shall cause the sign to be erected on the site of the property to which the application applies.

Location of sign. The sign shall be clearly visible to passing motorists and passing pedestrians. In the case of moved buildings, the sign shall be posted at the site onto which the building is to be moved. The minimum dimensions shall be 30 inches by 30 inches (762 mm × 762 mm), unless the permit relates to a vacant site or a vacant building, in which case the Building Official may require a sign up to 8 feet (2.438 m) wide and 4 feet (1.219 m) high upon a determination that the larger sign will provide better public notice. If a larger sign is required, the permittee shall provide it, and it shall contain the information set forth above. The sign required herein shall be installed as follows: The bottom edge of the sign shall be at least 6 feet (1.829 m) above grade; the face of the sign shall be parallel to the main street frontage and shall be located 5 feet (1.524 m) or less from the street property line; the sign shall be attached to one or more posts substantially embedded into the ground in order to withstand

wind or other load factors, or may be attached to an existing front building wall. The background color of the sign shall be white, and the color of the text shall be black; the letter size of the first line shall be a minimum of 8 inches (203.2 mm) high; the size and style of the text shall be such that the message is clear and legible from a distance of 10 feet (3.048 m) to a viewer with normal vision.

Duration of sign posting. The permittee shall cause the sign to be erected within 24 hours after a permit is issued. The sign shall remain posted until either the conclusion of the hearing on the permit before the Board of Appeals or the time for filing such appeal has lapsed without an appeal being filed. *Except for work performed pursuant to a Conditional Use authorization from the Planning Commission.* \*Wwork under a demolition permit shall not begin until 15 days after the date on which the permit is issued.

Revocation for noncompliance. The Building Official shall, after providing the permittee an opportunity to respond to any complaint of noncompliance, revoke any permit where the applicant has not substantially complied with the provisions of this section or Section 106A.3.2.3 requiring notice of permit application and issuance.

The requirements contained in this code relating to notice are not intended to give any right to any person to challenge in any administrative or judicial proceeding any action for which notice is given if such person would not otherwise have the legal right to do so.

- 2. For a permit which would authorize a structural addition to an existing building, the Department shall mail written notice to the owners of properties immediately adjacent to the subject building as shown on the current tax roll. See Section 110A, Table 1A-L Public Information for applicable fee.
- 3. For a permit which would authorize the demolition or moving of a building or structure, written notice shall be mailed to the owners of properties within 300 feet (91.44 m) in every direction from the edge of the property on which the proposed demolition work will

take place, or from which the building will be moved. Owners notified shall be as shown on the last annual tax roll. Notice to interested organizations or groups shall be made as provided in Section 106A.4 of this code.

- 4. For changes in occupancy per this code, notice shall be provided as specified in Section 6 of the San Francisco Business and Tax Regulations Code. See Section 110A, Table 1A-L Public Information for applicable fee.
- 5. For a permit that would authorize removal of a legal or illegal dwelling unit, as defined in the Housing Code, permittee shall post a sign at least 15 inches by 15 inches (381 mm x 381 mm) in a conspicuous common area of the building where the work will occur, with the following information: permit number; filing date; address and phone number of the agency to contact for information regarding permit issuance; the date of permit issuance; address and phone number of agency to contact to appeal issuance of permit; name, address and phone number of permittee. The sign shall also contain a list of tenant counseling or legal services that can provide assistance to tenants with understanding and participating in the City's processes. The sign shall remain posted until either the conclusion of the hearing on the permit before the Board of Appeals or the time for filing such appeal has lapsed without an appeal being filed. Such notice shall also include contact information for translation services into Spanish, Chinese, and Russian.

Revocation for noncompliance. The Building Official shall, after providing the permittee an opportunity to respond to any complaint of noncompliance, revoke any permit where the applicant has not substantially complied with the provisions of this section or Section 106A.3.2.3 requiring notice of permit application and issuance.

The requirements contained in this code relating to notice are not intended to give any right to any person to challenge in any administrative or judicial proceeding any action for which notice is given if such person would not otherwise have the legal right to do so.

### **SECTION 107A - FEES**

107A.5 Investigation Fees: Work Without a Permit. Whenever any work, for which a permit is required under the provisions of this code, has been started without a permit and where no specific additional fees are imposed as penalties as provided in this chapter, a special investigation shall be made before a permit may be issued for such work. See Section 110A, Table 1A-K – Penalties, Hearings, Code Enforcement Assessments – for applicable fee. Where only a portion of the work has been commenced without a permit, the investigation fee shall be based upon the portion of the work done without a permit. The cost of any penalty for any work done, in conjunction with the investigation fee, shall be borne by the owner.

The owner or owner's agent may appeal the amount of the investigation fee if they can provide just cause, such as unfamiliarity with this code or demonstrable negligence on the part of one of their employees.

The Building Official may reduce the investigation fee to two times the amount of the permit fee as called for in Section 110A, Table 1A-A – Building Permit Fees – of this code for work that was constructed prior to the current building ownership, provided that substantiating documentation is provided.

Where the Building Official rules against the applicant, appeals of such investigation fee shall be filed with the Board of Appeals in the manner provided in <u>Section 8 et seq. of the Business & Tax Regulations Code Part III of the San Francisco Municipal Code</u>. Such filing shall be subject to the fees and rules of the Board of Appeals. The Board of Appeals, in reviewing the appeal of the investigation fee assessed for doing work without a permit, may reduce the amount of said fee, but in no case shall such reduced investigation fee be less than two times the amount of the permit fee as called for in Section 110A, Table 1A-A – Building Permit Fees – of this code.

.7

107A.13 Development impact and in-lieu fees.

dispute or question arises concerning the accuracy of the final Project Development Fee Report, including the mathematical calculation of any development fee listed thereon, the Development Fee Collection Unit shall attempt to resolve it in consultation with the department or agency affected by the disputed fee and the project sponsor. A person protesting the accuracy of the Report must submit the issue or issues in writing to the Unit with a copy to the department or agency whose development fee is in dispute. Any public notice of the issuance of the building or site permit shall notify the public of the right to request

a copy of the Project Development Fee Report and of the of the right of appeal to the Board of

# SECTION 109A – CERTIFICATE OF OCCUPANCY; AMENDED CERTIFICATE OF OCCUPANCY FOR EXISTING BUILDING

109A.3 Certificate issued. The Building Official shall issue certificates of final completion  $\underline{Aa}$ nd  $\underline{\Theta o}$  ccupancy for buildings or structures erected or enlarged; for each change in occupancy classification in any building, structure or portion thereof; and for buildings or structures seismically upgraded in accordance with the provisions of this code. An  $\underline{Aa}$  mended certificate of final completion and occupancy shall be issued for an existing building where there is an increase in the number of legal dwelling units resulting in a change of occupancy. The amended certificate of  $\underline{final\ completion\ and}$  occupancy shall indicate the date the first certificate of occupancy and any subsequent certificates of occupancy for the building or structure were issued. If there is no original certificate of occupancy, the amended certificate of  $\underline{final\ completion\ and}$  occupancy shall refer to the date of initial construction on file in the

Appeals under Section 107A .13.9.2.

records of the Department. The provisions of this section shall not be available for use in RH-1 or RH-1(D) zoning districts, nor shall it apply to any residential dwelling that is inconsistent with existing law.

EXCEPTION: For Group R-1 and R-2 Occupancies, see Sections 109A.7 and 109A.8.

109A.7 Certificate or amended certificate of final completion and occupancy,

Group R-1 and R-2 occupancy. Before the Department may issue a certificate of final completion and occupancy for a newly-erected building or structure, an amended certificate of final completion and occupancy for an existing building pursuant to Section 109A.3, or Apartment House/Hotel License, a written report of compliance with applicable codes, standards and regulations and any conditions of approval to the building, structure or property shall be obtained from those agencies having jurisdiction. An amended certificate of final completion and occupancy issued for changes to an existing building shall indicate the date the first certificate of occupancy and any subsequent certificates of occupancy for the building or structure were issued. If there is no original certificate of occupancy, the amended certificate of final completion and occupancy shall refer to the date of initial construction on file in the records of the Department.

Where any permit for the building, structure or property was appealed to the Board of Appeals and the Board imposed conditions on appeal, the Department may not issue a certificate of final completion and occupancy, an amended certificate of final completion and occupancy, or apartment house/hotel license until it determines that the conditions have been met. A copy of the certificate of final completion and occupancy or amended certificate of final completion and occupancy shall be forwarded to the Board of Appeals.

SECTION 435 – SPECIAL PROVISIONS FOR LICENSED 24-HOUR CARE FACILITIES IN A GROUP R-2.1, R-3.1, R-4

435.3.5 For detached one- and two-family dwellings, and townhouses not more than three stories above grade plane in height with a separate means of egress, buildings housing protective social-care homes or in occupancies housing inmates who are not restrained need not be of one-hour fire-resistive construction when not more than two stories in height. In no case shall individual floor areas exceed 3,000 square feet (279 m2). The fire-resistive protection of the exterior walls shall not be less than one hour where such walls are located within 5 feet (1524 mm nn) of the property line. Openings within such walls are not permitted. Openings within non-rated walls need not be protected. [CRC R335.9]

### **SECTION 456 – FENCES**

\* \* \* \*

456.1 Fences. Fences on any property containing a Group R Occupancy shall not be higher than 10 feet (3048 3.048 mm). Fences located less than 10 feet (3048 3.048 mm) from any public sidewalk shall not be higher than 10 feet (3048 3.048 mm) unless they are of opentype materials such as chain link fabric. Fence height shall be measured from the level of general existing adjacent ground of the general area prior to the improvement of the properties. A fence or railing placed on top of the retaining wall shall be measured from the top of the wall.

Fences constructed wholly or in part of barbed wire are prohibited, except when permitted with the express written permission of the Building Official, and the Fire Department in the following situations:

- 1. On top of a fence more than 7 feet (2.134 m) high, protecting a dangerous or hazardous area.
- 2. Within a private area, enclosed by a seven-foot- high (2.134 m) fence, such that entry to the area is limited by the outer, nonbarbed fence.

3. In special instances for localized protection, and in areas within or atop a building to isolate dangerous conditions.

### **SECTION 912 - FIRE DEPARTMENT CONNECTIONS**

**912.** <u>7</u> 6 Number of connections required. Sprinkler <u>sys-tems</u> systems requiring a 4-inch (101.6 mm) or larger water service shall have two or more inlet connections as necessary to meet hydraulic demand.

### SECTION 1011 - STAIRWAYS

**1011.12** Add a sentence to the end of the Exception as follows:

**Exception:** Other than where required by Section 1011.12.1, in buildings without an occupied roof access to the roof from the *tip top* story shall be permitted to be by an alternating tread device, a ships ladder or a permanent ladder. Stairs or ladders used only to attend equipment or window wells are exempt from the requirements of this chapter.

### SECTION 1016 – EXIT ACCESS

**1016.2** Add item <u>7</u> 5 as follows:

7. [Reference CRC R311.1] For one- and two-family dwellings and townhouses, means of egress is allowed to pass through rooms and intervening spaces except garages.

### Chapter 11C

### <u>Reserved</u>

### STANDARDS FOR CARD READERS AT GASOLINE FUEL-DISPENSING FACILITIES

No San Francisco Building Code Amendments

٠.	Ш
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
12 13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	

25

### Chapter 11D

# MANDATORY ACCESSIBILITY IMPROVEMENTS FOR BUILDINGS WITH A PLACE OF PUBLIC ACCOMMODATION

SECTION 1106D – BUILDING PERMIT REQUIRED; INSPECTION AND COMPLETION OF WORK; VALUATION APPLIED TO FUTURE PROJECTS; NOTICE TO TENANT(S)

1106D.1. Building Permit Required. A building permit is required to make any and all modifications to a building either mandated or authorized by this Chapter 11D. All work required by this Chapter 11D shall be considered by the Department to be barrier removal and no additional path of travel upgrade shall be required. Only those elements that are actually altered will be required to comply with the current requirements of this Code.

If a permit is required to remediate the entryway or the sidewalk, the Owner shall provide written notice to the business tenant or tenants of the building a minimum of 30 <u>days</u> days' prior to filing the permit application with the Department.

### Chapter 13A

### COMMERCIAL WATER CONSERVATION

(NOTE: The time limits for compliance with the provisions of Chapter 13A have passed but the ordinance and the time limits therein are still in effect.)

### Chapter 13D

### COMMERCIAL LIGHTING EFFICIENCY

### **SECTION 1304D – DEFINITIONS**

For the purpose of this Chapter, certain terms are defined as follows:

22 23 24

25

TOURIST HOTEL is any residential building, or portion thereof, which is occupied as a hotel, motel or inn and which has a certificated certificate of use for tourist occupancy, or any portion of a residential building which is converted to tourist hotel use pursuant to the Residential Hotel Conversion Ordinance (S.F. Administrative Code, Article 41) or other City law.

SECTION 1305D - COMPLIANCE REQUIREMENTS

1305D.2 Stay of Compliance Deadline. The Compliance Deadline stated in Section 1305D.1 shall be stayed for up to two years from form the date of an application for a demolition permit for any building subject to this Chapter. If the building is demolished and a Certificate of Completion issued by the Department before the end of the two-year postponement, the requirements of this Chapter shall not apply. If the building is not demolished after the expiration of two year, the provisions of this Chapter 13D shall apply even though the demolition permit is still in effect or a new demolition permit has been issued.

SECTION 1306D - LIGHTING EFFICIENCY MEASURES

1306D.2 Energy Efficiency. The lamp and ballast system in each luminaires that utilizes one or more 4-foot or of 8-foot linear fluorescent lamps to provide illumination in a building subject to this Chapter 13D must meet at least one of the following requirements:

- 1. The lamp and ballast system emits 81 or more lumens per watt of electricity consumed.
- 2. The luminaires is controlled by an occupancy sensor control device that does not control an area in the building of more than 250 square feet.

- 3. The luminaires is fitted with a lighting efficiency measure approved by the Director as equivalent to the measures in subsection (1) or (2).
- 4. The Director finds, based on the facts of the particular building and luminaires, that the energy savings from installing lighting efficiency measures meeting the requirements of this Section will be so insignificant over the life of the luminaires that the measure is not cost efficient.
- 5. If the owner of a Commercial Building elects to meet the requirements of this Section 1306D.2 with measures that require permits, such permits shall comply with all other applicable requirements of this Code and all other applicable state and local laws.

### Chapter 15

### **ROOF ASSEMBLIES AND ROOFTOP STRUCTURES**

### SECTION 1501 – GENERAL

1501.1 Add a second paragraph as follows:

For qualified historical buildings or properties, see 2016 California <u>Historical</u> <u>Existing</u>
Building Code, <u>Chapter 12</u>.

**1505.1** Revise the *first second* sentence as follows:

**1505.1 General.** Roof assemblies shall be divided into the classes defined below. Class A or B[ $\leftarrow$ ] roof assemblies and roof coverings required to be listed by this section shall be tested in accordance with ASTM E 108 or UL 790.

### Chapter 16

### STRUCTURAL DESIGN

### **SECTION 1607 – LIVE LOADS**

# TABLE 1607.1 – MINIMUM UNIFORMLY DISTRIBUTED LIVE LOADS, $L_{\theta_s}$ AND MINIMUM CONCENTRATED LIVE LOADS $^g$

Table 1607.1 Add the following footnote o to Occupancy or Use 29, Sidewalks and Driveways

### SECTION 1705 – REQUIRED SPECIAL INSPECTIONS AND TESTS

1705.20 Bolts Installed in Existing Masonry or Concrete. Reserved. Except for through bolts with plate washers conforming to SFEBC Table 4B-E, bolts that are newly installed in existing masonry or concrete shall be tested in accordance with SFEBC Section 415B. The number and type of tests required shall be the same as required by SFEBC Section 407B.

### Chapter 23

### WOOD

### SECTION 2304 - GENERAL CONSTRUCTION REQUIREMENTS

2304.12.3.2 Wood structural members. Wood structural members that support moisture permeable floors or roofs that are exposed to the weather, such as concrete or masonry slabs, shall be of naturally durable or preservative-treated wood unless separated from such floors or roofs by an impervious moisture barrier extending up the walls not less than 4 inches (101.6 mm) or shall otherwise be adequately flashed and counter flashed.

Regardless of finish flooring type or structural materials, the wood sub-floor of toilet rooms and bathrooms shall be protected by a waterproof membrane. Where a single ply sheet membrane is used, all adhesives shall be of a waterproof type and shall be applied so as to form a full unbroken coat between the backing and the membrane being applied. All seams and joints shall be thoroughly sealed.

Exception: Interior floors in Group R, Division 3 Occupancies.

2304.12.2.3 Add the following 2nd paragraph with exception, and 3rd paragraph:

Weather-exposed stairways constructed with concrete, masonry, brick, tile or terrazzo shall be supported on hot-dipped galvanized steel or reinforced concrete stringers.

**EXCEPTION:** In Group R, Division 3 Occupancies, wood construction on masonry or concrete foundations may be used as supports, and the area under the stair shall be ventilated in compliance with 2304.12.7.

Weather-exposed stairs of precast concrete or metal pan treads may be supported on wood stringers, provided the entire stairway is exposed and the treads are connected to the stringers by hot-dipped galvanized steel or other approved corrosion-resistant fasteners.

2304.12.3.2 Wood structural members. Wood structural members that support moisture permeable floors or roofs that are exposed to the weather, such as concrete or masonry slabs, shall be of naturally durable or preservative-treated wood unless separated from such floors or roofs by an impervious moisture barrier extending up the walls not less than 4 inches (101.6 mm) or shall otherwise be adequately flashed and counter flashed.

Regardless of finish flooring type or structural materials, the wood sub-floor of toilet rooms and bathrooms shall be protected by a waterproof membrane. Where a single ply sheet membrane is used, all adhesives shall be of a waterproof type and shall be applied so as to form a full unbroken coat between the backing and the membrane being applied. All seams and joints shall be thoroughly sealed.

### APPENDIX J

#### **GRADING**

J103.2 J1.03.2 Add the following five exceptions.

\* \* \* \*

Section 4. The Existing Building Code is hereby amended by revising Sections 314.27.1, 326.1, 327.9.6, 328.3, 328.3.3, 401.1.2, 402.6, 402.7, 403.12.1, 403.12.2, 403.12, 404.1.1, 407.4.1, 405A.1, 405A.2, 406B.3.3.4, 408B.2, 411B.3.1, Table 4B-E, 403C, 404D.1, 406D, 401E, 403E.3, 404E.1 and adding Sections 403.1.1.1, 403.13, and 407E, to read as follows:

### SECTION 314 – EXISTING HIGH-RISE BUILDINGS [SFM]

314.27 Automatic Sprinkler System – Existing High-rise Buildings

**314.27.1 General.** Regardless of any other provisions of this code, every existing high-rise building as defined in San Francisco Building Code Section 403.1.1 shall be provided with an approved automatic fire sprinkler system conforming to NFPA 13.

Existing high-rise buildings that are also qualified historical buildings as defined in California Health and Safety Code Section 18950 shall be provided with an approved automatic fire sprinkler system when and as required by the State Historical Building Code.

### **EXCEPTIONS:**

- 1. An apartment house, condominium or other building used as a Group R, Division 2 Occupancy as defined in this code excluding tourist hotels as defined in Section 41.4(+) of the San Francisco Administrative Code.
- 2. A mixed-use occupancy building containing a Group R, Division 1 or Group R, Division 2 Occupancy.

SECTION 326 – EXISTING BUILDINGS OR OTHER STRUCTURES LOCATED ON A MILITARY BASE SELECTED FOR CLOSURE

**326.1 General.** As authorized by *California Health and Safety Code Section 18941.7 Assembly Bill 1644 California Military Base Reuse and Preservation Act of 2012*, a building or other structure that is located on a military base selected for closure by action of the federal

Defense Base Closure and Realignment Commission, including Naval Station Treasure Island (including Yerba Buena Island) and Hunters Point Naval Shipyard, may comply with the requirements of this code in a graduated manner over a period not to exceed three years, provided that:

- 1. The building or structure is in existence at the time the military base is selected for closure by action of the federal Defense Base Closure and Realignment Commission;
  - 2. The building or structure will be safe for its intended use and occupancy;
- 3. The building or structure is under a lease from the federal government to either the City and County of San Francisco or the Redevelopment Agency of the City and County of San Francisco (the "Redevelopment Agency");
- 4. The building or structure will be subleased by the City and County of San Francisco or Redevelopment Agency to either a private party, to the City and County of San Francisco or to the Redevelopment Agency; and
- 5. The building or structure meets the code compliance inspection and graduated compliance plan requirements set forth below.

### SECTION 327 – WORK PRACTICES FOR LEAD-BASED PAINT ON PRE-1979 BUILDINGS AND STEEL STRUCTURES

327.9.6 Appeal of order. Any person may appeal the *nonmonetary portion of the*Director's order issued pursuant to Section 327.9.4, provided that such appeal is in writing and filed with the Abatement Appeals Board pursuant to San Francisco Building Code
Chapter 1A. Upon the determination of the Clerk of the Abatement Appeals Board that all requirements to make an appeal have been met, the monetary portion of the Director's order shall be stayed pending the appeal.

### SECTION 328 - ASBESTOS INFORMATION AND NOTICE

\* \* \* \*

328.3 Asbestos-Related Work Sign Posting and Affidavits. In addition to any other requirements for notice set forth in this code, any person filing an application for a building permit to perform work in an apartment house or a residential hotel [as defined in Section 41.4(p) of the San Francisco Administrative Code], which work includes asbestos-related work as defined in this code, shall comply with the following requirements:

\* \* \*

- **328.3.3** Apartment house and residential hotel exclusions. Notwithstanding the definitions of apartment house or residential hotel [as defined in Section 41.4(p) of the San Francisco Administrative Code], those terms shall not include:
- 1. Any "school building" as defined in 15 U.S.C. Section 2642 as that section read on January 1, 1989;
- 2. Any "building" as defined in California Health and Safety Code Section 25920, as that section read on September 27, 1989; or
- 3. The residential area of any multi-use building where the asbestos-related work is to occur solely in a commercial area, the commercial and residential areas of the building do not share supply air or return air handling systems, and the commercial area does not contain facilities supplied in connection with the use or occupancy of the residential area.

NOTE: Contact Bay Area Air Quality Management District for pre-permit requirements for demolition and alteration work and other requirements for asbestos related work.

### Chapter 4

### PRESCRIPTIVE COMPLIANCE METHOD

### **SECTION 401 – GENERAL**

401.1.3 2- Add the following section:

**401.1. 3 2 General.** Buildings, structures and property to which additions, alterations or repairs are made shall comply with all the requirements of this code for new facilities, except as specifically provided in this section, in the San Francisco Housing Code and in other applicable ordinances and regulations. See Section 401.6 for provisions requiring installation of smoke detectors in existing Group R, Division 3 Occupancies.

### **SECTION 402 - ADDITIONS**

402.76 Add the following section:

**402. 7 6 High-rise buildings.** Any existing building or structure to which an addition is made which causes the building or structure to fall within the scope of San Francisco Building Code Section 403 shall comply with the provisions of that section.

402.87 Add the following section:

**402.**87 **Horizontal additions.** Horizontal additions shall meet the following requirements:

When the cumulative area of horizontal additions, excluding basement additions, exceeds 30 percent of the area of the original building or structure, excluding basements, and the additions are structurally interconnected to, or not separated to comply with ASCE 7-10 Section 12.12.3, the entire structure shall comply with Section 301.2.

For the purpose of this <u>sSection 402.8</u>, the term "original building or structure" shall mean the building or structure as it existed on the force based trigger date per IEBC. The combined building or structure may be used for more restrictive occupancy classifications as determined in San Francisco Building Code Chapter 3 only when the structure as a whole meets the requirements in this code for such occupancy.

### **SECTION 403 – ALTERATIONS**

Add the following section:

403.1.1.1 Stairways. For stairway replacement, see San Francisco Building Code Section 1011.12.3.

### Add the following section:

### 403.13 Substantial change.

*Add the following section:* 

403.13 12.1 Non-structural alterations. Whenever alteration work in a building or structure involves substantial changes to elements such as walls, partitions or ceilings, on 2/3 or more of the number of stories excluding basements, the building or structure as a whole shall comply with Section 301.2. The term "substantial change" includes the addition, removal, repair or modification of such elements. All such work included in alteration permits issued within two years of the date of a permit application shall be included in the determination of whether the application is proposing substantial change to the building or structure.

Removal and replacement of interior gypboard or plaster in Type V (wood framed) R3 occupancy (one or two residential units) is not to be considered as "Substantial Change".

The replacement gypboard must be 5/8" Type X with 5d cooler nails @ 4 inches on center or equivalent screws.

403.13 12.2 Structural alterations. When more than 30 percent of the floor and roof areas of the building or structure have been or are proposed to be involved in substantial structural alteration, the building or structure shall comply with Section 301. The areas to be counted towards the 30 percent shall be those areas tributary to the vertical load carrying components (joists, beams, col–umns, walls and other structural components) that have been or will be removed, added or altered, as well as areas such as mezzanines, penthouses, roof structures and infilled courts and shafts.

#### **EXCEPTIONS:**

- 1. When such alterations involve only the lowest story of a wood frame building or structure and Section 407 does not apply, only the lateral force resisting components in and below that story need comply with Section 301.2. or
- 2. When such alterations involve the lowest story of a Type V building or structure of R3 occupancy and that floor's proposed use is as a garage, that level is exempt from Section 403.12.2. Such alterations need not be counted as part of the cumulative total of tributary area of structural alterations.
- **403.**<u>14</u> <u>13</u>- **Mandatory Seismic Retrofit.** Submittal documents shall include plans indicating locations and con-struction of existing, new and modified building elements used to comply with Chapter 4B.

### **SECTION 404 – REPAIRS**

**404.1. 2 ! Repairs.** Unless otherwise approved by the Building Official, all structural damage shall be repaired.

Repairs to buildings or structures which have sustained substantial structural damage to lateral force resisting elements shall comply with the minimum lateral force design requirements of Section 301.2 or with the code under which the building or structure was designed, whichever is more restrictive.

Damage may be caused by events or a combination of events, including, but not limited to, fire, explosion, structural pest or wood-destroying organism attack, earthquake, wind storm, vehicular impact, ground subsidence or failure, or the collapse or dislodgement of any portion of any adjacent building or structure. The removal or alteration of structural elements as part of the work described in an approved building permit application shall not be considered to be "damage."

### SECTION 407 – CHANGE OF OCCUPANCY

407.4.2 Change of occupancy. In addition to the other requirements of this code, the term "comply with the requirements of this code for such division or group of occupancy," as used in this section, shall also mean compliance with the lateral force provisions of Section 301.2 when the change results in an increase of more than 10 percent in the occupant load of the entire building or structure, and which also increases the occupant load by more than 100 persons as compared to the occupant load of the existing legal use or the use for which the building was originally designed. A building changing occupancy to an E occupancy, and is otherwise subject to Section 329, shall comply with Section 329.

#### **EXCEPTIONS:**

- 1. When a change of occupancy or use involves only one story of a building or structure, only the lateral force resisting elements in that story and all lateral force resisting elements below need comply with Section 301.2.
- 2. A change from a Group R, Division 3 to a Group R, Division 1 or Division 2 Occupancy caused by the construction of a third dwelling unit in the lowest story of a building or structure shall comply with Section 301.2 as provided in Exception 1 above.

### Chapter 4A

# EARTHQUAKE HAZARD REDUCTION IN UNREINFORCED MASONRY BEARING WALL BUILDINGS

(NOTE: The time limits for compliance with the provisions of Chapters 4A and 4B <u>have</u>

had passed, but the ordinance and the time limits therein are still in effect.)

### **SECTION 405A ADMINISTRATION**

405A.1 Service of Notice. <u>The ordinance enacting Chapters 4A and 4B required that the</u>
Building Official <u>shall</u>, not later than February 15, 1993, issue a notice to comply with Section

404A.1 to the owner of each building known by the Department to be within the scope of this chapter. *The notice shall be* accompanied by an informational letter or brochure and a sample inventory form. *The enacting ordinance further provided that Hif*, on or before February 15, 1993, an owner of an unreinforced masonry bearing wall building *has had* knowledge that he or she owns such a building, then failure of the Building Official to issue a notice or failure of the owner to receive such a notice *would shall* not relieve the owner of the obligation to comply with the provisions of Chapters 4A and 4B within the time limits set forth in Table 4A-A. An owner is presumed to have knowledge that he or she owns an unreinforced masonry bearing wall building if the building is on the inventory list of potential hazardous unreinforced masonry bearing wall buildings required by Section 8877(a) of the California Government Code.

For buildings not known to the Department to be unreinforced masonry bearing wall buildings and whose owners *have had* no knowledge that the buildings are unreinforced masonry bearing wall buildings, *the ordinance provided that* the time limits set forth in Table 4A-A shall commence upon the owners having actual or constructive knowledge that their buildings are unreinforced masonry bearing wall buildings.

The time limits for compliance with the provisions of this Chapter 4A and Chapter 4B have passed, however the compliance requirements are still in effect. As provided above, for those buildings within the scope of Chapters 4A and 4B not known to the Department to be unreinforced masonry bearing wall buildings, and whose owners did not have actual or constructive knowledge that their buildings are unreinforced masonry bearing wall buildings, the time limits set forth in Table 4A-B commences upon the owners having such actual or constructive knowledge. Those owners who had actual knowledge on or before February 15, 1993, or are presumed to have had such knowledge, are in violation of this Code and are subject to enforcement action by the Department pursuant to Section 102A of the Building Code.

**405A.2** Appeal from Notice. The owner or the owner's agent may appeal the Building Official's notice to the *Unreinforced Masonry Building Appeals*-Board of Examiners in accordance with San Francisco Building Code Section 105A.1 105A.7.

### Chapter 4B

# SEISMIC STRENGTHENING PROVISIONS FOR UNREINFORCED MASONRY BEARING WALL BUILDINGS

(NOTE: The time limits for compliance with the provisions of Chapters 4A and 4B <u>have</u> had passed, but the ordinance and the time limits therein are still in effect.)

### 406B.3.3.4 Minimum quality of mortar.

1. Mortar shear test values, vto, in psi shall be obtained for each in-place shear test in accordance with the following equation:

vto = (Vtest/Ab) - 
$$p_{\underline{D+L}} + \underline{L}$$
 (4B-1)

- 2. The mortar shear strength, vt, is the value in psi that, after discarding the lowest 20 percent of the mortar shear test values, vto, is the lowest of the remaining 80 percent of the mortar shear test values.
- 3. Any unreinforced masonry bearing wall with vto, or with mortar shear strength, vt, less than 30 psi (206.84 kPa) shall be either removed, entirely pointed and retested or have its structural function replaced and shall be anchored to supporting elements in accordance with Section 406B.3.1 and Section 413B.8. When existing mortar in any wythe is pointed to increase its shear strength and retested, the condition of the mortar in the adjacent bed joints of the inner wythe or wythes and the opposite outer wythe shall be examined for extent of deterioration. The shear strength of any wall class shall be no greater than that of the weakest wythe of that class.

**408B.2 Masonry shear.** The allowable unreinforced masonry shear stress, va shall be determined for each masonry class from the following equation:

$$va = 0.1vt + 0.15 P_D I_A P_D I_A$$
 (4B-2)

The mortar shear test value, vt, shall be determined in accordance with Section 406B.3.3, and shall not exceed 100 psi (689.476 kPa) for the determination of va.

The one-third increase in allowable values of this code for short-term loading is not allowed for va.

411B.3.1 Crosswall definition. A "crosswall" is a wood-framed wall sheathed with any of the materials described in Table 4B-D or 4B-E or other system as defined in Section 411B.3.5. Spacing of crosswalls shall not exceed 40 feet (12.19 m) on center measured perpendicular to the direction of consideration and shall be placed in each story of the

building. Crosswalls shall extend the full story height between diaphragms.

# Table 4B-E – ALLOWABLE VALUES OF NEW MATERIALS USED IN CONJUNCTION WITH EXISTING CONSTRUCTION

NEW MATERIALS OR CONFIGURATIONS OF MATERIALS	ALLOWABLE VALUES <sup>1</sup>
* * * *	* * * *
4. TENSION BOLTS	(x 4.448 for N)
a. Bolts extending entirely through unreinforced masonry walls secured with bearing	1,800 pounds per bolt <sup>8</sup>
plates on far side of a 3 wythe minimum wall with at least 30 square inches (19,355 mm2)* of area <sup>3,4,11</sup>	900 pounds per bolt for 2 wythe walls <sup>8</sup>
* * * *	* * * *

### 3

# 4 5

# 6

# 7

## 9

# 1011

### 12

## 13

# 1415

## 16

### 17 18

### 19

### 20

21

# 2223

### 24

### 25

### Chapter 4C

### PARAPETS AND APPENDAGES - RETROACTIVE PROVISIONS

### **SECTION 403C - VARIANCE PROCEDURE**

Any person receiving a notice as set out in Section 402C above may appeal for a variance *from the notice* to the Board of Examiners in the manner provided by San Francisco Building Code Section 105A.1 *or, in the ease of parapets or appendages of unreinforced masonry bearing wall buildings, to the Unreinforced Masonry Building Appeals Board in the manner provided by San Francisco Building Code Section 105A.7.* 

### Chapter 4D

### MANDATORY EARTHQUAKE RETROFIT OF WOOD-FRAME BUILDINGS

**404D.1 General.** The owner of each building subject to this Chapter shall comply with the reporting requirements of this section. If the building is not exempt and does not meet the minimum criteria specified in this Chapter, the owner shall cause the building to be *retroffited* retrofitted to conform to such criteria according to the compliance deadlines set forth in Table 4D-A. Notice of the compliance requirements shall be given by the Department pursuant to Section 405D.4.

### SECTION 406D 3406B\* ENGINEERING CRITERIA FOR EVALUATION AND RETROFIT.

### \* \* \*Chapter 4E

# BUILDING FAÇADE INSPECTION AND MAINTENANCE – RETROACTIVE PROVISIONS

### SECTION 401E - GENERAL REQUIREMENTS AND SCOPE

All façades of buildings of Construction Type I, II, III, or IV and which are five or more stories are required to be inspected periodically by a qualified professional who shall be a licensed architect or engineer retained by the property owner. The façades are required to be maintained in accordance with the criteria and procedures of this Chapter 4E 16E. For buildings considered to be historic resources, the qualified professional shall have expertise in inspection and maintenance of historic resources. The requirements of this Chapter are retroactive and shall apply to and include buildings erected prior to the adoption of this Code. Qualifications of the qualified professional and inspection requirements are as detailed in the accompanying Administrative Bulletin.

\* \* \* \*

403E.3 Inspection in Response to Damage or Failure. Notwithstanding the Initial Inspection Schedule set forth in Table 403E or the Exceptions to the initial inspection requirements provided in Section 403E.1, the Department shall require an inspection of façades to be performed in the following circumstance: If façade elements required to be inspected under this Chapter 4E exhibit significant damage or failure as noted by Department staff or property owner or owner's agent, either during the normal passage of time or due to an earthquake or other event, then the property owner is required to obtain an inspection of the areas of damaged or failed elements and related building elements within 60 days unless the façade poses an unsafe condition. If the Building Official determines that there is an unsafe condition, the provisions of Section 102A shall apply.

**404E.1** Inspection and Maintenance Procedures. Inspections and maintenance shall be conducted in accordance with procedures to be detailed in an Administrative Bulletin adopted by the Department based on ASTM E 2270 Standard Practice for Periodic Inspection of Building Façades for Unsafe Conditions *or ASTM E 2841* 

## 

### 407E – ENFORCEMENT AND ABATEMENT.

The Director shall implement the procedures detailed in San Francisco Building Code Section

102A, Unsafe Buildings, Structures or Property, and related abatement actions when any of the
requirements for façade inspection, reporting, mitigation, repair, or maintenance are not met in a
timely manner.

Section 5. The Plumbing Code is hereby amended by revising Sections 104.5.2, 606.8, and 706.4, to read as follows:

**104.5.2 Investigation Fees.** An investigation fee, in addition to the permit fee, shall be collected whether or not a permit is then or subsequently issued. See Section 110A, Table 1A-C - Plumbing/Mechanical Permit Issuance and Inspection Fees, and Table 1A-K - Penalties, Hearings, Code Enforcement Assessments - of the Building Code for applicable fees. The payment of such investigation fee shall not exempt a person from compliance with other provisions of this code, nor from a penalty prescribed by law.

The Director may reduce the investigation fee to two times the amount of the permit fee as called for in Section 110A, Table 1A-C - Plumbing/Mechanical Permit Issuance and Inspection Fees - of the Building Code for work that was constructed prior to the current building ownership or for work without permit which was done prior to January 1, 1967, if the owner files with the Director a notarized affidavit together with documents substantiating such dates of work.

Appeals of investigation fees may be filed with the Board of Appeals in the manner provided in <u>Section 8 et seq. of the Business & Tax Regulations Code Part III of the San Francisco Municipal Code</u>. Such filing shall be subject to the fees and rules of the Board of Appeals. The Board of Appeals, in reviewing the appeal, may reduce the appealed amount to not less than

3

8

10

18

19 20

22

21

24

23 25 two times the permit fee as set forth in Section 110A, Table 1A-C- Plumbing/ Mechanical Permit Issuance and Inspection Fees - of the Building Code.

606.9 606.8 All buildings four stories or more in height or water supply greater than 40 feet above the water meter shall have an approved backflow assembly installed as near as possible to the water meter and before the first fitting or branch line. The backflow assembly installed shall be in accordance to the degree of hazard within the building, but in no case less than an approved double check assembly. See Table 603.2.

706.4 Vertical to Horizontal. Vertical drainage lines connecting with horizontal drainage lines shall enter through 45 degree (0.79 rad) wye branches, combination wye and one-eighth bend branches, or other approved fittings of equivalent sweep. Branches or offsets of 60 degrees (1.05 rad) shall be permitted to be used where installed in a true vertical position. In buildings more than three stories in height, any fixture within 10 feet (304 mm) of the connection of the vertical to horizontal change shall enter the horizontal drainage line at least 10 feet (304 mm) downstream from the change or may connect into the next vertical downstream line.

Section 6. The Electrical Code is hereby amended by revising Sections 89.123 and 110.26(A), to read as follows:

89.123 Fees

 $\cdot$ (C) Work Without Permit – Investigation Fee. If the Building Official finds that a person, company or entity has performed electrical installation work for which a permit is required, without first obtaining an electrical permit and payment of fees, the Building Official shall require the payment of an investigative fee in addition to the prescribed permit fee. See Section 110A, Table 1A-K - Penalties, Hearings, Code Enforcement Assessments of the Building Code for the applicable fees. The payment of such investigation fee shall not

exempt any person from compliance with all other provisions of this Code, nor from any penalty prescribed by law. The Building Official may reduce the investigation fee to two times the amount of the permit fee as called for in Section 110A, Table 1A-E – Electrical Permit Fees – of the Building Code for work that was constructed prior to the current building ownership if the owner files with the Building Official notarized affidavit together with documents substantiating such dates of work.

Appeal of such investigative fee may be filed with the Board of Appeals in the manner provided in <u>Section 8 et seq. of the Business & Tax Regulations Code</u> <u>Part III of the San Francisco</u> <u>Municipal Code</u>. Such filing shall be subject to the fees and rules of the Board of Appeals. The Board of Appeals, in reviewing the appeal may reduce the appealed amount to not less than two times (2x) the permit fee as set forth in Section 110A, Table 1A-E – Electrical Permit Fees – of the Building Code.

### 110.26 Spaces About Electrical Equipment. \* \* \* \*

- (A) Working Space. \* \* \* \*
- (3) Height of Working Space. The work space shall be clear and extend from the grade, floor, or platform to a height of 2.0 m (6 1/2 ft) or the height of the equipment, whichever is greater. Within the height requirements of this section, other equipment that is associated with the electrical installation and is located above or below the electrical equipment shall be permitted to extend not more than 150 mm (6 in.) beyond the front of the electrical equipment.

Exception No. 1:[Editor's Note: Exception No. 1 is deleted by local amendment.]

Exception No. 2: Meters that are installed in meter sockets shall be *allowed permitted* to extend beyond the other equipment. The meter socket shall be required to follow the rules of this section.

Section 7. The Housing Code is hereby amended by revising Section 1101, to read as follows:

### SEC. 1101. CERTIFICATE OF FINAL COMPLETION.

See Sections 109A and 3406 of the Building Code.

Section 8. Effective Date. This ordinance shall become effective 30 days after enactment. Enactment occurs when the Mayor signs the ordinance, the Mayor returns the ordinance unsigned or does not sign the ordinance within ten days of receiving it, or the Board of Supervisors overrides the Mayor's veto of the ordinance

Section 9. Scope of Ordinance. In enacting this ordinance, the Board of Supervisors intends to amend only those words, phrases, paragraphs, subsections, sections, articles, numbers, punctuation marks, charts, diagrams, or any other constituent parts of the Municipal Code that are explicitly shown in this ordinance as additions, deletions, Board amendment additions, and Board amendment deletions in accordance with the "Note" that appears under the official title of the ordinance.

APPROVED AS TO FORM: DENNIS J. HERRERA, City Attorney

By:

Deputy City Attorney

n:\legana\as2017\1800270\01333281.docx

### **LEGISLATIVE DIGEST**

[Various Department of Building Inspection Codes - Technical Corrections to Existing Code]

Ordinance amending various sections of the Building, Existing Building, Plumbing, Electrical, and Housing Codes to correct or clarify existing Code language, re-enact a longstanding permit requirement for fences with the finding required by the California Health and Safety Code, and add enforcement provisions for the Building Facade Inspection and Maintenance Program; affirming the Planning Department's determination under the California Environmental Quality Act; adopting a finding under the California Health and Safety Code; and directing the Clerk to forward this Ordinance to the California Building Standards Commission upon final passage.

### **Existing Law**

The Department of Building Inspection Codes regulate, among other things, the construction and alteration of buildings and structures within the City and County of San Francisco.

### Amendments to Current Law

The proposed ordinance makes a number of technical corrections or clarifications to existing language of the Building, Existing Building, Plumbing, Electrical and Housing Codes to correct grammar and punctuation, section numbers, out-of-date cross-references, and similar clerical errors. Clarifying amendments have been made to the language of two expired mandatory upgrade programs – Building Code Chapter 13A, Commercial Water Conservation, and Existing Building Code Chapter 4A, Earthquake Hazard Reduction in Unreinforced Masonry Bearing Wall Buildings – that bring their provisions up to date.

The following additional amendments are proposed:

- Staff at the California Building Standards Commission has questioned the legality of San Francisco's longstanding permit requirement for fences over a certain height that is contained in Section 106A.2 of the Building Code. This ordinance re-enacts the requirement with a finding of local conditions under the California Health and Safety Code.
- The appeal process in Section 327 of the Existing Building Code establishing work practices for lead-based paint on pre-1979 buildings and steel structures – is amended to allow the Abatement Appeals Board to review the entire abatement order, including the monetary portion, as is the case with other appeals.
- A clarification of the Building Official's enforcement authority is made to Chapter 4E of the Existing Building Code for façade inspections.

n:\legana\as2018\1800270\01333286.docx

#### **BOARD of SUPERVISORS**



City Hall
Dr. Carlton B. Goodlett Place, Room 244
San Francisco 94102-4689
Tel. No. 554-5184
Fax No. 554-5163
TDD/TTY No. 554-5227

February 15, 2019

File No. 190136

Lisa Gibson Environmental Review Officer Planning Department 1650 Mission Street, Ste. 400 San Francisco, CA 94103

Dear Ms. Gibson:

On February 12, 2019, the Building Inspection Commission introduced the following proposed legislation:

File No. 190136

Ordinance amending various sections of the Building, Existing Building, Plumbing, Electrical, and Housing Codes to correct or clarify existing Code language, re-enact a longstanding permit requirement for fences with the finding required by the California Health and Safety Code, and add enforcement provisions for the Building Facade Inspection and Maintenance Program; affirming the Planning Department's determination under the California Environmental Quality Act; adopting a finding under the California Health and Safety Code; and directing the Clerk to forward this Ordinance to the California Building Standards Commission upon final passage.

This legislation is being transmitted to you for environmental review.

Angela Calvillo, Clerk of the Board

By: Erica Major, Assistant Clerk
Land Use and Transportation Committee

Attachment

c: Joy Navarrete, Environmental Planning Laura Lynch, Environmental Planning Not defined as a project under CEQA Guidelines Sections 15378 and 15060(c)(2) because it would not result in a direct or indirect physical change is the environment.

Joy Navarrete

Digitally signed by Joy Navarrete

Dis: cn=Joy Navarrete, o=Planning,

Ov=Environmental Planning,

email=joy.navarrete@sigov.org, c=US

Date: 2019.03.07 15:48:05 -0a'00'



London N. Breed Mayor

COMMISSION

Angus McCarthy President

Debra Walker Vice-President

Kevin Clinch John Konstin Frank Lee Sam Moss James Warshell

Sonya Harris Secretary

Shirley Wong Assistant Secretary

Tom C. Hui S.E., C.B.O., Director

### **BUILDING INSPECTION COMMISSION (BIC)**

Department of Building Inspection Voice (415) 558-6164 - Fax (415) 558-6509 1660 Mission Street, San Francisco, California 94103-2414

January 28, 2019

Ms. Angela Calvillo Clerk of the Board Board of Supervisors, City Hall 1 Dr. Carlton B. Goodlett Place, Room 244 San Francisco, CA 94102-4694

Dear Ms. Calvillo:

**RE: Code Corrections Ordinance** 

Ordinance amending various sections of the Building, Existing Building, Plumbing, Electrical, and Housing Codes to correct or clarify existing Code language, re-enact a longstanding permit requirement for fences with the finding required by the California Health and Safety Code, and add enforcement provisions for the Building Façade Inspection and Maintenance program; affirming the Planning Department's determination under the California Environmental Quality Act; adopting a finding under the California Health and Safety Code and directing the Clerk to forward this ordinance to the California Building Standards Commission upon final passage.

This amendment was heard at the Code Advisory Committee (CAC) meeting on December 12, 2018. The CAC recommended the adoption of the Code Corrections Ordinance as written.

The Building Inspection Commission met and held a public hearing on January 16, 2019 regarding the Code Corrections Ordinance, the proposed amendment to the San Francisco Building, Existing Building, Plumbing, Electrical, and Housing Codes referenced above. The Commissioners voted unanimously to **recommend approval** of the proposed Ordinance.

President McCarthy Yes Vice-President Walker Yes
Commissioner Clinch Yes Commissioner Konstin Yes
Commissioner Lee Yes Commissioner Moss Excused
Commissioner Warshell Yes

Should you have any questions, please do not hesitate to call me at 558-6164.

Sincerely,

Sonya Harris Commission Secretary

Tom C. Hui, S.E., C.B.O., Director Mayor London N. Breed cc:

Board of Supervisors

#### **BOARD of SUPERVISORS**



City Hall
Dr. Carlton B. Goodlett Place, Room 244
San Francisco 94102-4689
Tel. No. 554-5184
Fax No. 554-5163
TDD/TTY No. 554-5227

February 15, 2019

File No. 190136

Lisa Gibson Environmental Review Officer Planning Department 1650 Mission Street, Ste. 400 San Francisco, CA 94103

Dear Ms. Gibson:

On February 12, 2019, the Building Inspection Commission introduced the following proposed legislation:

File No. 190136

Ordinance amending various sections of the Building, Existing Building, Plumbing, Electrical, and Housing Codes to correct or clarify existing Code language, re-enact a longstanding permit requirement for fences with the finding required by the California Health and Safety Code, and add enforcement provisions for the Building Facade Inspection and Maintenance Program; affirming the Planning Department's determination under the California Environmental Quality Act; adopting a finding under the California Health and Safety Code; and directing the Clerk to forward this Ordinance to the California Building Standards Commission upon final passage.

This legislation is being transmitted to you for environmental review.

Angela Calvillo, Clerk of the Board

By: Erica Major, Assistant Clerk

Land Use and Transportation Committee

Attachment

c: Joy Navarrete, Environmental Planning Laura Lynch, Environmental Planning